



013648

LIST OF PLANT SPECIES ON MAINLAND AREAS (LETTERS) AND ISLANDS (NUMERALS)
 LETTERS AND NUMERALS CODE ^{PLACES} ~~AREAS~~ SHOWN IN FIGURE 1

*Denotes naturalized alien species.

H
 OPHIOGLOSSACEAE

Phylloglossum drummondii Kunze G

THE LIBRARY
 DEPARTMENT OF CONSERVATION
 & LAND MANAGEMENT
 WESTERN AUSTRALIA



DENNSTAEDTIACEAE

Pteridium esculentum (Forst.f.) Cockayne H,I,J

LINDSAEACEAE

Lindsaea linearis Sw. G, H

CALM LIBRARY ARCHIVE
 NOT FOR LOAN

ADIANTACEAE

Cheilanthes tenuifolia (Burm.f.) Sw. G,H, 9,17,24,25,35

ASPLENIACEAE

Asplenium adiantoides (L.) Lam. 24,35

CUPRESSACEAE

Callitris preissii Miq. Q, 35

SCHEUCHZERIAACEAE

Triglochin centrocarpa Hook. A,B,C,D,G,I,L,M, 24,25,26

POACEAE

Agrostis avenacea Gmel. B,E,G,H,I,J,^LM, 14,25,35

*Aira ^{cupaniata Guss.} caryophyllica L. G,J,32,35

*Ammophila arenaria (L.) Link D,J

*Avena ^{barbata Prot.} alba Vahl. 14,23,24

*Briza maxima L. A,E,F,G,H,17,32

*B. minor L. E,G,H,17

Bromus arenarius Labill. B,16,24

*B. diandrus Roth. 14,32

*Cynodon dactylon (L.) Pers. F

Danthonia caespitosa Gaud. B,C,D,E,G,J,K,M,N,O,Q,24,35

*Ehrharta longiflora Sm. E,F,G,H,I,L,9,14,16,17,22,23,24,25,32

*Hordeum leporinum Link K,9,14,23

*Lagurus ovatus L. F,K,L

*Lolium rigidum Gaud. var. rottbolloides Boiss. 22

Neurachne alopecuroides R. Br. D,E,G,H,I,J,O,Q

*Parapholis incurva (L.) C.E. Hubbard K,L

*Poa annua L. E,H,Q,14,17,22,23,25

P. ^{poiformis (Labill.) Druce} australis R. Br. A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,8,9,14,16,17,24,25,26,32,35,36

P. drummondiana Nees D

POACEAE (continued)

- Polypogon maritimus Willd. 9
- Spinifex hirsutus Labill. H
- *Sporobolus africanus (Poir.) Robyns & Tournay H
- S. virginicus (L) Kunth. A,B,C,E,F,H,I,L,M,N,O,P,8,9,17,22,24,25,26,32,35,36
- ^u
*Stenotaphrum secundatum (Walt.) Kuntze H
- Stipa ^{flavescens Labill.} ~~variabilis~~ Hughes B,D,G,J,K,L,N,O,Q,14,35
- Tetrrarhena laevis R.Br. H
- *Triticum vulgare L. 9
- *Vulpia myuros (L) Gmel. C,H,K,24,25

~~AR~~ ^C ~~MA~~ ~~EAE~~

- *Zantedeschia aethiopica (L) Spreng. H,9,22,25

CYPERACEAE

- ^a
Cyperus preissii Nees D,I,8,9,16,17,24,25,26,35
- Cyathochaete clandestina (R.Br.) Benth. A,E,G,H,I,J,O,Q
- Gahnia trifida Labill. B,C,J,K,N,O,Q,35
- Lepidosperma angustatum R.Br. A,B,C,D,E,F,G,H,I,J,K,L,N,O,Q,35
- L. drummondii Benth. B,G,35
- L. gladiatum Labill. A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,Q,9,16,17,24,25,35
- Mesomelaena tetragona (R.Br.) F.Muell. H,I,J,O
- M. stygia (R.Br.) Nees H,J,O
- Schoenus armeria Boeck. J
- S. brevifolius R.Br. A,B,D,O
- S. cf. brevisetis Benth. O,Q
- S. curvifolius (R.Br.) Benth. D,E,G,H,J,Q
- S. grandiflorus (Nees) F.Muell. A,D,I,K,Q
- S. lanatus Labill. C,J
- S. subbulbosus Benth. B,D,K,O
- Scirpus cernuus Vahl. C,D,F,G,H,I,J,L,M,P,17,24,25
- S. inundatus Spreng. A
- S. nodosus Rottb. A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,9,16,17,23,24,25,26,32,35,36

RESTIONACEAE

- Anarthria gracilis R.Br. B,E,G,H,I,J,O,Q
- A. prolifera R.Br. A,D,E,G,H,I,J,K,O,Q,35
- A. scabra R.Br. E,G,H,J,O
- Hypolaena exsulca R.Br. H,J,O
- Leptocarpus aff. tenax (Labill.) R.Br. H

RESTIONACEAE (continued)

- Lepyrodia drummondiana Steud. O
L. hermaphrodite R.Br. H
L. sp. O
Loxocarya fasciculata (R.Br.) Benth. H,J,O,Q
L. flexuosa (R.Br.) Benth. A,D,E,G,H
L. pubescens (R.Br.) Benth. A,B,C,D,G,I,J,K,L,O,Q
Lyginia barbata (Labill.) R.Br. E,G,H,I,J,Q

CENTROLEPIDACEAE

- Aphelia cyperoides R.Br. G,H
Brizula muelleri Hieron. I
Centrolepis aristata (R.Br.) Roem. & Schultz D,E,G,O
C. drummondii (Nees) Hieron. G
C. polygyna (R.Br.) Hieron. ?A,B,C,D,G,J,K,L,M,N,O,P,Q,17,35
C. strigosa (R.Br.) Roem. & Schultz C,E,G,I,M,O,9,16,17,32,35

JUNCACEAE

- Juncus bufonius L. G,22
J. kraussii Hochst. G,H,22
J. pallidus R.Br. 9,35(Storr)
Luzula meridionalis Nordenskiöld G

LILIACEAE

- Agrostocrinum scabrum (R.Br.) Bail. G,H,Q
Borya nitida Labill. C,E,G,H,O
Bulbinopsis semibarbata (R.Br.) Borzi 16,17
Burchardia umbellata R.Br. G,H,J
Caesia parviflora R.Br. H
Chemaescilla corymbosa (R.Br.) F.Muell. C,D,F,P, 24,35
Dianella revoluta R.Br. A,B,F,H,I,K,M,N,O,9,17,24,25,26,32,35
Johnsonia lupulina R. Br. H
Stypandra grandiflora Lindl. B,C,D,E,F,G,I,M,32
Thysanotus multiflorus R.Br. K
T. patersonii R.Br. C,D,E,G,H,I,O,35
T. pauciflorus R.Br. I
*Trachyandra divaricate² (Jacq.) Kunth. 24

XANTHORRHOACEAE

- Dasyogon bromeliifolius R.Br. E,G,H,J,O
Lomandra endlicheri (F.Muell.) Ewart H
Xanthorrhoea preissii Endl. G,H,I,J

PHILYDRACEAE

Philydrella pygmaea (R.Br.) Caruel D,E,H,K,O,Q

HAEMODORACEAE

Anigozanthos flavidus Red. & DC. J

Conostylis aculeata R.Br. A,B,C,D,G,H,I,J,K,O

C. setigera R.Br. G,I,J

Tribonanthes variabilis Lindl. G,H

AMARYLLIDACEAE

*Allium triquetrum L. A,H

sp. indet. 25

IRIDACEAE

*Gladiolus caryophyllaceus (Burm.f.) Poir. H

*G. vittatus Homen F,17

Patersonia occidentalis R.Br. A,B,E,G,H,I,J,O,Q

*Romulea rosea (L) Eckl. D,E,F,H,K,17

ORCHIDACEAE

Acianthus reniformis R.Br. C,G

Caladenia cairnseana F. Muell. H

C. flava R.Br. E,G,H,I,?35

C. huegelii Reichb.f. Q

C. latifolia R.Br. A,D,F,G,H,I,J,M,17,24,25,26

C. pectinata Rogers Q

Cryptostylis ovata R.Br. G,H,I

Diprus longifolia R.Br. E,G,H,J

Elythranthera brunonis (Endl.) A.S. George O

Lyperanthus nigricans R.Br. D,G,H,P,17,35

L. serratus Lindl. H

Microtis alba R.Br. C

M. atrata Lindl. H

M. unifolia (Forst.f.) Rchb.f. G

*Monadenia micrantha Lindl. E, Q

Pterostylis nana R.Br. C,H,24

P. vittata Lindl. G,H

Thelymitra attenifera Hook. G,H

T. ?carnea R.Br. H

T. nuda R.Br. C,G,O(?sp.),Q

T. pauciflora R.Br. B,C,D,E,G,I

CASUARINACEAE

- Casuarina huegeliana Miq. D,9
C. humilis Otto & Dietr. A,B,D,E,G,H,I,J,O,Q
C. thuyoides Miq. H
C. trichodon Miq. O

URTICACEAE

- Parietaria debilis Forst.f. M,24,25,32,35
*Urtica urens L. 9,22,24,25,35

PROTEACEAE

- Adenanthos cuneata Labill. E,G,H,J,O,Q
A. obovata Labill. H
A. sericea Labill. A,B,C,D,E,G,H,I,J,K,L,N,O,Q
Banksia attenuata R.B. H,J,O
B. coccinea R.Br. H
B. grandis Willd. B,E,G,H,J
B. ilicifolia R.Br. E,H
B. littoralis R.Br. H,J
B. occidentalis R.Br. K
B. nutans R.Br. Q
B. praemorsa Andrews A,B,C,D,I,J,K,L,O,Q,35
B. quercifolia R.Br. H
B. verticillata R.Br. B,C,J,Q
Conospermum caeruleum R.Br. J,Q
C. capitatum R.Br. H
C. petiolare R.Br. H
Dryandra formosa R.Br. A,B,D,E,G,H,I,J,K,O
D. nivea R.Br. G,H,I,O
D. pteridifolia R.Br. J,O
D. sessilis (R.Br.) Druce A,B,D,I,J,O,Q
Franklandia fucifolia R.Br. H
Grevillea brownii Meissn. I,Q
G. pulchella Meissn. G,H,I,J,K
Hakea ceratophylla (Sm.) R.Br. H,J,O
H. corymbosa R.Br. O
H. elliptica (Sm.) R.Br. B,J,O,35
H. oleifolia (Sm.) R.Br. A,B,D,I,24
H. prostrata R.Br. A,D,I,J,K,Q
H. ruscifolia Labill. D,I,J,Q
H. suavolens R.Br. B,C,G,H,M,O,Q,24,35
H. trifurcata (Sm.) R.Br. E,G,H,I,J,O

PROTEACEAE (continued)

- Hakea undulata R.Br. G,H
- H. varia R.Br. A,B,D,E,H,J,K,Q
- Isopogon formosus R.Br. A,D,E,H,J,Q
- Petrophile biternata Meissn. Q
- P. longifolia R.Br. H,Q
- P. rigida R.Br. H,J,O
- Stirlingia tenuifolia (R.Br.) Steud. H
- Synaphaea polymorpha R.Br. J
- S. preissii Meissn. E,H
- S. reticulata (Sm.) G.A. Gardn. H

OLACACEAE

- Olex phyllanthi (Labill.) R.Br. A,B,C,D,E,G,H,I,J,K,L,O,P,Q

SANTALACEAE

- Exocarpos sparteus R.Br. A,C,D,E,G,I,P,Q,17
- Leptomeria cunninghamii Miq. E,G,H,J

LORANTHACEAE

- Nuytsia floribunda (Labill.) R.Br. H

POLYGONACEAE

- Muehlenbeckia adpressa (Labill.) Meissn. C,F,H,J,M,O,Q
- *Rumex brownii Campd. 16,17,22,25
- *Rumex acetosella L. H

CHENOPODIACEAE

- Atriplex isitidea Moq. B,D,H,K,O,Q
- A. paludosa R.Br. H,22,35,36
- A. patula L. H,17,32
- *Chenopodium murale L. 22,23
- Enchlyaena tomentosa R.Br. 35(Storr)
- Maireana oppositifolia (F.Muell.) P.G. Wilson A,C,L,M,Q,9,24,25,26,35,36
- Rhagodia crassifolia R.Br. Q,9
- R. radiata Nees A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,8,9,16,17,24,25,26,32,35,36
- Sarcocornia blackiana (Ulbr.) A.J. CoH A,B,C,H,J,L,N,O,P,Q,22,24,25,35
- Sueda australis (R.Br.) Moq. F,H,22
- Threlkeldia diffusa R.Br. A,B,C,D,G,H,J,K,L,N,Q,8,9,24,25,26,35,36

PHYTOLACCACEAE

- Gyrostemon sheathii W.V. Fitz. A,B,C,D,I,K,L,P,Q
- *Phytolacca octandra L. 22

AIZOACEAE

- Carpobrotus virescens (Haw.) Schwantes A,B,C,D,E,F,G,H,I,J,K,L,M,N,
O,Q,8,9,14,16,17,23,24,25,26,32,35,36
- Disphyma blackii Chinnock A,B,C,L,M,N,O,Q,8,9,24,25,26,35,36
- Tetragonia amplexicoma (Miq.) Hook. A,B,C,D,G,H,J,K,L,N,O,Q,8,9,26,35
- T. decumbens Mill. H,O
- T. tetragonioides (Pall.) Kuntze H,16,17,22

PORTULACACEAE

- Calandrinia calyptrata Hook.f. C,D,E,H,J,^{O,}~~Q,~~14,17,23,24,25,26,32

CARYOPHYLLACEAE

- *Cerastium glomeratum Thuill. E,F,H,I,16,17,24,25,26
- *Petrorhagia prolifera (L.) Ball & Heywood E,F,H
- *Polycarpon tetraphyllum (L.) L. E,F,H,14,16,17,22,23
- Sagina apetala L. A,C,D,E,F,H,I,P,9,24,25,32
- *Silene nocturna L. H
- Spergularia rubra (L.) J. & C. Presl. E, 35
- * Stellaria media (L.) Vill. H,9,17,22,23,25

LAURACEAE

- Cassytha glabella R.Br. A,B,C,D,E,G,H,J,K,L,O,Q

RANUNCULACEAE

- Clematis pubescens Hueg. A,D,G,H,I,J,K,L,M,24,25,35

BRASSICACEAE

- *Brassica tournefortii Gouan. H,?I
- Cakile maritima Scop. B,D,G,H,J,K,O,Q,22
- Heliophila pusilla L.f. J
- Hymenolobus procumbens (L.) Nutt. Q,24,25
- Lepidium foliosum Desv. 14,15,23,32
- L. hyssopifolia Desv. 35
- *Raphanus raphanistrum L. 22
- *Sisymbrium orientale L. 22

DROSERACEAE

- Drosera erythrorrhiza Lindl. E,G,H,I,J,Q
- D. glanduligera Lehm. G,H,I
- D. huegelii Endl. D,H
- D. menziesii R.Br. E,H
- D. pallida Lindl. D,E,G,H,I,Q,17,24

PAPAVERACEAE

- *Fumaria muralis Sond. ex Koch. F,G,H,I,25

CRASSULACEAE

- *Cotyledon orbiculata L. 25
- Crassula macrantha (Hook. f.) Diels A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, 14, 16, 17, 24, 25, 26, 32
- Crassula glomerata L. L

PITTIOSPORACEAE

- Sollya heterophylla Lindl. A, B, C, D, E, F, G, H, I, J, K, ^LM, P, 24, 35 (Storr)

MIMOSACEAE

- Acacia alata R.Br. G, H, 35
- A. browniana H. Wend. J, K
- A. cochlearis Labill. I, J, K, Q
- A. crassiuscula Wendl. H
- A. cyclops A. Cunn. ex G. Don. D, F, G, H, I, J, 17, 24
- A. leioderma B.R. Maslin B, E, G, H, I, J, N, O, P, Q, 35
- A. littorea B.R. Maslin A, B, C, D, H, I, J, K, L, O, Q, 24
- A. myrtifolia Willd. B, C, E, G, H, M, O, Q
- A. nitidula Benth. G
- A. pentadenia Lindl. H
- A. pulchella R.Br. E, G, H
- A. rostellifera Benth. I
- A. sulcata R.Br. G, H, O
- Albizia lophantha (Willd.) Benth. O, 24

FABACEAE

- Bossiaea linophylla R.Br. A, D, E, H, I, J, Q
- Burtonia conferta DC A, B, D, J, O, Q
- Chorizema glycinifolium (Sm.) Druce A, E, H, J, Q
- C. ilicifolium Labill. A, B, D, G, H
- C. rhombeum R.Br. I
- Daviesia flexuosa Benth. I, Q
- D. pectinata Lindl. O
- Eutaxia obovata (Labill.) C.A. Gardn. B, C, D, E, F, G, H, M, N, O, P, Q, 24, 35
- Gastrolobium bilobum R.Br. A, B, C, D, G, H, I, J, M, O, Q, 17, 35
- Gompholobium sp.n. A, D
- G. knightianum Lindl. H
- G. ovatum Meissn. J
- G. polymorphum R.Br. E, J, Q
- G. tomentosum Labill. D, E, H, I
- Hardenbergia comptoniana Benth. D, E, F, G, H, I, 24
- Hovea chorizemifolia (S^w) DC. D, H
- H. trisperma Benth. G, J

FABACEAE (continued)

- Isotropis cuneifolia (Sm.) Domin. A,D,G,H,I,Q
- Jacksonia horrida DC. B,E,G,H,I,J,O,Q
- J. sternbergiana Hueg. F
- Kennedia coccinea Vent. A,B,D,E,H,K,Q
- K. prostrata R.Br. G
- *Lotus subbiflorus Lag. 17,23
- *Medicago polymorpha L. F,?G,17,22,25
- Oxylobium coriacea (Smith) C.A. Gardn. J,Q
- O. ellipticum (Labill.) R.Br. E,F,G,H,J,K,M,O,17,32
- *Psoralea pinnat^a L. H
- Pultenaea dasyphylla (Turcz.) C.A. Gardn. H
- P. reticulata (Sm.) Benth. H
- Sphaerolobium alatum Benth. E,H,O
- S. macranthum Meissn. E,H,J
- Templetonia retusa (Vent.) R.Br. A,B,C,D,I,J,O,Q, 35
- *Trifolium campestre L. E,F
- *T. subterraneum L. E,H

GERANIACEAE

- *Erodium cicutarium (L.) L'Herit. ex Ait. 9,14
- *Geranium molle L. E,16,17,23,24,25,35
- Pelargonium australe Willd. D,M,N,O,24,25,26,32,35
- P. capitatum (L.) Ait. A,D,G,H,I,J,K

OXALIDACEAE

- Oxalis corniculata L. 9,17,24,25,35
- *O. pescaprae L. H,16
- *O. purpurea L. G,H

TROPAEOLACEAE

- *Tropaeolum majus L. 22

RUTACEAE

- Boronia alata Sm. A,G,J,K,L,P,Q,9,16,24,25,35
- B. albiflora (R.Br.) Benth. O,Q,35
- B. crenulata Sm. C,D,H,J,O
- Chorilaena quercifolia Endl. A,B,M,O,P,Q,9,24,35
- Phebalium ^anceps DC. J
- P. rude Bartl. O,Q,35

TREMANDRACEAE

- Tetratheca hirsuta Lindl. H
- Tremandra stelligera R.Br. B,G,H,I

POLYGALACEAE

- Cofesperma confertum Labill. I, J, K, Q
C. flavum DC. G

EUPHORBIACEAE

- Amperea ericoides A. Juss. H
Euphorbia drummondii Boiss. B, H, I, J
*E. paralias L. B, D, F, H, I, J, K, O, P, Q, 16, 17, 25, 35
*E. peplus L. H, 35
Phyllanthus calycinus Labill. A, B, D, I, J, K, Q, 35
Poranthera microphylla Brongn. D
Ricinocarpus tuberculatus Muell.-Arg. O

STACKHOUSIACEAE

- Stackhousia pubescens A. Rich. D, E, G, H, I, J, Q, 35

SAPINDACEAE

- Dodonaea ceratocarpa Endl. B, C, E, F, G, H, I, M, N, O, P, Q, 9, 35

RHAMNACEAE

- Spyridium globulosum (Labill.) Benth. A, B, D, G, H, I, J, K, L, P, Q, 24
S. spadiceum (Fenzl.) Benth. B, D, J, K, O, 35
Trymalium ledifolium Fenzl. D
T. spathulatum (Labill.) Ostf. O, 35

MALVACEAE

- *Lavatera arborea L. 14, 22, 23
L. plebeia Sims 14, 22, 23, 32(?sp.)
*Malva parviflora L. H, 23
Sida hookerana Miq. 35(Marchant)

STERCULIACEAE

- Commersonia crispa Turcz. E, H, I, Q
Lasiopetalum indutum Steud. 35(Marchant)
Rulingia corylifolia Grah. C, E, Q
Thomasia discolor Steud. Q, 35
T. solanacea J. Gay A, C, D, I, K, L, Q, 35

DILLENIIACEAE

- Hibbertia cuneiformis (Labill.) Gilg. A, B, C, E, F, H, K, O, Q, 9, 14, 16, 17,
22, 24, 25, 32, 35, 36
H. cunninghamii (Benth.) Steud. A, B, C, D, E, G, H, I, J, K, O
H. enervia (DC.) Hoogland G
H. furfuracea (R.Br.) Benth. A, B, D, G, H, I, J, O
H. grossularifolia (Salisb.) Salisb. A, B, D, J
ae

DILLENACEAE (continued)

- Hibbertia montana Steud. C
- H. pulchra Ostf. H
- H. racemosa (Endl.) Gilg. A,B,D,G,H,I,J,K,O,Q
- H. sp.n. J
- H. sp. n. J

THYMELEACEAE

- Pimelea clavata Labill. D,H,J,8,9,17,25,26,35
- P. ferruginea Labill. A,B,C,D,H,I,J,K,L,O,Q
- P. longiflora R.Br. E,J,O
- P. microcephala R.Br. J
- P. rosea R.Br. A,B,D,G,H,I,J,K,O,Q

MYRTACEAE

- Agonis flexuosa (Spreng.) Schau. A,B,C,D,E,F,G,H,I,J,K,M,O,P,Q,9,14,17,24,25,35
- A. hypericifolia Schau. J
- A. juniperina Schau. H
- A. linearifolia (DC.) Schau. B,J,O,35
- A. marginata (Labill.) Schau. B,C,E,G,H,J,M,O,Q,24,35
- Astartea fascicularis (Labill.) DC. H,O
- Beaufortia aff. micrantha Schau. Q
- Calothammus quadrifidus R.Br. P,Q
- Calytrix brachyphylla Turcz. H
- Chamelaucium aff. ciliatum Desf. B,C
- aff. Forrestii (F. Muell.) Marchant & Keighery (ined.)
- C. sp. n. O
- Darwinia diosmoides (DC.) Benth. E,F,G,H,I,J,K,N,O,P,Q
- D. vestita (Endl.) Benth. E,H,J,O,35
- Eucalyptus angulosa Schau. B,D,O,Q,24
- E. calophylla R.Br. E,G,H,I
- E. cornuta Labill. B,G,H,I,O,17,24
- E. lehmannii (Schau.) Benth. C,O,35
- E. marginata Sm. E,H,I,J
- Hypocalymma cordifolium (Lehm.) Schau. O
- H. strictum Schau. B,C,D,E,O,Q
- ?H. sp. O
- Lhotzkya ericoides Schau. E,G,H,17
- Melaleuca cuticularis Labill. A,H,I,J,K
- M. diosmifolia Andrews D,M,O,P,35
- M. lanceolata Otto. B,Q,9,35

MYRTACEAE (continued)

- Melaleuca microphylla Sm. A,P,Q,9,35
M. striata Labill. D,J,O,Q
M. thymoides Labill. A,B,D,E,G,H,I,J,O,Q
M. sp.n. (A.S. George, pers.comm.) O
Thryptomene saxicola (A. Cunn.) Schau. D,H,I,9,24,25,35
Verticordia plumosa (Desf.) Druce C,E,G,H,O,9

ONAGRACEAE

- Epilobium cinereum A. Rich. A,B,D,I,J,Q

HALORAGACEAE

- Haloragodendron racemosum (Labill.) Orchard Q,35

APIACEAE

- Apium prostratum Labill. A,B,C,D,E,F,H,I,K,L,M,N,P,Q,8,9,16,17,24,25,
26,32,35,36
Centella cordifolia (Hook.f.) Nannf. B
Daucus glochidiatus (Labill.) Fisch. et al. B,C,L,M,24,35
Hydrocotyle diantha DC. A,D,E,F,G,H,I,M,^O16,17,24,25,26,35
H. tetragonocarpa Bunge B,D
Platysace compressa (Labill.) Norman A,B,C,D,G,H,J,K,L,O,Q,35
~~Trachymene compressa -35(Storr)~~
T. pilosa Sm. B,D,E,G,I,J,Q²⁴
Xanthosia candida (Benth.) Steud. ex Bunge B,G,H,I,J
X. pusilla Bunge E,G,H,I,J,K,Q
X. rotundifolia DC. E,H,O

EPACRIDACEAE

- Acrotriche cordata (Labill.) R.Br. A,B,D,J,K,L,O,Q
Andersonia caerulea R.Br. E,H
A. sprengelioides R.Br. A,B,C,D,E,G,H,I,J,K,N,O,Q,9,24,35
Astroloma drummondii Sond. E,G,H,I,J,Q
A. pallidum R.Br. G,I,J
Leucopogon capitellatus DC. A,H
L. carinatus R.Br. O
L. crassiflorus F. Muell. G,H
L. parviflorus (Andr.) Lindl. A,B,C,D,H,J,K,L,P,Q,24
L. propinquus R.Br. H
L. oppositifolius Sond. H
L. oxycedrus Sond. E,G,H
L. reflexus R.Br. A,E,O

EPACRIDACEAE (continued)

- Leucopogon revolutus R.Br. A,C,D,E,F,G,H,I,J,M,N,O,P,8,9,17,24,25,26,32,35
- L. verticillatus R.Br. H
- Lysinema ciliatum R.Br. A,B,D,E,G,H,I,J,Q
- Needhamiella pumilio (R.Br.) L. Watson E,G,H

PRIMULACEAE

- *Anagallis arvensis L. A,F,H,J,9,16,17,22,24,25,26,35
- Samolus repens (Forst.) Pers. A,B,C,D,E,F,H,I,J,K,L,N,O,P,Q,8,9,17,24,25,26,35

LOGANIACEAE

- Logania fasciculata R.Br. A,B,D,K,L
- L. serpyllifolia R.Br. A,B,E,H,J,O,Q
- L. vaginalis (Labill.) F. Muell. D
- Mitrasacme paradoxa R.Br. C,D,G,J,M,O

GENTIANACEAE

- Centaurium minus Gars. B,C,D,F,G,I,J,K,L,M,N,Q,9,17,35(Storr)

CONVOLVULACEAE

- Dichondra repens R. & G. Forst. J,?14,17,?23,24,25,35
- Wilsonia backhousei Hook.f. A

LAMIACEAE

- Westringia dampieri R.Br. A,B,C,D,I,J,K,L,M,N,O,P,Q,24,35

SOLANACEAE

- Anthocercis littorea Labill. A,B,D,L
- A. viscosa R.Br. A,B,C,E,F,G,H,I,J,K,M,N,O,P,Q,17,23,32
- Solanum symonii Eichler 17,22,23,24,25,35
- *S. nigrum L. 9,22,23,24

SCROPHULARIACEAE

- *Bellardia trixago (L.) All. D,E,K,Q
- *Dischisma a/enarium E. Mey. H,L
- *Parentucellia viscosa (L.) Caruel. 17
- Veronica calycina R.Br. B,J,Q

LENTIBULARIACEAE

- Polypompholyx tenella (R.Br.) Lehm. ?G,H
- Utricularia menziesii R.Br. E,G,H

MYOPORACEAE

- Myopororum adscendens R.Br. Q
- M. oppositifolium R.Br. B,D,P,Q,24,26
- M. tetrandrum (Labill.) Domin. J,Q,35

RUBIACEAE

- Galium sp. indet. 24,35
- Opercularia hispidula Endl. A,B,C,D,E,G,H,I,J
- O. vaginata Labill. A,B,D,J,K,L,Q

OROBANCHACEAE

- Orobanche australiana F. Muell. ex Tate B,C,K,L

PLANTAGINACEAE

- *Plantago lanceolata L. F,H

LOBELIACEAE

- Isotoma hypocrateriformis (R.Br.) Druce G
- I. scapigera (R.Br.) G. Don B,C,D
- Lobelia alata Labill. A,B,C,E,G,H,I,K,M,N,O,Q,8,9,14,16,23,24,32,35
- L. heterophylla Labill. B,G,K.

GOODENIACEAE

- Dampiera cuneata R.Br. G,H,N,O,35,36
- D. linearis R.Br. E,H,J
- D. sacculata (F.Muell.) Benth. G
- Lechenaultia tubiflora R.Br. B,J,Q
- Scaevola globifera Labill. A,B,D,Q
- S. nitida R.Br. A,B,C,D,E,G,H,I,J,K,L,O,Q
- S. striata R.Br. E,I,J,K,Q
- Velleia trinervis Labill. E,G,H,J,K,O,Q

STYLIDIACEAE

- Stylidium adnatum R.Br. B,F,G,H,P,9,17,24,25,26,35
- S. amoenum R.Br. A,B,E,G,H,I,O
- S. corymbosum R.Br. J,O
- S. crassifolium R.Br. H
- S. fasciculatum R.Br. B,D,J,K,L,O,Q,17
- S. glaucum Labill. 35
- S. hirsutum R.Br. B
- S. schoenoides DC. Q

ASTERACEAE

- Actinobole uliginosum (A. Gray) Eichler. 23,35
- Angianthus humifusus (Labill.) Benth. C,D,E,G,J,N,O,Q
- A. tenellus (F. Muell.) Benth G

ASTERACEAE (continued)

- 60
- *Arctotheca calendula (L.) M. Levyns E,H,I,22,23,25
- *A. populifolia (Berg.) T. Norl. B,D,G,H,J,Q,23
- Athrixia nivea (Steetz.) Druce B,C,G,N,O,P,Q,35
- Calocephalus brownii (Cass.) F. Muell. A,B,C,D,H,J,K,L,O,P,Q,8,9,
24,25,26,35
- Carduus tenuiflorus Curt. D,?H,9,24,25,35
- *Cirsium vulgare (Savi) Ten. 9
- *Conyza bonariensis (L.) Cronquist. A,F,G,H
- Cotula australis (Less.) Hook. F,G,H,?J,P,14,16,17,22
- C. coronopifolia L. E,G,H,17,23
- C. cotuloides (Steetz.) Druce F,G,N
- Craspedia uniflora Forst. D,I
- Gnaphalium candidissimum Lam. A,E,F,G,H,I,K,L,Q,16,17
- G. gymnocephalum DC. D,32
- G. indutum Hook.f. F,25,26
- G. luteoalbum L. L,24
- G. sphaericum Willd. G,J,16(?sp)
- Helichrysum cordatum DC. A,B,G,H
- Helipterum cotula (Benth.) DC. D
- *Hypochoeris glabra L. A,C,E,F,G,H,I,J,K,M,P,Q,16,17,24,25,32,35
- *Inula graveolens (L.) Desf. 9
- Lagenifera stipitata (Labill.) Druce H,I
- Leptorhynchus elongatus DC. B
- Millotia tenuifolia Cass. E,G,H,I,24
- Olearia axillaris (DC.) F. Muell. A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,16,
24,25,26,35
- O. ciliata (Benth.) F. Muell. ex Benth. Q
- Podolepis gracilis R. Grah. B,D
- P. rugata Labill. B
- Podotheca angustifolia (Labill.) Less. B,D,Q
- Quinetia urvillei Cass. E,G,H,M,O,17,24
- *Senecio elegans L. K,Q
- S. hispidulus A. Rich. D,G,H
- S. lautus Forst.f. ex Willd. A,B,C,D,E,G,H,I,J,K,L,N,Q,8,9,14,16,24,
25,26,32,35,36
- S. ramosissimus DC. G,H,I,35
- Sonchus megalocarpus A,B,K
- *S. oleraceus L. A,B,C,D,E,F,G,H,I,J,K,L,M,N,Q,8,9,14,16,17,22,23,24,
25,32,35

ASTERACEAE (continued)

Vittadini^a australasica ined. 35

Waitzia citrina (Benth.) Steetz. B,C,D,G,H,I,J,35(Marchant)

W. suaveolens (Benth.) Druce D

APPENDIX II

70

Bird species (excluding seabirds) found on mainland sites (letters) and on islands (numerals). Letters and numerals code places shown in Fig. 1

Non-passerines

Ardea novaehollandiae, White-faced Heron 24, 32 (single birds).

Accipiter cirrhocephalus, Collared Sparrowhawk 24, 25, 35 (all single birds).

Haliaeetus leucogaster, White-bellied Sea Eagle H, 9 (1 bird), 24 (offshore), 35 (1 bird).

Aquila audax, Wedge-tailed Eagle 24 (1 pair, nesting), 35

Falco berigora, Brown Falcon H, 9 (1-2 birds), 25 (1 bird), 35 (1 bird).

F. cenchroides, Australian Kestrel A, B, D, G, J, K, L (3 birds), 9 (1-4 birds), 24 (several sightings but only one bird seen each time), 25 (1 bird), 35 (as for 24).

Coturnix australis, Brown Quail ?D, 25 (very abundant), 35.

Phaps elegans, Brush Bronzewing D, H, M, Q, 32, 35.

Calyptorhynchus baudinii, White-tailed Cockatoo H (once).

Glossopsitta porphyrocephala, Purple-crowned Lorikeet 35 (heard once in SW sector, probably vagrant).

Neophema petrophila, Rock Parrot E, I, N, O (probably vagrant on ~~the~~ ^{these} mainland sites), 32.

Cuculus pallidus, Pallid Cuckoo D.

C. pyrrhophanus, Fan-tailed Cuckoo G, H, 35.

Chrysococcyx basalis, Horsfield's Bronze-Cuckoo G, H, Q.

C. lucidus, Shining Bronze-Cuckoo A, 24.

Tyto alba, Barn Owl H, 24.

Dacelo novaeguinae, Laughing Kookaburra D, H, 9 (2 birds), 24, 25 (vagrant), 35.

Passerines

Atrichornis clamosus, Noisy Scrub-bird O.

Hirundo neoxena, Welcome Swallow B, C, D, E, G, H, I, J, K, L, M, N, O, P, Q,

9 (nests found), 24, 25 (nests found), 32, 35.

Anthus novaeseelandiae, Richard's Pipit A, D, E (vagrant), 9, 25, 35.

Coracina novaehollandiae, Black-faced Cuckoo-Shrike D.

Petroica multicolor, Scarlet Robin D

Eopsaltria georgiana, White-browed Robin G, H, O, 24, 35.

Pachycephala pectoralis, Golden Whistler G, H, 24, 25 (vagrant), 35.

Colluricincla harmonica, Grey Shrike-thrush H.

Rhipidura fuliginosa, Grey Fantail D, H, Q, 24, 35.

Malurus splendens, Splendid Fairy-wren D.

M. elegans, Red-winged Fairy-wren D, G, H.

Stipiturus malachurus, Southern Emu-wren C, D, J, O, Q.

Sericornis frontalis, White-browed Scrub-wren B, C, D, E (vagrant), G, H, I, J, M, O, P, Q, 17, 35.

S. fuliginosus, Calamanthus A, O, Q.

Gerygone fusca, Western Gerygone D, H, Q, 24 (probably vagrant).

Acanthiza pusilla, Brown Thornbill H, P, 24, 35.

Anthochaera carunculata, Red Wattlebird H.

A. chrysoptera, Little Wattlebird D.

Melithreptus lunatus, White-naped Honeyeater Q, 24, 35 (probably vagrant).

Lichmera indistincta, Brown Honeyeater H, 24.

Phylidonyris novaehollandiae, New Holland Honeyeater A, B, C, D, E, G, H, I, J, K, L (vagrant), M, N (?vagrant), O, P, Q, 24, 35.

P. nigra, White-cheeked Honeyeater J, Q.

P. melanops, Tawny-crowned Honeyeater I, J, Q.

Acanthorhynchus superciliosus, Western Spinebill B (vagrant), D, G, H, J, Q.

Pardalotus punctatus, Spotted Pardalote Q.

P. striatus, Red-tipped Pardalote 24 (?vagrant).

Zosterops lateralis, Silvereye A, B, C, D, E, F (vagrant), G, H, I, J, K, L (vagrant), M, O, P, Q, 9, 17, 24, 25, 32, 35. On Eclipse Island Silvereyes were found mainly in Melaleuca and Zantedeschia areas. They were recorded feeding as follows: hawking midges (14%), gleaning leaves of Melaleuca (12%),

eating berries of Zantedeschia (70%), based on a total of 227 observations.

Emblema oculata, Red-eared Firetail H, 35.

Gymnorhina tibicen, Australian Magpie H.

Strepera versicolor, Grey Currawong B (vagrant), C (vagrant), D, H.

Corvus coronoides, Australian Raven B (vagrant - 6 birds), H, 24 (vagrant - 2 birds), 35.