

Australian Mammal Map Updates

by N.L. McKenzie, A.A. Burbidge, A. Baynes and many other contributors.

Introduction

These maps include data we provided to *The mammals of Australia* (Reed Books, 1995, ed by Ron Strahan), but which were not included, as well as more recent data from Department of Conservation and Land Management and Western Australian Museum databases and files, data from *The 1996 Action Plan for Australian Marsupials and Monotremes* (Australian Nature Conservation Agency, in press), and information supplied to us by numerous field mammalogists.

The maps provided are the same size as those in *The mammals of Australia*. They are not copyright, but we would welcome acknowledgment if they are used in publications or reports.

We welcome advice on errors and omissions.

Please e-mail normm@calm.wa.gov.au or andrewb@calm.wa.gov.au for requests for copies, and if you would like to suggest corrections and improvements. If you are requesting files, please stipulate whether they are to be in standard MIME or in uuencode. If writing for requests, write to PO Box 51, Wanneroo, WA 6065 and send a 3.5 inch 1.44 MB disk. FAX corrections to (08) 93061641.



Contents



Rodents	<i>Gymnobelideus leadbeateri,</i> <i>Petaurus breviceps,</i> <i>Isoodon auratus,</i> <i>Isoodon macrourus,</i> <i>Isoodon obesulus.</i>
<i>Conilurus penicillatus,</i> <i>Pseudomys chapmani,</i> <i>Pseudomys gouldii,</i> <i>Pseudomys nanus,</i> <i>Zyzomys argurus,</i> <i>Zyzomys pedunculatus.</i>	<i>Petropseudes dahli,</i> <i>Pseudocheirus occidentalis,</i> <i>Chaeropus ecaudatus,</i> <i>Macrotis lagotis,</i> <i>Perameles bougainville,</i> <i>Perameles nasuta.</i>
dasy1.zip	
<i>Antechinus flavipes,</i> <i>Antechinomys laniger,</i> <i>Dasyuroides byrnei,</i> <i>Dasycercus cristicauda (& D. hillieri),</i> <i>Dasyurus geoffroii,</i> <i>Dasyurus hallucatus.</i>	mac.zip <i>Bettongia penicillata,</i> <i>Lagorchestes asomatus,</i> <i>Macropus eugenii,</i> <i>Petrogale burbridgei,</i> <i>Petrogale concinna,</i> <i>Potorous tridactylus.</i>
<i>Dasykaluta rosamondae,</i> <i>Ningaui yvonneae,</i> <i>Parantechinus apicalis,</i> <i>Parantechinus bilarni,</i> <i>Phascogale calura,</i> <i>Phascogale tapoatafa.</i>	mac_bat.zip <i>Setonix brachyurus,</i> <i>Pteropus alecto,</i> <i>Saccoaimus flaviventris,</i> <i>Scotorepens greyii,</i> <i>Taphozous hilli,</i> <i>Vespadelus douglasorum.</i>
<i>Planigale ingrami,</i> <i>Planigale maculata,</i> <i>Sminthopsis butleri,</i> <i>Sminthopsis crassicaudata,</i> <i>Sminthopsis dolichura,</i> <i>Sminthopsis granulipes.</i>	bat_wom.zip <i>Lasiorhinus krefftii,</i> <i>Lasiorhinus latifrons,</i> <i>Hipposideros stenotis,</i> <i>Mormopterus planiceps (SW, SE & Central),</i> <i>Nyctophilus bifax,</i> <i>Nyctophilus timoriensis.</i>
<i>Sminthopsis hirtipes,</i> <i>Sminthopsis longicaudata,</i> <i>Sminthopsis macroura,</i> <i>Sminthopsis murina,</i> <i>Sminthopsis ooldea,</i> <i>Sminthopsis psammophila.</i>	
pos_ban1.zip	
<i>Cercartetus concinnus,</i>	

Key To Maps:




Dark grey = extant; Mid-grey = historic (> 30 years); Pale-grey = Late-Holocene sub-fossil.
Note that the shadings used in the *Mormopterus planiceps* map outline the distribution of three taxa, all extant.




Rodents











Dasy














Planigale ingrami




Planigale maculata




Sminthopsis butleri




Sminthopsis crassicaudata




Sminthopsis dolichura




Sminthopsis granulipes






Sminthopsis hirtipes



Sminthopsis longicaudata



Sminthopsis macroura



Australian mammal map updates

