

MARINE MANAGEMENT SUPPORT: NINGALOO

BIBLIOGRAPHY OF MARINE SCIENTIFIC RESEARCH RELEVANT TO THE CONSERVATION OF NINGALOO MARINE PARK AND ADJACENT WATERS

Data Report: MMS/NIN/NMP-27/2000

Prepared by K.P. Bancroft and J.A. Davidson

November 2000



Marine Conservation Branch
Department of Conservation and Land Management
47 Henry Street, Fremantle
Western Australia 6160

Cover: Coral Bay at Ningaloo Reef, Western Australia (Courtesy of the Central Map Agency, Department of Land Administration).

This report may be cited as:

Bancroft, K.P. and Davidson, J.A. (2000). Bibliography of marine scientific research relevant to the conservation of Ningaloo Marine Park and adjacent waters. Data Report: MMS/NIN/NMP-27/2000. November 2000. Marine Conservation Branch, Department of Conservation and Land Management. Perth, Western Australia. (Unpublished Report).

Copies of this report may be obtained from:

Marine Conservation Branch Department of Conservation and Land Management 47 Henry St., Fremantle, Western Australia, 6160 Ph: 61-8-9432 5100; Fax: 61-8-9430 5408

CONTENTS

1.	INTRODUCTION	1
2.	BIBLIOGRAPHIC DATABASE	1
	DATA MANAGEMENT	
3.1.	REPORT	1
3.2.	DATABASE	2
3.3.	DATABASE	2
	BIBLIOGRAPHY	
4.1.	CONFIRMED REFERENCES	3
4.2.	UNCONFIRMED REFERENCES.	24
	ENDICIES	
APP	ENDIX I: LIST OF KEYWORDS USED IN THE BIBLIOGRAPHIC DATABASE	27
APP	ENDIX II: FRAMEWORK FOR THE DEVELOPMENT OF A BIBLIOGRAPHIC DATABASE	29

1. INTRODUCTION

A comprehensive list of references, including published and unpublished literature, relevant to the conservation of Ningaloo Marine Park and adjacent waters is presented in this report. This project was initiated by the Marine Conservation Branch of the Department of Conservation and Land Management (CALM), as a contribution to the current review of the Ningaloo Marine Park Management Plan 1989 – 1999 (May *et al.*, 1989). The bibliography has a total of 333 references. The information will be used to assist the up-coming review of the management plan, and in the identification of gaps in the knowledge and information for management of the marine park.

Much of the research relevant to the Ningaloo Marine Park is recent, with a significant amount of research conducted since the gazettal of the marine park in 1987 and the release of the management plan in 1989 (May *et al.*, 1989). Current research being undertaken at Ningaloo Marine Park which has to be produced or published in draft form has not been included in the bibliography.

The bibliography originated from a database held by CALM's Exmouth District Office. It has been amended and supplemented from a wide variety of sources. Information was obtained from State and Commonwealth government departments, universities, libraries and online bibliographies, particularly a bibliography of literature relevant to the North West Shelf, developed by the Australian Institute of Marine Science and CSIRO for the North West Shelf Joint Environmental Management Study (Jernakoff *et al.*, 1999). In an attempt to collate relevant and recent research, draft copies of the amended database were also sent to scientists licensed to conduct research within the Ningaloo Marine Park region. A framework for the development of the database is given in Appendix II. This framework can also be used as a guideline in the development of bibliographic databases for other marine protected areas.

Every effort has been made to ensure that all relevant marine scientific research documents have been included into this bibliography, which is current as of September 2000.

2. BIBLIOGRAPHIC DATABASE

The bibliography was compiled as an electronic database, using EndNote Version 4 (ISI ResearchSoft). Reference details as well as keywords (Appendix I) have been assigned to each entry and can be used to search for associated references using the EndNote search capabilities.

3. DATA MANAGEMENT

3.1. REPORT

Hard copies of this report will be held at four locations:

- 1. Marine Conservation Branch, Department of Conservation and Land Management, 47 Henry St., Fremantle, Western Australia, 6160. Ph. (08) 9432 5100 Fax. (08) 9430 5408.
- 2. Exmouth District Office, Department of Conservation and Land Management, Payne St., Exmouth, Western Australia, 6707. Ph. (08) 9949 1676 Fax. (08) 9949 1580.
- 3. Woodvale Library, Science and Information Division, Department of Conservation and Land Management, Ocean Reef Rd., Woodvale, Western Australia, 6026. Ph. (08) 9405 5100 Fax. (08) 9306 1641.

4. Archives, Woodvale Library, Science and Information Division, Department of Conservation and Land Management, Ocean Reef Rd., Woodvale, Western Australia, 6026. Ph. (08) 9405 5100 Fax. (08) 9306 1641.

The Marine Conservation Branch will hold digital copies of this report:

- 1. On CD-ROM [mms_2700]
- 2. On the MCB homepage of the Department of Conservation and Land Management Intranet, CALMweb:

http://calmweb.calm.wa.gov.au/drb/ned/mcb/rep_pdf/mms_reps/mms_2000/mmsrep00.htm#mms_2700

3.2. DATABASE

The database will be located as follows:

- On the Marine Conservation Branch Server, accessible via the following directory pathway: Mcb on <u>'StreetTalk\User Data@FREM.MCB@CALM'</u>
 [T:\Databases\Biological inventory\NMP Sci Res Dbase.enl]
- 2. On the MCB Server full backup DAT tape, which is held by the MCB administration office and is labelled as:
 - [T:\Databases\Biological inventory\NMP Sci Res Dbase.enl]
- 3. The Exmouth District Office.

3.3. DATABASE MAINTENANCE

Maintenance of the database will be the responsibility of CALM's Exmouth District Office. Information regarding omissions or new references will be gratefully accepted by that office. Contact details for the CALM Exmouth District office are as follows:

Exmouth District Office
Department of Conservation and Land Management
PO Box 201
Exmouth, Western Australia 6707
Phone: (08) 9949 1676
Fax: (08) 9949 1580

4. BIBLIOGRAPHY

4.1. CONFIRMED REFERENCES

Allen, A.D. (1993). Outline of the geology and hydrogeology of Cape Range, Carnarvon Basin, Western Australia. In: The biogeography of Cape Range, Western Australia. (ed Humphreys, W.F.), Vol. 45, Western Australian Museum, Perth, Western Australia.

- Allen, G.R. (1980). Preliminary checklist of the fishes of North West Cape, Western Australia. Western Australian Museum, Perth, Western Australia.
- Alongi, D. (undated). Mangrove studies Bay of Rest and Mangrove Bay. Australian Institute of Marine Science, and Department of Conservation and Land Management, Perth, Western Australia.
- Alongi, D.M., Tirendi, F., & Goldrick, A. (1996). Organic matter oxidation and sediment chemistry in mixed terrigenious-carbonate sands of Ningaloo Reef, Western Australia. Marine Chemistry: 54 (3-4): 203-219.
- Apthorpe, M.C. (1981). Tertiary depositional history of the North West Shelf, Australia. In: Sediments through the ages: Fifth Australian Geological Convention (Geological Society of Australia), Perth, Western Australia. pp. 55.
- ATA Environmental (2000). Baseline establishment marine survey, Coral Coast Resort. Report No. 2000/147. ATA Environmental, Perth, Western Australia.
- ATA Environmental (2000). Coral Coast Resort public environmental review document. Public Environmental Review No. Vol. 1, No. 2000/106. Coral Coast Marina Development Pty. Ltd., Perth, Western Australia.
- Atkinson, S. & Atkinson, M.J. (1992). Detection of estradiol 17 beta during a mass coral spawn. Coral Reefs: 11 (1): 33-35.
- Australian National Parks and Wildlife Service (1990). Ningaloo Marine Park (Commonwealth waters): Plan of management. Australian National Parks and Wildlife Service, Canberra, Australian Capital Territory.
- Australian National Parks and Wildlife Service (undated). The distribution and abundance of juvenile and adult *Drupella cornus* along the Ningaloo Reef, Western Australia. Australian National Parks and Wildlife Service, Sydney, New South Wales.
- Ayling, A.M. & Ayling, A.L. (1987). A biological survey of selected sites on the Ningaloo fringing reefs. Department of Conservation and Land Management, Perth, Western Australia.
- Ayling, A.M. & Ayling, A.L. (1987). Ningaloo Marine Park: Preliminary fish density assessment and habitat survey. Report prepared for the Department of Conservation and Land Management. Sea Research, Daintree, Queensland.
- Babcock, R.C., Wills, B.L., & Simpson, C.J. (1994). Mass spawning of corals on a high latitude coral reef. Coral Reefs: 13 (3): 161-169.
- Backhouse, D. (1995). Coral Coast Resort: A threat to Australia's "other" barrier reef. Bulletin of the Australian Marine Conservation Society: 18 (2): 6.

Bancroft, K.P. (1999). Biological survey of the southern portion of the Ningaloo Reef. Final Report No. MRI/MW/NSE-29/1999. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.

- Bancroft, K.P. (1999). Broadscale map and biological data of the major benthic habitats of the proposed southern extension to Ningaloo Marine Park (Amherst Point to Red Bluff). Data Report No. MRI/MW/NSE-30/1999. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Bancroft, K.P. & Lapwood, M. (1999). Biological verification of the major benthic habitats of the proposed southern extension to Ningaloo Marine Park (Amherst Point to Red Bluff). Field Program Report No. MRI/MW/NSE-24/1999. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Bancroft, K.P. & Sheridan, M.W. (2000). The major marine habitats of the Ningaloo Marine Park and the proposed southern extension. Report No. MMS/PI/NMP&NSE-26/2000. Marine Conservation Branch, Department of Conservation and Land Management., Perth, Western Australia.
- Black, R. & Johnson, M. (1991). Growth rates of *Drupella cornus*. Department of Zoology, University of Western Australia, Perth, Western Australia.
- Black, R. & Johnson, M.S. (1994). Growth rates in outbreak populations of the corallivorous gastropod *Drupella cornus* (Roding 1798) at Ningaloo Reef, Western Australia. Coral Reefs: 13 (3): 161-169.
- Boldy, M. (1986). Proposed Ningaloo Marine Park: Features of oceanographic interest. Data Report No. 86/1. Australian National Parks and Wildlife Services, Sydney.
- Bolhofer, A., Frank, N., Eisenhauer, A., Zhu, Z.R., Collins, L., Wyrwoll, K.H., & Mangini, A. (1999). Application of a portable Th/U laboratory to identify Holocene and last Interglacial ages of corals and shells during field investigations. In: Fourth Australian Geoscience Conference (eds Collins, L. & Zhu, Z.), Exmouth, Western Australia, 26 September-1 October, 1999.
- Bowman Bishaw and Associates (1995). Coral coast resort Maud's Landing: Public environmental review. Bowman Bishaw and Associates, Perth, Western Australia.
- Bowman Bishaw Gorham (1990). Proposal to conduct seismic exploration within an area of Ningaloo Marine Park: Environmental Review. Report to Lasmo Oil (Australia) Limited. Bowman Bishaw Gorham, Perth, Western Australia.
- Bowman Bishaw Gorham (1990). Proposal to conduct seismic exploration within an area of Ningaloo Marine Park. Report to Apache Energy Ltd. No. H59 Document No. EAA-61-RU-002. Bowman Bishaw Gorham, Perth, Western Australia.
- Bowman Bishaw Gorham (1995). Public environmental review: Coral Coast Resort Mauds Landing. Report prepared for Coral Coast Marina Development Pty. Ltd. Bowman Bishaw Gorham, Perth, Western Australia.
- Bowman Bishaw Gorham & BHP Petroleum (1995). Northwest Shelf environmental resource atlas report. Bowman Bishaw Gorham, Perth, Western Australia.
- Bradley, A. & Latto, A. (1995). Review of sewage disposal at Coral Bay October 1995. Report to the Environmental Protection Authority, Perth, Western Australia.

Bridgewater, P. (1990). Ningaloo Marine Park (Commonwealth Waters). Plan of management. Australian National Parks and Wildlife Services, Sydney, New South Wales.

- Brinkman, R. (1998). AIMS Data Report: Ningaloo Reef; November December 1997. Technical Report. Australian Institute of Marine Science, Townsville, Queensland.
- Broadbridge, L.W. & Hanstrum, B.N. (1998). The relationship between tropical cyclones near Western Australia and the Southern Oscillation Index. Australian Meteorological Magazine, pp. 183-189.
- Brown, R.G. (1988). Holocene sediments and environments, Exmouth Gulf, Western Australia. In: The Northwest Shelf Australia: Proceedings of the Northwest Shelf Symposium (eds Purcel, P. & Purcel, R.), Perth, Western Australia. pp. 85-93.
- Bureau of Meteorology (1998). Gascoyne-Murchison climatic survey. AusInfo, Canberra, Australian Capital Territory.
- Burton, C. (1988). A report on the demersal fish trawling off Coral Bay by the *F.V. Raconteur* in November 1986. Western Australian Marine Research Laboratories, Perth, Western Australia.
- Cary, J.L. & Grubba, T.L. (1998). Initialisation of long-term benthic monitoring sites May 1998. Ningaloo Marine Park Monitoring Program. Field Program Report No. MMSP/MW/NMP-10/1998. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Cary, J. & Grubba, T. (2000). An assessment of the current status of the health of the Ningaloo Marine Park: Recommendations for management and future monitoring. Second Year Report No. MMS/NIN/NMP-22/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Cary, J.L., Grubba, T.L., Hogstrom, A., Milton, K., & Williams, C. (2000). Human usage in Ningaloo Marine Park. Data Report No. MMS/PI/NMP-20/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Cary, J.L., Grubba, T.L., Mahendran, M., & Radford, B. (2000). Ningaloo Marine Park Monitoring Program: Benthic monitoring sites established in 1999. Data Report No. MMS/PI/NMP-21/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Cary, J.L., Grubba, T.L., & Myers, J. (1999). Establishment of baseline benthic monitoring sites in the Ningaloo Marine Park, 1998. Data Report No. MMS/PI/NMP-14/1998. Marine Conservation branch, Conservation and Land Management, Perth, Western Australia.
- Cary, J.L., Grubba, T.L., & Myers, J. (1999). Ningaloo Marine Park Monitoring: Benthic monitoring sites established in 1998. Data Report No. MMSP/PI/NMP-18/1999. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Cary, J.L., Lawrie, R., Baxter, K., & Fuller, M. (1999). Establishment of baseline benthic monitoring sites in the Ningaloo Marine Park, 1999: Spatial rectification of aerial photography and benthic habitat groundtruthing, 19 July-2 August. Field Program Report No. MMS/PI/NMP-16/1999. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.

Cary, J.L., Radford, B., Myers, J., & Mahendran, M. (2000). Establishment of baselining benthic monitoring sites in Ningaloo Marine Park: Analysed DATA 1998-99 field trips. Data Report No. MMS/PI/NMP-21/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.

- Coastal Management Co-Ordinating Committee Western Australia (1984). Coral Bay: Draft coastal management plan. Department of Conservation and Environment, Carnarvon, Western Australia.
- Collins, L. (2000). The transition from temperate to tropical carbonate shelf sediments and coral reefs on Australia's western margin. In: West Australian Marine Science Conference 2000, Sheraton Hotel, Perth, Western Australia, 27-28 April, 2000.
- Collins, L.B., Zhu, Z.R., McNamara, K.J., & Woods, D. (undated). Tertiary to Quaternary carbonates of the Cape Range region and Ningaloo Reef, Northern Western Australia. Curtin University of Technology, Perth, Western Australia.
- Collins, L.B., Zhu, Z.R., Wyrwoll, K.H., & Eisenhauer, A. (1999). Late Quaternary evolution of the Ningaloo Reef system. In: Fourth Australian Marine Geoscience Conference (eds Collins, L. & Zhu, Z.), Exmouth, Western Australia, 26 September-1 October.
- Collins, L.B., Zhu, Z.R., Wyrwoll, K.H., & Eisenhauer, A. (2000). Geological evolution of the Ningaloo Reef system during the late Quaternary. In: World coral reefs in the new millennium: Bridging research and management for sustainable development. Proceedings of the Ninth International Coral Reef Symposium (eds Hopley, D., Hopley, P.M., Tamelander, J. & Done, T.), Bali, Indonesia, 23-27 October. pp. 55.
- Colman, J.G. (1997). A review of the biology and ecology of the whale shark (Review). Journal of Fish Biology: 51 (6): 1219-1234.
- Colman, J.G. (1997). Whale shark interaction management with particular reference to Ningaloo Marine Park, 1997-2007. Western Australian Wildlife Management Program Report No. 27. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Commission, W.A.T. (1986). Tourism development plan, Gascoyne region. Western Australian Tourism Commission, Perth, Western Australia.
- Condie, S. & D'Adamo, N. (2000). Oceanographic, modelling of interconnectivity following mass spawning of corals and fish on the North West Shelf. In: West Australian Marine Science Conference 2000, Sheraton Hotel, Perth, Western Australia, 27-28 April.
- Craig, R.S. (1999). Biography of the Cape Range region: Summary of the research of the Western Australian Museum. In: Fourth Australian Marine Geoscience Conference (eds Collins, L. & Zhu, Z.), Exmouth, Western Australia, 26 September 1 October.
- Cumming, R.L. (1999). Predation on reef-building corals: Multiscale variation in the density of three corallivorous gastropods, *Drupella* sp. Coral Reefs: 18 (2): 147-157.
- D'Adamo, N. (1997). Cross-shelf salinity-temperature surveys between Ningaloo Marine Park and adjacent waters, 20-23 January. Field Program Report No. MRMP/NMP-01/1997. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- D'Adamo, N. (1998). Salinity, temperature and current measurements in the lagoonal waters of the Ningaloo Marine Park between Jansz and Jocobz beaches, 5-11 December 1997. Marine

- Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- D'Adamo, N. (1999). Salinity-temperature data and contour plots from surveys conducted in Bills Bay on 8 April 1994 and 29 May 1996. Technical Report No. MMS/PI/NMP-19/1999. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- D'Adamo, N. & Davidson, J.A. (2001). Establishment of an oceanographic monitoring network in marine reserves stage 1: Temperature monitoring in Ningaloo Marine Park. Field Program Report No. MMS/NIN/NMP-32/2001. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- D'Adamo, N. & Davidson, J.A. (2001). Establishment of an oceanographic monitoring network in marine reserves stage 1: Temperature monitoring in Ningaloo Marine Park. Data Report No. MMS/NIN/NMP-33/2001. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- D'Adamo, N. & Simpson, C.J. (2000). Review of the oceanography of Ningaloo Reef and adjacent waters. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Daly, T., Mahendran, M., & Cary, J.L. (1999). Establishment of baseline benthic monitoring sites in the Ningaloo Marine Park, 1999. Data Report No. MMSP/PI/NMP-18/1999. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Daly, T.W. & Cary, J.L. (1999). Establishment of long-term monitoring sites in Ningaloo Marine Park: August 1999. Field Program Report No. MMS/PI/NMP-19/1999. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Davis, D. (1998). Whale shark tourism in Ningaloo Marine Park, Australia. Anthrozoos: 11 (1): 5-11.
- Davis, D., Banks, S., Birtles, A., Valentine, P., & Cuthill, M. (1997). Whale sharks in Ningaloo Marine Park Managing tourism in an Australian marine protected area. Tourism Management: 18 (5): 259-271.
- Department of Conservation and Environment (1984). Coral Bay draft coastal management plan. Bulletin No. 174. Department of Conservation and Environment, Perth, Western Australia.
- Department of Conservation and Land Management (1987). Cape Range National Park Management Plan, 1987 to 1997. Department of Conservation and Land Management, Perth, Western Australia.
- Department of Conservation and Land Management (1989). Dugongs. Department of Conservation and Land Management,, Perth, Western Australia.
- Department of Conservation and Land Management (1989). A survey of coral cover and *Drupella* abundance in the Ningaloo Marine Park, February 1989. States Cooperative Assistance Project No. 4456. Department of Conservation and Land Management, Perth, Western Australia.
- Department of Conservation and Land Management (1990). Spawning new research. Landscope. Vol. 5, No. 4 (Winter), pp. 8.

Department of Conservation and Land Management (1997). Birds of Cape Range National Park and Ningaloo Marine Park: A checklist for bird watchers. Department of Conservation and Land Management, Perth, Western Australia.

- Department of Conservation and Land Management (1998). Jurabi and Bundegi Coastal Parks, and Muiron Islands: Draft management plan, 1998. Department of Conservation and Land Management, Perth, Western Australia.
- Department of Environmental Protection & Ministry of Planning (1999). Environmental and planning guidelines for tourism development on the North West Cape. Prepared for Gascoyne Coast Planning Coordinating Committee of the Western Australian Planning Commission. Western Australian Planning Commission, Perth, Western Australia.
- Department of Marine and Harbours (1994). An invitation for expressions of interest for the development of Ningaloo Reef Marina, Exmouth, Western Australia: An opportunity for a world class resort development. Department of Marine and Harbours, Fremantle, Western Australia.
- Department of Planning and Urban Development (1989). Coral Bay planning strategy. Department of Planning and Urban Development, Perth, Western Australia.
- Department of Planning and Urban Development (1992). Coral Bay planning strategy: A guide to the future use, development and conservation of land at Coral bay. Department of Planning and Urban Development, Perth, Western Australia.
- Department of Planning and Urban Development (1992). Exmouth coastal strategy. Department of Planning and Urban Development, Perth, Western Australia.
- Department of the Environment (1996). Ningaloo Marine Park: State of the marine environment report for Australia. Ocean Rescue 2000 Program. Technical Summary. Department of the Environment, Sport and Territories, Canberra, Australian Capital Territory.
- Doherty, P. & McIlwain, J. (1996). Monitoring larval fluxes through the surf zones of Australian coral reefs. Journal of Marine and Freshwater Research: 47 (2): 383-390.
- Doherty, P.J. & McIlwain, J.L. (1997). Monitoring the replenishment of fish populations at Ningaloo Reef. Department of Conservation and Land Management, and Australian Institute of Marine Science, Perth, Western Australia.
- Dowling, R.K. (1993). An environmentally based tourism development plan for the Gascoyne region, Western Australia. Report No. 13. Division of Environmental Science, Murdoch University, Perth, Western Australia.
- Driml, S. (1994). Protection for profit: Economic and financial values of the Great Barrier Reef World Heritage Area and other protected areas. Research Publication No. 35. Great Barrier Reef Marine Park Authority, Townsville, Queensland.
- Drummond, L. & Ivanovici, A. (1987). Ningaloo: The marine wonder of the north west. Wildlife Australia. 2, pp. 18-20.
- Ecologia Environmental Consultants (1994). Coral coast marina project Vertebrate fauna and habitat assessment. Bowman Bishaw Gorham, Perth, Western Australia.
- Ecologia Environmental Consultants (2000). Coral Bay Yardie Creek: Biological survey. ecologia Environmental Consultants, Perth, Western Australia.

Edwards, G. (1995). First report of the Legislative Council Select Committee on Cape Range National Park and Ningaloo Marine Park. Western Australian Government, Perth, Western Australia.

- Eliot, I. (1996). Shoreline salients, cuspate forelands and tombolos on the cast of Western Australia. Journal of Coastal Research: 12 (3): 761-773.
- Environmental Protection Authority (1975). Conservation reserves for Western Australia as recommended by the Environmental Protection Authority, 1975. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1988). Oil exploration permit EP 325 Exmouth Gulf, Western Australia: Minora Resources NL. Bulletin No. 366. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1991). Proposed exploration drilling on the Cody, Spider and Cassidy projects, Exmouth Gulf. Bulletin No. 582. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1991). Proposed offshore petroleum exploration drilling in EP325, North West Shelf. Bulletin No. 546. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1995). Coral Coast Resort, Mauds Landing: Coral Coast Marina Development Pty. Ltd. Bulletin No. 806. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1995). Survey of water quality, groundwater, sediments and benthic habitats at Coral Bay, Ningaloo Reef, Western Australia. Technical Series No. 80. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1996). Exmouth boat harbour (formerly Coral Coast Marine, residential subdivision and quarry, Exmouth) Change to environmental conditions. Bulletin No. 806. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1997). Melanie-1 petroleum development, Lyndon locations 222 and 223, Exmouth, Shire of Exmouth and Greenough Holdings Pty. Ltd. Bulletin No. 865. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1998). Chelonia-1 and -2 exploration wells, boundary of Ningaloo Marine Park, North West Shelf: Apache Northwest Pty. Ltd. Bulletin No. 914. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1998). White Opal 1-exploration well, Cape Range Peninsula, Shire of Exmouth: Sun Resources NL. Bulletin No. 905. Environmental Protection Authority, Perth, Western Australia.
- Environmental Protection Authority (1999). Environmental protection of Cape Range province. Position Statement No. 1. Environmental Protection Authority, Perth, Western Australia.
- ERM Mitchell McCotter Pty Ltd. & Western Australian Planning Commission (1994). Gascoyne coast regional strategy. State Planning Commission, Perth, Western Australia.
- Fandry, C. (2000). North West Shelf joint environmental management study. In: West Australian Marine Science Conference 2000, Sheraton Hotel, Perth, Western Australia, 27-28 April, 2000.

Fitzpatrick, B. & Willson, A. (2000). Marine ecological survey of an area known as Tantabiddi 1 (TA1). Ocean Wise, Perth, Western Australia.

- Flottmann, C. (1999). Development issues on marine projects in the Gascoyne. In: Fourth Australian Marine Geoscience Conference (eds Collins, L. & Zhu, Z.), Exmouth, Western Australia, 26 September 1 October.
- Foley, G.R. (1994). The tsunami event along the northwest Australian coast on 3 June, 1994. In: First National Tsunami Workshop, Brisbane, Queensland.
- Foley, G.R. & Hanstrum, B.N. (1994). The capture of tropical cyclones by cold fronts off the west coast of Australia. Weather and Forecasting, pp. 577-592.
- Forde, M.J. (1990). Populations, behaviour and effects of *Drupella cornus* on the Ningaloo Reef, Western Australia. In: *Drupella cornus*: A synopsis. (ed Turner, S.), Department of Conservation and Land Management, Perth, Western Australia. pp. 45-50.
- Forde, M.J. (1995). Ecology of the Muricid gastropod *Drupella cornus* (Roding, 1798) and its significance as a corallivore on Ningaloo Reef, Western Australia. M.Sc. Thesis, University of Western Australia, Perth, Western Australia.
- Forde, M.J. & Simpson, C.J. (1989). *Drupella cornus* (Roding 1798): A voracious coral predator in the Ningaloo Reef tract, Western Australia, Perth, Western Australia.
- Fuller, M. (undated). Ningaloo Marine Park an assessment of the use of aerial photographs and GIS for marine habitat mapping. University of Western Australia and Department of Conservation and Land Management, Perth, Western Australia.
- Gadan, M.K. & Chivas, A.R. (1995). Oxygen isotopes in Western Australian coral reveal pinatubo aerosol-induced cooling in the Western pacific warm pool. Geophysical Research Letters: 22 (9): 1069-1072.
- Gagan, M. (1993). The production of multi century records of sea surface temperature river run-off and marine productivity using isotope ratios of Oxygen and Carbon in coral skeletons. School of Environmental Sciences, Australian National University, Canberra, Australian Capital Territory.
- George, R.W. & Jones, D.S. (1982). A revision of the fiddler crabs of Australia (Ocypodidae: *Uca*). Supplementary No. 14. Western Australian Museum, Perth, Western Australia.
- George, R.W. & Jones, D.S. (1983). Notes on the crab fauna of Mangrove Bay, North West Cape, Western Australia. Western Australian Naturalist: 15 (8): 169-175.
- Gilmour, J. (1999). Experimental investigation into the effects of suspended sediment on fertilization, larval survival and settlement in a scleraetinian coral. Marine Biology: 135: 451-462.
- Gochfeld, D.J. & Aeby, G.S. (1997). Control of populations of the coral feeding nudibranch *Phestilla sibogae* by fish and crustacean predators. Marine Biology: 130 (1): 63-69.
- Government Chemistry Centre (1994). Report of the chemistry and physical properties of soils from Mauds Landing, Coral Bay and Cardabia Station. Government Chemistry Centre, Perth, Western Australia.
- Grayson, R. (1988). Action on coral reefs. Australian Environmental Management Review Newsletter. 3, pp. 5.

Gregson, P.J., Paull, E.P., & Gaull, B.A. (1979). The effects in Western Australia of a major earthquake in Indonesia on 19 August 1977. Journal of Australian Geology and Geophysics: 4: 135-140.

- Grubba, T.L. & Cary, J. (2000). Survey of the monitoring sites established in 1989 after coral mortality in Bills Bay from the coral mass spawning event in March 1989. Field Program Report No. MMS/NIN/NMP-24/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Grubba, T.L. & Cary, J.L. (2000). Survey of the monitoring sites established in 1989 after coral mortality in Bills Bay from the coral mass spawning event of March 1989. Data Report No. MMS/NIN/NMP-29/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Grubba, T.L. & Williams, C. (2000). Re-survey of high human usage long term monitoring sites in Ningaloo Marine Park in December 2000. Field Program Report No. MMS/NIN/NMP-28/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Grubba, T.L. & Williams, C. (2000). Re-survey of high human usage long term monitoring sites in Ningaloo Marine Park in December 2000. Data Report No. MMS/NIN/NMP-30/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Gunn, J.S., Stevens, J.D., & Davis, T.L.O. (undated). Preliminary observations on the short-term movements and behaviour of whale sharks (*Rhincodon typus*) at Ningaloo Reef, Western Australia. CSIRO Division of Fisheries, Hobart, Tasmania.
- Gunn, J.S., Stevens, J.D., Davis, T.L.O., & Norman, B.M. (1999). Observations on the short-term movements and behaviour of whale sharks (*Rhincodon typus*) at Ningaloo Reef, Western Australia. Marine Biology: 135 (3): 553-559.
- Haig, D. (1988). Foraminifera from Exmouth Gulf, Western Australia. Journal of the Royal Society of Western Australia: 80: 263-280.
- Haig, D.W. (1997). Foraminifera from Exmouth Gulf, Western Australia. Journal of the Royal Society of Western Australia: 80: 151-168.
- Halford, A.R. & McIlwain, J.L. (1996). An assessment of the marine fauna associated with the Royal Australian Navy jetty at Point Murat, Exmouth Gulf. Holt Communication Station, Perth, Western Australia.
- Halse, S.A. & Halse, N.J. (1989). Seabirds and shorebirds at Ningaloo in Winter, with comments on Huttons Shearwater. Western Australian Naturalists' Club, Perth, Western Australia.
- Harriott, V.J. & Simpson, C.J. (1997). Coral recruitment on tropical and subtropical reefs in Western Australia. In: Proceedings of the Eighth International Coral Reef Symposium. pp. 1191-1196.
- Hatcher, B.G. (1988). Ningaloo Marine Park. In: Coral reefs of the world: Indian Ocean, Red Sea and Gulf. (eds Sheppard, C. & Wells, F.E.), Vol. 2, United Nations Environmental Programme and International Union for Conservation of Nature and Natural Resources. pp. 22-23.
- Hatcher, B.G. (1991). Coral reefs in the Leeuwin Current: An ecological perspective. Journal of the Royal Society of Western Australia: 74: 115-128.

Hatcher, B.G., Johannes, R.E., & Robertson, A.I. (1989). Review of research relevant to the conservation of shallow tropical marine ecosystems. Oceanography and Marine Biology Annual Reviews: 27: 337-414.

- Hearn, C.J. (1999). Wave-breaking hydrodynamics within coral reef systems and the effect of changing relative sea level. Journal of Geophysical Research-Oceans: 104 (C12): 30007-30019.
- Hearn, C.J., Hatcher, B.G., Masini, R.J., & Simpson, C.J. (1986). Oceanographic processes on the Ningaloo Coral Reef, Western Australia. Report No. ED-86-171. Centre for Water Research, University of Western Australia, Perth, Western Australia.
- Hearn, C.J. & Parker, I.N. (1988). Hydrodynamic processes on the Ningaloo coral reef, Western Australia. In: Proceedings of the Sixth International Coral Reef Symposium. pp. 497-502.
- Henderson, C. (1997). Development issues at Cape Range National Park. The Greener Times, pp. 12-16.
- Hesp, P.A. (1987). Ningaloo Marine Park: Terrestrial geomorphology and potential development sites. Department of Conservation and Land Management, Perth, Western Australia.
- Hesp, P.A. & Morrissey, J. (1984). A resource survey of the coastal lands from Vlaming Head to Tantabiddi Well, West Cape Range Region. Technical Report No. 24. Department of Agriculture, Perth, Western Australia.
- Heyward, A.J. (undated). Coral recovery and recruitment after the 1989 annoxia event in Bills Bay. Australian Institute of Marine Science and Department of Conservation and Land Management, Perth, Western Australia.
- Heyward, A.J. & Negri, A.P. (1999). Natural inducers for coral larval metamorphous. Coral Reefs: 18: 273-279.
- Heyward, A.J., Revill, A.T., & Sherwood, C.R. (1999). Review of research and data relevant to marine environmental management of Australia's North West Shelf. Produced for the Western Australian Department of Environmental Protection. Australian Institute of Marine Science, Perth, Western Australia.
- Hirschberg, K.J.B. (1994). Shire of Exmouth sanitary landfill site selection. Hydrogeology Report No. 1994/19. Geological Survey of Western Australia, Perth, Western Australia.
- Hocking, R.M., Moors, H.T., & van de Graaf, W.J.E. (1987). Geology of the Carnarvon Basin, Western Australia: Geological Survey of Western Australia. Bulletin No. 133, Perth, Western Australia.
- Holborn, K. (1990). Population genetics of *Drupella cornus* at Ningaloo Marine Park, Western Australia. Honours Thesis, University of Western Australia, Perth, Western Australia.
- Holborn, K. (1991). Study of the demography and population genetics of five species of coral on Ningaloo Reef, Western Australia. University of Western Australia, Perth, Western Australia.
- Holborn, K. (1992). Coral regrowth rates, competitive abilities with other encrusting organisms on Ningaloo Reef to establish recruitment and regrowth data on areas subject to *Drupella cornus* damage. University of Western Australia, Perth, Western Australia.

Holborn, K. (1992). Proposal to study the demography and population genetics of five species of coral on Ningaloo Reef, Western Australia. Occasional paper No. 3/92. Department of Conservation and Land Management, Perth, Western Australia.

- Holborn, K., Johnson, M.S., & Black, R. (1994). Population genetics of the corallivorous gastropod *Drupella cornus* at Ningaloo Reef, Western Australia. Coral Reefs: 13 (1): 33-39.
- Holloway, P.E. (1988). Physical oceanography of the Exmouth Plateau Region, North-western Australia. Australian Journal of Marine and Freshwater Research: 39: 589-606.
- Holloway, P.E. & Nye, H.C. (1985). Leeuwin current and wind distributions on the southern part of the Australian North West Shelf between January 1982 and July 1983. Australian Journal of Marine and Freshwater Research: 36: 123-137.
- Humphreys, W.F. (1993). The biogeography of Cape Range, Western Australia. Records of the Western Australian Museum: 45.
- Humphreys, W.F. & Adams, M. (1990). The subterranean aquatic fauna of the North West Cape Peninsula Western Australia. Records of the Western Australian Museum: 15 (4): 383-411.
- Hutchins, J.B. (1977). Comments on the fish fauna of South Muiron Island, North West Cape. Western Australian Museum, Perth, Western Australia.
- Hutchins, J.B. (1991). Dispersal of tropical fishes to temperate seas in the southern hemisphere. Proceedings of the Royal Society of Western Australia: 74: 79-83.
- Hutchins, J.B. (1994). A survey of the nearshore reef fish fauna of Western Australia's west and south coasts: The Leeuwin province. Supplementary No. 46. Western Australian Museum, Perth, Western Australia.
- Hutchins, J.B. (1996). Marine biological survey of the Muiron Islands and the eastern shore of Exmouth Gulf, Western Australia. Western Australian Museum, Perth, Western Australia.
- Hutchins, J.B. (in press). Biodiversity of shallow reef fish assemblages in Western Australia using rapid census technique. Western Australian Museum, Perth, Western Australia.
- Jenner, C., Jenner, M.N., & McCabe, K. (2000). Geographical and temporal movements of humpback whales in Western Australian waters. A preliminary report and description of a computer assisted matching system. Centre for Whale Research (Western Australia) Inc., Perth, Western Australia.
- Jernakoff, P., Scott, L., Heyward, A.J., Revill, A.T., & Sherwood, C.R. (1999). Bibliography of research and data relevant to marine environment management of Australia's North West Shelf. Report produced for the Western Australian Department of Environmental Protection. Australian Institute of Marine Science and CSIRO, Perth, Western Australia.
- Johnson, M.S., Holborn, K., & Black, R. (1992). Population genetics of *Drupella cornus*. In: *Drupella cornus*: A synopsis (ed Turner, S.J.) (Department of Conservation and Land Management), Como, Western Australia, 21-22 November, 1991.
- Johnson, M.S., Holborn, K., & Black, R. (1993). Fine-scale patchiness and genetic heterogeneity of recruits of the corallivorous gastropod *Drupella cornus*. Marine Biology: 117 (1): 91-96.

Johnstone, R.E. (1980). Birds of the coastal fringe and seas from North West Cape to Point Cloates, Western Australia. In: Biology of the Ningaloo Reef around Low Point, North West Cape. (ed Weaver Oil and Gas Corporation), Perth, Western Australia.

- Jones, D.S. (1991). A history of the discovery and description of Australian barnacles (Cirripedia: Thoracica), including a bibliography of reference works. Archives of Natural History: 18 (2): 149-178.
- Jones, D.S. (undated). Unpublished field notebooks. Unpublished Notes. Western Australian Museum, Perth, Western Australia.
- Jones, D.S., Anderson, J.T., & Anderson, D.T. (1990). A checklist of Australian Cirripedia (Thoracica, Acrothoracica). Technical Report No. 3. Western Australian Museum, Perth, Western Australia.
- Jones, D.S. & J., M.G. (1994). A field guide to the crustaceans of Australian waters. Western Australian Museum, Perth, Western Australia.
- Kang, H.J. & Fenical, W. (1997). Ningalins A-D- novel aromatic alkaloids from a Western Australian ascidian of the genus *Didemnum*. Journal of Organic Chemistry: 62 (10): 3254-3262.
- Karniewicz, R. (1995). The whale sharks of Ningaloo Reef. Department of Conservation and Land Management, Perth, Western Australia.
- Kaufman, G.D. (1990). Humpback whale monitoring the compilation and correlation of sightings of humpback whales on Ningaloo Reef with special emphasis on compiling individual identifications through photographic evidence. Department of Conservation and Land Management, Perth, Western Australia.
- Keeling, S. & Parker, I. (1986). An account of a survey of birds utilising the coastal fringe of the Exmouth Peninsula - at Coral Bay and between Yardie Creek and Bundegi Reef -Western Australia. Report to Western Australian Department of Conservation and Land Management.
- Kendrick, G.W. & Morse, K. (1982). An Aboriginal shell midden deposit from the Warroura coast, northwestern Australia. Western Australian Museum, Perth, Western Australia.
- Koltasz Smith & Partners (1995). Coral Coast Resort master plan, Mauds Landing: Prepared for Coral Coast Marina Development Pty. Ltd. Koltasz Smith & Partners, Perth, Western Australia.
- Kuhnert, H., Patzold, J., Wyrwoll, & Wefer, G. (2000). Monitoring climate variability over the past 116 years in coral oxygen isotopes from Ningaloo Reef, Western Australia. International Journal of Earth Sciences: 88 (4): 0725-0732.
- Lent, L. (1995). A whale of a time on Ningaloo Reef. Ranger, pp. 5-10.
- LeProvost, Semeniuk, & Chalmer (1988). Minora Resources NL exploration permit 325. Public environmental report to Minora Resources NL. LeProvost Semeniuk and Chalmer, Perth, Western Australia.
- LeProvost, S. (1988). Proposed offshore oil exploration in Exmouth Gulf and Ningaloo Marine Park. Public Environmental Report No. Vol. 1. H16: Document no. EAA-61RI-002.
- LeProvost Dames & Moore (2000). Ningaloo Marine Park (Commonwealth Waters). Literature Review. LeProvost Dames & Moore, Perth, Western Australia.

Lough, J.M. (1998). Coastal climate of north west Australia and comparisons with the Great Barrier Reef 1960 to 1992. Coral Reefs: 17: 351-367.

- Lourensz, R.S. (1981). Tropical cyclones in the Australian region July 1909 to June 1980. Bureau of Meteorology, Perth, Western Australia.
- Mackie, M. (2000). Reproductive biology of the halfmoon grouper, *Epinephelus rivulatus*, at Ningaloo Reef, Western Australia. Environmental Biology of Fishes: 57 (4): 363-376.
- Marine Parks and Reserves Selection Working Group (1994). A representative marine reserve system for Western Australia. Department of Conservation and Land Management, Perth, Western Australia.
- Marsh, L.M. (1980). Corals and echinoderms of the Ningaloo Reefs. Western Australian Museum, Perth, Western Australia.
- Marsh, L.M. & Marshall, J.I. (1983). Some aspects of the zoogeography of northwestern Australian echinoderms (other than holothurians). Bulletin of Marine Science: 33 (3): 671-687.
- Marsh, L.M. & Rowe, F.W.E. (1978). Echinodermata collected off north-western Australia by Dr B.R. Wilson and Expedition of the "Professor Bogorov", U.S.S.R., October 1978.
- Martinick McNulty & Sub Resources N L (1998). White opal 1 exploration well, Cape Range Peninsula, Western Australia: public environmental review. Public environmental report, Perth, Western Australia.
- Mason, S.A. & Moore, S.A. (1998). Using the Sorensen Network to assess the potential effects of ecotourism on two Australian marine environments. Journal of Sustainable Tourism: 6 (2): 143-154: 32.
- Massel, S. & Brinkman, R. (undated). An investigation of the physical oceanography of Exmouth Gulf
 water mass fluxes. Australian Institute of Marine Science and Department of
 Conservation and Land Management, Perth, Western Australia.
- Massel, S.R. & Brinkman, R.M. (2000). Circulation in Ningaloo Reef's lagoons. In: Western Australian Research Activities 1997-1999. (ed Australian Institute of Marine Science), Townsville, Queensland.
- May, R. (1988). Parks and reserves of the Cape Range Peninsula. Part 2, Ningaloo Marine Park (state waters): Draft management plan. Department of Conservation and Land Management, Como, Western Australia.
- May, R. & Albone, P. (1989). Ningaloo Marine Park: Summary of public submissions. Department of Conservation and Land Management, Perth, Western Australia.
- May, R., Wilson, B., Fritz, S., & Mercer, G. (1989). Ningaloo Marine Park (State Waters) Management Plan: 1989 1999. Parks and Reserves of the Cape Range Peninsula: Part 2 No. 12. Department of Conservation and Land Management, Perth, Western Australia.
- May, R.F., Lenanton, R.C.J., & Berry, P.F. (1983). Ningaloo Marine Park. Report and recommendations of the Marine Park Working Group No. Vol. 1. National Parks Authority, Perth, Western Australia.
- McCauley, R. (1996). Report of field activities September to November 1996: The response of humpback whales to offshore seismic survey sources. Curtin University of Technology, Perth, Western Australia.

McCauley, R. (1997). The response of humpback whales to experimental approaches of an operating air-gun: Preliminary results for October 1996 trials. Prepared for Australian National Parks and Wildlife, Environment Australia. Curtin University of Technology, Perth, Western Australia.

- McCook, L. (undated). Seagrasses and seaweeds in Exmouth Gulf Their distribution and importance in primary production. Australian Institute of Marine Science, Perth, Western Australia.
- McCook, L.J., Klumpp, D.W., & McKinnon, A.D. (1995). Seagrass communities in Exmouth Gulf, Western Australia: A preliminary survey. Journal of the Royal Society of Western Australia: 78: 81/87.
- McIlwain, J. (2000). Replenishment of coral reef fish to Ningaloo Reef, Western Australia. Ph.D. Thesis, University of Western Australia, Perth, Western Australia.
- McIlwain, J.L. (1996). Hydrodynamic flows and the flux of larval fishes across the crest of Ningaloo Reef, Western Australia. In: Eighth International Coral Reef Symposium (eds Lessios, H.A. & Macintyre, I.G.), Smithsonian Tropical Research Institute, Balboa, Republic of Panama, June 1996. pp. 1133-1138.
- McIlwain, J.L. (2000). The role of physical processes in shaping patterns in larval supply to Ningaloo Reef, Western Australia. In: World coral reefs in the new millennium: Bridging research and management for sustainable development. Proceedings of the Ninth International Coral Reef Symposium (eds Hopley, D., Hopley, P.M., Tamelander, J. & Done, T.), Bali, Indonesia, 23-27 October. pp. 40.
- McKinnon, A.D. & Ayukai, T. (1996). Copepod egg production and food resources in Exmouth Gulf, Western Australia. Journal of Marine and Freshwater Research: 47: 595-603.
- McNamara, K.J. (1982). A new species of the echinoid *Rhynobrissus* (Spatangoida: Brissidae) from north-West Australia. Records of the Western Australian Museum: 9 (4): 349-360.
- Meager T.D. & Associates (1980). Biology of Ningaloo Reef around Low Point, North West Cape: Yardie exploration project. Report prepared for Weaver Oil and Gas Corporation. Meager T.D. & Associates, Perth, Western Australia.
- Mees, G.F. (1962). The subterranean fauna of Yardie Creek station, North West Cape, Western Australia. Journal of the Royal Society of Western Australia: 45 (1): 24-32.
- Minora Resources NL (1991). Consultative Environmental Review: Proposal to drill wells on the Cody prospect: EP 325, Carnarvon Basin, Western Australia: Minora Resources NL, Perth, Western Australia.
- Moran, M. (1989). Fisheries research Tagging program and assessment of biological data for north west snapper on the North West Coast. Department of Fisheries, Perth, Western Australia.
- Moran, M., Edmonds, J., Jenke, J., Casells, G., & Burton, C. (1993). Fisheries biology of emperors (*Lethrinidae*) in north-west Australian coastal waters. Final Report No. 89/20. Western Australian Fisheries Department, and Fisheries Research and Development Corporation, Perth, Western Australia.
- Moran, M., Jenke, J., Cassells, G., & Nowra, G. (1995). Research for allocation of north-west marine finfish resources among diverse user groups. Final Report No. 91/28. Western Australian Fisheries Department, and Fisheries Research and Development Corporation, Perth, Western Australia.

Morse, K. (1988). Mandu Mandu Creek, rock shelter: Pleistocene human coastal occupation of North West Cape, Western Australia. Archaeology in Oceania: 23 (3): 81-88.

- Morse, K. (1993). New radiocarbon dates from North West Cape, Western Australia: a preliminary report. In: Pleistocene archaeology in Australia, New Guinea and Island Melanesia. (eds Smith, A., Spriggs, M. & Frankhauser, B.), Vol. 24, Australian National University, Canberra, Australian Capital Territory. pp. 155-163.
- Morse, K. (1993). Shell beads from Mandu Mandu Creek, rock shelter, Cape Range Peninsula, Western Australia, dated before 30,000 BP. Antiquity: 67: 877-883.
- Morse, K. (1996). Coastal shell middens, Cape Range peninsula, Western Australia: An appraisal of the Holocene evidence. In: Archaeology of northern Australia: regional perspectives. (eds Veth, P. & Hiscock, P.), Vol. 4, University of Queensland, St Lucia, Queensland. pp. 9-25.
- Morse, K. & Kees, S. (1984). Preliminary report of a survey for Aboriginal archaeological sites in the Cape Range National Park, North West Cape, Western Australia, Perth, Western Australia.
- Morse, K. & Wright, G. (1989). An archaeological and ethnographic survey of the proposed coral coast development area, Point Maud, Perth, Western Australia.
- Muller, A. & Opdyke, B. (2000). Variations in biogenic and terrigenous inputs in the easternmost Indian Ocean during the last 80 ka - Paleoceanographic and paleoclimate implications. In: West Australian Marine Science Conference 2000, Sheraton Hotel, Perth, Western Australia, 27-28 April 2000.
- Nardi, K. (1991). Gametogenesis and reproductive behaviour on *Drupella cornus* (Roding, 1798) at Ningaloo and Abrolhos Reefs. Honours Thesis, Murdoch University, Perth, Western Australia.
- Negri, A.P. & Heyward, A.J. (undated). Inhibition of coral fertilisation and larval metamorphous by tributyltin and cooper. Marine Environmental Research. Australian Institute of Marine Science, Perth, Western Australia.
- Negri, A.P. & Llewellyn, L.E. (1998). Comparative analyses by HPLC and the sodium channel and saxiphilin 3H-Saxitoxin receptor assays for paralytic shellfish toxins in crustaceans and molluscs from tropical north west Australia. Toxicon 36, 283-298.
- Newman, L.J. & Cannon, L.R.G. (1997). Nine new species of *Pseudobiceros* (Platyhelminthes, Polycladida) from the Indo-pacific. Raffles Bulletin of Zoology: 45 (2): 341-368.
- Newman, S.J. (undated). A review of the deepwater developmental fish trawl fishing activities (1994-1996) south west of north west cape in Mid Western Australia. Fisheries Research Division, Western Australian Marine Research Laboratories, Perth, Western Australia.
- Newman, S.J. (undated). Status of the deepwater development fish trawl fishing activities in the Exmouth-Ningaloo Reef area. Research Report. Fisheries Department of Western Australia, Perth, Western Australia.
- Norman, B. & Potter, I. (undated). A preview of whale shark eco-tourism management strategies. Jointly funded by CALM, Murdoch University, Gascoyne Development Commission and National Ecotourism Grant.

Norman, B.M. (1999). Aspects of the biology and ecotourism industry of the whale shark *Rhincodon typus* in north-western Australia. Masters Thesis, Murdoch University, Perth, Western Australia.

- Norman, B.M., Newbound, D.R., & Knott, B. (2000). A new species *Panalidae* (copepoda), from the whale shark *Rhincodon typus* (Smith). Journal of Natural History: 34: 355-366.
- Norwara, G. (1992). Fishing in Ningaloo Marine Park, recreational fishing survey, 1992 season. Western Australian Marine Research Laboratories, Perth, Western Australia.
- Nowara, G. (undated). Recreational fishing survey of Ningaloo Marine Park for 1992 and 1993. Western Australian Marine Research Laboratories, Perth, Western Australia.
- Ocean Wise Foundation (undated). Ecological survey of an area known at Tantabiddi 1. Ocean Wise Foundation, Perth, Western Australia.
- Olson, R.R. (1987). In situ culturing as a test of the larval starvation hypothesis for the crown-of-thorns starfish, *Acanthaster planci*. Limnology and Oceanography: 32: 895-904.
- Olson, R.R., Bosch, & Pearse, J.S. (1987). The hypothesis of antarctic larval starvation examined for the asteroid *Odontaster validus*. Limnology and Oceanography: 32: 686-690.
- Olson, R.R., McPherson, R., & Osborne, K. (1988). In situ larval culture of the crown of thorns starfish, *Acanthaster planci* (L.): Effect of chamber size and flushing on larval settlement and morphology. In: Echinoderm Biology. (ed Burke), Balkema, Rotterdam. pp. 247-251.
- Orpin, A.R., Haig, D.W., & Woolfe, K.J. (1999). Sedimentary and foraminiferal facies in Exmouth Gulf, arid tropical Australia. In: Fourth Australian Marine Geoscience Conference (eds Collins, L. & Zhu, Z.), Exmouth, Western Australia, 26 September 1 October.
- Osborne, S. (1988). Towards the development of a research and monitoring program for Ningaloo/Cape Range. Department of Conservation and Land Management, Perth, Western Australia.
- Osborne, S. (1991). A preliminary summary of *Drupella cornus* distribution and abundance patterns following a survey of Ningaloo Reef in Spring 1991. Department of Conservation and Land Management, Perth, Western Australia.
- Osborne, S. (1995). Preliminary summary of turtle base tourism monitoring of North West Cape rookery beaches January 1995. Australian Nature Conservation Agency and Department of Conservation and Land Management, Perth, Western Australia.
- Osborne, S. & Williams, M. (1995). Monitoring of whale shark tourism in Ningaloo Marine Park by aerial survey. Western Australian Department of Conservation and Land Management, Perth, Western Australia.
- Osborne, S. & Williams, M.R. (1992). A preliminary summary of the effects of hand removal of *Drupella cornus* on Ningaloo Reef. In: *Drupella cornus*: A synopsis. (ed Turner, S.J.), Vol. 3/92, Department of Conservation and Land Management, Perth, Western Australia. pp. 83-90.
- Osborne, S. & Williams, M.R. (1995). Status of *Drupella cornus* outbreak at Ningaloo Reef. Final report prepared for the Australian Nature Conservation Agency. Department of Conservation and Land Management, Perth, Western Australia.

Page, M.C. (1998). Late Cainozoic geology and evolution of the Western Exmouth Peninsula, Western Australia, and implications for coastal zone planning. BSc Honours Thesis, Curtin University of Technology, Perth, Western Australia.

- Parker, J. (1999). Sediment distribution patterns, Bateman Bay, southern Ningaloo Reef tract, Western Australia. In: Fourth Australian Marine Geoscience Conference (eds Collins, L. & Zhu, Z.), Exmouth, Western Australia, 26 September 1 October.
- Pattiaratchi, C. (1999). Offshore and shelf current systems off Western Australia. In: Fourth Australian Marine Geoscience Conference (eds Collins, L. & Zhu, Z.), Exmouth, Western Australia, 26 September 1 October.
- Payne, A.L., Curry, P.J., & Spencer, P.J. (1987). An inventory and condition survey of rangelands in the Carnarvon Basin, Western Australia. Technical Bulletin. Department of Agriculture, Perth. Western Australia.
- Pearce, A.F. (1986). Sea temperatures off Western Australia. Fishing Industry News Service, pp. 6-9.
- Peerless, H. (1987). Tourism and the natural environment: Analysis of the conflict with special reference to Cape Range National Park and Ningaloo Marine Park. Independent Study Contract, Perth, Western Australia.
- Preen, A. (1998). Marine protected areas and dugong conservation along Australia's Indian Ocean coast. Environmental Management: 22 (2): 173-181.
- Preen, A.R., Marsh, H., Lawler, I.R., Prince, R.I.T., & Shepherd, R. (1997). Distribution and abundance of dugongs, turtles, dolphins and other megafauna in Shark Bay, Ningaloo Reef and Exmouth Gulf, Western Australia. Wildlife Research: 24 (2): 185-208.
- Preen, A.R., Marsh, H., Prince, R.I.T., & Shepherd, R. (1995). Winter distributions and abundance of dugongs, turtles, dolphins and other large vertebrate fauna in Shark Bay, Ningaloo Reef and Exmouth Gulf, Western Australia. Report to the Department of Conservation and Land Management, Perth, Western Australia.
- Prince, R.I.T. (1986). Dugong in northern waters of Western Australia 1984. Technical Report No. 7. Department of Conservation and Land Management, Perth, Western Australia.
- Prince, R.I.T. (1990). Status of the Western Australian marine turtle populations: The Western Australian marine turtle project 1986-1990. In: Australian Marine Turtle Conservation Workshop (ed James, R.), 14-17 November, 1990.
- Prince, R.I.T., Anderson, P.K., & Blackman, D. (1981). Status and distribution of dugongs in Western Australia. In: The dugong (ed Marsh, H.), James Cook University, Townsville, Queensland, May 1979. pp. 39-51.
- Prince, R.I.T. & Williams, A. (1989). Marine turtle research tagging program, monitoring of nesting and breeding activity and assessment of population density, growth rates and other biological data on the North West Cape and Muiron Islands. Woodvale Research Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Rogers M.P and Associates (undated). Coral Coast Resort, Mauds Landing, coastal engineering study. Report to Bowman Bishaw Gorham. Rogers M.P and Associates, Perth, Western Australia.
- Rose, L. (1993). Shark Bay, Ningaloo Reef and Kennedy Range. Australian Natural History: 24 (5): 60-61.

Saalfield, K. & Marsh H (1989). Aerial survey of dugong population density of Shark Bay, Ningaloo Reef and Exmouth Gulf. Report for Department of Conservation and Land Management.

- Sanderson, P.G. (1997). The interaction of process and landform in the Ningaloo Reef lagoon, Western Australia. In: 8th International Coral Reef Symposium (eds Lessios, H.A. & Macintyre, I.G.) (Smithsonian Tropical Research Institute), Panama, June 1996. pp. 833-838.
- Sanderson, P.G. (2000). A comparison of reef-protected environments in Western Australia: The central west and Ningaloo coasts. Earth Surface Processes and Landforms: 25 (4): 397-419.
- Sanderson, P.G. & Eliot, I. (1996). Shoreline salients, cuspate forelands and tombolos on the cast of Western Australia. Journal of Coastal Research: 12 (3): 761-773.
- Scott, B.D. (1997). Investigation of a proposed tracking range near Exmouth. Defence Science and Technology Organisation, Pyrmont, New South Wales.
- Simpson, C.J. (1987). Growth, metabolism and reproduction of corals in North Western Australia. Ph.D. Thesis, University of Western Australia, Perth, Western Australia.
- Simpson, C.J. (1991). Mass spawning of corals on Western Australian reefs and comparisons with the Great Barrier Reef. Journal of the Royal Society of Western Australia: 74: 85-91.
- Simpson, C.J., Cary, J.L., & Masini, R.J. (1993). Destruction of corals and other reef animals by coral spawn slicks on Ningaloo Reef, Western Australia. Coral Reefs: 12 (3-4): 185-191.
- Simpson, C.J. & Masini, R.J. (1986). Tide and seawater temperature data from the Ningaloo Reef tract, Western Australia and the implications for coral mass spawning. Bulletin No. 253. Department of Conservation and Environment, Perth, Western Australia.
- Simpson, C.J. & Myers, D. (1999). Conservation and management of the Ningaloo Marine Park. In: Fourth Australian Marine Geoscience Conference (eds Collins, L. & Zhu, Z.), Exmouth, Western Australia, 26 September 1 October.
- Slack-Smith, S.M. (1980). Marine molluscs of the Ningaloo Reefs. Western Australian Museum, Perth, Western Australia.
- Smith, R.A. (1993). Mass spawning in the faviidae on the Ningaloo Reef tract. Honours Thesis, Murdoch University, Perth, Western Australia.
- Steedman, R.K. & Russell, K.L. (1986). Storm wind, wave and surge analysis, Exmouth Gulf, Western Australia. Steedman Ltd., Perth, Western Australia.
- Steedman Science and Engineering (1989). Preliminary extreme wave and storm surge study, Coral Bay No. R440. Steedman Science and Engineering, Perth, Western Australia.
- Steinberg, C., Brinkman, R., McAllister, F., & McLean, C. (1999). AIMS data report: North West Cape, October 1998-March 1999. Australian Institute of Marine Science, Perth, Western Australia.
- Stevens, J.D. (1994). Whale sharks at Ningaloo Reef, northern Western Australia. Chondros, pp. 1-3.
- Stevens, J.D., Norman, B.M., Gunn, J.S., & Davis, T.L.O. (1998). Movement and behavioural patterns of whale sharks at Ningaloo Reef: The implications for tourism. National Ecotourism Final Report No. 30051. CSIRO Marine Research, Hobart, Tasmania.

Stewart, R.R. (1993). Mass spawning in the acroporidae on the Ningaloo Reef tract. Honours Thesis, Murdoch University, Perth, Western Australia.

- Stimson, J. (1996). Wave-like outward growth of some table- and plate-forming corals, and a hypothetical mechanism. Bulletin of Marine Science: 58 (1): 301-313.
- Stoddart, J. (1989). Fatal attraction. Landscope. Vol. 4, No. 4 (Winter), pp. 14-20.
- Stoddart, J.A. (1989). Report on Ningaloo Marine Park survey February 1989, Western Australia. Department of Conservation and Land Management, Perth, Western Australia.
- Stoddart, J.A. (1990). Analysis of water quality in Shark Bay and Coral Bay: August October 1989. LandNote. 90, pp. 1-11.
- Storrie, A., Morrison S, & Borgan B (1998). The marine life of Ningaloo Marine Park and Coral Bay. Department of Conservation and Land Management, Perth, Western Australia.
- Sumner, N. & Williamson, P. (1999). Ningaloo Marine Park recreational fishing survey. Western Australian Marine Research Laboratories, Perth, Western Australia.
- Suter, K.D. (1986). The role of international law. In: Endangered Species Conference, Total Environment Centre, Sydney, 11-12 May. pp. 37-43.
- T.D. Meagher & Associates & Weaver Oil & Gas Corporation (1980). Biology of the Ningaloo Reef around Low Point, North West Cape: Yardie exploration project. T.D. Meagher & Associates, Perth, Western Australia.
- Taylor, G. (1987). Whale sharks of Ningaloo Reef: A preliminary study. Report for the Australian National Parks and Wildlife Services, Canberra, Australian Capital Territory.
- Taylor, G. (1990). The whale shark. Australian Natural History: 23 (4): 282-283.
- Taylor, G. (1990). Whale sharks of Ningaloo Reef. Australian National Parks and Wildlife Services, Canberra, Australian Capital Territory.
- Taylor, G. (1996). A flora and vegetation survey and assessment of conservation values for flora and vegetation of the area of the proposed Coral coast Marina. Bowman Bishaw Gorham, Perth, Western Australia.
- Taylor, G. (1996). Seasonal occurrence, distribution and movements of the whale shark, *Rhincodon typus*, at Ningaloo Reef, Western Australia. Marine and Freshwater Research: 47 (4): 637-642.
- Taylor, J.G. & Pearce, A.F. (1999). Ningaloo Reef currents: Implications for coral spawn dispersal, zooplankton and whale shark abundance. Journal of the Royal Society of Western Australia: 82: 57-65.
- Thomson, C. & Stevens, J.D. (1994). A whale of a shark. Landscope. Vol. 10, No. 2 (Summer), pp. 28-34.
- Trudgen, M. (1994). A flora and vegetation survey assessment of conservation values for flora and vegetation of the area of the proposed Coral Coast Marina. Bowman Bishaw Gorham, Perth, Western Australia.

Turner, S.J. (1985). Report on preliminary ethnographic investigations for the area encompassed by the proposed Ningaloo Marine Park. Department of Aboriginal Sites, Museum of Western Australia, Perth, Western Australia.

- Turner, S.J. (1992). Attempt to identify fish predators of *Drupella cornus* by fish gut sampling on Ningaloo Reef. Department of Conservation and Land Management, Perth, Western Australia.
- Turner, S.J. (1992). The early life history of *Drupella cornus*. In: *Drupella cornus*: A synopsis (ed Turner, S.J.) (Department of Conservation and Land Management), Como, Western Australia, 21-22 November, 1991.
- Turner, S.J. (1992). The egg capsules and early life history of the corallivorous gastropod *Drupella cornus* (Roding, 1798). Veliger. 1, pp. 16-25.
- Turner, S.J. (1993). Causes of small and large scale spatial variability in the abundance of the corallivorous gastropod *Drupella cornus* (Roding, 1798) along Ningaloo Reef, Western Australia. Coral Reefs: 12: 1-8.
- Turner, S.J. (1994). The biology and population outbreaks of the corallivorous gastropod *Drupella* on Indo-Pacific reefs. Oceanography and Marine Biology Annual Reviews: 32: 461-530.
- Turner, S.J. (1994). Spatial variability in the abundance of the corallivorous gastropod *Drupella cornus*. Coral Reefs: 13 (1): 41-48.
- van de Graaf, W.J.E., Denman, P.D., & Hocking, R.M. (1976). Emerged Pleistocene marine terraces on Cape Range, Western Australia. Annual report. Western Australian Geological Survey, Perth, Western Australia.
- van de Graff, W.J.E., Denman, P.D., Hocking, R., & Baxter, J. (1980). Yanrey-Ningaloo, Western Australia: Western Australian Geological Survey 1:520000 Geological Series Explanatory Notes.
- Veron, J.E.N. & Marsh, L.M. (1988). Hermatypic corals of Western Australia. Records and annotated species list. Supplement No. 29. Western Australian Museum, Perth, Western Australia.
- Weaver, P.R. (1998). An oral history of Ningaloo Reef. Edith Cowan University, Perth, Western Australia.
- Wells, F.E. (1978). Coral reefs of the North-West Cape. FINS. 1, pp. 10-12.
- Wells, F.E. (1979). Ecological segregation among Nerites of North West Cape, Western Australia. Journal of the Malacological Society of Australia: 4: 135-143.
- Wells, F.E. (1980). A checklist of the marine molluscs of the North West Cape area of Western Australia. Western Australian Museum, Perth, Western Australia.
- Wells, F.E. (1980). A comparative study of distribution of the mudwelks *Terebralia sulcata* and *T. palustris* in a mangrove swamp in northwestern Australia. Malacological Review: 13: 1-5.
- Wells, F.E. (1980). Molluscs of the intertidal zone. In: Biology of the Ningaloo Reef around Low Point, North West Cape, Weaver Oil and Gas Corporation, Perth, Western Australia.
- Wells, F.E. (1983). An analysis of marine invertebrate distributions in a mangrove swamp in northwestern Australia. Bulletin of Marine Science: 33: 736-744.

Wells, F.E. (1984). Comparative distribution of macromolluscs and macrocrusteaceans in a northwestern Australia mangrove system. Australian Journal of Marine and Freshwater Research: 35: 591-596.

- Wells, F.E. (1986). Distribution of molluscs across a pneumatophore boundary in a small bay in Northwestern Australia. Journal of Molluscan Studies: 52: 83-90.
- Westera, M., Hyndes, G., & Lavery, P. (2000). Fish populations in the Ningaloo Marine Park: A comparison between sanctuary and recreation zones. Preliminary Report. School of Natural Sciences, Edith Cowan University, Perth, Western Australia.
- Westera, M., Lavery, P., & Hyndes, G. (2000). Does the declaration of sanctuary zones in marine parks lead to greater fish numbers? A comparison between sanctuary and fishing zones on the Ningaloo Reef tract, Western Australia. In: West Australian Marine Science Conference 2000, Sheraton Hotel, Perth, Western Australia, 27-28 April 2000.
- Western Australian Museum (1988). A feasibility study for the sampling of benthos in the commonwealth waters of the Ningaloo Marine Park. Report for the Australian National Parks and Wildlife Service. Western Australian Museum, Perth, Western Australia.
- Western Australian Planning Commission (1998). Exmouth to Learmonth (North West Cape) Structure Plan. Western Australian Planning Commission, Perth, Western Australia.
- Western Australian State Planning Commission (1996). Gascoyne coast regional strategy. Western Australian State Planning Commission, Perth, Western Australia.
- Whitaker, K.A. (1997). Demography and population genetics of corals in Ningaloo Reef. Ph.D. Thesis, University of Western Australia, Perth, Western Australia.
- Whitecrest Enterprises & Halpern Glick Maunsell (1995). Limestone mine, quicklime plant and shiploading facility, Exmouth, Western Australia: Public environmental review. Whitecrest Enterprises, Perth, Western Australia.
- Whittaker, K. (1997). Dispersal and recolonisation potential of five species of hermatypic corals (Scleractinia) at Ningaloo Reef, Western Australia. Zoology Department, University of Western Australia, Perth, Western Australia.
- Williams, C. (1988). Larval and juvenile fish assemblages at Ningaloo Reef, Western Australia. Honours Thesis, Murdoch University, Perth, Western Australia.
- Williams, R. & Wood, D. (2000). Tourism activities on the Exmouth peninsula and the Ningaloo Marine Park from 1991 to 2000: A review of tourism activity survey data in the Exmouth, Cape Range National Park and Ningaloo Marine Park areas 1991-2000. School of Architecture Construction and Planning, Curtin University of Technology, Perth, Western Australia.
- Wilson, B. (1987). Home on the range. Landscope. Vol. 2, No. 3 (Autumn), pp. 3-8.
- Wilson, B. (1988). Wall of mouths. Landscope. Vol. 4, No. 1 (Spring), pp. 32-39.
- Wilson, B. (1990). A range of reefs. Landscope. Vol. 6, No. 1 (Spring), pp. 10-15.
- Wilson, B. & Bachman, B. (1988). Range to reef: Discover Cape Range National Park and Ningaloo Marine Park. Department of Conservation and Land Management,, Perth, Western Australia.

Wilson, S.G., Pauly, T., & Meekan, M.G. (in press). Daytime surface swarming by *Pseudeuphausia latifrons* (Crustacea, Euphausiacea) off Ningaloo Reef, Western Australia. Bulletin of Marine Science.

- Wilson, S.G., Steinberg, C., & D'Adamo, N. (2000). Water temperature variations in Ningaloo Marine Park and adjacent waters off Tantabiddi, Western Australia, from October 1998 to May 1999. Data Report No. MMS/PI/NMP-23/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Wilson, S.G., Steinburg, C., & D'Adamo, N. (2000). Water temperature variations in Ningaloo Marine Park and adjacent shelf waters off Tantabiddi, Western Australia, from October 1998 to May 1999. Data Report No. MMS/PI/NMP-23/2000. Marine Conservation Branch, Department of Conservation and Land Management, Perth, Western Australia.
- Wittenberg, J. (1999). A trade off between paired and solitary social systems of butterflyfishes (Pisces: Chaetodontidae) involving vigilance and feeding ecology, Groningen, Netherlands.
- Woo, M. & Pattiaratchi, C. (2000). Continental shelf processes between Shark Bay and North West Cape, Western Australia during Summer. In: West Australian Marine Science Conference 2000, 27-28 April 2000.
- Wood, D. (1999). Planning in the Exmouth region. In: Fourth Australian Marine Geoscience Conference (eds Collins, L. & Zhu, Z.), Exmouth, Western Australia.
- Wootton, J.L. (1992). A review of Australian fouling barnacles. Asian Biology: 9: 89-100.
- Wyrwoll, K.H., Zhu, Z., Collins, L., Eisenhauer, A., & Bollhoeffer, A. (1996). Chronology and characteristics of Late Quaternary sea level events along the western margin of Australia. Abstracts of papers. In: 30th International Geological Congress, Beijing, China, 4-14 August. pp. p90.

4.2. Unconfirmed references

The following references have been listed separately because they are incomplete or lack basic reference details.

- Black, R. & Johnson, M.S. (in Press). Contrasting life histories and demographies of eight species of littorines at Ningaloo Reef, Western Australia. Journal of Shellfish Research.
- Caton, A., Hearn, B., & Sarti, N. (1988). Very young southern bluefin tuna off North West Cape. Australian Fisheries.
- Clough, B.F., Dixon, P., & Dalhaus, O. (in press). Elementary relationships for estimating biomass of multistem mangrove trees. Australian Journal of Botany.
- Crostella, A. (1996). Hydrocarbon potential of the North West Cape area, Carnarvon Basin. PESA Journal 24: 15-34.
- Easton, A.K. (1970). The tides of the continent of Australia. Research Paper 37. Horace Lamb Centre for Oceanographic Studies.

Hutchins, J.B., Gill, A.C., & Mooi, R. (in preparation). Survey of fishes of the West Pilbara Islands, May 1996.

- Jones, L.W. (1993). North West Cape Tourism Development Study. Report prepared for the Department of Resources Development.
- McKinnon, A.D. & Duggan S (undated). Summer egg production rates of paracalanid copepods in subtropical waters adjacent to Australia's North West Cape. Aquatic Microbial Ecology.
- McKinnon, A.D., Furnas, M., & Duggan, S. (undated). Summer microzooplankton grazing in subtropical waters adjacent to Australia's North West Cape. Aquatic Microbial Ecology.
- Norman, B. (2000). Shark aggregations near Point Maud, Ningaloo Marine Park: Highlighting an area of great conservation significance.
- Rockwater (1994). Evaluation of groundwater conditions near Mauds Landing in the Coral Bay area, Perth. Western Australia.
- Stanbury, M. (1988). Norwegian Bay whaling station an archaeological report.
- Taylor, J.G. & Pearce, A.F. (1997). Ningaloo Reef current observations and implications for coral spawn larval dispersal.
- Wilson, S.G., Taylor, J.G., & Pearce, A.F. (submitted). The seasonal aggregation of whale sharks at Ningaloo Reef, Western Australia: Currents, migrations and the El Nino/Southern Oscillation. Environmental Biology of Fishes.

APPENDICIES

APPENDIX I: LIST OF KEYWORDS USED IN THE BIBLIOGRAPHIC DATABASE.

Aboriginal Development Aboriginal archaeology Disposal Aboriginal history Distribution Abrolhos Islands Drupella cornus Agriculture Dugongs Analysis Echinoderm Anthozoa corals **Ecology** Ecotourism Antifoul paint El Nino Antifouling

Archaeology Endangered species
Artifacts Environmental impact

Asteroid Evolution
Atmospheric science Exmouth
Australian Marine Science Association Exmouth gulf

Bay of Rest Fish
Behaviour ecology Fish dispersal
Benthic habitats Fish heads
Biodiversity Foraminifera
Biological control Gascoyne
Biological survey Gastropod

Birds Geographical information systems

Boat harbor

Boat harbor

Geology

Boundary

Cape Range

Cape Range National Park

Climate

Growth

Georgiaphical info.

Geology

Geomorphology

Great barrier reef

Groundwater

Growth

Climate Growth
Coastal Land Growth rates
Coastal Morphology Habitat
Coastal Parks Habitat map
Commercial fishing Historical

Commonwealth Holocene sediments
Commonwealth Government Houtman Abrolhos
Conservation Human interaction
Conservation management Human usage

Coral Bay Humpback whale
Coral Biology Hydrogeology
Coral coast Industry
Coral colonisation Intertidal
Coral dispersal Invertebrate
Coral fertilisation Land use

Coral growth

Coral larvae

Coral recovery

Coral recovery

Larval survival

Coral recruitment Law

Coral Reef Leeuwin Current
Coral spawn Legislative Council

Coral spawning Littorines
Coral species Management
Crown of thorns Management plan

Crustaceans Mangal Cyclones Mangrove

Manta rays
Map
Marinas
Marine fauna
Marine flora
Marine habitat
Marine mammal

Marine protected areas Marine reserves Marine survey

Maritime Education and Research Alliance

Meteorology Midden Migration Molluscs Monitoring Mudwelk Muiron Islands National Parks

Neogastropoda muricidae

Nerites

Ningaloo Marine Park North West Cape North West Shelf North West Snapper

Nudibranch Oceanography

Oil Parasite Parliament

Perciformes Chaetodontidae

Petroleum Planktonic Planning Plate coral Predator

Proposed marine reserves

Protection

Public participation Recommendations

Recreation

Recreation zones Recreational fishing Replenishment

Reproduction Research Resources

Rhincodon typus

Salinity

Sampling methods Sanctuary zones

Science

Sea cucumber

Seabirds

Seagrass

Seaweed Sediments

Seismic exploration Sewage disposal Shark Bay Sharks Shells

Southern extension Southern oscillation

Starfish

Suspended sediment Sustainable development

Tantabiddi
Temperature
Tides
Tourism
Trawling
Turtles
Vegetation
Vertebrate fauna
Waste disposal
Water quality
Western Australia

Whale

Whale sharks Wilson report Zooplankton

APPENDIX II: FRAMEWORK FOR THE DEVELOPMENT OF A BIBLIOGRAPHIC DATABASE.

This framework is a generic guideline for the development of a bibliographic database of marine scientific research undertaken within an existing or proposed marine conservation reserve. The bibliographic database will assist in the determination of areas of research required for the management of marine conservation reserves.

There are four major steps:

- Step 1 Data gathering and compilation.
- Step 2 Database references.
- Step 3 Peer review.
- Step 4 Maintenance.

STEP 1: Data gathering and compilation

Gather and compile a bibliographic list of existing marine scientific research conducted in or making reference to the area of interest. This information may be obtained from the following sources:

- i. Libraries:
- ii. CALM Districts and Regional offices;
- iii. Other State government organisations including:

Fisheries Western Australia (FWA);

Environmental Protection Authority (EPA);

Department of Environmental Protection (DEP);

Department of Minerals and Energy (DOME);

Department of Resources Development (DRD);

iv. Commonwealth government organisations including:

Commonwealth Science and Industry Research Organisation (CSIRO);

Australian Geographical Survey Organisation (AGSO);

Australian Institute of Marine Science (AIMS);

Environment Australia (EA);

v. Universities and other academic institutions.

Links to proponents of marine scientific research may also be obtained through correspondence to scientists from the CALM research licensing database, held at CALM's Wildlife Conservation Section of the Wildlife Branch. Contact details of the Wildlife Branch are as follows:

Department of Conservation and Land Management Wildlife Conservation Section Locked Bag 104 Bentley Delivery Centre WA 6983 Ph: 08 9334 0455 Fax: 08 93340278

STEP 2: Database references

Compile the bibliography as an electronic database, using the bibliographic management software *EndNote V. 4* (ISI ResearchSoft). *EndNote* may be obtained from:

Crandon Services Pty. Ltd. PO Box 337 LAURIETON NSW 2443 Ph: 02 6559 5777

Fax: 02 6559 5577

Web site: http://www.crandon.com.au

Ensure that the appropriate reference details are assigned to all entries in the database. For example:

- the type of reference (journal, book, report, proceedings of a conference, etc.);
- author/s (avoid using et al.);
- date of printing;
- correct title;
- ensure that all source information is entered (journal name, volume, and issue, editor/s, book details, etc.), and;
- assign appropriate keywords (see Appendix II).

STEP 3: Peer review

Copies of the draft bibliography may be sent to the appropriate CALM district or regional office, or Marine Conservation Branch, or government institutions and leaders in the marine scientific research field for peer review to correct any inaccuracies in reference details and to add any omitted information.

STEP 4: Maintenance

Copies of the database will be held at the appropriate CALM district office and will be available upon request. The maintenance of the database will also be the responsibility of the district office.