

COMMONWEALTH



OF AUSTRALIA

Council for Scientific and Industrial Research
Division of Forest Products

TRADE CIRCULAR No. 47

NOMENCLATURE
OF
AUSTRALIAN
TIMBERS

MELBOURNE, 1940

CONTENTS

	Page
PREFACE 	I
PART I, STANDARD TRADE COMMON NAMES 	4
PART II, STANDARD TRADE REFERENCE NAMES 	28
PART III, COMMON NAMES AND THEIR APPROPRIATE STANDARD TRADE COM- MON NAMES AND STANDARD TRADE REFERENCE NAMES 	45
APPENDIX I	83
OFFICES OF THE ASSOCIATION 	85

STANDARDS ASSOCIATION OF AUSTRALIA. NOMENCLATURE OF AUSTRALIAN TIMBERS.

Part I. STANDARD TRADE COMMON NAMES.

Part II. STANDARD TRADE REFERENCE NAMES.

Part III. COMMON NAMES AND THEIR
APPROPRIATE STANDARD TRADE COMMON
NAMES AND STANDARD TRADE REFERENCE
NAMES.

PREFACE.

The use of common names to indicate different timbers is a practice well established in the minds of the general public, particularly those engaged in the timber industry. From State to State, and indeed even from district to district, common names for the same timber may vary considerably. Furthermore, as well as some timbers being known by several common names, the same common name may frequently be used for several different timbers. For example several timbers which vary widely in properties are known as blue gum. Red gum and white gum are other names which have been applied to a number of different timbers. Consequently it is not possible to be sure of obtaining the required timber unless a botanical name is also used to define the timber. Of recent years the practice of including the botanical name in brackets has been adopted by some purchasers. This has led to a definite improvement in the position but it has been impossible to arrive at a fully satisfactory solution for three reasons.

The first of these is the splitting from time to time of a well known species into a number of new species, e.g. *Eucalyptus bicostata* Maid., Blakely & Simmonds has been split from *Eucalyptus globulus* Labill.. The second is the change of generic names, as the result of investigations into affinities of species showing that they should be allotted to another genus. The third reason, causing changes most exasperating to timber men, is brought about by the re-examination of early botanical records. In accordance with the International Rules of Botanical Nomenclature the specific name which is first used to describe a species must be retained. This has resulted in some old and well-known botanical names such as *Eucalyptus rostrata* Schlecht. being changed to *Eucalyptus camaldulensis* Dehn., and *Eucalyptus corymbosa* Sm., the well known red bloodwood, to *Eucalyptus gummifera* (Gaertn.) Hochr..

Eventually, the National Research Council set up a committee to try to devise a method of standardising names, but it was found impossible to arrive at a solution satisfactory to timber users, which did not contravene international botanical rules.

An attempt was also made at the International Botanical Congress in 1935 to obtain agreement to the conservation of well established specific names, but this was rejected. The Standards Association of Australia, at the request of timber associations, then took up the matter and referred it to its Timber Sectional Committee. This Committee and its various State branches have sought a solution, and after numerous attempts at satisfactory compromise, the following three lists have been prepared.

These three lists are headed thus :—

Part I. STANDARD TRADE COMMON NAMES.

Part II. STANDARD TRADE REFERENCE NAMES.

Part III. COMMON NAMES AND THEIR
APPROPRIATE STANDARD TRADE COMMON NAMES
AND STANDARD TRADE REFERENCE NAMES.

PART I.

The primary aim of Part I. is to fix one common name for each of the most important commercial timbers in Australia. This name is called the Standard Trade Common Name, and Column 1 contains an alphabetically arranged list of these names. Column 2 shows their corresponding Standard Trade Reference Names. In Column 3 the botanical names of the tree or trees yielding timber which may be marketed under each standard trade common name are given.

It should be noted that in some instances two or more timbers of marked similarity have been given either the same standard trade common name (e.g., white beech), or names which partly correspond, e.g., *Flindersia bourjotiana*, *F. pubescens* and *F. schottiana* are all called SILVER ASH, but the distinguishing adjectives QUEENSLAND, NORTHERN and SOUTHERN respectively, have been provided to meet the requirements of those who wish to distinguish between them. Column 4 shows the States in which these trees grow and Column 5 shows the best known of any other names also used for each timber.

PART II.

Part II. is primarily intended for commercial purposes to fix certain well-known botanical names as Standard Trade Reference Names. To facilitate the determination of the Standard Trade Reference Name from a botanical name for any timber the botanical names are arranged alphabetically in Column 1. These botanical names are accompanied by the name, abbreviation of name, or initials of the botanist who originally described the plant under that name. This mention of authorship may appear pedantic, but it is essential, since in some instances the same name has been used by as many as five different authors to describe five entirely different species.

In each case a description of the species is available for reference in botanical literature and notwithstanding any alterations of the species names which may be made by other botanists, it establishes for all time the link between the standard trade reference name and the description of the species by the botanist concerned. In future, whenever a botanical name is changed or a species is split, the new botanical names should be added to Column 1, but the Standard Trade Reference Name will remain unchanged. This arrangement has been adopted to meet trade interests without interfering with the botanist's sphere of activity.

In most instances the Standard Trade Reference Names agree with the current botanical name without the author's name. In other instances the Standard Trade Reference Name is the well established name of a species whose botanical name has recently been changed. In still other instances where the Standard Trade Common Name covers closely related timbers from two or more species which botanists consider distinct, one Standard Trade Reference Name covers that group of species.

It was considered that this part would be still more useful if one common name for each timber included were given.

Accordingly, when a timber has a Standard Trade Common Name listed in Part I., that name is printed in capitals in Column 3, but if it has no Standard Trade Common Name, the name by which it is probably best known is given in lower case letters, although of course it may have other names.

PART III.

It is desirable that in future only the Standard Trade Common Names should be used and that the other names by which any timber is known should be allowed to fall into disuse, so that they may eventually become obsolete. However, since it is realised that for some time the alternative names may still be used an index which will reveal appropriate standard names seems desirable. Part III. is intended to serve this purpose. Column 1 contains common names, Column 2 the corresponding Standard Trade Common Names, if any, and Column 3, the corresponding Standard Trade Reference Names. For example, Murray red gum is not a Standard Trade Common Name, but reference to Part III. under Murray red gum ; or red gum,

Murray; or gum, Murray red; or gum, red, Murray, will reveal that the Standard Trade Common Name is RIVER RED GUM and the Standard Trade Reference Name is *Eucalyptus rostrata*. If one wishes to know its exact botanical identity, distribution and other names, these facts can then be obtained by reference to Part I under GUM, RED, RIVER. In some cases a name in Column 1 is followed by the name of a State in brackets. The purpose and proper interpretation of this is best explained by considering the example of Gum, Swamp (Tas.) on page 59. In determining the identity of a timber known as Swamp Gum, it could be said that in Tasmania this timber might be *Eucalyptus regnans* or some other species, but that in any other State it is almost certainly not *E. regnans*, whatever else it might be.

If a name does not appear in Part III., it belongs to one of the three classes—

- (a) Another, but less important alternative to a Standard Trade Common Name.
- (b) An alternative name for one of the timbers to which Standard Trade Reference Names, have been assigned, but which have not as yet been given Standard Trade Common Names.
- (c) A name of a timber not submitted for standardisation.

In consulting the lists it should be borne in mind that a bad but common everyday practice is to abbreviate common names. For instance, instead of NORTH QUEENSLAND KAURI the term "Queensland kauri," or simply "kauri," is often used. In general the name is reduced to the noun; for example, any of the peppermints listed on pages 19 and 68 is likely to be called simply "peppermint." It was deemed advisable to bring such timbers together in Column 1 of Part I, and this has been done by printing each name in reverse order. In Part III each name is cross-referenced in every possible way, so that here again the peppermints, for example, appear together.

A few names are abbreviated in everyday speech by using the adjective only, for example, Bunya, hoop, King Billy, Mazlin's, miva, radiata and zarali, but these names are usually distinctive.

It should be understood that in the case of a dispute as to the true name of a timber, the final criterion would be the true botanical name. Any timber which is given a standard name in this list can now be definitely linked to a botanical name and thus identified. At the same time, the confusion caused by the splitting of species or alterations to recognised names is avoided by the associated reference name which will remain unaltered.

In addition to timbers these lists contain the names of certain economic plants which for trade purposes should be standardised.

The thanks of the Association are especially due to officers of the Division of Forest Products, C.S.I.R., to the Inspector-General of Forests and the staff of the Commonwealth Forestry Bureau, and to the New South Wales Forestry Commission, Division of Wood Technology, who with the assistance of foresters in the other States, prepared the lists.

As one looks at these lists, it is hard to realise how much goodwill and desire to compromise as far as possible have been necessary in their preparation. There will doubtless be no difficulty in finding points on which the lists may be criticised. There may be omissions of names or of species and inclusions of others which will not please everyone. The adoption of the practice of using Standard Trade Common Names by all persons engaged in the production, marketing and use of timber will be very helpful to themselves, and will rapidly lead to the solution of an old problem.

NOTE.

Contrary to the botanical practice of using a capital letter for specific names adapted from the names of persons or genera, capitals have been omitted in such cases throughout these lists for the sake of uniformity and simplicity.

PART I.

STANDARD TRADE COMMON NAMES.

(List of timbers arranged in the alphabetical order of their Standard Trade Common Names.)

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
ALDER, BLUSH	<i>Sloanea australis</i>	<i>Sloanea australis</i> F.v.M. syn. <i>Echinocarpus australis</i> Benth.	N.S.W., Q.	Blush carrobean, Q. Maiden's blush, N.S.W., Q.
ALDER, BROWN	<i>Ackama muelleri</i>	<i>Ackama paniculata</i> Engl. syn. <i>A. muelleri</i> Benth.	N.S.W., Q.	Corkwood, N.S.W., Q. Pencil cedar, N.S.W., Q. Rose alder, Q.
ALDER, ROSE	<i>Ackama quadrivalvis</i>	<i>Ackama australiensis</i> (Schl.) C. T. White syn. <i>A. quadrivalvis</i> C. T. White	Q.	Feathertop, Q. Pencil cedar, Q.
ALMOND, RED	<i>Alphitonia excelsa</i>	<i>Alphitonia excelsa</i> Reiss.	N.S.W., Q.	Red ash, N.S.W.
APPLE, BLACK	<i>Sideroxylon australe</i>	<i>Sersalisia australis</i> (R.Br.) Domin syn. <i>Sideroxylon australe</i> Benth. & Hook.	N.S.W., Q.	
APPLE, ROUGH-BARKED	<i>Angophora intermedia</i>	<i>Angophora intermedia</i> Cav.	N.S.W., Q., Vic.	Rusty gum, Q.
APPLE, SMOOTH-BARKED	<i>Angophora lanceolata</i>	<i>Angophora costata</i> Domin syn. <i>A. lanceolata</i> Cav.	N.S.W., Q.	
ASH, ALPINE	<i>Eucalyptus gigantea</i>	<i>Eucalyptus gigantea</i> Hook. f. syn. <i>E. delegatensis</i> R. T. Bak.	N.S.W., Tas., Vic.	Red ash, woollybutt, Vic. Gum-top stringybark, white- top stringybark, Tas. Australian oak, Tasmanian oak, Victorian oak.
ASH, BENNETT'S	<i>Flindersia bennettiana</i>	<i>Flindersia bennettiana</i> F.v.M.	N.S.W., Q.	She teak, N.S.W.

ASH, CROW'S	<i>Flindersia australis</i>	<i>Flindersia australis</i> R.Br.	N.S.W., Q.	Teak, N.S.W., ¹ Flindosa, N.S.W., Q.
ASH, HICKORY	<i>Flindersia iffalaiana</i>	<i>Flindersia iffalaiana</i> F.v.M.	Q.	Cairns hickory, Q.
ASH, MOUNTAIN	<i>Eucalyptus regnans</i>	<i>Eucalyptus regnans</i> F.v.M.	Tas., Vic.	Swamp gum, stringy gum Tas. ¹ White mountain ash, Vic. Australian oak, Tasmanian oak, Victorian oak.
ASH, NEW ENGLAND	<i>Eucalyptus andrewsi</i>	<i>Eucalyptus andrewsi</i> Maid.	N.S.W.	New England blackbutt, N.S.W. New England peppermint, N.S.W.
ASH, SCRUB	<i>Elaeocarpus longifolius</i>	<i>Elaeocarpus reticulatus</i> Sm. var. <i>longifolius</i> (C. Moore) Domin	N.S.W.	
ASH, SILKY	<i>Ehretia acuminata</i>	<i>Ehretia acuminata</i> R.Br.	N.S.W., Q.	Churnwood, N.S.W.
ASH, SILVER, QUEENSLAND	<i>Flindersia bourjotiana</i>	<i>Flindersia bourjotiana</i> F.v.M.	Q.	
ASH, SILVER, NORTHERN	<i>Flindersia pubescens</i>	<i>Flindersia pubescens</i> F. M. Bail.	Q.	
ASH, SILVER, SOUTHERN	<i>Flindersia schottiana</i>	<i>Flindersia schottiana</i> F.v.M.	N.S.W., Q.	Bumpy ash, Q. ¹ Cudgerie, N.S.W. ¹
ASH, SILVER-TOP	<i>Eucalyptus sieberiana</i>	<i>Eucalyptus sieberiana</i> F.v.M.	N.S.W., Tas., Vic.	Coast ash, mountain ash, N.S.W. Ironbark, Tas. ¹ Silver-top, Vic.
ASH, WHITE	<i>Eucalyptus fraxinoides</i>	<i>Eucalyptus fraxinoides</i> Deane & Maid.	N.S.W.	

¹.At present the usual name there.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
BACKHOUSIA, LEMON-SCENTED	<i>Backhousia citriodora</i>	<i>Backhousia citriodora</i> F.v.M.	Q.	Lemon ironwood, Q.
BANKSIA, RIVER	<i>Banksia verticillata</i>	<i>Banksia verticillata</i> R.Br.	W.A.	
BANKSIA, WHITE	<i>Banksia integrifolia</i>	<i>Banksia integrifolia</i> L.f.	N.S.W., Q., Vic.	White honeysuckle, N.S.W., Q., Coast honeysuckle.
BARREL, BROWN	<i>Eucalyptus fastigata</i>	<i>Eucalyptus fastigata</i> Deane & Maid.	N.S.W., Vic.	Blackbutt, N.S.W. Cuttail, N.S.W., Vic.
BASSWOOD, SILVER	<i>Panax elegans</i>	<i>Tieghemopanax elegans</i> Viguiet syn. <i>Panax elegans</i> F.v.M.	N.S.W., Q.	Pencil Cedar, Q. Celerywood, N.S.W.
BASSWOOD, WHITE	<i>Panax murrayi</i>	<i>Tieghemopanax murrayi</i> Viguiet syn. <i>Panax murrayi</i> F.v.M.	N.S.W., Q.	Pencil cedar, N.S.W.
BEAN, BLACK	<i>Castanospermum australe</i>	<i>Castanospermum australe</i> A. Cunn.	N.S.W., Q.	
BEECH, MYRTLE	<i>Nothofagus cunninghamii</i>	<i>Nothofagus cunninghamii</i> Oerst.	Tas., Vic.	Beech, Vic. Myrtle, Tas., Vic.
BEECH, NEGROHEAD	<i>Nothofagus moorei</i>	<i>Nothofagus moorei</i> Maid.	N.S.W., Q.	Tasmanian myrtle. Antarctic beech, Q.
BEECH, SILKY	<i>Villarsia moorei</i>	<i>Villarsia moorei</i> F.v.M. syn. <i>Chariassa moorei</i> Engl.	N.S.W., Q.	White maple, corduroy. N.S.W.
BEECH, WHITE	<i>Gmelina leichhardtii</i>	<i>Gmelina leichhardtii</i> F.v.M. <i>Gmelina fasciculiflora</i> F.v.M. <i>Gmelina macrophylla</i> Benth.	N.S.W., Q. Q. Q.	Grey teak, Q. ¹ Grey teak, Q. Grey teak, Q.

BELAH	<i>Casuarina cambagei</i>	<i>Casuarina cristata</i> Miq. syn. <i>C. lepidophloia</i> F.v.M. syn. <i>C. cambagei</i> R. T. Bak.	N.S.W., Q., Vic.	Belar, Vic.
BIRCH, IVORY	<i>Baloghia lucida</i>	<i>Baloghia lucida</i> Endl.	N.S.W., Q.	Brush bloodwood, N.S.W.
BIRCH, WHITE	<i>Schizomeria ovata</i>	<i>Schizomeria ovata</i> D. Don	N.S.W., Q.	Crabapple, N.S.W. ¹ White ash, N.S.W. Cherry birch, Q.
BLACKBUTT	<i>Eucalyptus pilularis</i>	<i>Eucalyptus pilularis</i> Sm.	N.S.W., Q.	Grey blackbutt, Q.
BLACKBUTT, W.A.	<i>Eucalyptus patens</i>	<i>Eucalyptus patens</i> Benth.	W.A.	
BLACKWOOD	<i>Acacia melanoxylon</i>	<i>Acacia melanoxylon</i> R.Br.	N.S.W., Tas., Vic.	
BLOODWOOD, BROWN	<i>Eucalyptus trachyphloia</i>	<i>Eucalyptus trachyphloia</i> F.v.M.	N.S.W., Q.	White bloodwood, N.S.W., Q. Yellow bloodwood, N.S.W., Q.
BLOODWOOD, RED	<i>Eucalyptus corymbosa</i>	<i>Eucalyptus gummisfera</i> (Gaertn.) Hochr. syn. <i>E. corymbosa</i> Sm.	N.S.W., Q., Vic.	Bloodwood, N.S.W., Q., Vic.
BLOODWOOD, YELLOW	<i>Eucalyptus eximia</i>	<i>Eucalyptus eximia</i> Schau.	N.S.W.	
BOLLYWOOD	<i>Litsea reticulata</i>	<i>Litsea reticulata</i> Benth.	N.S.W., Q.	Bollygum, brown beech, brown bollywood, N.S.W., Q.
		<i>Litsea ferruginea</i> Benth. & Hook.	Q.	Brown bollywood, Q.
BOX, BIMBIL	<i>Eucalyptus populifolia</i>	<i>Eucalyptus populifolia</i> Hook.	N.S.W., Q.	Poplar box, N.S.W., Q.
BOX, BLACK	<i>Eucalyptus bicolor</i>	<i>Eucalyptus bicolor</i> A. Cunn.	N.S.W., Q., S.A., Vic.	River box, N.S.W.
BOX, BRUSH	<i>Tristania conferta</i>	<i>Tristania conferta</i> R.Br.	N.S.W., Q.	Scrub box, Q.

¹. At present the usual name there.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
BOX, FUZZY	<i>Eucalyptus baueriana</i>	<i>Eucalyptus baueriana</i> Schau. <i>Eucalyptus conica</i> Deane & Maid.	N.S.W., Q., Vic.	Round-leaved box, Vic.
BOX, GREY	<i>Eucalyptus hemiphloia</i>	<i>Eucalyptus hemiphloia</i> F.v.M. <i>Eucalyptus largeana</i> Blakely & De Beuz.	N.S.W., Q., Vic. N.S.W.	Gum-topped box, Q.
BOX, GREY, COAST	<i>Eucalyptus bosistoana</i>	<i>Eucalyptus bosistoana</i> F.v.M.	N.S.W., Vic.	Bosisto's box, N.S.W. Gippsland grey box, Vic.
BOX, LONG-LEAVED	<i>Eucalyptus elaeophora</i>	<i>Eucalyptus elaeophora</i> F.v.M.	N.S.W., Vic.	Bundy, Vic.
BOX, NARROW-LEAVED	<i>Eucalyptus woollsiana</i>	<i>Eucalyptus woollsiana</i> R. T. Bak. <i>Eucalyptus pilligaensis</i> Maid.	N.S.W., Q., Vic. N.S.W.	
BOX, RED	<i>Eucalyptus polyanthemus</i>	<i>Eucalyptus polyanthemus</i> Schau.	N.S.W., Vic.	
BOX, RUDDER'S	<i>Eucalyptus rudderi</i>	<i>Eucalyptus rudderi</i> Maid.	N.S.W.	
BOX, STEEL	<i>Eucalyptus rummeryi</i>	<i>Eucalyptus rummeryi</i> Maid.	N.S.W.	Brown, grey or yellow box, N.S.W.
BOX, SWAMP	<i>Tristania suaveolens</i>	<i>Tristania suaveolens</i> Sm.	N.S.W., Q.	Swamp mahogany, N.S.W., Q. Swamp turpentine, N.S.W.
BOX, THOZET'S	<i>Eucalyptus thozetiana</i>	<i>Eucalyptus thozetiana</i> F.v.M.	Q., N.T.	Thozet's ironbark, Q.
BOX, WHITE	<i>Eucalyptus albens</i>	<i>Eucalyptus albens</i> Miq.	N.S.W., Vic.	
BOX, WHITE-TOPPED	<i>Eucalyptus quadrangulata</i>	<i>Eucalyptus quadrangulata</i> Deane & Maid.	N.S.W., Q.	Grey box, N.S.W., Q.

BOX, YELLOW	<i>Eucalyptus melliodora</i>	<i>Eucalyptus melliodora</i> A. Cunn.	N.S.W., Q., Vic.	
BOXWOOD, ORANGE	<i>Celastrus dispermus</i>	<i>Celastrus dispermus</i> F.v.M.	Q.	
BOXWOOD, YELLOW	<i>Sideroxylon pohlmannianum</i>	<i>Sersalisia pohlmannianum</i> Fr. syn. <i>Sideroxylon pohlmannianum</i> Benth. & Hook.	N.S.W., Q.	Black apple, N.S.W.
BRIGALOW	<i>Acacia harpophylla</i>	<i>Acacia harpophylla</i> F.v.M.	N.S.W., Q., Vic.	Brigalow spearwood, Q.
BULLICH	<i>Eucalyptus megacarpa</i>	<i>Eucalyptus megacarpa</i> F.v.M.	W.A.	
BUTTERNUT, ROSE	<i>Blepharocarya involucrigera</i>	<i>Blepharocarya involucrigera</i> F.v.M.	Q.	Northern bollygum, Q.
CADAGA	<i>Eucalyptus torrelliana</i>	<i>Eucalyptus torrelliana</i> F.v.M.	Q.	Also spelt cadaghi.
CAMPHORWOOD	<i>Cinnamomum oliveri</i>	<i>Cinnamomum oliveri</i> F.M.Bail.	N.S.W., Q.	Oliver's sassafras, N.S.W., Q.
		<i>Cinnamomum virens</i> R.T.Bak.	N.S.W.	Black sassafras, N.S.W., Q. ° Black sassafras, N.S.W.
CANDLEBARK	<i>Eucalyptus rubida</i>	<i>Eucalyptus rubida</i> Deane & Maid.	N.S.W., Vic., Tas., S.A.	Ribbon gum, N.S.W., Vic. White gum, Tas., Vic.
CANDLENUT	<i>Aleurites moluccana</i>	<i>Aleurites moluccana</i> Willd.	Q.	Candlenut siris, Q.
CARABEEN, YELLOW	<i>Sloanea woollsii</i>	<i>Sloanea woollsii</i> F.v.M.	N.S.W., Q.	Grey carrobean, Q.
CARBEEN	<i>Eucalyptus tessellaris</i>	<i>Eucalyptus tessellaris</i> F.v.M.	N.S.W., Q.	Moreton Bay ash, Q. Carbeen bloodwood, N.S.W.
CEDAR, RED	<i>Cedrela toona</i>	<i>Cedrela toona</i> Roxb. var. <i>australis</i> C.DC. syn. <i>Toona australis</i> F.v.M.	N.S.W., Q.	
CEDAR, WHITE	<i>Melia dubia</i>	<i>Melia dubia</i> Cav. syn. <i>M. azedarach</i> L. var. <i>australasica</i> C.DC.	N.S.W., Q.	

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
CHEESEWOOD	<i>Sarcocephalus cordatus</i>	<i>Sarcocephalus cordatus</i> Miq.	Q.	Leichhardt's pine, Q. Yellow cheesewood, Q.
CHEESEWOOD, WHITE	<i>Alstonia scholaris</i>	<i>Alstonia scholaris</i> R.Br.	Q.	Milky pine, ¹ milkwood, Q.
CHERRY, NATIVE	<i>Exocarpus cupressiformis</i>	<i>Exocarpus cupressiformis</i> Labill.	N.S.W., Q., S.A., Tas., Vic.	Wild cherry, cherry ballart.
COOLIBAH	<i>Eucalyptus microtheca</i>	<i>Eucalyptus microtheca</i> F.v.M.	N.T., W.A.	Flooded box, W.A.
COOLIBAH, WESTERN	<i>Eucalyptus coolabah</i>	<i>Eucalyptus coolabah</i> Blakely & Jacobs	N.S.W., Q., S.A., W.A.	Coolabah.
COONDOO, BLUSH	<i>Sideroxylon richardi</i>	<i>Sersalisia laurifolia</i> A. Rich. syn. <i>Sideroxylon richardi</i> F.v.M.	N.S.W., Q.	
CORKWOOD, GREY	<i>Erythrina vespertilio</i>	<i>Erythrina vespertilio</i> Benth.	N.S.W., Q., S.A., N.T.	
CUDGERIE, BROWN	<i>Bursera australasica</i>	<i>Protium australasicum</i> Sprague syn. <i>Bursera australasica</i> F. M. Bail.	Q.	
EBONY, QUEENSLAND	<i>Maba humilis</i>	<i>Maba humilis</i> R.Br.	Q.	Native ebony, Q.
FIBREWOOD	<i>Laportea gigas</i>	<i>Laportea gigas</i> Wedd.	N.S.W., Q.	Stinging tree, N.S.W., Q.
GIDGEE	<i>Acacia cambagei</i>	<i>Acacia cambagei</i> R. T. Bak.	N.S.W., Q.	Gidgee spearwood, Q.
GIMLET	<i>Eucalyptus salubris</i>	<i>Eucalyptus salubris</i> F.v.M.	W.A.	
GIMLET, SILVER-TOPPED	<i>Eucalyptus campaspe</i>	<i>Eucalyptus campaspe</i> C. Moore	W.A.	

GREENHEART, QUEENSLAND	<i>Endiandra compressa</i>	<i>Endiandra compressa</i> C. T. White	Q.	
GUM, BLUE, SOUTHERN	<i>Eucalyptus globulus</i>	<i>Eucalyptus globulus</i> Labill. <i>Eucalyptus bicostata</i> Maid., Blakely & Simmonds	Tas. N.S.W., Vic.	Blue gum, Tas., Vic. Eurabbie, N.S.W. Tasmanian blue gum.
GUM, BLUE, SYDNEY	<i>Eucalyptus saligna</i>	<i>Eucalyptus saligna</i> Sm.	N.S.W.	Blue gum, N.S.W.
GUM, BRITTLE, WHITE	<i>Eucalyptus maculosa</i>	<i>Eucalyptus maculosa</i> R. T. Bak.	N.S.W., Vic.	
GUM, BROWN	<i>Eucalyptus johnstoni</i>	<i>Eucalyptus johnstoni</i> Maid.	Tas.	Johnston's gum, Tas.
GUM, CABBAGE	<i>Eucalyptus amplifolia</i>	<i>Eucalyptus amplifolia</i> Naud.	N.S.W., Q.	
GUM, CIDER	<i>Eucalyptus gunnii</i>	<i>Eucalyptus gunnii</i> Hook f.	Tas., Vic.	
GUM, FLOODED, W.A.	<i>Eucalyptus rudis</i>	<i>Eucalyptus rudis</i> Endl.	W.A.	
GUM, GREY	<i>Eucalyptus punctata</i>	<i>Eucalyptus punctata</i> DC. <i>Eucalyptus major</i> Blakely syn. <i>E. propinqua</i> var. <i>major</i> Maid. <i>Eucalyptus propinqua</i> Deane & Maid.	N.S.W., Q. N.S.W., Q. N.S.W., Q.	
GUM, GREY, MOUNTAIN	<i>Eucalyptus goniacalyx</i>	<i>Eucalyptus goniacalyx</i> F.v.M.	N.S.W., Vic.	Mountain gum, N.S.W.
GUM, GULLY	<i>Eucalyptus smithii</i>	<i>Eucalyptus smithii</i> R. T. Bak.	N.S.W., Vic.	Gully ash, N.S.W.
GUM, MAIDEN'S	<i>Eucalyptus maideni</i>	<i>Eucalyptus maideni</i> F.v.M.	N.S.W., Vic.	Blue gum, Vic. Spotted blue gum, N.S.W., Vic.
GUM, MANNA	<i>Eucalyptus viminalis</i>	<i>Eucalyptus viminalis</i> Labill. <i>Eucalyptus mannifera</i> (A. Cunn. Herb.) Mudie	N.S.W., S.A., Tas., Vic. N.S.W., Vic.	White gum, Tas. ¹ Ribbon gum, N.S.W., Vic.

¹. At present the usual name there.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
GUM, MOUNTAIN	<i>Eucalyptus dalrympleana</i>	<i>Eucalyptus dalrympleana</i> Maid.	N.S.W., Vic.	
GUM, PINK	<i>Eucalyptus fasciculosa</i>	<i>Eucalyptus fasciculosa</i> F.v.M.	S.A.	
GUM, RED, FOREST	<i>Eucalyptus tereticornis</i>	<i>Eucalyptus umbellata</i> (Gaertn.) Domin syn. <i>E. tereticornis</i> Sm. <i>Eucalyptus blakelyi</i> Maid. <i>Eucalyptus seeana</i> Maid. <i>Eucalyptus bancroftii</i> Maid.	N.S.W., Q., Vic. N.S.W., Q. N.S.W., Q. N.S.W., Q.	Blue gum, Q. ¹
GUM, RED, RIVER	<i>Eucalyptus rostrata</i>	<i>Eucalyptus camaldulensis</i> Dehn. syn. <i>E. rostrata</i> Schlecht.	N.S.W., Q., S.A., Vic.	Blue gum, Q. Murray red gum, N.S.W., Vic. Red gum, N.S.W., S.A., Vic.
GUM, ROSE	<i>Eucalyptus grandis</i>	<i>Eucalyptus grandis</i> (Hill) Maid.	N.S.W., Q.	Flooded gum, N.S.W., Q.
GUM, ROUND-LEAVED	<i>Eucalyptus deanei</i>	<i>Eucalyptus deanei</i> Maid.	N.S.W., Q.	
GUM, SALMON	<i>Eucalyptus salmonophloia</i>	<i>Eucalyptus salmonophloia</i> F.v.M.	W.A.	
GUM, SCRIBBLY	<i>Eucalyptus haemastoma</i>	<i>Eucalyptus haemastoma</i> Sm. <i>Eucalyptus micrantha</i> DC.	N.S.W., Vic. N.S.W., Q.	Snappy gum, N.S.W. White gum, N.S.W.
GUM, SHINING	<i>Eucalyptus nitens</i>	<i>Eucalyptus nitens</i> Maid.	N.S.W., Vic.	Ribbon gum, Vic.
GUM, SPOTTED	<i>Eucalyptus maculata</i>	<i>Eucalyptus maculata</i> Hook. <i>Eucalyptus citriodora</i> Hook.	N.S.W., Q., Vic. Q.	Lemon-scented gum, Q.
GUM, SUGAR	<i>Eucalyptus cladocalyx</i>	<i>Eucalyptus cladocalyx</i> F.v.M.	S.A.	

GUM, SWAMP	<i>Eucalyptus ovata</i>	<i>Eucalyptus ovata</i> Labill. <i>Eucalyptus camphora</i> R. T. Bak.	N.S.W., S.A., Tas., Vic. N.S.W., Vic.	Broad-leaved sally, N.S.W.
GUM, YELLOW	<i>Eucalyptus leucoxylon</i>	<i>Eucalyptus leucoxylon</i> F.v.M.	S.A., Vic.	Blue gum, S.A. ¹ White ironbark, Vic.
GUM, YORK	<i>Eucalyptus loxophleba</i>	<i>Eucalyptus loxophleba</i> Benth. syn. <i>E. foecunda</i> var. <i>loxophleba</i> Benth.	W.A.	
HANDLEWOOD, GREY	<i>Aphananthe philippinensis</i>	<i>Aphananthe philippinensis</i> Planch.	N.S.W., Q.	Native elm, N.S.W.
HANDLEWOOD, WHITE	<i>Pseudomorus brunoniana</i>	<i>Pseudomorus brunoniana</i> Bur.	N.S.W., Q.	Axe-handle wood, Q.
HARDWOOD, JOHNSTONE RIVER	<i>Backhousia bancroftii</i>	<i>Backhousia bancroftii</i> F. M. Bail.	N.S.W. Q.	
HAZELWOOD, WHITE	<i>Symplocos spicata</i>	<i>Symplocos spicata</i> Roxb. var. <i>australis</i> Benth.	Q.	
HOLLY, WHITE	<i>Pittosporum rhombifolium</i>	<i>Pittosporum rhombifolium</i> A. Cunn.	N.S.W., Q.	
HORIZONTAL	<i>Anodopetalum biglandulosum</i>	<i>Anodopetalum biglandulosum</i> A. Cunn.	Tas.	
IRONBARK, GREY	<i>Eucalyptus paniculata</i>	<i>Eucalyptus paniculata</i> Sm. <i>Eucalyptus fergusoni</i> R. T. Bak.	N.S.W., Q. N.S.W., Q.	
IRONBARK, GUM-TOP	<i>Eucalyptus decorticans</i>	<i>Eucalyptus decorticans</i> Maid.	Q.	
IRONBARK, RED	<i>Eucalyptus sideroxylon</i>	<i>Eucalyptus sideroxylon</i> A. Cunn.	N.S.W., Q., Vic.	Mugga, N.S.W.

¹. At present the usual name there.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
IRONBARK, RED, BROAD-LEAVED	<i>Eucalyptus siderophloia</i>	<i>Eucalyptus siderophloia</i> Benth.	N.S.W., Q.	Red ironbark, N.S.W. Broad-leaved ironbark, N.S.W., Q.
IRONBARK, RED, NARROW-LEAVED	<i>Eucalyptus crebra</i>	<i>Eucalyptus racemosa</i> Cav. syn. <i>E. crebra</i> F.v.M.	N.S.W., Q.	Narrow-leaved ironbark, N.S.W., Q. (a name widely used especially in Queens- land).
IRONBARK, SILVER-LEAVED	<i>Eucalyptus melanophloia</i>	<i>Eucalyptus melanophloia</i> F.v.M.	N.S.W., Q.	
IRONBOX, BLACK	<i>Eucalyptus raveretiana</i>	<i>Eucalyptus raveretiana</i> F.v.M.	Q.	
IRONWOOD	<i>Backhousia myrtifolia</i>	<i>Backhousia myrtifolia</i> Hook. & Harv.	N.S.W., Q., Vic.	Carrol ironwood, Q. Grey myrtle, N.S.W., Q.
IVORYWOOD	<i>Sipbonodon australe</i>	<i>Sipbonodon australe</i> Benth.	N.S.W., Q.	
JAM, RASPBERRY	<i>Acacia acuminata</i>	<i>Acacia acuminata</i> Benth.	W.A.	
JARRAH	<i>Eucalyptus marginata</i>	<i>Eucalyptus marginata</i> Sm.	W.A.	
KAMARERE	<i>Eucalyptus deglupta</i>	<i>Eucalyptus deglupta</i> Bl. syn. <i>Eucalyptus naudiniana</i> F.v.M.	New Britain, New Guinea, Philippine Is.	
KANUKA	<i>Tristania laurina</i>	<i>Tristania laurina</i> R.Br.	N.S.W., Q., Vic.	Watergum, kanuka box, N.S.W., Q.
KARRI	<i>Eucalyptus diversicolor</i>	<i>Eucalyptus diversicolor</i> F.v.M.	W.A.	
KAURI, QUEENSLAND, NORTH	<i>Agathis palmerstoni</i>	<i>Agathis palmerstoni</i> F.v.M. <i>Agathis microstachya</i> J. F. Bailey & C. T. White	Q. Q.	Black kauri, bull kauri, bull pine, Q.

KAURI, QUEENSLAND, SOUTH	<i>Agathis robusta</i>	<i>Agathis robusta</i> (C. Moore) F. M. Bail.	N.S.W., Q.	
KURRAJONG	<i>Sterculia diversifolia</i>	<i>Sterculia diversifolia</i> G. Don syn. <i>Brachychiton populneum</i> R.Br.	N.S.W., Q.	Black kurrajong, Q.
LEATHERWOOD	<i>Eucryphia billardieri</i>	<i>Eucryphia lucida</i> (Labill). Baill. syn. <i>E. billardieri</i> Spach.	Tas.	
LIGHTWOOD	<i>Acacia implexa</i>	<i>Acacia implexa</i> Benth.	N.S.W., Q., Vic.	Sally wattle, Q.
LUSTER ²	<i>Syncarpia laurifolia</i>	<i>Syncarpia procera</i> Salisb. syn. <i>S. laurifolia</i> Ten.	N.S.W., Q.	TURPENTINE.
MAHOGANY, BRUSH	<i>Geissois benthami</i>	<i>Geissois benthami</i> F.v.M.	N.S.W., Q.	Mountain cedar, N.S.W. Red bean, N.S.W. Red carrobean, N.S.W. ¹
MAHOGANY, MIVA	<i>Dysoxylum muelleri</i>	<i>Dysoxylum muelleri</i> Benth.	N.S.W., Q.	Red bean, N.S.W., Q.
MAHOGANY, RED	<i>Eucalyptus resinifera</i>	<i>Eucalyptus resinifera</i> Sm. <i>Eucalyptus pellita</i> F.v.M. <i>Eucalyptus keirtoniana</i> F.v.M.	N.S.W., Q. N.S.W., Q. N.S.W., Q.	Red stringybark, Q. ¹ Red messmate, Q.
MAHOGANY, ROSE	<i>Dysoxylum fraserianum</i>	<i>Dysoxylum fraserianum</i> Benth.	N.S.W., Q.	Rosewood, N.S.W.
MAHOGANY, SOUTHERN	<i>Eucalyptus botryoides</i>	<i>Eucalyptus botryoides</i> Sm.	N.S.W., Vic.	Gippsland mahogany, Vic. Mahogany, Vic., Bangalay, Woollybutt, N.S.W.
MAHOGANY, SPUR	<i>Dysoxylum</i> <i>pettigrewianum</i>	<i>Dysoxylum pettigrewianum</i> F. M. Bail.	Q.	Spurwood, Q.
MAHOGANY, SWAMP	<i>Eucalyptus robusta</i>	<i>Eucalyptus robusta</i> Sm.	N.S.W., Q.	Swamp messmate, Q.

². Also named TURPENTINE (q.v.).

¹. At present the usual name there.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
MAHOGANY, WHITE	<i>Eucalyptus acmenioides</i>	<i>Eucalyptus triantha</i> Link syn. <i>E. acmenioides</i> Schau. <i>Eucalyptus carnea</i> R. T. Bak.	N.S.W., Q. N.S.W.	Yellow stringybark, Q. ¹ .
MALLEE, BLUE	<i>Eucalyptus polybractea</i>	<i>Eucalyptus fruticetorum</i> F.v.M. syn. <i>E. polybractea</i> R. T. Bak.	N.S.W., S.A., Vic.	
MALLEE, GREEN	<i>Eucalyptus viridis</i>	<i>Eucalyptus viridis</i> R. T. Bak.	N.S.W., Q., S.A., Vic.	
MALLEE, NARROW-LEAVED	<i>Eucalyptus cneorifolia</i>	<i>Eucalyptus cneorifolia</i> DC.	S.A.	
MALLEE, RED	<i>Eucalyptus oleosa</i>	<i>Eucalyptus oleosa</i> F.v.M.	N.S.W., S.A., Vic., W.A.	Giant mallee, Vic.
MALLEE, WHITE	<i>Eucalyptus dumosa</i>	<i>Eucalyptus dumosa</i> A. Cunn.	N.S.W., S.A., Vic.	
MALLET, BROWN	<i>Eucalyptus astringens</i>	<i>Eucalyptus astringens</i> Maid.	W.A.	
MANGROVE, GREY	<i>Avicennia officinalis</i>	<i>Avicennia officinalis</i> L.	N.S.W., Q., Vic., S.A., W.A.	White mangrove.
MAPLE, QUEENSLAND	<i>Flindersia brayleyana</i>	<i>Flindersia brayleyana</i> F.v.M. syn. <i>F. cbatawaiana</i> F. M. Bail. <i>Flindersia pimenteliana</i> F.v.M. syn. <i>F. mazlini</i> F. M. Bail.	Q. Q.	Maple silkwood, Q. Red beech, Q. Silkwood, Q. ¹ .
MAPLE, ROSE	<i>Cryptocarya erythroxylon</i>	<i>Cryptocarya erythroxylon</i> Maid. & Betcher <i>Cryptocarya patentinervis</i> F.v.M.	N.S.W., Q. N.S.W., Q.	Rose, walnut, Q. Pigeonberry ash, N.S.W., Q.

MAPLE, SCENTED	<i>Flindersia laevicarpa</i>	<i>Flindersia laevicarpa</i> C. T. White & Francis	Q.	Rose ash, Q.
MARARIE	<i>Geissois lachnocarpa</i>	<i>Geissois lachnocarpa</i> Maid. syn. <i>Weinmannia lachnocarpa</i> F.v.M.	N.S.W., Q.	Marara, rose marara, N.S.W., Q.
MARRI	<i>Eucalyptus calophylla</i>	<i>Eucalyptus calophylla</i> R.Br.	W.A.	Red gum, W.A.
MESSMATE, GYMPIE	<i>Eucalyptus cloeziana</i>	<i>Eucalyptus cloeziana</i> F.v.M.	Q.	Dead-finish, yellow messmate, Q.
MESSMATE, N.S.W.	<i>Eucalyptus phellandra</i>	<i>Eucalyptus phellandra</i> R. T. Bak. & H. G. Smith, syn. <i>E. radiata</i> , Sieb. <i>Eucalyptus robertsoni</i> R. T. Bak.	N.S.W.	Narrow-leaved peppermint, N.S.W.
MORRELL, BLACK	<i>Eucalyptus melanoxylon</i>	<i>Eucalyptus melanoxylon</i> Maid.	W.A.	
MORRELL, RED	<i>Eucalyptus longicornis</i>	<i>Eucalyptus longicornis</i> F.v.M.	W.A.	
MULGA	<i>Acacia aneura</i>	<i>Acacia aneura</i> F.v.M.	N.S.W., Q., S.A., W.A.	
MUSK	<i>Olearia argophylla</i>	<i>Olearia argophylla</i> F.v.M.	Tas., Vic.	
MYALL	<i>Acacia pendula</i>	<i>Acacia pendula</i> A. Cunn.	N.S.W., Q.	Borree, N.S.W.
MYALL, COAST	<i>Acacia glaucescens</i>	<i>Acacia glaucescens</i> Willd.	N.S.W.	
NEEDLEWOOD	<i>Hakea leuoptera</i>	<i>Hakea leuoptera</i> R.Br.	N.S.W., Q., S.A., Vic.	
OAK, BULL	<i>Casuarina luehmanni</i>	<i>Casuarina luehmanni</i> R. T. Bak.	N.S.W., Q., S.A. Vic.	
OAK, CALEDONIAN	<i>Carnarvonina araliaefolia</i>	<i>Carnarvonina araliaefolia</i> F.v.M.	Q.	Red oak, Q.
OAK, SATIN	<i>Embothrium wickhami</i>	<i>Embothrium wickhami</i> F.v.M.	N.S.W., Q.	Pink silky oak, Q.

¹. At present the usual name there.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
OAK, SILKY, NORTHERN	<i>Cardwellia sublimis</i>	<i>Cardwellia sublimis</i> F.v.M.	Q.	Bull oak, Q.
OAK, SILKY, RED	<i>Stenocarpus salignus</i>	<i>Stenocarpus salignus</i> R.Br.	N.S.W., Q.	Beefwood, N.S.W., Q.
OAK, SILKY, SOUTHERN	<i>Grevillea robusta</i>	<i>Grevillea robusta</i> A. Cunn. <i>Orites excelsa</i> R.Br.	N.S.W., Q. N.S.W., Q.	Prickly ash, N.S.W., Q.
OAK, TULIP, BLUSH	<i>Tarrietia actinophylla</i>	<i>Argyrodendron actinophylla</i> (Moore) Edlin syn. <i>Tarrietia actinophylla</i> F. M. Bail.	N.S.W., Q.	Blackjack, N.S.W.
OAK, TULIP, BROWN	<i>Tarrietia argyrodendron</i>	<i>Argyrodendron trifoliatum</i> (F.v.M.) Edlin syn. <i>Tarrietia argyrodendron</i> Benth.	N.S.W., Q.	Booyong, N.S.W. Crowsfoot elm, N.S.W. Stavewood, N.S.W.
OAK, TULIP, RED	<i>Tarrietia peralata</i>	<i>Argyrodendron peralata</i> (Domin.) Edlin syn. <i>Tarrietia argyrodendron</i> Benth. var. <i>peralata</i> F. M. Bail.	Q.	Red crowsfoot, Q.
OAK, WHITE	<i>Stenocarpus sinuatus</i>	<i>Stenocarpus sinuatus</i> Endl.	N.S.W., Q.	White beefwood, Q.
PALM, BLACK	<i>Normanbya normanbyi</i>	<i>Normanbya normanbyi</i> F. M. Bail. syn. <i>N. muelleri</i> Becc.	Q.	
PENDA, BROWN	<i>Xanthostemon chrysanthus</i>	<i>Xanthostemon chrysanthus</i> F.v.M.	Q.	Black penda, Q.
PENDA, RED	<i>Xanthostemon pubescens</i>	<i>Xanthostemon pubescens</i> C. T. White	Q.	

PENDA, SOUTHERN	<i>Xanthostemon oppositifolius</i>	<i>Xanthostemon oppositifolius</i> F. M. Bail.	Q.	Luya's hardwood, Q.
PENDA, YELLOW	<i>Xanthostemon pachyspermus</i>	<i>Xanthostemon pachyspermus</i> F.v.M.	Q.	
PEPPERMINT, BLACK	<i>Eucalyptus amygdalina</i>	<i>Eucalyptus salicifolia</i> Cav. syn. <i>E. amygdalina</i> Labill.	Tas.	
PEPPERMINT, BROAD-LEAVED	<i>Eucalyptus dives</i>	<i>Eucalyptus dives</i> Schau.	N.S.W., Vic.	
PEPPERMINT, NARROW-LEAVED	<i>Eucalyptus australiana</i>	<i>Eucalyptus radiata</i> Sieb. var. <i>australiana</i> Blakely syn. <i>E. australiana</i> R. T. Bak. & H. G. Smith	N.S.W., Vic.	
PEPPERMINT, NEW ENGLAND	<i>Eucalyptus nova-anglica</i>	<i>Eucalyptus nova-anglica</i> Deane & Maid.	N.S.W., Q.	Black peppermint, N.S.W.
PEPPERMINT, QUEENSLAND	<i>Eucalyptus exserta</i>	<i>Eucalyptus exserta</i> F.v.M.	Q.	Yellow messmate, Q.
PEPPERMINT, RIVER	<i>Eucalyptus numerosa</i>	<i>Eucalyptus lindleyana</i> DC. syn. <i>E. numerosa</i> Maid.	N.S.W., Q.	
PEPPERMINT, SYDNEY	<i>Eucalyptus piperita</i>	<i>Eucalyptus piperita</i> Sm.	N.S.W.	
PEPPERMINT, WHITE	<i>Eucalyptus linearis</i>	<i>Eucalyptus linearis</i> Dehn.	Tas.	
PEPPERWOOD	<i>Cinnamomum laubatii</i>	<i>Cinnamomum laubatii</i> F.v.M. syn. <i>C. tamala</i> Nees	Q.	Brown beech, Q.
PERSIMMON, GREY	<i>Diospyros pentamera</i>	<i>Diospyros pentamera</i> F.v.M.	N.S.W., Q.	Grey plum, N.S.W.
†PINE, ALEPPO	<i>Pinus halepensis</i>	<i>Pinus halepensis</i> Miller	Plantations	Black myrtle, Q.
†PINE, BISHOP	<i>Pinus muricata</i>	<i>Pinus muricata</i> D. Don.	Plantations	Prickle pine

†Introduced from overseas.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
PINE, BLACK	<i>Podocarpus amara</i>	<i>Podocarpus amara</i> Bl.	Q.	
PINE, BROWN	<i>Podocarpus elata</i>	<i>Podocarpus elata</i> R.Br.	N.S.W., Q.	She pine, Q.
PINE, BUNYA	<i>Araucaria bidwilli</i>	<i>Araucaria bidwilli</i> Hook.	Q.	
PINE, CELERY-TOP	<i>Phyllocladus</i> <i>rhomboidalis</i>	<i>Phyllocladus asplenifolius</i> (Labill.) Hook. syn. <i>P. rhomboidalis</i> L. C. Rich.	Tas.	
†PINE, CORSICAN	<i>Pinus laricio</i>	<i>Pinus laricio</i> Poir.	Plantations	
PINE, CYPRESS, BLACK	<i>Callitris calcarata</i>	<i>Callitris calcarata</i> R.Br.	N.S.W., Q., Vic.	
PINE, CYPRESS, BRUSH	<i>Callitris macleayana</i>	<i>Callitris macleayana</i> F.v.M.	N.S.W., Q.	
PINE, CYPRESS, COAST	<i>Callitris columellaris</i>	<i>Callitris columellaris</i> F.v.M. syn. <i>C. arenosa</i> A. Cunn.	Q.	Sand cypress, Q.
PINE, CYPRESS, WHITE	<i>Callitris glauca</i>	<i>Callitris glauca</i> R.Br.	N.S.W., Q., Vic.	Cypress pine, N.S.W., Q., Vic. Murray pine, N.S.W., Q., Vic.
PINE, HOOP	<i>Araucaria cunninghamii</i>	<i>Araucaria cunninghamii</i> Ait.	N.S.W., Q., New Guinea	Colonial pine, N.S.W. Dorrigo pine, N.S.W. Richmond River pine N.S.W.
PINE, HUON	<i>Dacrydium franklinii</i>	<i>Dacrydium franklinii</i> Hook.	Tas.	
PINE, KING WILLIAM	<i>Athrotaxis selaginoides</i>	<i>Athrotaxis selaginoides</i> D. Don	Tas.	King Billy pine, Tas.
PINE, KLINKI	<i>Araucaria klinkii</i>	<i>Araucaria klinkii</i> Lauterb.	New Guinea	

†PINE, LOBLOLLY	<i>Pinus taeda</i>	<i>Pinus taeda</i> L.	Plantations	
†PINE, MARITIME	<i>Pinus pinaster</i>	<i>Pinus pinaster</i> Ait.	Plantations	
†PINE, RADIATA	<i>Pinus radiata</i>	<i>Pinus radiata</i> D. Don syn. <i>P. insignis</i> Doug.	Plantations	Insignis pine Monterey pine
†PINE, SLASH	<i>Pinus caribaea</i>	<i>Pinus caribaea</i> Morelet	Plantations	
†PINE, YELLOW, WESTERN	<i>Pinus ponderosa</i>	<i>Pinus ponderosa</i> Doug.	Plantations	Ponderosa pine
PLUM, TULIP	<i>Pleiogynium solandri</i>	<i>Pleiogynium solandri</i> Engl.	Q.	Burdekin plum, Q.
POPLAR, PINK	<i>Euroschinus falcatus</i>	<i>Euroschinus falcatus</i> Hook.	N.S.W., Q.	Blush cudgerie, Q. Maiden's blush, Q. Port Macquarie beech, N.S.W.
QUANDONG, HARD	<i>Elaeocarpus obovatus</i>	<i>Elaeocarpus obovatus</i> G. Don	N.S.W., Q.	Grey carabeen, N.S.W., Q. Blueberry ash, N.S.W.
QUANDONG, SILVER	<i>Elaeocarpus grandis</i>	<i>Elaeocarpus grandis</i> F.v.M. <i>Elaeocarpus kirtonii</i> F.v.M.	N.S.W., Q.	Blue fig, N.S.W. Blueberry ash, N.S.W.
SAFFRON-HEART	<i>Halfordia drupifera</i>	<i>Halfordia drupifera</i> F.v.M. <i>Halfordia scleroxyla</i> F.v.M.	N.S.W., Q. Q.	Ghittoe, Q.
SALLEE, BLACK	<i>Eucalyptus stellulata</i>	<i>Eucalyptus stellulata</i> Sieb.		
SALLEE, WHITE	<i>Eucalyptus coriacea</i>	<i>Eucalyptus pauciflora</i> Sieb. syn. <i>E. coriacea</i> A. Cunn.	N.S.W., S.A., Tas., Vic.	Snow gum Weeping gum, Tas. ¹
SALWOOD, BROWN	<i>Acacia aulacocarpa</i>	<i>Acacia aulacocarpa</i> A. Cunn.	N.S.W., Q.	
SANDALBOX	<i>Eremophila mitchelli</i>	<i>Eremophila mitchelli</i> Benth.	N.S.W., Q.	Budda, N.S.W. ¹

†Introduced from overseas.

¹ At present the usual name there.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
SANDALWOOD	<i>Santalum spicatum</i>	<i>Santalum spicatum</i> R.Br. syn. <i>S. cygnorum</i> Miq. syn. <i>Fusanus spicatus</i> R.Br. syn. <i>Eucarya spicata</i> (R.Br.) Sprague & Summ.	S.A., W.A.	
SANDALWOOD, NORTHERN	<i>Santalum lanceolatum</i>	<i>Santalum lanceolatum</i> R.Br.	Q., S.A., W.A.	
SASSAFRAS	<i>Doryphora sassafras</i>	<i>Doryphora sassafras</i> Endl. <i>Daphandra micrantha</i> Benth.	N.S.W., Q. N.S.W., Q.	Golden deal, N.S.W. Yellow sassafras, N.S.W. Canary sassafras, N.S.W.
SASSAFRAS, SOUTHERN	<i>Atherosperma moschatum</i>	<i>Atherosperma moschatum</i> Labill.	N.S.W., Tas., Vic.	Tasmanian sassafras, Tas.
SATINASH, GREY	<i>Eugenia gustavioides</i>	<i>Eugenia gustavioides</i> F. M. Bail.	Q.	Watergum, Q.
SATINASH, ROSE	<i>Eugenia francisii</i>	<i>Eugenia francisii</i> F. M. Bail.	Q., N.S.W.	Watergum, N.S.W., Q.
SATINAY	<i>Syncarpia hillii</i>	<i>Syncarpia hillii</i> F. M. Bail.	Q.	Fraser Island turpentine, Q.
SATINBOX	<i>Phebalium squameum</i>	<i>Phebalium squameum</i> (Labill.) Engl. syn. <i>Eriostemon billardieri</i> A. Juss.	Tas., Vic.	Lancewood, Tas. Tallowwood, Tas. Satinwood, Vic.
SATINWOOD, SCENTED	<i>Ceratopetalum apetalum</i>	<i>Ceratopetalum apetalum</i> D. Don	N.S.W.	Coachwood, N.S.W. ¹ . Rose mahogany, Vic.
SATINWOOD, TULIP	<i>Rhodosphaera rhodanthema</i>	<i>Rhodosphaera rhodanthema</i> Engl.	N.S.W., Q.	Yellow cedar, Q.
SHEOAK, BLACK	<i>Casuarina suberosa</i>	<i>Casuarina suberosa</i> Otto & Diétr.	N.S.W., Q., S.A., Tas., Vic.	Black oak, N.S.W., Q.

SHEOAK, DROOPING	<i>Casuarina stricta</i>	<i>Casuarina stricta</i> Ait.	N.S.W., Tas., Vic.	
SHEOAK, RIVER	<i>Casuarina cunninghamiana</i>	<i>Casuarina cunninghamiana</i> Miq.	N.S.W., Q., Vic.	River oak, N.S.W., Q., Vic.
SHEOAK, ROSE	<i>Casuarina torulosa</i>	<i>Casuarina torulosa</i> Ait.	N.S.W., Q.	Forest oak, N.S.W., Q.
SHEOAK, SWAMP	<i>Casuarina glauca</i>	<i>Casuarina glauca</i> Siebold	N.S.W., Q., Vic., W.A.	Swamp oak, Q.
SHEOAK, W.A.	<i>Casuarina fraseriana</i>	<i>Casuarina fraseriana</i> Miq.	W.A.	
SILKWOOD, BOLLY	<i>Cryptocarya oblata</i>	<i>Cryptocarya oblata</i> F. M. Bail.	Q.	Tarzali silkwood, Q. Mazlin's beech, Q. Macquarie maple, Q.
SILKWOOD, SILVER	<i>Flindersia acuminata</i>	<i>Flindersia acuminata</i> C. T. White	N.S.W., Q.	Putts pine, N.S.W. ¹ , Q. ¹
SILKWOOD, RED	<i>Lucuma galactoxylon</i>	<i>Lucuma galactoxylon</i> F.v.M.	Q.	Cairns pencil cedar, Q. ¹
SIRIS, RED	<i>Albizia toona</i>	<i>Albizia toona</i> F. M. Bail.	Q.	Acacia cedar, Q.
SIRIS, WHITE	<i>Ailanthus imberbiflora</i>	<i>Ailanthus malabarica</i> DC. syn. <i>A. imberbiflora</i> F.v.M.	Q.	White bean, Q.
SIRIS, YELLOW	<i>Albizia xanthoxylon</i>	<i>Albizia xanthoxylon</i> C. T. White & Francis	Q.	Yellow bean, Q.
STRINGYBARK, BLUE-LEAVED	<i>Eucalyptus agglomerata</i>	<i>Eucalyptus agglomerata</i> Maid.	N.S.W., Vic.	
STRINGYBARK, BROWN	<i>Eucalyptus capitellata</i>	<i>Eucalyptus capitellata</i> Sm. <i>Eucalyptus blaxlandi</i> Maid. & Cabbage <i>Eucalyptus baxteri</i> (Benth.) Maid. & Blakely	N.S.W., Vic. N.S.W., Vic. N.S.W., S.A., Vic.	

¹. At present the usual name there.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
STRINGYBARK, MEALY	<i>Eucalyptus cinerea</i>	<i>Eucalyptus cinerea</i> F.v.M.	N.S.W., Vic.	
STRINGYBARK, MESSMATE	<i>Eucalyptus obliqua</i>	<i>Eucalyptus obliqua</i> L'Herit.	N.S.W., S.A., Tas., Vic.	Brown-top stringybark, Tas. Messmate, Vic. ¹ Stringybark, S.A., Tas. ¹ Australian oak Tasmanian oak.
STRINGYBARK, RED	<i>Eucalyptus</i> <i>macrorrhyncha</i>	<i>Eucalyptus macrorrhyncha</i> F.v.M.	N.S.W., Vic.	
STRINGYBARK, WHITE	<i>Eucalyptus eugenioides</i>	<i>Eucalyptus scabra</i> Dum- Cours syn. <i>E. eugenioides</i> Sieb. <i>Eucalyptus globoidea</i> Blakely	N.S.W., Q., Vic. N.S.W.	Pink blackbutt, Q.
STRINGYBARK, YELLOW	<i>Eucalyptus muelleriana</i>	<i>Eucalyptus muelleriana</i> Howitt	N.S.W., Vic.	
SUGARWOOD	<i>Myoporum platycarpum</i>	<i>Myoporum platycarpum</i> R.Br.	N.S.W., S.A., Vic., W.A.	
SYCAMORE, SATIN	<i>Ceratopetalum</i> <i>succirubrum</i>	<i>Ceratopetalum succirubrum</i> C. T. White	Q.	Blood-in-the-bark, Q. Jackwood, N.S.W.
SYCAMORE, SILVER	<i>Cryptocarya glaucescens</i>	<i>Cryptocarya glaucescens</i> R.Br.	N.S.W., Q.	Brown beech, Q.
TALLOWOOD	<i>Eucalyptus microcorys</i>	<i>Eucalyptus microcorys</i> F.v.M.	N.S.W., Q.	
TAMARIND	<i>Diploglottis</i> <i>cunninghamii</i>	<i>Diploglottis cunninghamii</i> Hook. f.	N.S.W., Q.	Native tamarind, Q.
TEA-TREE, BROAD-LEAVED	<i>Melaleuca leucadendron</i>	<i>Melaleuca leucadendron</i> L.	N.S.W., Q.	Brown tea-tree, Q. Paper-bark, Q.

TEA-TREE, CITRON-SCENTED	<i>Leptospermum liversidgei</i>	<i>Leptospermum liversidgei</i> R. T. Bak.	Q.	
TEA-TREE, LEMON-SCENTED	<i>Leptospermum citratum</i>	<i>Leptospermum citratum</i> Cheel & Penfold	N.S.W., Q.	
TEA-TREE, PAPER-BARKED, NARROW-LEAVED	<i>Melaleuca alternifolia</i>	<i>Melaleuca alternifolia</i> Cheel	N.S.W.	
TEA-TREE, PRICKLY-LEAVED	<i>Melaleuca styphelioides</i>	<i>Melaleuca styphelioides</i> Sm.	N.S.W.	
TINGLE, RED	<i>Eucalyptus jacksoni</i>	<i>Eucalyptus jacksoni</i> Maid.	W.A.	
TINGLE, YELLOW	<i>Eucalyptus guilfoylei</i>	<i>Eucalyptus guilfoylei</i> Maid.	W.A.	
TOURIGA, RED	<i>Calophyllum costatum</i>	<i>Calophyllum costatum</i> F. M. Bail.	Q.	
TUART	<i>Eucalyptus gomphocephala</i>	<i>Eucalyptus gomphocephala</i> DC.	W.A.	
TULIPWOOD	<i>Harpullia pendula</i>	<i>Harpullia pendula</i> Planch.	N.S.W., Q.	
TURPENTINE	<i>Syncarpia laurifolia</i>	<i>Syncarpia procera</i> Salisb. syn. <i>S. laurifolia</i> Ten.	N.S.W., Q.	LUSTER
WALNUT, BLUSH	<i>Beilschmiedia obtusifolia</i>	<i>Beilschmiedia obtusifolia</i> Benth. syn. <i>Nesodaphne obtusifolia</i> Benth.	N.S.W., Q.	Hard bollygum, N.S.W., Q.
WALNUT, N.S.W.	<i>Endiandra virens</i>	<i>Endiandra virens</i> F.v.M.	N.S.W., Q.	Plumwood, N.S.W.
WALNUT, QUEENSLAND	<i>Endiandra palmerstoni</i>	<i>Endiandra palmerstoni</i> C. T. White	Q.	Australian walnut, Q. Oriental wood, U.S.A. Walnut bean, Q.
WALNUT, PINK	<i>Endiandra sieberi</i>	<i>Endiandra sieberi</i> Nees.	N.S.W.	Corkwood, N.S.W.
WALNUT, ROSE	<i>Endiandra discolor</i>	<i>Endiandra discolor</i> Benth.	N.S.W., Q.	Murrogun, N.S.W.

¹. At present the usual name there.

Standard Trade Common Name.	Standard Trade Reference Name.	Botanical Name.	State in which Occurring.	Other Common Names.
WALNUT, WHITE	<i>Cryptocarya obovata</i>	<i>Cryptocarya obovata</i> R.Br.	N.S.W., Q.	She beech, N.S.W., Q. Pepperberry tree, N.S.W., Q.
WALNUT, YELLOW	<i>Beilschmiedia bancroftii</i>	<i>Beilschmiedia bancroftii</i> C. T. White	Q.	Canary ash, ●.
WANDOO	<i>Eucalyptus redunca</i>	<i>Eucalyptus redunca</i> Schau., var. <i>elata</i> Benth. syn. <i>E. wandoo</i> Blakely	W.A.	White gum W.A.
WANDOO, POWDER-BARK	<i>Eucalyptus accedens</i>	<i>Eucalyptus accedens</i> W. V. Fitzg.	W.A.	
WATTLE, BLACK	<i>Acacia mollissima</i>	<i>Acacia mollissima</i> Willd.	N.S.W., S.A., Tas., Vic.	
WATTLE, CEDAR	<i>Acacia elata</i>	<i>Acacia terminalis</i> MacBride syn. <i>A. elata</i> A. Cunn.	N.S.W.	
WATTLE, COOTAMUNDRA	<i>Acacia baileyana</i>	<i>Acacia baileyana</i> F.v.M.	N.S.W., Q., Vic.	
WATTLE, GOLDEN	<i>Acacia pycnantha</i>	<i>Acacia pycnantha</i> Benth.	N.S.W., S.A., Vic.	
WATTLE, GOLDEN, SYDNEY	<i>Acacia longifolia</i>	<i>Acacia longifolia</i> Willd.	N.S.W., Q., S.A., Tas., Vic.	
WATTLE, GREEN	<i>Acacia irrorata</i>	<i>Acacia irrorata</i> Sieb. syn. <i>A. pauciglandulosa</i> F.v.M.	N.S.W.	
WATTLE, GREEN, SYDNEY	<i>Acacia decurrens</i>	<i>Acacia decurrens</i> Willd.	N.S.W., Q., Vic.	Early black wattle, Vic.
WATTLE, HICKORY	<i>Acacia penninervis</i>	<i>Acacia penninervis</i> Siebold	N.S.W., Vic.	Mountain hickory, N.S.W.
WATTLE, SILVER	<i>Acacia dealbata</i>	<i>Acacia dealbata</i> Link	N.S.W., Q., Tas., Vic.	

WATTLE, WILLOW	<i>Acacia salicina</i>	<i>Acacia salicina</i> Lindl.	N.S.W., Q., S.A., Vic., W.A.	
WILGA	<i>Geijera parviflora</i>	<i>Geijera parviflora</i> Lindl.	N.S.W., Q.	Greenheart, Q.
WIREWOOD	<i>Acradenia frankliniae</i>	<i>Acradenia frankliniae</i> Kipp.	Tas.	
WOOLLYBUTT	<i>Eucalyptus longifolia</i>	<i>Eucalyptus longifolia</i> Link & Otto	N.S.W.	Red peppermint, N.S.W.
WOOLLYBUTT, CAMDEN	<i>Eucalyptus macarthuri</i>	<i>Eucalyptus macarthuri</i> Deane & Maid.	N.S.W.	
YARRAN	<i>Acacia homalophylla</i>	<i>Acacia homalophylla</i> Cunn.	N.S.W., Q., S.A., Vic.	
YATE	<i>Eucalyptus cornuta</i>	<i>Eucalyptus cornuta</i> Labill.	W.A.	
YELLOWWOOD	<i>Flindersia oxleyana</i>	<i>Flindersia oxleyana</i> F.v.M.	N.S.W., Q.	Long Jack, N.S.W.
YERTCHUK	<i>Eucalyptus consideniana</i>	<i>Eucalyptus consideniana</i> Maid.	N.S.W., Vic.	Messmate, N.S.W. Yellow messmate, Vic.

PART II.

STANDARD TRADE REFERENCE NAMES.

(Alphabetical index of botanical names of timbers with their corresponding Standard Trade Reference Names, which are nearly always the accepted botanical names without the author's name or its abbreviation.)

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Acacia acuminata</i> Benth.	<i>Acacia acuminata</i>	RASPBERRY JAM
„ <i>aneura</i> F.v.M.	„ <i>aneura</i>	MULGA
„ <i>arundelliana</i> F. M. Bail.	„ <i>arundelliana</i>	fern y wattle
„ <i>aulacocarpa</i> A. Cunn.	„ <i>aulacocarpa</i>	BROWN SALWOOD
„ <i>baileyana</i> F.v.M.	„ <i>baileyana</i>	COOTAMUNDRA WATTLE
„ <i>bakeri</i> Maid.	„ <i>bakeri</i>	white marblewood
„ <i>cabbagei</i> R. T. Bak.	„ <i>cabbagei</i>	GIDGEE
„ <i>cunninghamii</i> Hook.	„ <i>cunninghamii</i>	sally wattle
„ <i>dealbata</i> Link	„ <i>dealbata</i>	SILVER WATTLE
„ <i>decurrens</i> Willd.	„ <i>decurrens</i>	SYDNEY GREEN WATTLE
„ <i>doratoxylon</i> A. Cunn.	„ <i>doratoxylon</i>	lancewood
„ <i>elata</i> A. Cunn.	„ <i>elata</i>	CEDAR WATTLE
„ <i>excelsa</i> Benth.	„ <i>excelsa</i>	ironwood wattle
„ <i>fasciculifera</i> F.v.M.	„ <i>fasciculifera</i>	rose wattle
„ <i>filicifolia</i> Cheel & Welch	„ <i>filicifolia</i>	fern-leaved wattle
„ <i>glaucescens</i> Willd.	„ <i>glaucescens</i>	COAST MYALL
„ <i>harpophylla</i> F.v.M.	„ <i>harpophylla</i>	BRIGALOW
„ <i>homalophylla</i> A. Cunn.	„ <i>homalophylla</i>	YARRAN
„ <i>implexa</i> Benth.	„ <i>implexa</i>	LIGHTWOOD
„ <i>irrorata</i> Sieb.	„ <i>irrorata</i>	GREEN WATTLE
„ <i>leicbardtii</i> Benth.	„ <i>arundelliana</i>	fern y wattle
„ <i>longifolia</i> Willd.	„ <i>longifolia</i>	SYDNEY GOLDEN WATTLE
„ <i>maideni</i> F.v.M.	„ <i>maideni</i>	Maiden's wattle
„ <i>melanoxylon</i> R.Br.	„ <i>melanoxylon</i>	BLACKWOOD
„ <i>mollissima</i> Willd.	„ <i>mollissima</i>	BLACK WATTLE
„ <i>pauciglandulosa</i> F.v.M.	„ <i>irrorata</i>	GREEN WATTLE

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Acacia pendula</i> A. Cunn.	<i>Acacia pendula</i>	MYALL
„ <i>penninervis</i> Siebold	„ <i>penninervis</i>	HICKORY WATTLE
„ <i>podalyriacifolia</i> A. Cunn.	„ <i>podalyriacifolia</i>	Queensland silver wattle
„ <i>pycnantha</i> Benth.	„ <i>pycnantha</i>	GOLDEN WATTLE
„ <i>rhodoxylon</i> Maid.	„ <i>rhodoxylon</i>	brown spearwood
„ <i>salicina</i> Lindl.	„ <i>salicina</i>	WILLOW WATTLE
„ <i>stenophylla</i> A. Cunn.	„ <i>stenophylla</i>	eumung
„ <i>terminalis</i> MacBride	„ <i>elata</i>	CEDAR WATTLE
<i>Ackama australiensis</i> (Schl.) C. T. White	<i>Ackama quadrivalvis</i>	ROSE ALDER
„ <i>muelleri</i> Benth.	} „ <i>muelleri</i>	BROWN ALDER
„ <i>paniculata</i> Engl.		
„ <i>quadrivalvis</i> C. T. White	„ <i>quadrivalvis</i>	ROSE ALDER
<i>Acradenia frankliniae</i> Kipp.	<i>Acradenia frankliniae</i>	WIREWOOD
<i>Agathis microstachya</i> J. F. Bail. & C. T. White	} <i>Agathis palmerstoni</i>	NORTH QUEENSLAND KAURI
„ <i>palmerstoni</i> F.v.M.		
„ <i>robusta</i> (C. Moore) F. M. Bail.	„ <i>robusta</i>	SOUTH QUEENSLAND KAURI
<i>Ailanthus imberbiflora</i> F.v.M.	} <i>Ailanthus imberbiflora</i>	WHITE SIRIS
„ <i>malabarica</i> DC.		
<i>Albizzia basaltica</i> Benth.	<i>Albizzia basaltica</i>	red lancewood
„ <i>toona</i> F. M. Bail.	„ <i>toona</i>	RED SIRIS
„ <i>xanthoxylon</i> C. T. White & Francis	„ <i>xanthoxylon</i>	YELLOW SIRIS
<i>Aleurites moluccana</i> Willd.	<i>Aleurites moluccana</i>	CANDLENUT
<i>Alphitonia excelsa</i> Reiss.	<i>Alphitonia excelsa</i>	RED ALMOND
<i>Alstonia scholaris</i> R.Br.	<i>Alstonia scholaris</i>	WHITE CHEESEWOOD
<i>Angophora bakeri</i> C. Hall	<i>Angophora bakeri</i>	narrow-leaved apple
„ <i>costata</i> Domin	„ <i>lanceolata</i>	SMOOTH-BARKED APPLE
„ <i>intermedia</i> DC.	„ <i>intermedia</i>	ROUGH-BARKED APPLE
„ <i>lanceolata</i> Cav.	„ <i>lanceolata</i>	SMOOTH-BARKED APPLE

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Angophora subvelutina</i> F.v.M.	<i>Angophora subvelutina</i>	broad-leaved apple
<i>Anodopetalum biglandulosum</i> A. Cunn.	<i>Anodopetalum biglandulosum</i>	HORIZONTAL
<i>Aphananthe philippinensis</i> Planch.	<i>Aphananthe philippinensis</i>	GREY HANDLEWOOD
<i>Araucaria bidwilli</i> Hook.	<i>Araucaria bidwilli</i>	BUNYA PINE
„ <i>cunninghamii</i> Ait.	„ <i>cunninghamii</i>	HOOP PINE
„ <i>klinkii</i> Lauterb.	„ <i>klinkii</i>	KLINKI PINE
<i>Argyrodendron actinophyllum</i> (C. Moore) Edlin	<i>Tarrietia actinophylla</i>	BLUSH TULIP OAK
„ <i>peralata</i> (Domin) Edlin	„ <i>peralata</i>	RED TULIP OAK
„ <i>trifoliatum</i> (F.v.M) Edlin	„ <i>argyrodendron</i>	BROWN TULIP OAK
<i>Atrotaxis selaginoides</i> D. Don	<i>Athrotaxis selaginoides</i>	KING WILLIAM PINE
<i>Atherosperma moschatum</i> Labill.	<i>Atherosperma moschatum</i>	SOUTHERN SASSAFRAS
<i>Avicennia officinalis</i> L.	<i>Avicennia officinalis</i>	GREY MANGROVE
<i>Backhousia angustifolia</i> F.v.M.	<i>Backhousia angustifolia</i>	narrow-leaved backhousia
„ <i>bancroftii</i> F. M. Bail.	„ <i>bancroftii</i>	JOHNSTON RIVER
„ <i>citriodora</i> F.v.M.	„ <i>citriodora</i>	LEMON-SCENTED
„ <i>myrtifolia</i> Hook. & Harv.	„ <i>myrtifolia</i>	IRONWOOD
<i>Baloghia lucida</i> Endl.	<i>Baloghia lucida</i>	IVORY BIRCH
<i>Banksia aemula</i> R.Br.	<i>Banksia aemula</i>	willum banksia
„ <i>integrifolia</i> L. f.	„ <i>integrifolia</i>	WHITE BANKSIA
„ <i>marginata</i> Cav.	„ <i>marginata</i>	silver banksia
„ <i>serrata</i> L.	„ <i>serrata</i>	red banksia
„ <i>verticillata</i> R.Br.	„ <i>verticillata</i>	RIVER BANKSIA
<i>Bedfordia salicina</i> DC.	<i>Bedfordia salicina</i>	blanket leaf
<i>Beilschmiedia bancroftii</i> C. T. White	<i>Beilschmiedia bancroftii</i>	YELLOW WALNUT
„ <i>elliptica</i> C. T. White & Francis	„ <i>elliptica</i>	grey walnut
„ <i>obtusifolia</i> Benth.	„ <i>obtusifolia</i>	BLUSH WALNUT

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Blepharocarya involucrigera</i> F.v.M.	<i>Blepharocarya involucrigera</i>	ROSE BUTTERNUT
<i>Brachychiton acerifolium</i> F.v.M.	<i>Sterculia acerifolia</i>	flame kurrajong
„ <i>populneum</i> R.Br.	„ <i>diversifolia</i>	KURRAJONG
<i>Bridelia exaltata</i> F.v.M.	<i>Bridelia exaltata</i>	scrub ironbark
<i>Bruguiera rheedii</i> Bl.	<i>Bruguiera rheedii</i>	black mangrove
<i>Bursera australasica</i> F. M. Bail.	<i>Bursera australasica</i>	BROWN CUDGERIE
<i>Callicoma serratifolia</i> Andr.	<i>Callicoma serratifolia</i>	wild quince
<i>Callistemon viminalis</i> Cheel	<i>Callistemon viminalis</i>	red bottle-brush
<i>Callitris arenosa</i> A. Cunn.	<i>Callitris columellaris</i>	COAST CYPRESS PINE
„ <i>calcarata</i> R.Br.	„ <i>calcarata</i>	BLACK CYPRESS PINE
„ <i>columellaris</i> F.v.M.	„ <i>columellaris</i>	COAST CYPRESS PINE
„ <i>cupressiformis</i> Vent.	„ <i>cupressiformis</i>	mountain cypress pine
„ <i>glauca</i> R.Br.	„ <i>glauca</i>	WHITE CYPRESS PINE
„ <i>macleayana</i> Benth. & Hook.	„ <i>macleayana</i>	BRUSH CYPRESS PINE
„ <i>rhomboidea</i> R.Br.	„ <i>cupressiformis</i>	mountain cypress pine
„ <i>robusta</i> R.Br.	„ <i>robusta</i>	Rottneet cypress pine
<i>Calophyllum costatum</i> F. M. Bail.	<i>Calophyllum costatum</i>	RED TOURIGA
<i>Carapa moluccensis</i> Lam.	<i>Carapa moluccensis</i>	cedar mangrove
<i>Cardwellia sublimis</i> F.v.M.	<i>Cardwellia sublimis</i>	NORTHERN SILKY OAK
<i>Carnarvonia araliaefolia</i> F.v.M.	<i>Carnarvonia araliaefolia</i>	CALEDONIAN OAK
<i>Castanospermum australe</i> A. Cunn.	<i>Castanospermum australe</i>	BLACK BEAN
<i>Casuarina cambagei</i> R. T. Bak.	} <i>Casuarina cambagei</i>	BELAH
„ <i>cristata</i> Miq.		
„ <i>cunninghamiana</i> Miq.	„ <i>cunninghamiana</i>	RIVER SHEOAK
„ <i>equisetifolia</i> Forst.	„ <i>equisetifolia</i>	beach sheoak
„ <i>fraseriana</i> Miq.	„ <i>fraseriana</i>	W.A. SHEOAK
„ <i>glauca</i> Siebold	„ <i>glauca</i>	SWAMP SHEOAK
„ <i>inophloia</i> F.v.M. & F. M. Bail.	„ <i>inophloia</i>	flame sheoak
„ <i>lepidophloia</i> F.v.M.	„ <i>carnbagei</i>	BELAH

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Casuarina luehmanni</i> R. T. Bak.	<i>Casuarina luehmanni</i>	BULL OAK
„ <i>stricta</i> Ait.	„ <i>stricta</i>	DROOPING SHEOAK
„ <i>suberosa</i> Otto & Dietr.	„ <i>suberosa</i>	BLACK SHEOAK
„ <i>torulosa</i> Ait.	„ <i>torulosa</i>	ROSE SHEOAK
<i>Celastrus dispermus</i> F.v.M.	<i>Celastrus dispermus</i>	ORANGE BOXWOOD
<i>Cedrela toona</i> Roxb. var. <i>australis</i> C.DC.	<i>Cedrela toona</i>	RED CEDAR
<i>Ceratopetalum apetalum</i> D. Don	<i>Ceratopetalum apetalum</i>	SCENTED SATINWOOD
„ <i>succirubrum</i> C. T. White	„ <i>succirubrum</i>	SATIN SYCAMORE
<i>Ceriops candolleana</i> Arn.	<i>Ceriops candolleana</i>	spurred mangrove
<i>Charissa moorei</i> Engl.	<i>Villaresia moorei</i>	SILKY BEECH
<i>Cinnamomum laubatii</i> F.v.M.	<i>Cinnamomum laubatii</i>	PEPPERWOOD
„ <i>oliveri</i> F. M. Bail.	} „ <i>oliveri</i>	CAMPHORWOOD
„ <i>virens</i> R. T. Bak.		
„ <i>tamala</i> Nees	„ <i>laubatii</i>	PEPPERWOOD
<i>Cryptocarya corrugata</i> C. T. White & Francis	<i>Cryptocarya corrugata</i>	corduroy
„ <i>erythroxylo</i> Maid. & Betche	„ <i>erythroxylo</i>	ROSE MAPLE
„ <i>glaucescens</i> R.Br.	„ <i>glaucescens</i>	SILVER SYCAMORE
„ <i>oblata</i> F. M. Bail.	„ <i>oblata</i>	BOLLY SILKWOOD
„ <i>obovata</i> R.Br.	„ <i>obovata</i>	WHITE WALNUT
„ <i>patentineris</i> F.v.M.	„ <i>erythroxylo</i>	ROSE MAPLE
<i>Dacrydium franklinii</i> Hook. f.	<i>Dacrydium franklinii</i>	HUON PINE
<i>Daphnandra aromatica</i> F. M. Bail.	<i>Daphnandra aromatica</i>	northern sassafras
„ <i>micrantha</i> Benth.	<i>Doryphora sassafras</i>	SASSAFRAS
<i>Diospyros pentamera</i> F.v.M.	<i>Diospyros pentamera</i>	GREY PERSIMMON
<i>Diploglottis cunninghamii</i> Hook. f.	<i>Diploglottis cunninghamii</i>	TAMARIND
<i>Doryphora sassafras</i> Endl.	<i>Doryphora sassafras</i>	SASSAFRAS
<i>Dysoxylum fraserianum</i> Benth.	<i>Dysoxylum fraserianum</i>	ROSE MAHOGANY
„ <i>muelleri</i> Benth.	„ <i>muelleri</i>	MIVA MAHOGANY
„ <i>pettigrewianum</i> F. M. Bail.	„ <i>pettigrewianum</i>	SPUR MAHOGANY

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Echinocarpus australis</i> Benth.	<i>Sloanea australis</i>	BLUSH ALDER
<i>Ehretia acuminata</i> R.Br.	<i>Ehretia acuminata</i>	SILKY ASH
<i>Elaeocarpus coorangooloo</i> F. M. Bail. & C. T. White	<i>Elaeocarpus coorangooloo</i>	brown quandong
„ <i>grandis</i> F.v.M.	} „ <i>grandis</i>	SILVER QUANDONG
„ <i>kirtonii</i> F.v.M.		
„ <i>obovatus</i> G. Don	„ <i>obovatus</i>	HARD QUANDONG
„ <i>reticulatus</i> Sm.	„ <i>reticulatus</i>	blueberry ash
„ <i>reticulatus</i> Sm. var. <i>longifolius</i> (C. Moore) Domin	„ <i>longifolius</i>	SCRUB ASH
<i>Embotrium wickhami</i> W. Hill & F.v.M.	<i>Embotrium wickhami</i>	SATIN OAK
<i>Endiandra compressa</i> C. T. White	<i>Endiandra compressa</i>	QUEENSLAND GREENHEART
„ <i>discolor</i> Benth.	„ <i>discolor</i>	ROSE WALNUT
„ <i>palmerstoni</i> C. T. White	„ <i>palmerstoni</i>	QUEENSLAND WALNUT
„ <i>sieberi</i> Nces	„ <i>sieberi</i>	PINK WALNUT
„ <i>virens</i> F.v.M.	„ <i>virens</i>	N.S.W. WALNUT
<i>Eremophila mitchelli</i> Benth.	<i>Eremophila mitchelli</i>	SANDALBOX
<i>Eriostemon billardieri</i> A. Juss.	<i>Phebalium squameum</i>	SATINBOX
<i>Erythrina vespertilio</i> Benth.	<i>Erythrina vespertilio</i>	GREY CORKWOOD
<i>Erythrophloeum laboucherii</i> F.v.M.	<i>Erythrophloeum laboucherii</i>	Cooktown ironwood
<i>Eucalyptus acaciaeformis</i> Deane & Maid.	<i>Eucalyptus acaciaeformis</i>	wattle-leaved peppermint
„ <i>accedens</i> W. V. Fitzg.	„ <i>accedens</i>	POWDER-BARK WANDOO
„ <i>acmenioides</i> Schau.	„ <i>acmenioides</i>	WHITE MAHOGANY
„ <i>agglomerata</i> Maid.	„ <i>agglomerata</i>	BLUE-LEAVED STRINGYBARK
„ <i>aggregata</i> Deane & Maid.	„ <i>aggregata</i>	black gum
„ <i>alba</i> Reinw.	„ <i>alba</i>	Timor white gum
„ <i>albens</i> Miq.	„ <i>albens</i>	WHITE BOX
„ <i>amplifolia</i> Naud.	„ <i>amplifolia</i>	CABBAGE GUM
„ <i>amygdalina</i> Labill.	„ <i>amygdalina</i>	BLACK PEPPERMINT

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Eucalyptus andrewsi</i> Maid.	<i>Eucalyptus andrewsi</i>	NEW ENGLAND ASH
„ <i>angophoroides</i> R. T. Bak.	„ <i>angophoroides</i>	apple-top gum
„ <i>astringens</i> Maid.	„ <i>astringens</i>	BROWN MALLET
„ <i>australiana</i> R. T. Bak. & H. G. Smith	„ <i>australiana</i>	NARROW-LEAVED PEPPERMINT
„ <i>baileyana</i> F.v.M.	„ <i>baileyana</i>	Bailey stringybark
„ <i>bancroftii</i> Maid.	„ <i>tereticornis</i>	FOREST RED GUM
„ <i>baueriana</i> Schau.	„ <i>baueriana</i>	FUZZY BOX
„ <i>baxteri</i> (Benth.) Maid. & Blakely	„ <i>capitellata</i>	BROWN STRINGYBARK
„ <i>benthami</i> Maid. & Cambage	„ <i>benthami</i>	flooded gum
„ <i>bicolor</i> A. Cunn.	„ <i>bicolor</i>	BLACK BOX
„ <i>bicostata</i> , Maid., Blakely, & Simmonds	„ <i>globulus</i>	SOUTHERN BLUE GUM
„ <i>blakelyi</i> Maid.	„ <i>tereticornis</i>	FOREST RED GUM
„ <i>blaxlandi</i> Maid. & Cambage	„ <i>capitellata</i>	BROWN STRINGYBARK
„ <i>bosistoana</i> F.v.M.	„ <i>bosistoana</i>	COAST GREY BOX
„ <i>botryoides</i> Sm.	„ <i>botryoides</i>	SOUTHERN MAHOGANY
„ <i>bridgesiana</i> R. T. Bak.	„ <i>bridgesiana</i>	but but
„ <i>calophylla</i> R.Br.	„ <i>calophylla</i>	MARRI
„ <i>camaldulensis</i>	„ <i>rostrata</i>	RIVER RED GUM
„ <i>campaspe</i> Moore	„ <i>campaspe</i>	SILVER-TOPPED GIMLET
„ <i>capitellata</i> Sm.	„ <i>capitellata</i>	BROWN STRINGYBARK
„ <i>carnea</i> R. T. Bak.	„ <i>acmenioides</i>	WHITE MAHOGANY
„ <i>campbora</i> R. T. Bak.	„ <i>ovata</i>	SWAMP GUM
„ <i>cinerea</i> F.v.M.	„ <i>cinerea</i>	MEALY STRINGYBARK
„ <i>citriodora</i> Hook.	„ <i>maculata</i>	SPOTTED GUM
„ <i>cladocalyx</i> F.v.M.	„ <i>cladocalyx</i>	SUGAR GUM
„ <i>cloeziana</i> F.v.M.	„ <i>cloeziana</i>	GYMPIE MESSMATE
„ <i>cneorifolia</i> DC.	„ <i>cneorifolia</i>	NARROW-LEAVED MALLEE
„ <i>conica</i> Deane & Maid.	„ <i>baueriana</i>	FUZZY BOX
„ <i>consideniana</i> Maid.	„ <i>consideniana</i>	YERTCHUK

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Eucalyptus coolabah</i> Blakely & Jacobs	<i>Eucalyptus coolabah</i>	WESTERN COOLIBAH
„ <i>coriacea</i> A. Cunn.	„ <i>coriacea</i>	WHITE SALLEE
„ <i>cornuta</i> Labill.	„ <i>cornuta</i>	YATE
„ <i>corymbosa</i> Sm.	„ <i>corymbosa</i>	RED BLOODWOOD
„ <i>crebra</i> F.v.M.	„ <i>crebra</i>	NARROW-LEAVED RED IRONBARK
„ <i>dalrympleana</i> Maid.	„ <i>dalrympleana</i>	MOUNTAIN GUM
„ <i>dealbata</i> A. Cunn.	„ <i>dealbata</i>	silver gum
„ <i>deanei</i> Maid.	„ <i>deanei</i>	ROUND-LEAVED GUM
„ <i>decorticans</i> Maid.	„ <i>decorticans</i>	GUM-TOP IRONBARK
„ <i>deglupta</i> Bl.	„ <i>deglupta</i>	KAMARERE
„ <i>delegatensis</i> R. T. Bak.	„ <i>gigantea</i>	ALPINE ASH
„ <i>diversicolor</i> F.v.M.	„ <i>diversicolor</i>	KARRI
„ <i>dives</i> Schau.	„ <i>dives</i>	BROAD-LEAVED PEPPERMINT
„ <i>dumosa</i> A. Cunn.	„ <i>dumosa</i>	WHITE MALLEE
„ <i>dunnii</i> Maid.	„ <i>dunnii</i>	white gum
„ <i>elaeophora</i> F.v.M.	„ <i>elaeophora</i>	LONG-LEAVED BOX
„ <i>eugenioides</i> Sieb.	„ <i>eugenioides</i>	WHITE STRINGYBARK
„ <i>eximia</i> Schau.	„ <i>eximia</i>	YELLOW BLOODWOOD
„ <i>exserta</i> F.v.M.	„ <i>exserta</i>	QUEENSLAND PEPPERMINT
„ <i>fasciculosa</i> F.v.M.	„ <i>fasciculosa</i>	PINK GUM
„ <i>fastigata</i> Deane & Maid.	„ <i>fastigata</i>	BROWN BARREL
„ <i>fergusoni</i> R. T. Bak.	„ <i>paniculata</i>	GREY IRONBARK
„ <i>foecunda</i> var. <i>loxophleba</i> Benth.	„ <i>loxophleba</i>	YORK GUM
„ <i>fraxinoides</i> Deane & Maid.	„ <i>fraxinoides</i>	WHITE ASH
„ <i>fruticetorum</i> F.v.M.	„ <i>polybractea</i>	BLUE MALLEE
„ <i>gigantea</i> Hook.	„ <i>gigantea</i>	ALPINE ASH
„ <i>globoidea</i> Blakely	„ <i>eugenioides</i>	WHITE STRINGYBARK
„ <i>globulus</i> Labill.	„ <i>globulus</i>	SOUTHERN BLUE GUM
„ <i>gomphocephala</i> DC.	„ <i>gomphocephala</i>	TUART
„ <i>goniocalyx</i> F.v.M.	„ <i>goniocalyx</i>	MOUNTAIN GREY GUM

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Eucalyptus grandis</i> (W. Hill) Maid.	<i>Eucalyptus grandis</i>	ROSE GUM
„ <i>guilfoylei</i> Maid.	„ <i>guilfoylei</i>	YELLOW TINGLE
„ <i>gummifera</i> (Gaertn.) Hochr.	„ <i>corymbosa</i>	RED BLOODWOOD
„ <i>gunnii</i> Hook.	„ <i>gunnii</i>	CIDER GUM
„ <i>haemastoma</i> Sm.	„ <i>haemastoma</i>	SCRIBBLY GUM
„ <i>haematoxylon</i> Maid.	„ <i>haematoxylon</i>	mountain marri
„ <i>hemiphloia</i> F.v.M.	„ <i>hemiphloia</i>	GREY BOX
„ <i>jacksoni</i> Maid.	„ <i>jacksoni</i>	RED TINGLE
„ <i>johnstoni</i> Maid.	„ <i>johnstoni</i>	BROWN GUM
„ <i>kirtoniana</i> F.v.M.	„ <i>resinifera</i>	RED MAHOGANY
„ <i>largeana</i> Blakely & De Beuz.	„ <i>hemiphloia</i>	GREY BOX
„ <i>leucoxylon</i> F.v.M.	„ <i>leucoxylon</i>	YELLOW GUM
„ <i>lindleyana</i> DC.	„ <i>numerosa</i>	RIVER PEPPERMINT
„ <i>linearis</i> Dehn.	„ <i>linearis</i>	PEPPERMINT, WHITE
„ <i>longicornis</i> F.v.M.	„ <i>longicornis</i>	RED MORRELL
„ <i>longifolia</i> Link & Otto	„ <i>longifolia</i>	WOOLLYBUTT
„ <i>loxophleba</i> Benth.	„ <i>loxophleba</i>	YORK GUM
„ <i>macarthuri</i> Deane & Maid.	„ <i>macarthuri</i>	CAMDEN WOOLLYBUTT
„ <i>macrorrhyncha</i> F.v.M.	„ <i>macrorrhyncha</i>	RED STRINGYBARK
„ <i>maculata</i> Hook.	„ <i>maculata</i>	SPOTTED GUM
„ <i>maculosa</i> R. T. Bak.	„ <i>maculosa</i>	WHITE BRITTLE GUM
„ <i>maideni</i> F.v.M.	„ <i>maideni</i>	MAIDEN'S GUM
„ <i>major</i> Blakely	„ <i>punctata</i>	GREY GUM
„ <i>mannifera</i> (A. Cunn. Herb.) Mudie	„ <i>viminalis</i>	MANNA GUM
„ <i>marginata</i> Sm.	„ <i>marginata</i>	JARRAH
„ <i>megacarpa</i> F.v.M.	„ <i>megacarpa</i>	BULLICH
„ <i>melanophloia</i> F.v.M.	„ <i>melanophloia</i>	SILVER-LEAVED IRONBARK
„ <i>melanoxylon</i> Maid.	„ <i>melanoxylon</i>	BLACK MORRELL
„ <i>melliodora</i> A. Cunn.	„ <i>melliodora</i>	YELLOW BOX

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Eucalyptus nierantha</i> DC.	<i>Eucalyptus haemastoma</i>	SCRIBBLY GUM
„ <i>microcorys</i> F.v.M.	„ <i>microcorys</i>	TALLOWWOOD
„ <i>microtheca</i> F.v.M.	„ <i>microtheca</i>	COOLIBAH
„ <i>muelleriana</i> Howitt	„ <i>muelleriana</i>	YELLOW STRINGYBARK
„ <i>naudiniana</i> F.v.M.	„ <i>deglupta</i>	KAMARERE
„ <i>nitens</i> Maid.	„ <i>nitens</i>	SHINING GUM
„ <i>nova-anglica</i> Deane & Maid.	„ <i>nova-anglica</i>	NEW ENGLAND PEPPERMINT
„ <i>numerosa</i> Maid.	„ <i>numerosa</i>	RIVER PEPPERMINT
„ <i>obliqua</i> L'Herit.	„ <i>obliqua</i>	MESSMATE STRINGYBARK
„ <i>odorata</i> Behr & Schlecht.	„ <i>odorata</i>	scented mallee
„ <i>oleosa</i> F.v.M.	„ <i>oleosa</i>	RED MALLEE
„ <i>oreades</i> R. T. Bak.	„ <i>oreades</i>	Blue Mountains ash
„ <i>ovata</i> Labill.	„ <i>ovata</i>	SWAMP GUM
„ <i>pallidifolia</i> F.v.M.	„ <i>pallidifolia</i>	micum
„ <i>paniculata</i> Sm.	„ <i>paniculata</i>	GREY IRONBARK
„ <i>pauciflora</i> Sieb.	„ <i>coriacea</i>	WHITE SALLEE
„ <i>patens</i> Benth.	„ <i>patens</i>	W.A. BLACKBUTT
„ <i>pellita</i> F.v.M.	„ <i>resinifera</i>	RED MAHOGANY
„ <i>phellandra</i> R. T. Bak. & H. G. Smith	„ <i>phellandra</i>	N.S.W. MESSMATE
„ <i>pilligaensis</i> Maid.	„ <i>woollsiana</i>	NARROW-LEAVED BOX
„ <i>pilularis</i> Sm.	„ <i>pilularis</i>	BLACKBUTT
„ <i>piperita</i> Sm.	„ <i>piperita</i>	SYDNEY PEPPERMINT
„ <i>planchoniana</i> F.v.M.	„ <i>planchoniana</i>	Planchon's stringybark
„ <i>polyanthemos</i> Schau.	„ <i>polyanthemos</i>	RED BOX
„ <i>polybractea</i> R. T. Bak.	„ <i>polybractea</i>	BLUE MALLEE
„ <i>populifolia</i> Hook.	„ <i>populifolia</i>	BIMBIL BOX
„ <i>propinqua</i> Deane & Maid.	} „ <i>punctata</i>	GREY GUM
„ <i>propinqua</i> var. <i>major</i> Maid.		
„ <i>punctata</i> DC.		
„ <i>quadrangulata</i> Deane & Maid.	„ <i>quadrangulata</i>	WHITE-TOPPED BOX

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Eucalyptus racemosa</i> Cav.	<i>Eucalyptus crebra</i>	NARROW-LEAVED RED IRONBARK
„ <i>radiata</i> Sieb.	„ <i>phellandra</i>	N.S.W. MESSMATE
„ <i>radiata</i> Sieb. var. <i>australiana</i> Blakely	„ <i>australiana</i>	NARROW-LEAVED PEPPERMINT
„ <i>raveretiana</i> F.v.M.	„ <i>raveretiana</i>	BLACK IRONBOX
„ <i>redunca</i> Schau. var. <i>elata</i> Benth.	„ <i>redunca</i>	WANDOO
„ <i>regnans</i> F.v.M.	„ <i>regnans</i>	MOUNTAIN ASH
„ <i>resinifera</i> Sm.	„ <i>resinifera</i>	RED MAHOGANY
„ <i>robertsoni</i> Blakely	„ <i>phellandra</i>	N.S.W. MESSMATE
„ <i>robusta</i> Sm.	„ <i>robusta</i>	SWAMP MAHOGANY
„ <i>rostrata</i> Schlecht.	„ <i>rostrata</i>	RIVER RED GUM
„ <i>rubida</i> Deane & Maid.	„ <i>rubida</i>	CANDLEBARK
„ <i>rudderi</i> Maid.	„ <i>rudderi</i>	RUDDER'S BOX
„ <i>rudis</i> Endl.	„ <i>rudis</i>	W.A. FLOODED GUM
„ <i>rummeryi</i> Maid.	„ <i>rummeryi</i>	STEEL BOX
„ <i>salicifolia</i> Cav.	„ <i>amygdalina</i>	BLACK PEPPERMINT
„ <i>saligna</i> Sm.	„ <i>saligna</i>	SYDNEY BLUE GUM
„ <i>scabra</i> Dum-Cours	„ <i>eugenioides</i>	WHITE STRINGYBARK
„ <i>salmonophloia</i> F.v.M.	„ <i>salmonophloia</i>	SALMON GUM
„ <i>salubris</i> F.v.M.	„ <i>salubris</i>	GIMLET
„ <i>seeana</i> Maid.	„ <i>tereticornis</i>	FOREST RED GUM
„ <i>siderophloia</i> Benth.	„ <i>siderophloia</i>	BROAD-LEAVED RED IRONBARK
„ <i>sideroxylon</i> A. Cunn.	„ <i>sideroxylon</i>	RED IRONBARK
„ <i>sieberiana</i> F.v.M.	„ <i>sieberiana</i>	SILVERTOP ASH
„ <i>smithii</i> R. T. Bak.	„ <i>smithii</i>	GULLY GUM
„ <i>squamosa</i> Deane & Maid.	„ <i>squamosa</i>	scalybark
„ <i>staigeriana</i> F.v.M.	„ <i>staigeriana</i>	lemon-scented ironbark
„ <i>stellulata</i> Sieb.	„ <i>stellulata</i>	BLACK SALLEE
„ <i>stuartiana</i> F.v.M.	„ <i>stuartiana</i>	apple-box
„ <i>tereticornis</i> Sm.	„ <i>tereticornis</i>	FOREST RED GUM
„ <i>terminalis</i> F.v.M.	„ <i>terminalis</i>	pale bloodwood

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Eucalyptus tessellaris</i> F.v.M.	<i>Eucalyptus tessellaris</i>	CARBEEN
„ <i>thozetiana</i> F.v.M.	„ <i>thozetiana</i>	THOZET'S BOX
„ <i>todtiana</i> F.v.M.	„ <i>todtiana</i>	coast blackbutt
„ <i>torrelliana</i> F.v.M.	„ <i>torrelliana</i>	CADAGA
„ <i>trachyploia</i> F.v.M.	„ <i>trachyploia</i>	BROWN BLOODWOOD
„ <i>triantba</i> Link	„ <i>acmenioides</i>	WHITE MAHOGANY
„ <i>umbellata</i> (Gacm.) Domin	„ <i>tereticornis</i>	FOREST RED GUM
„ <i>viminalis</i> Labill.	„ <i>viminalis</i>	MANNA GUM
„ <i>viridis</i> R. T. Bak.	„ <i>viridis</i>	GREEN MALLEE
„ <i>wandoo</i> Blakely	„ <i>redunca</i>	WANDOO
„ <i>woollsiana</i> R. T. Bak.	„ <i>woollsiana</i>	NARROW-LEAVED BOX
<i>Eucarya spicata</i> (R.Br.) Sprague & Summ.	<i>Santalum spicatum</i>	SANDALWOOD
<i>Eucryphia billardieri</i> Spach	{ <i>Eucryphia billardieri</i>	LEATHERWOOD
„ <i>lucida</i> (Labill.) Baill.		
<i>Eugenia francisii</i> F. M. Bail.	<i>Eugenia francisii</i>	ROSE SATINASH
„ <i>gustavioides</i> F. M. Bail.	„ <i>gustavioides</i>	GREY SATINASH
„ <i>hemilampra</i> F.v.M.	„ <i>hemilampra</i>	white eungella gum
„ <i>kuranda</i> F. M. Bail.	„ <i>kuranda</i>	cherry satinash
„ <i>smithii</i> Poir.	„ <i>smithii</i>	lilly pilly
„ <i>ventenatii</i> Benth.	„ <i>ventenatii</i>	creek satinash
<i>Euroschinus falcatus</i> Hook.	<i>Euroschinus falcatus</i>	PINK POPLAR
<i>Evodia micrococca</i> F.v.M.	<i>Evodia micrococca</i>	white evodia
<i>Exocarpus cupressiformis</i> Labill.	<i>Exocarpus</i> cupressiformis	NATIVE CHERRY
<i>Flindersia acuminata</i> C. T. White	<i>Flindersia acuminata</i>	SILVER SILKWOOD
„ <i>australis</i> R.Br.	„ <i>australis</i>	CROW'S ASH
„ <i>bennettiana</i> F.v.M.	„ <i>bennettiana</i>	BENNETT'S ASH
„ <i>bourjotiana</i> F.v.M.	„ <i>bourjotiana</i>	QUEENSLAND SILVER ASH
„ <i>brayleyana</i> F.v.M.	{ „ <i>brayleyana</i>	QUEENSLAND MAPLE
„ <i>chatawaiana</i> F. M. Bail.		

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Flindersia collina</i> F. M. Bail.	<i>Flindersia collina</i>	leopard ash
„ <i>iffiaiana</i> F.v.M.	„ <i>iffiaiana</i>	HICKORY ASH
„ <i>laevicarpa</i> C. T. White & Francis	„ <i>laevicarpa</i>	SCENTED MAPLE
„ <i>maxlini</i> F. M. Bail.	„ <i>brayleyana</i>	QUEENSLAND MAPLE
„ <i>oxleyana</i> F.v.M.	„ <i>oxleyana</i>	YELLOWWOOD
„ <i>pimenteliana</i> F.v.M.	„ <i>brayleyana</i>	QUEENSLAND MAPLE
„ <i>pubescens</i> F. M. Bail.	„ <i>pubescens</i>	NORTHERN SILVER ASH
„ <i>schottiana</i> F.v.M.	„ <i>schottiana</i>	SOUTHERN SILVER ASH
„ <i>xanthoxyla</i> (A. Cunn.) Domin	„ <i>oxleyana</i>	YELLOWWOOD
<i>Fusanus acuminatus</i> R.Br.	<i>Fusanus acuminatus</i>	sweet quandong
„ <i>persicarius</i> F.v.M.	„ <i>persicarius</i>	bitter quandong
„ <i>spicatus</i> R.Br.	<i>Santalum spicatum</i>	SANDALWOOD
<i>Geijera parviflora</i> Lindl.	<i>Geijera parviflora</i>	WILGA
„ <i>salicifolia</i> Schott	„ <i>salicifolia</i>	green satinheart
<i>Geissois benthami</i> F.v.M.	<i>Geissois benthami</i>	BRUSH MAHOGANY
„ <i>lachnocarpa</i> Maid.	„ <i>lachnocarpa</i>	MARARIE
<i>Gmelina fasciculiflora</i> F.v.M.	} <i>Gmelina leichhardtii</i>	WHITE BEECH
„ <i>leichhardtii</i> F.v.M.		
„ <i>macrophylla</i> Benth.		
<i>Grevillea robusta</i> A. Cunn.	<i>Grevillea robusta</i>	SOUTHERN SILKY OAK
<i>Hakea leucoptera</i> R.Br.	<i>Hakea leucoptera</i>	NEEDLEWOOD
„ <i>vittata</i> R.Br.	„ <i>vittata</i>	striped hakea
<i>Halfordia drupifera</i> F.v.M.	} <i>Halfordia drupifera</i>	SAFFRON-HEART
„ <i>scleroxyla</i> F.v.M.		
<i>Harpullia pendula</i> Planch.	<i>Harpullia pendula</i>	TULIPWOOD
<i>Heterodendron oleaefolium</i> Des Fon.	<i>Heterodendron oleaefolium</i>	cattlebush
<i>Hibiscus tiliaceus</i> L.	<i>Hibiscus tiliaceus</i>	coast cottonwood
<i>Laportea gigas</i> Wedd.	<i>Laportea gigas</i>	FIBREWOD
„ <i>moroides</i> Wedd.	„ <i>moroides</i>	fibrewood

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Laportea photiniphylla</i> Wedd.	<i>Laportea photiniphylla</i>	fibrewood
<i>Leptospermum citratum</i> Cheel & Penfold	<i>Leptospermum citratum</i>	LEMON-SCENTED TEA-TREE
„ <i>flavescens</i> Sm.	„ <i>flavescens</i>	common tea-tree
„ <i>lanigerum</i> Sm.	„ <i>lanigerum</i>	woolly tea-tree
„ <i>liversidgei</i> R. T. Bak.	„ <i>liversidgei</i>	CITRON-SCENTED TEA-TREE
<i>Litsea ferruginea</i> Benth. & Hook. „ <i>reticulata</i> Benth.	} <i>Litsea reticulata</i>	BOLLYWOOD
<i>Lucuma galactoxylon</i> F.v.M.		
<i>Maba humilis</i> R.Br.	<i>Maba humilis</i>	QUEENSLAND EBONY
<i>Macadamia integrifolia</i> Maid. „ <i>ternifolia</i> F.v.M.	} <i>Macadamia ternifolia</i>	Australian nut
<i>Melaleuca alternifolia</i> Cheel		
„ <i>ericifolia</i> Sm.	„ <i>ericifolia</i>	NARROW-LEAVED PAPER-BARKED TEA-TREE swamp tea-tree
„ <i>leucadendron</i> L.	„ <i>leucadendron</i>	BROAD-LEAVED TEA-TREE
„ <i>linariifolia</i> Sm.	„ <i>linariifolia</i>	NARROW-LEAVED TEA-TREE
„ <i>stypelioides</i> Sm.	„ <i>stypelioides</i>	PRICKLY-LEAVED TEA-TREE
<i>Melia azedarach</i> L. var. <i>australasica</i> C.DC. „ <i>dubia</i> Cav.	} <i>Melia dubia</i>	WHITE CEDAR
<i>Musgravea stenostachya</i> F.v.M.		
<i>Myoporum platycarpum</i> R.Br.	<i>Myoporum platycarpum</i>	briar oak SUGARWOOD
<i>Nesodaphne obtusifolia</i> Benth.	<i>Beilschmiedia obtusifolia</i>	BLUSH WALNUT
<i>Normanbya muelleri</i> Becc. „ <i>normanbyi</i> F. M. Bail.	} <i>Normanbya normanbyi</i>	BLACK PALM
<i>Nothofagus cunninghamii</i> Oerst.		
„ <i>moorei</i> Maid.	„ <i>cunninghamii moorei</i>	MYRTLE BEECH NEGROHEAD BEECH
<i>Olearia argophylla</i> F.v.M.	<i>Olearia argophylla</i>	MUSK
<i>Orites excelsa</i> R.Br.	<i>Grevillea robusta</i>	SOUTHERN SILKY OAK
<i>Panax elegans</i> F.v.M.	<i>Panax elegans</i>	SILVER BASSWOOD
„ <i>murrayi</i> F.v.M.	„ <i>murrayi</i>	WHITE BASSWOOD

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Phebalium squameum</i> (Labill.) Engl.	<i>Phebalium squameum</i>	SATINBOX
<i>Phyllocladus asplenifolius</i> (Labill.) Hook.	} <i>Phyllocladus rhomboidalis</i>	CELERY-TOP PINE
„ <i>rhomboidalis</i> L. C. Rich.		
<i>Pinus caribaea</i> Morelet	<i>Pinus caribaea</i>	SLASH PINE
„ <i>halepensis</i> Mill.	„ <i>halepensis</i>	ALEPPO PINE
„ <i>insignis</i> Dougl.	„ <i>radiata</i>	RADIATA PINE
„ <i>laricio</i> Poir.	„ <i>laricio</i>	CORSICAN PINE
„ <i>muricata</i> D. Don	„ <i>muricata</i>	BISHOP PINE
„ <i>pinaster</i> Ait.	„ <i>pinaster</i>	MARITIME PINE
„ <i>ponderosa</i> Dougl.	„ <i>ponderosa</i>	WESTERN YELLOW PINE
„ <i>radiata</i> D. Don	„ <i>radiata</i>	RADIATA PINE
„ <i>taeda</i> L.	„ <i>taeda</i>	LOBLOLLY PINE
<i>Pittosporum rhombifolium</i> A. Cunn.	<i>Pittosporum rhombifolium</i>	WHITE HOLLY
<i>Pleiococca wilcoxiana</i> F.v.M.	<i>Pleiococca wilcoxiana</i>	silver aspen
<i>Plelogynium solandri</i> Engl.	<i>Plelogynium solandri</i>	TULIP PLUM
<i>Podocarpus amara</i> Bl.	<i>Podocarpus amara</i>	BLACK PINE
„ <i>elata</i> R.Br.	„ <i>elata</i>	BROWN PINE
<i>Protium australasicum</i> Sprague	<i>Bursera australasica</i>	BROWN CUDGERIE
<i>Pseudomorus brunoniana</i> Bur.	<i>Pseudomorus brunoniana</i>	WHITE HANDLEWOOD
<i>Quintinia sieberi</i> DC.	<i>Quintinia sieberi</i>	pink corkwood
<i>Rhizophora mucronata</i> Lam.	<i>Rhizophora mucronata</i>	red mangrove
<i>Rhodamnia argentea</i> Benth.	<i>Rhodamnia argentea</i>	silver malletwood
„ <i>trinervia</i> Bl.	„ <i>trinervia</i>	brown malletwood
<i>Rhodospaera rhodanthema</i> Engl.	<i>Rhodospaera rhodanthema</i>	TULIP SATINWOOD
<i>Santalum cygnorum</i> Miq.	<i>Santalum spicatum</i>	SANDALWOOD
„ <i>lanceolatum</i> R.Br.	„ <i>lanceolatum</i>	NORTHERN SANDALWOOD
„ <i>spicatum</i> R.Br.	„ <i>spicatum</i>	SANDALWOOD
<i>Sarcocephalus cordatus</i> Miq.	<i>Sarcocephalus cordatus</i>	CHEESEWOOD

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Schizomeria ovata</i> D. Don	<i>Schizomeria ovata</i>	WHITE BIRCH
<i>Sersalisia australis</i> (R.Br.) Domin	<i>Sideroxylon australe</i>	BLACK APPLE
" <i>galactoxylon</i> (F.v.M.) Domin	<i>Lucuma galactoxylon</i>	RED SILKWOOD
" <i>laurifolia</i> A. Rich.	<i>Sideroxylon richardi</i>	BLUSH COONDOO
" <i>pohlmanniana</i> Fr.	" <i>pohlmannianum</i>	YELLOW BOXWOOD
<i>Sideroxylon australe</i> Benth. & Hook.	" <i>australe</i>	BLACK APPLE
" <i>pohlmannianum</i> Benth. & Hook.	" <i>pohlmannianum</i>	YELLOW BOXWOOD
" <i>richardi</i> F.v.M.	" <i>richardi</i>	BLUSH COONDOO
<i>Siphonodon australe</i> Benth.	<i>Siphonodon australe</i>	IVORYWOOD
<i>Sloanea australis</i> F.v.M.	<i>Sloanea australis</i>	BLUSH ALDER
" <i>woollsii</i> F.v.M.	" <i>woollsii</i>	YELLOW CARABEEN
<i>Stenocarpus salignus</i> R.Br.	<i>Stenocarpus salignus</i>	RED SILKY OAK
" <i>sinuatus</i> Endl.	" <i>sinuatus</i>	WHITE OAK
<i>Sterculia acerifolia</i> A. Cann.	<i>Sterculia acerifolia</i>	flame kurrajong
" <i>diversifolia</i> G. Don	" <i>diversifolia</i>	KURRAJONG
<i>Symplocos spicata</i> Roxb. var. <i>australis</i> Benth.	<i>Symplocos spicata</i>	WHITE HAZELWOOD
<i>Syncarpia hillii</i> F. M. Bail.	<i>Syncarpia hillii</i>	SATINAY
" <i>laurifolia</i> Ten.	" <i>laurifolia</i>	TURPENTINE ¹ , LUSTER ¹
" <i>procerā</i> Salisb.		
" <i>subargentea</i> C. T. White	" <i>subargentea</i>	ironwood box
<i>Tarrietia actinophylla</i> F. M. Bail.	<i>Tarrietia actinophylla</i>	BLUSH TULIP OAK
" <i>argyrodendron</i> Benth.	" <i>argyrodendron</i>	BROWN TULIP OAK
" <i>argyrodendron</i> Benth. var. <i>peralata</i> F. M. Bail.	" <i>peralata</i>	RED TULIP OAK
<i>Tieghemopanax elegans</i> Viguier	<i>Panax elegans</i>	SILVER BASSWOOD
" <i>murrayi</i> Viguier	" <i>murrayi</i>	WHITE BASSWOOD
<i>Toona australis</i> F.v.M.	<i>Cedrela toona</i>	RED CEDAR
<i>Tristania conferta</i> R.Br.	<i>Tristania conferta</i>	BRUSH BOX
" <i>laurina</i> R.Br.	" <i>laurina</i>	KANUKA

¹ Both names have been standardised. The name LUSTER is to be used for dressed timber.

Botanical Name.	Standard Trade Reference Name.	Common Name (Standard trade names in capitals).
<i>Tristania suaveolens</i> Sm.	<i>Tristania suaveolens</i>	SWAMP BOX
<i>Villaresia moorei</i> F.v.M.	<i>Villaresia moorei</i>	SILKY BEECH
<i>Vitex lignum-vitae</i> A. Cunn.	<i>Vitex lignum-vitae</i>	yellow hollywood
<i>Weinmannia lachnocarpa</i> F.v.M.	<i>Geissois lachnocarpa</i>	MARARIE
<i>Xanthostemon chrysanthus</i> F.v.M.	<i>Xanthostemon chrysanthus</i>	BROWN PENDA
„ <i>oppositifolius</i> F. M. Bail.	„ <i>oppositifolius</i>	SOUTHERN PENDA
„ <i>pachyspermus</i> F.v.M.	„ <i>pachyspermus</i>	YELLOW PENDA
„ <i>pubescens</i> C. T. White	„ <i>pubescens</i>	RED PENDA
<i>Xylocarpus moluccensis</i> (Lam.) M. Roem.	<i>Carapa moluccensis</i>	cedar mangrove
<i>Xylomelum pyriforme</i> Knight	<i>Xylomelum pyriforme</i>	native pear

PART III.

COMMON NAMES AND THEIR CORRESPONDING STANDARD NAMES.

(Alphabetical index of common or local names for timbers and their corresponding Standard Trade Common Names and Standard Trade Reference Names.)

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Acacia cedar	SIRIS, RED	Albizzia toona
ALDER, BLUSH	ALDER, BLUSH	Sloanea australis
„ BROWN	„ BROWN	Ackama muelleri
„ ROSE	„ ROSE	„ quadrivalvis
Alder, rose	„ BROWN	„ muelleri
ALEPPO PINE	PINE, ALEPPO	Pinus halepensis
ALMOND, RED	ALMOND, RED	Alphitonia excelsa
ALPINE ASH	ASH, ALPINE	Eucalyptus gigantea
Antarctic beech	BEECH, NEGROHEAD	Nothofagus moorei
Apple, Argyle	STRINGYBARK, MEALY	Eucalyptus cinerea
APPLE, BLACK	APPLE, BLACK	Sideroxylon australe
Apple, black	BOXWOOD, YELLOW	„ pohlmannianum
„ narrow-leaved	—	Angophora bakeri
„ broad-leaved	—	„ subvelutina
APPLE, ROUGH-BARKED	APPLE, ROUGH-BARKED	„ intermedia
„ SMOOTH-BARKED	„ SMOOTH-BARKED	„ lanceolata
Apple box	—	Eucalyptus stuartiana
Apple-top gum	—	„ angophoroides
Argyle apple	STRINGYBARK, MEALY	„ cinerea
ASH, ALPINE	ASH, ALPINE	„ gigantea
„ BENNETT'S	„ BENNETT'S	Flindersia bennettiana
Ash, blueberry	QUANDONG, HARD	Elaeocarpus obovatus
„ „	„ SILVER	„ grandis
„ „	—	„ reticulatus
„ Blue Mountains	—	Eucalyptus oreades
„ bumpy	ASH, SILVER, SOUTHERN	Flindersia schottiana

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Ash, canary	WALNUT, YELLOW	<i>Beilschmiedia bancroftii</i>
„ coast	ASH, SILVERTOP	<i>Eucalyptus sieberiana</i>
ASH, CROW'S	„ CROW'S	<i>Flindersia australis</i>
Ash, gully	GUM, GULLY	<i>Eucalyptus smithii</i>
ASH, HICKORY	ASH, HICKORY	<i>Flindersia afflaiana</i>
Ash, leopard	—	„ collina
„ Moreton Bay	CARBEEN	<i>Eucalyptus tessellaris</i>
ASH, MOUNTAIN	ASH, MOUNTAIN	„ regnans
Ash, mountain (N.S.W.)	„ SILVERTOP	„ sieberiana
„ mountain, white	„ MOUNTAIN	„ regnans
ASH, NEW ENGLAND	„ NEW ENGLAND	„ andrewsi
„ NORTHERN SILVER	„ SILVER, NORTHERN	<i>Flindersia pubescens</i>
Ash, pigeonberry	MAPLE, ROSE	<i>Cryptocarya erythroxylon</i>
„ prickly	OAK, SILKY, SOUTHERN	<i>Grevillea robusta</i>
ASH, QUEENSLAND SILVER	ASH, SILVER, QUEENSLAND	<i>Flindersia bourjotiana</i>
Ash, red (N.S.W.)	ALMOND, RED	<i>Alphitonia excelsa</i>
„ red (Vic.)	ASH, ALPINE	<i>Eucalyptus gigantea</i>
„ rose	MAPLE, SCENTED	<i>Flindersia laeviscarpa</i>
ASH, SCRUB	ASH, SCRUB	<i>Elaeocarpus longifolius</i>
„ SILKY	„ SILKY	<i>Ehretia acuminata</i>
„ SILVER, NORTHERN	„ SILVER, NORTHERN	<i>Flindersia pubescens</i>
„ „ QUEENSLAND	„ „ QUEENSLAND	„ bourjotiana
„ „ SOUTHERN	„ „ SOUTHERN	„ schottiana
„ SILVERTOP	„ SILVERTOP	<i>Eucalyptus sieberiana</i>
„ WHITE	„ WHITE	„ fraxinoides
Ash, white (N.S.W.)	BIRCH, WHITE	<i>Schizomeria ovata</i>
„ white mountain	ASH, MOUNTAIN	<i>Eucalyptus regnans</i>
Aspen, silver	—	<i>Pleiococca wilcoxiana</i>
Australian nut	—	<i>Macadamia ternifolia</i>
Australian oak	(See Oak, Australian)	

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Australian walnut	WALNUT, QUEENSLAND	Endiandra palmerstoni
Axe-handle wood	HANDLEWOOD, WHITE	Pseudomorus brunoniana
BACKHOUSIA, LEMON-SCENTED	BACKHOUSIA, LEMON- SCENTED	Backhousia citriodora
Backhousia, narrow-leaved	—	„ angustifolia
Bailey stringybark	—	Eucalyptus baileyana
Ballart, cherry	CHERRY, NATIVE	Exocarpus cupressiformis
Bangalay	MAHOGANY, SOUTHERN	Eucalyptus botryoides
Banksia, red	—	Banksia serrata
BANKSIA, RIVER	BANKSIA, RIVER	„ verticillata
Banksia, silver	—	„ marginata
„ wallum	—	„ aemula
BANKSIA, WHITE	BANKSIA, WHITE	„ integrifolia
BARREL, BROWN	BARREL, BROWN	Eucalyptus fastigata
BASSWOOD, SILVER	BASSWOOD, SILVER	Panax elegans
„ WHITE	„ WHITE	„ murrayi
Beach shcoak	—	Casuarina equisetifolia
BEAN, BLACK	BEAN, BLACK	Castanospermum australe
Bean, red	MAHOGANY, BRUSH	Geissois benthami
„ red	„ MIVA	Dysoxylum muelleri
„ walnut	WALNUT, QUEENSLAND	Endiandra palmerstoni
„ white	SIRIS, WHITE	Ailanthus imberbiflora
„ yellow	„ YELLOW	Albizzia xanthoxylon
Beech, antarctic	BEECH, NEGROHEAD	Nothofagus moorei
„ brown	BOLLYWOOD	Litsea reticulata
„ „ (Q.)	PEPPERWOOD	Cinnamomum laubatii
„ „ (Q.)	SYCAMORE, SILVER	Cryptocarya glaucescens
„ Mazlin's	SILKWOOD, BOLLY	„ oblata
BEECH, MYRTLE	BEECH, MYRTLE	Nothofagus cunninghamii
„ NEGROHEAD	„ NEGROHEAD	„ moorei
Beech, Port Macquarie	POPLAR, PINK	Euroschinus falcatus

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Beech, red	MAPLE, QUEENSLAND	Flindersia brayleyana
„ shc	WALNUT, WHITE	Cryptocarya obovata
BEECH, SILKY	BEECH, SILKY	Villaresia moorei
„ WHITE	„ WHITE	Gmelina leichhardtii
Beefwood	OAK, SILKY, RED	Stenocarpus salignus
Beefwood, white	OAK, WHITE	Stenocarpus sinuatus
BELAH Belar	} BELAH	Casuarina cambagei
BENNETT'S ASH		Flindersia bennettiana
BIMBIL BOX	BOX, BIMBIL	Eucalyptus populifolia
Birch, cherry	BIRCH, WHITE	Schizomeria ovata
BIRCH, IVORY	„ IVORY	Baloghia lucida
„ WHITE	„ WHITE	Schizomeria ovata
BISHOP PINE	PINE, BISHOP	Pinus muricata
Bitter quandong	—	Fusanus persicarius
Black apple	(See Apple, black)	
BLACK BEAN	BEAN, BLACK	Castanospermum australe
BLACK BOX	BOX, BLACK	Eucalyptus bicolor
BLACK CYPRESS PINE	PINE, CYPRESS, BLACK	Callitris calcarata
Black gum	—	Eucalyptus aggregata
BLACK IRONBOX	IRONBOX, BLACK	„ raveretiana
Black kauri	KAURI, QUEENSLAND, NORTH	Agathis palmerstoni
Black kurrajong	KURRAJONG	Sterculia diversifolia
Black mangrove	—	Bruguiera rheedii
BLACK MORRELL	MORRELL, BLACK	Eucalyptus melanoxylon
Black myrtle	PERSIMMON, GREY	Diospyros pentamera
Black oak	SHEOAK, BLACK	Casuarina suberosa
BLACK PALM	PALM, BLACK	Normanbya normanbyi
Black penda	PENDA, BROWN	Xanthostemon chrysanthus
Black peppermint	(See Peppermint, black)	
BLACK PINE	PINE, BLACK	Podocarpus amara

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
BLACK SALLEE	SALLEE, BLACK	Eucalyptus stellulata
Black sassafras	CAMPHORWOOD	Cinnamomum oliveri
BLACK SHEOAK	SHEOAK, BLACK	Casuarina suberosa
<i>Black wattle</i>	(See Wattle, black)	
BLACKBUTT	BLACKBUTT	Eucalyptus pilularis
Blackbutt (N.S.W.)	BARREL, BROWN	" fastigata
Blackbutt, coast	—	" todiana
" grey	BLACKBUTT	" pilularis
" New England	ASH, NEW ENGLAND	" andrewsi
" pink	STRINGYBARK, WHITE	" eugenoides
BLACKBUTT, W.A.	BLACKBUTT, W.A.	" patens
Blackjack	OAK, TULIP, BLUSH	Tarrietia actinophylla
BLACKWOOD	BLACKWOOD	Acacia melanoxylon
Blanket leaf	—	Bedfordia salicina
Blood-in-the-bark	SYCAMORE, SATIN	Ceratopetalum
BLOODWOOD, BROWN	BLOODWOOD, BROWN	succubrum
Bloodwood, brush	BIRCH, IVORY	Eucalyptus trachyphloia
" carbeen	CARBEEN	Baloghia lucida
" pale	—	Eucalyptus tessellaris
BLOODWOOD, RED	BLOODWOOD, RED	" terminalis
Bloodwood, white	" BROWN	" corymbosa
BLOODWOOD, YELLOW	" YELLOW	" trachyphloia
Bloodwood, yellow	" BROWN	" eximia
Blue fig	QUANDONG, SILVER	" trachyphloia
<i>Blue gum</i>	(See Gum, blue)	Elaeocarpus grandis
BLUE MALLEE	MALLEE, BLUE	Eucalyptus polybractea
Blue Mountains ash	—	" oreades
BLUE-LEAVED STRINGYBARK	STRINGYBARK, BLUE-LEAVED	" agglomerata
<i>Blueberry ash</i>	(See Ash, blueberry)	
Blush, maiden's	ALDER, BLUSH	Sloanea australis

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Blush, maiden's	POPLAR, PINK	Euroschinus falcatus
BLUSH ALDER	} ALDER, BLUSH	Sloanea australis
Blush carrobean		
BLUSH COONDOO	COONDOO, BLUSH	Sideroxylon richardi
Blush cudgerie	POPLAR, PINK	Euroschinus falcatus
BLUSH TULIP OAK	OAK, TULIP, BLUSH	Tarrietia actinophylla
BLUSH WALNUT	WALNUT, BLUSH	Beilschmiedia
Bollygum	BOLLYWOOD	obtusifolia Litsea reticulata
Bollygum, hard	WALNUT, BLUSH	Beilschmiedia
„ northern	BUTTERNUT, ROSE	obtusifolia
BOLLY SILKWOOD	SILKWOOD, BOLLY	Blepharocarya involuticratera
BOLLYWOOD	} BOLLYWOOD	Cryptocarya oblata
Bollywood, brown		Litsea reticulata
Booyong	OAK, TULIP, BROWN	Tarrietia argyrodendron
Boree	MYALL	Acacia pendula
Bosisto's box	BOX, GREY, COAST	Eucalyptus bosistoana
Bottle-brush, red	—	Callistemon viminalis
Box, apple	—	Eucalyptus stuartiana
BOX, BIMBIL	BOX, BIMBIL	„ populifolia
„ BLACK	„ BLACK	„ bicolor
Box, brown	„ STEEL	„ rummeryi
BOX, BRUSH	„ BRUSH	Tristania conferta
„ COAST GREY	„ GREY, COAST	Eucalyptus bosistoana
Box, flooded	COOLIBAH	„ microtheca
BOX, FUZZY	BOX, FUZZY	„ baueriana
Box, Gippsland grey	„ GREY, COAST	„ bosistoana
BOX, GREY	„ GREY	„ hemiphloia
Box, grey	„ WHITE-TOPPED	„ quadrangulata
„ „	„ STEEL	„ rummeryi
BOX, GREY, COAST	} GREY, COAST	„ bosistoana
Box, grey, Gippsland		

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Box, gum-topped	BOX, GREY	<i>Eucalyptus hemiphloia</i>
„ ironwood	—	<i>Syncarpia subargentea</i>
„ kanuka	KANUKA	<i>Tristania laurina</i>
BOX, LONG-LEAVED	BOX, LONG-LEAVED	<i>Eucalyptus elaeophora</i>
BOX, NARROW-LEAVED	„ NARROW-LEAVED	„ <i>woollsiana</i>
Box, poplar	„ BIMBIL	„ <i>populifolia</i>
BOX, RED	„ RED	„ <i>polyanthemosa</i>
Box, river	„ BLACK	„ <i>bicolor</i>
„ round-leaved	„ FUZZY	„ <i>baueriana</i>
BOX, RUDDER'S	„ RUDDER'S	„ <i>rudderi</i>
Box, scrub	„ BRUSH	<i>Tristania conferta</i>
BOX, STEEL	„ STEEL	<i>Eucalyptus rummeryi</i>
„ SWAMP	„ SWAMP	<i>Tristania suaveolens</i>
„ THOZET'S	„ THOZET'S	<i>Eucalyptus thozetiana</i>
„ WHITE	„ WHITE	„ <i>albens</i>
„ WHITE-TOPPED	„ WHITE-TOPPED	„ <i>quadrangulata</i>
„ YELLOW	„ YELLOW	„ <i>meliiodora</i>
Box, yellow (N.S.W.)	„ STEEL	„ <i>rummeryi</i>
BOXWOOD, ORANGE	BOXWOOD, ORANGE	<i>Celastrus dispermus</i>
„ YELLOW	„ YELLOW	<i>Sideroxylon pohlmannianum</i>
Briar oak	—	<i>Musgravea stenostachya</i>
BRIGALOW Brigalow spearwood }	BRIGALOW	<i>Acacia harpophylla</i>
BRITTLE GUM, WHITE	GUM, BRITTLE, WHITE	<i>Eucalyptus maculosa</i>
Broad-leaved apple	—	<i>Angophora subvelutina</i>
Broad-leaved ironbark BROAD-LEAVED RED IRONBARK }	IRONBARK, RED, BROAD-LEAVED	<i>Eucalyptus siderophloia</i>
BROAD-LEAVED PEPPERMINT	PEPPERMINT, BROAD-LEAVED	„ <i>dives</i>
Broad-leaved sallee	GUM, SWAMP	„ <i>ovata</i>
BROAD-LEAVED TEA-TREE	TEA-TREE, BROAD-LEAVED	<i>Melaleuca leucadendron</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
BROWN ALDER	ALDER, BROWN	Ackama muelleri
BROWN BARREL	BARREL, BROWN	Eucalyptus fastigata
<i>Brown beech</i>	(See <i>Beech, brown</i>)	
BROWN BLOODWOOD	BLOODWOOD, BROWN	Eucalyptus trachyphloia
Brown bollywood	BOLLYWOOD	Litsea reticulata
Brown box	BOX, STEEL	Eucalyptus rummeryi
BROWN CUDGERIE	CUDGERIE, BROWN	Bursera australasica
BROWN GUM	GUM, BROWN	Eucalyptus johnstoni
BROWN MALLET	MALLET, BROWN	„ astringens
Brown malletwood	—	Rhodamnia trinervia
BROWN PENDA	PENDA, BROWN	Xanthostemon chrysanthus
BROWN PINE	PINE, BROWN	Podocarpus elata
Brown quandong	—	Elaeocarpus coorangooloo
BROWN SALWOOD	SALWOOD, BROWN	Acacia aulacocarpa
Brown spearwood	—	„ rhodoxylon
BROWN STRINGY- BARK	STRINGYBARK, BROWN	Eucalyptus capitellata
Brown tea-tree	TEA-TREE, BROAD-LEAVED	Melaleuca leucadendron
BROWN TULIP OAK	OAK, TULIP, BROWN	Tarrietia argyrodendron
Brown-top stringybark	STRINGYBARK, MESSMATE	Eucalyptus obliqua
Brush bloodwood	BIRCH, IVORY	Baloghia lucida
BRUSH BOX	BOX, BRUSH	Tristania conferta
BRUSH CYPRESS PINE	PINE, CYPRESS, BRUSH	Callitris macleayana
BRUSH MAHOGANY	MAHOGANY, BRUSH	Geissois benthami
Budda	SANDALBOX	Eremophila mitchelli
Bull kauri	KAURI, QUEENSLAND, NORTH	Agathis palmerstoni
Bull pine		
<i>Bull oak</i>	(See <i>Oak, bull</i>)	
BULLICH	BULLICH	Eucalyptus megacarpa
Bumpy ash	ASH, SILVER, SOUTHERN	Flindersia schottiana
Bundy	BOX, LONG-LEAVED	Eucalyptus elaeophora
BUNYA PINE	PINE, BUNYA	Araucaria bidwilli
Burdekin plum	PLUM, TULIP	Pleiogynium solandri

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
But but	—	<i>Eucalyptus bridgesiana</i>
BUTTERNUT, ROSE	BUTTERNUT, ROSE	<i>Blepharocarya involucrigera</i>
CABBAGE GUM	GUM, CABBAGE	<i>Eucalyptus amplifolia</i>
CADAGA	CADAGA	<i>Eucalyptus torrelliana</i>
Cairns hickory	ASH, HICKORY	<i>Flindersia ifflaiana</i>
Cairns pencil cedar	SILKWOOD, RED	<i>Lucuma galactoxylon</i>
CALEDONIAN OAK	OAK, CALEDONIAN	<i>Carnarvonnia araliaefolia</i>
CAMDEN	WOOLLYBUTT, CAMDEN	<i>Eucalyptus macarthuri</i>
WOOLLYBUTT		<i>Cinnamomum oliveri</i>
CAMPHORWOOD	CAMPHORWOOD	<i>Beilschmiedia bancroftii</i>
Canary ash	WALNUT, YELLOW	<i>Doryphora sassafras</i>
Canary sassafras	SASSAFRAS	<i>Eucalyptus rubida</i>
CANDLEBARK	CANDLEBARK	<i>Alcurites moluccana</i>
CANDLENUT	} CANDLENUT	<i>Elaeocarpus obovatus</i>
Candlenut siris		<i>Sloanea woollsii</i>
Carabeen, grey	QUANDONG, HARD	<i>Eucalyptus tessellaris</i>
CARABEEN, YELLOW	CARABEEN, YELLOW	<i>Sloanea australis</i>
CARBEEN	} CARBEEN	„ woollsii
Carbeen bloodwood		<i>Geissois benthami</i>
Carrobean, bluish	ALDER, BLUSH	<i>Backhousia myrtifolia</i>
„ grey	CARABEEN, YELLOW	<i>Heterodendron oleaefolium</i>
„ red	MAHOGANY, BRUSH	<i>Albizzia toona</i>
Carrol ironwood	IRONWOOD	<i>Lucuma galactoxylon</i>
Cattlebush	—	<i>Geissois benthami</i>
Cedar, acacia	SIRIS, RED	<i>Ackama muelleri</i>
„ Cairns pencil	SILKWOOD, RED	„ quadrivalvis
„ mountain	MAHOGANY, BRUSH	<i>Panax elegans</i>
„ pencil	ALDER, BROWN	„ mutrayi
„ „ (Q.)	„ ROSE	<i>Lucuma galactoxylon</i>
„ „	BASSWOOD, SILVER	
„ „	„ WHITE	
„ pencil, Cairns	SILKWOOD, RED	

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
CEDAR, RED	CEDAR, RED	<i>Cedrela toona</i>
" WHITE	" WHITE	<i>Melia dubia</i>
Cedar, yellow	SATINWOOD, TULIP	<i>Rhodospaera rhodanthema</i>
Cedar mangrove	—	<i>Carapa moluccensis</i>
Cedar wattle	WATTLE, CEDAR	<i>Acacia elata</i>
CELERY-TOP PINE	PINE, CELERY-TOP	<i>Phyllocladus rhomboidalis</i>
Celerywood	BASSWOOD, SILVER	<i>Panax elegans</i>
CHEESEWOOD, WHITE	CHEESEWOOD, WHITE	<i>Alstonia scholaris</i>
Cheesewood, yellow	CHEESEWOOD	<i>Sarcocephalus cordatus</i>
CHERRY, NATIVE	CHERRY, NATIVE	Exocarpus cupressiformis
Cherry, wild		
Cherry ballart		
Cherry birch	BIRCH, WHITE	<i>Schizomeria ovata</i>
Cherry satinash	—	<i>Eugenia kuranda</i>
Churnwood	ASH, SILKY	<i>Ehretia acuminata</i>
CIDER GUM	GUM, CIDER	<i>Eucalyptus gunnii</i>
CITRON-SCENTED TEA-TREE	TEA-TREE, CITRON-SCENTED	<i>Leptospermum liversidgei</i>
Coachwood	SATINWOOD, SCENTED	<i>Ceratopetalum apetalum</i>
Coast ash	ASH, SILVERTOP	<i>Eucalyptus sieberiana</i>
Coast blackbutt	—	" <i>todtiana</i>
Coast cottonwood	—	<i>Hibiscus tiliaceus</i>
COAST CYPRESS PINE	PINE, CYPRESS, COAST	<i>Callitris columellaris</i>
COAST GREY BOX	BOX, GREY, COAST	<i>Eucalyptus bosistoana</i>
Coast honeysuckle	BANKSIA, WHITE	<i>Banksia integrifolia</i>
COAST MYALL	MYALL, COAST	<i>Acacia glaucescens</i>
Colonial pine	PINE, HOOP	<i>Araucaria cunninghamii</i>
Common tea-tree	—	<i>Leptospermum flavescens</i>
Cooktown ironwood	—	<i>Erythrophloeum laboucherii</i>
Coolabah	COOLIBAH, WESTERN	<i>Eucalyptus coolabah</i>
COOLIBAH	COOLIBAH	" <i>microtheca</i>
COOLIBAH, WESTERN	COOLIBAH, WESTERN	" <i>coolabah</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
COONDOO, BLUSH	COONDOO, BLUSH	Sideroxylon richardi
COOTAMUNDRA	WATTLE, COOTAMUNDRA	Acacia baileyana
WATTLE Corduroy (N.S.W.)	BEECH, SILKY	Villaresia moorei
„ (Q.)	—	Cryptocarya corrugata
Corkwood	ALDER, BROWN	Ackama muelleri
„ (N.S.W.)	WALNUT, PINK	Endiandra sieberi
CORKWOOD, GREY	CORKWOOD, GREY	Erythrina vespertilio
Corkwood, pink	—	Quintinia sieberi
CORSICAN PINE	PINE, CORSICAN	Pinus laricio
Cottonwood, coast	—	Hibiscus tiliaceus
Crabapple	BIRCH, WHITE	Schizomeria ovata
Creek satinash	—	Eugenia ventenatii
CROW'S ASH	ASH, CROW'S	Flindersia australis
Crowsfoot, red	OAK, TULIP, RED	Tarrietia peralata
Crowsfoot elm	OAK, TULIP, BROWN	„ argyrodendron
Cudgerie	ASH, SILVER, SOUTHERN	Flindersia schottiana
Cudgerie, blush	POPLAR, PINK	Euroschinus falcatus
CUDGERIE, BROWN	CUDGERIE, BROWN	Bursera australasica
Cuttail	BARREL, BROWN	Eucalyptus fastigata
Cypress, sand	PINE, CYPRESS, COAST	Callitris columellaris
Cypress pine	(See Pine, cypress)	
Dead finish	MESSMATE, GYMPIE	Eucalyptus cloeziana
Deal, golden	SASSAFRAS	Doryphora sassafras
Dorrigo pine	PINE, HOOP	Araucaria cunninghamii
DROOPING SHEOAK	SHEOAK, DROOPING	Casuarina stricta
Early black wattle	WATTLE, GREEN, SYDNEY	Acacia decurrens
Ebony, native	EBONY, QUEENSLAND	Maba humilis
EBONY,		Tarrietia argyrodendron
QUEENSLAND }		Aphananthe philippinensis
Elm, crowsfoot	OAK, TULIP, BROWN	
„ native	HANDLEWOOD, GREY	

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Eumung	—	<i>Acacia stenophylla</i>
Eungella gum, white	—	<i>Eugenia hemilampra</i>
Eurabbie	GUM, BLUE, SOUTHERN	<i>Eucalyptus globulus</i>
Evodia, white	—	<i>Evodia micrococca</i>
Feathertop	ALDER, ROSE	<i>Ackama quadrivalvis</i>
Fern-leaved wattle	—	<i>Acacia filicifolia</i>
Ferny wattle	—	„ <i>arundelliana</i>
FIBREWOOD	FIBREWOOD	<i>Laportea gigas</i>
Fibrewood	—	„ <i>moroides</i>
„	—	„ <i>photiniphylla</i>
Fig, blue	QUANDONG, SILVER	<i>Elaeocarpus grandis</i>
Flame kurrajong	—	<i>Sterculia acerifolia</i>
Flame sheoak	—	<i>Casuarina inophloia</i>
Flindosa	ASH, CROW'S	<i>Flindersia australis</i>
Flooded box	COOLIBAH	<i>Eucalyptus microtheca</i>
<i>Flooded gum</i>	(<i>See Gum, flooded</i>)	
Forst oak	SHEOAK, ROSE	<i>Casuarina torulosa</i>
FOREST RED GUM	GUM, RED, FOREST	<i>Eucalyptus tereticornis</i>
Fraser Island turpentine	SATINAY	<i>Syncarpia hillii</i>
Fuzzy box	—	<i>Eucalyptus bauieriana</i>
Ghittoe	SAFFRON-HEART	<i>Halfordia drupifera</i>
Giant mallee	MALLEE, RED	<i>Eucalyptus oleosa</i>
GIDGEE	} GIDGEE	<i>Acacia cambagei</i>
Gidgee spearwood		
GIMLET	GIMLET	<i>Eucalyptus salubris</i>
GIMLET, SILVER-TOPPED	GIMLET, SILVER-TOPPED	„ <i>campaspe</i>
Gippsland grey box	BOX, GREY, COAST	„ <i>bosistoana</i>
Gippsland mahogany	MAHOGANY, SOUTHERN	„ <i>botryoides</i>
Golden deal	SASSAFRAS	<i>Doryphora sassafras</i>
<i>Golden wattle</i>	(<i>See Wattle, golden</i>)	

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
GREEN MALLEE	MALLEE, GREEN	<i>Eucalyptus viridis</i>
Green satinheart	—	<i>Geijera salicifolia</i>
<i>Green wattle</i>	(<i>See Wattle, green</i>)	
Greenheart	WILGA	<i>Geijera parviflora</i>
GREENHEART, QUEENSLAND	GREENHEART, QUEENSLAND	<i>Endiandra compressa</i>
Grey blackbutt	BLACKBUTT	<i>Eucalyptus pilularis</i>
<i>Grey box</i>	(<i>See Box, grey</i>)	
Grey carabeen	QUANDONG, HARD	<i>Elaeocarpus obovatus</i>
Grey carrobean	CARABEEN, YELLOW	<i>Sloanea woollsii</i>
GREY CORKWOOD	CORKWOOD, GREY	<i>Erythrina vespertilio</i>
<i>Grey gum</i>	(<i>See Gum, grey</i>)	
GREY HANDLEWOOD	HANDLEWOOD, GREY	<i>Aphananthe philippinensis</i>
GREY IRONBARK	IRONBARK, GREY	<i>Eucalyptus paniculata</i>
GREY MANGROVE	MANGROVE, GREY	<i>Avicennia officinalis</i>
Grey myrtle	IRONWOOD	<i>Backhousia myrtifolia</i>
GREY PERSIMMON } Grey plum	PERSIMMON, GREY	<i>Diospyros pentamera</i>
GREY SATINASH	SATINASH, GREY	<i>Eugenia gustavioides</i>
Grey teak	BEECH, WHITE	<i>Gmelina leichhardtii</i>
Grey walnut	—	<i>Beilschmiedia elliptica</i>
Gully ash	GUM, GULLY	<i>Eucalyptus smithii</i>
GULLY GUM }		
Gum, apple-top	—	„ <i>angophoroides</i>
„ black	—	„ <i>aggregata</i>
„ blue (Tas., Vic.)	GUM, BLUE, SOUTHERN	„ <i>globulus</i>
„ „ (N.S.W.)	„ BLUE, SYDNEY	„ <i>saligna</i>
„ „ (Vic.)	„ MAIDEN'S	„ <i>maideni</i>
„ „ (Q'ld.)	„ RED, FOREST	„ <i>tereticornis</i>
„ „ (Q'ld.)	„ RED, RIVER	„ <i>rostrata</i>
„ „ (S.A.)	„ YELLOW	„ <i>leucoxydon</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
GUM, BLUE, SOUTHERN	GUM, BLUE, SOUTHERN	<i>Eucalyptus globulus</i>
Gum, blue, spotted	" MAIDEN'S	" maideni
GUM, BLUE, SYDNEY	" BLUE, SYDNEY	" saligna
Gum, blue, Tasmanian	" " SOUTHERN	" globulus
GUM, BRITTLE, WHITE	" BRITTLE, WHITE	" maculosa
" BROWN	" BROWN	" johnstoni
" CABBAGE	" CABBAGE	" amplifolia
" CIDER	" CIDER	" gunnii
Gum, Eungella, white	—	<i>Eugenia hemilampra</i>
" flooded	GUM, ROSE	<i>Eucalyptus grandis</i>
" flooded	—	" benthami
GUM, FLOODED, W.A.	GUM, FLOODED, W.A.	" rudis
" FOREST RED	" RED, FOREST	" tereticornis
" GREY	" GREY	" punctata
" GREY, MOUNTAIN	" GREY, MOUNTAIN	" goniocalyx
" GULLY	" GULLY	" smithii
Gum, Johnston's	" BROWN	" johnstoni
" lemon-scented	" SPOTTED	" maculata
GUM, MAIDEN'S	" MAIDEN'S	" maideni
" MANNA	" MANNA	" viminalis
" MOUNTAIN	" MOUNTAIN	" dalcympleana
Gum, mountain } GUM, MOUNTAIN GREY }	" GREY, MOUNTAIN	" goniocalyx
Gum, Murray red	" RED, RIVER	" rostrata
GUM, PINK	" PINK	" fasciculosa
Gum, red (W.A.)	MARRI	" calophylla
GUM, RED, FOREST	GUM, RED, FOREST	" tereticornis
Gum, red, Murray } GUM, RED, RIVER }	" RED, RIVER	" rostrata
Gum, ribbon	CANDLEBARK	" rubida
" "	GUM, MANNA	" viminalis

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Gum, ribbon	GUM, SHINING	<i>Eucalyptus nitens</i>
GUM, RIVER RED	GUM, RED, RIVER	" <i>rostrata</i>
" ROSE	" ROSE	" <i>grandis</i>
" ROUND-LEAVED	" ROUND-LEAVED	" <i>deanei</i>
Gum, rusty	APPLE, ROUGH-BARKED	<i>Angophora intermedia</i>
GUM, SALMON	GUM, SALMON	<i>Eucalyptus salmonophloia</i>
" SCRIBBLY	" SCRIBBLY	" <i>haemastoma</i>
" SHINING	" SHINING	" <i>nitens</i>
Gum, silver	—	" <i>dealbata</i>
" snappy	GUM, SCRIBBLY	" <i>haemastoma</i>
" snow	SALLEE, WHITE	" <i>coriacea</i>
GUM, SOUTHERN BLUE	GUM, BLUE, SOUTHERN	" <i>globulus</i>
" SPOTTED	" SPOTTED	" <i>maculata</i>
Gum, spotted blue	" MAIDEN'S	" <i>maideni</i>
" stringy	ASH, MOUNTAIN	" <i>regnans</i>
GUM, SUGAR	GUM, SUGAR	" <i>cladocalyx</i>
" SWAMP	" SWAMP	" <i>ovata</i>
Gum, swamp (Tas.)	ASH, MOUNTAIN	" <i>regnans</i>
GUM, SYDNEY BLUE	GUM, BLUE, SYDNEY	" <i>saligna</i>
Gum, Tasmanian blue	" BLUE, SOUTHERN	" <i>globulus</i>
" Timor white	—	" <i>alba</i>
GUM, W.A. FLOODED	GUM, FLOODED, W.A.	" <i>rudis</i>
Gum, white	CANDLEBARK	" <i>rubida</i>
" " (Tas.)	GUM, MANNA	" <i>viminialis</i>
" "	" SCRIBBLY	" <i>haemastoma</i>
" "	—	" <i>dunnii</i>
" white (W.A.)	WANDOO	" <i>redunca</i>
" white, Timor	—	" <i>alba</i>
" white brittle	—	" <i>maculosa</i>
" white Eungella	—	<i>Eugenia hemilampra</i>
GUM, YELLOW	GUM, YELLOW	<i>Eucalyptus leucoxylon</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
GUM, YORK	GUM, YORK	<i>Eucalyptus loxophleba</i>
GUM-TOP IRONBARK	IRONBARK, GUM-TOP	" <i>decorticans</i>
Gum-top stringybark	ASH, ALPINE	" <i>gigantea</i>
Gum-topped box	BOX, GREY	" <i>hemiphloia</i>
GYMPIE MESSMATE	MESSMATE, GYMPIE	" <i>cloeziana</i>
Hakea, striped	—	<i>Hakea vittata</i>
HANDLEWOOD, GREY	HANDLEWOOD, GREY	<i>Aphananthe philippinensis</i>
" WHITE	" WHITE	<i>Pseudomorus brunoniana</i>
Hard bollygum	WALNUT, BLUSH	<i>Beilschmiedia obtusifolia</i>
HARD QUANDONG	QUANDONG, HARD	<i>Elaeocarpus obovatus</i>
HARDWOOD, JOHNSTONE RIVER	HARDWOOD, JOHNSTONE RIVER	<i>Backhousia bancroftii</i>
Hardwood, Luya's	PENDA, SOUTHERN	<i>Xanthostemon oppositifolius</i>
HAZELWOOD, WHITE	HAZELWOOD, WHITE	<i>Symplocos spicata</i>
Hickory, Cairns	ASH, HICKORY	<i>Flindersia iffaiiana</i>
" mountain	WATTLE, HICKORY	<i>Acacia penninervis</i>
HICKORY ASH	ASH, HICKORY	<i>Flindersia iffaiiana</i>
HICKORY WATTLE	WATTLE, HICKORY	<i>Acacia penninervis</i>
HOLLY, WHITE	HOLLY, WHITE	<i>Pittosporum rhombifolium</i>
Hollywood, yellow	—	<i>Vitex lignum-vitae</i>
Honeysuckle, coast } " white }	BANKSIA, WHITE	<i>Banksia integrifolia</i>
HOOP PINE	PINE, HOOP	<i>Araucaria cunninghamii</i>
HORIZONTAL	HORIZONTAL	<i>Anodopetalum biglandulosum</i>
HUON PINE	PINE, HUON	<i>Dacrydium franklinii</i>
Insignis pine	PINE, RADIATA	<i>Pinus radiata</i>
Ironbark (Tas.)	ASH, SILVERTOP	<i>Eucalyptus sieberiana</i>
Ironbark, black	—	" <i>raveretiana</i>
Ironbark, broad-leaved } IRONBARK, BROAD-LEAVED RED }	IRONBARK, RED, BROAD-LEAVED	" <i>siderophloia</i>
IRONBARK, GREY	" GREY	" <i>paniculata</i>
" GUM-TOP	" GUM-TOP	" <i>decorticans</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Ironbark, lemon-scented	—	<i>Eucalyptus staigeriana</i>
Ironbark, narrow-leaved } IRONBARK, NARROW-LEAVED RED	IRONBARK, RED, NARROW-LEAVED	<i>Eucalyptus crebra</i>
IRONBARK, RED	„ RED	„ <i>sideroxylon</i>
„ BROAD-LEAVED	„ RED, BROAD-LEAVED	„ <i>siderophloia</i>
IRONBARK, RED, NARROW-LEAVED	„ RED, NARROW-LEAVED	„ <i>crebra</i>
Ironbark, scrub	—	<i>Bridelia exaltata</i>
IRONBARK, SILVER-LEAVED	IRONBARK, SILVER-LEAVED	<i>Eucalyptus</i>
Ironbark, Thozet's	BOX, THOZET'S	„ <i>melanophloia thozetiana</i>
„ white	GUM, YELLOW	„ <i>leucoxylon</i>
IRONBOX, BLACK	IRONBOX, BLACK	„ <i>raveretiana</i>
IRONWOOD	IRONWOOD	<i>Backhousia myrtifolia</i>
Ironwood, Carrol		
„ Cooktown		<i>Erythrophloeum laboucherii</i>
„ lemon	BACKHOUSIA, LEMON-SCENTED	<i>Backhousia citriodora</i>
Ironwood box	—	<i>Syncarpia subargentea</i>
Ironwood wattle	—	<i>Acacia excelsa</i>
IVORY BIRCH	BIRCH, IVORY	<i>Baloghia lucida</i>
IVORYWOOD	IVORYWOOD	<i>Siphonodon australe</i>
Jackwood	SYCAMORE, SILVER	<i>Cryptocarya glaucescens</i>
JAM, RASPBERRY	JAM, RASPBERRY	<i>Acacia acuminata</i>
JARRAH	JARRAH	<i>Eucalyptus marginata</i>
JOHNSTONE RIVER HARDWOOD	HARDWOOD, JOHNSTONE RIVER	<i>Backhousia bancroftii</i>
Johnston's gum	GUM, BROWN	<i>Eucalyptus johnstoni</i>
KAMARERE	KAMARERE	„ <i>deglupta</i>
KANUKA	KANUKA	<i>Tristania laurina</i>
Kanuka box		
KARRI	KARRI	<i>Eucalyptus diversicolor</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Kauri, black or bull KAURI, QUEENS- LAND, NORTH }	KAURI, QUEENSLAND, NORTH	<i>Agathis palmerstoni</i>
„ „ SOUTH	„ „ SOUTH	„ <i>robusta</i>
King Billy pine KING WILLIAM PINE }	PINE, KING WILLIAM	<i>Athrotaxis selaginoides</i>
KLINKI PINE	„ KLINKI	<i>Araucaria klinkii</i>
KURRAJONG }	KURRAJONG	<i>Sterculia diversifolia</i>
Kurrajong, black		
„ flame	—	„ <i>acerifolia</i>
Lancewood	—	<i>Acacia doratoxylon</i>
„ (Tas.)	SATINBOX	<i>Phebalium squameum</i>
„ red	—	<i>Albizzia basaltica</i>
LEATHERWOOD	LEATHERWOOD	<i>Eucryphia billardieri</i>
Leichhardt's pine	CHEESEWOOD	<i>Sarcocephalus cordatus</i>
Lemon ironwood LEMON-SCENTED BACKHOUSIA }	BACKHOUSIA, LEMON- SCENTED	<i>Backhousia citriodora</i>
Lemon-scented gum	GUM, SPOTTED	<i>Eucalyptus maculata</i>
Lemon-scented ironbark	—	„ <i>staigeriana</i>
LEMON-SCENTED TEA-TREE	TEA-TREE, LEMON-SCENTED	<i>Leptospermum citratum</i>
Leopard ash	—	<i>Flindersia collina</i>
LIGHTWOOD	LIGHTWOOD	<i>Acacia implexa</i>
Lilly pilly	—	<i>Eugenia smithii</i>
LOBLOLLY PINE	PINE, LOBLOLLY	<i>Pinus taeda</i>
LONG-LEAVED BOX	BOX, LONG-LEAVED	<i>Eucalyptus elaeophora</i>
Longjack	YELLOWWOOD	<i>Flindersia oxleyana</i>
LUSTER	LUSTER	<i>Syncarpia laurifolia</i>
Luya's hardwood	PENDA, SOUTHERN	<i>Xanthostemon oppositifolius</i>
Macquarie maple	SILKWOOD, BOLLY	<i>Cryptocarya oblata</i>
MAHOGANY, BRUSH	MAHOGANY, BRUSH	<i>Geissois benthami</i>
Mahogany, Gippsland	„ SOUTHERN	<i>Eucalyptus botryoides</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
MAHOGANY, MIVA	MAHOGANY, MIVA	Dysoxylum muelleri
„ RED	„ RED	Eucalyptus resinifera
„ ROSE	„ ROSE	Dysoxylum fraserianum
Mahogany, rose (Vic.)	SATINWOOD, SCENTED	Ceratopetalum apetalum
MAHOGANY, SOUTHERN	MAHOGANY, SOUTHERN	Eucalyptus botryoides
„ SPUR	„ SPUR	Dysoxylum pettigrewianum
„ SWAMP	„ SWAMP	Eucalyptus robusta
Mahogany, swamp	BOX, SWAMP	Tristania suaveolens
MAHOGANY, WHITE	MAHOGANY, WHITE	Eucalyptus acmenioides
<i>Maiden's blush</i>	(<i>See Blush, maiden's</i>)	
MAIDEN'S GUM	GUM, MAIDEN'S	Eucalyptus maideni
Maiden's wattle	—	Acacia maideni
MALLEE, BLUE	MALLEE, BLUE	Eucalyptus polybractea
Mallee, giant	„ RED	„ oleosa
MALLEE, GREEN	„ GREEN	„ viridis
„ NARROW-LEAVED	„ NARROW-LEAVED	„ cneorifolia
„ RED	„ RED	„ oleosa
Mallee, scented	—	„ odorata
MALLEE, WHITE	MALLEE, WHITE	„ dumosa
MALLET, BROWN	MALLET, BROWN	„ astringens
Malletwood, brown	—	Rhodamnia trinervia
„ silver	—	„ argentea
Mangrove, black	—	Bruguiera rheedii
„ cedar	—	Carapa moluccensis
MANGROVE, GREY	MANGROVE, GREY	Avicennia officinalis
Mangrove, red	—	Rhizophora mucronata
„ spurred	—	Ceriops candolleana
„ white	MANGROVE, GREY	Avicennia officinalis
MANNA GUM	GUM, MANNA	Eucalyptus viminalis
Maple, Macquarie	SILKWOOD, BOLLY	Cryptocarya oblata

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
MAPLE, QUEENSLAND	MAPLE, QUEENSLAND	Flindersia brayleyana
„ ROSE	„ ROSE	Cryptocarya erythroxylon
„ SCENTED	„ SCENTED	Flindersia laeviscarpa
Maple, white	BEECH, SILKY	Villaresia moorei
Maple silkwood	MAPLE, QUEENSLAND	Flindersia brayleyana
Marara, rose MARARIE	MARARIE	Geissois lachnocarpa
Marblewood, white	—	Acacia bakeri
MARITIME PINE	PINE, MARITIME	Pinus pinaster
MARRI	MARRI	Eucalyptus calophylla
Marri, mountain	—	„ haematoxylon
Mazlin's beech	SILKWOOD, BOLLY	Cryptocarya oblata
MEALY	STRINGYBARK, MEALY	Eucalyptus cinerea
STRINGYBARK	STRINGYBARK, MESSMATE	„ obliqua
Messmate (Vic.)	YERTCHUK	„ consideniana
„ (N.S.W.)	MESSMATE, GYMPIE	„ cloeziana
MESSMATE, GYMPIE	„ N.S.W.	„ phellandra
„ N.S.W.	MAHOGANY, RED	„ resinifera
Messmate, red	„ SWAMP	„ robusta
„ swamp	YERTCHUK	„ consideniana
„ yellow	MESSMATE, GYMPIE	„ cloeziana
„ „	PEPPERMINT, QUEENSLAND	„ exserta
„ „	STRINGYBARK, MESSMATE	„ obliqua
MESSMATE STRINGY- BARK	—	„ pallidifolia
Micum	CHEESEWOOD, WHITE	Alstonia scholaris
Milkwood	MAHOGANY, MIVA	Dysoxylum muelleri
Milky pine	PINE, RADIATA	Pinus radiata
MIVA MAHOGANY	CARBEEN	Eucalyptus tessellaris
Monterey pine	MORRELL, BLACK	„ melanoxylon
Moreton Bay ash	„ RED	„ longicornis
MORRELL, BLACK	(See Ash, mountain)	
„ RED	MAHOGANY, BRUSH	Geissois benthami
Mountain ash		
Mountain cedar		

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Mountain cypress pine	—	<i>Callitris cupressiformis</i>
MOUNTAIN GREY GUM	GUM, GREY, MOUNTAIN	<i>Eucalyptus gonicalyx</i>
<i>Mountain gum</i>	(<i>See Gum, mountain</i>)	
Mountain hickory	WATTLE, HICKORY	<i>Acacia penninervis</i>
Mountain marri	—	<i>Eucalyptus</i>
Mugga	IRONBARK, RED	<i>haematoxylon</i>
MULGA	MULGA	" <i>sideroxylon</i>
Murray pine	PINE, CYPRESS, WHITE	<i>Acacia aneura</i>
Murray red gum	GUM, RED, RIVER	<i>Callitris glauca</i>
Murrogun	WALNUT, ROSE	<i>Eucalyptus rostrata</i>
MUSK	MUSK	<i>Endiandra discolor</i>
MYALL	MYALL	<i>Olearia argophylla</i>
MYALL, COAST	MYALL, COAST	<i>Acacia pendula</i>
Myrtle, black	PERSIMMON, GREY	" <i>glaucescens</i>
" grey	IRONWOOD	<i>Diospyros pentamera</i>
" Tasmanian		<i>Backhousia myrtifolia</i>
MYRTLE BEECH }	BEECH, MYRTLE	<i>Nothofagus cunninghamii</i>
N.S.W. MESSMATE	MESSMATE, N.S.W.	<i>Eucalyptus phellandra</i>
N.S.W. WALNUT	WALNUT, N.S.W.	<i>Endiandra virens</i>
Narrow-leaved apple	—	<i>Angophora bakeri</i>
Narrow-leaved backhousia	—	<i>Backhousia angustifolia</i>
NARROW-LEAVED BOX	BOX, NARROW-LEAVED	<i>Eucalyptus woollsiana</i>
Narrow-leaved ironbark	IRONBARK, RED, NARROW-LEAVED	" <i>crebra</i>
NARROW-LEAVED MALLEE	MALLEE, NARROW-LEAVED	" <i>cneorifolia</i>
NARROW-LEAVED PAPER-BARKED TEA-TREE	TEA-TREE, PAPER-BARKED, NARROW-LEAVED	<i>Melaleuca alternifolia</i>
<i>Narrow-leaved peppermint</i>	(<i>See Peppermint, narrow-leaved</i>)	
NARROW-LEAVED RED IRONBARK	IRONBARK, RED, NARROW-LEAVED	<i>Eucalyptus crebra</i>
NARROW-LEAVED TEA-TREE	TEA-TREE, NARROW-LEAVED	<i>Melaleuca linariifolia</i>
NATIVE CHERRY	CHERRY, NATIVE	<i>Exocarpus cupressiformis</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Native ebony	EBONY, QUEENSLAND	Maba humilis
Native elm	HANDLEWOOD, GREY	Aphananthe philippinensis
Native pear	—	Xylomelum pyriforme
Native tamarind	TAMARIND	Diploglottis cunninghamii
NEEDLEWOOD	NEEDLEWOOD	Hakea leucoptera
NEGROHEAD BEECH	BEECH, NEGROHEAD	Nothofagus moorei
NEW ENGLAND ASH	ASH, NEW ENGLAND	Eucalyptus andrewsi
New England blackbutt		
New England peppermint	PEPPERMINT, NEW ENGLAND	„ nova-anglica
„ „ „	KAURI, QUEENSLAND, NORTH	Agathis palmerstoni
NORTH QUEENSLAND KAURI	BUTTERNUT, ROSE	Blepharocarya involucrigera
Northern bollygum	SANDALWOOD, NORTHERN	Santalum lanceolatum
NORTHERN SANDALWOOD	—	Daphnandra aromatica
Northern sassafras	OAK, SILKY, NORTHERN	Cardwellia sublimis
NORTHERN SILKY OAK	ASH, SILVER, NORTHERN	Flindersia pubescens
NORTHERN SILVER ASH	—	Macadamia ternifolia
Nut, Australian	ASH, ALPINE	Eucalyptus gigantea
Oak, Australian	ASH, MOUNTAIN	„ regnans
„ black	STRINGYBARK, MESSMATE	„ obliqua
OAK, BLUSH TULIP	SHEOAK, BLACK	Casuarina suberosa
Oak, briar	OAK, TULIP, BLUSH	Tarrietia actinophylla
OAK, BROWN TULIP	—	Musgravea stenostachya
„ BULL	OAK, TULIP, BROWN	Tarrietia argyrodendron
Oak, bull (Q'd.)	„ BULL	Casuarina luehmanni
OAK, CALEDONIAN	„ SILKY, NORTHERN	Cardwellia sublimis
Oak, forest	„ CALEDONIAN	Carnarvonía araliaefolia
OAK, NORTHERN SILKY	SHEOAK, ROSE	Casuarina torulosa
Oak, pink silky	OAK, SILKY, NORTHERN	Cardwellia sublimis
„ red	„ SATIN	Embothrium wickhami
	„ CALEDONIAN	Carnarvonía araliaefolia

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
OAK, RED SILKY	OAK, SILKY, RED	Stenocarpus salignus
„ RED TULIP	„ TULIP, RED	Tarrietia peralata
Oak, river	SHEOAK, RIVER	Casuarina cunninghamiana
OAK, SATIN	OAK, SATIN	Embothrium wickhami
„ SILKY, NORTHERN	„ SILKY, NORTHERN	Cardwellia sublimis
Oak, silky, pink	„ SATIN	Embothrium wickhami
OAK, SILKY, RED	„ SILKY, RED	Stenocarpus salignus
„ SILKY, SOUTHERN	„ SILKY, SOUTHERN	Grevillea robusta
Oak, swamp	SHEOAK, SWAMP	Casuarina glauca
Oak, Tasmanian	(See Oak, Australian)	
OAK, TULIP, BLUSH	OAK, TULIP, BLUSH	Tarrietia actinophylla
„ „ BROWN	„ „ BROWN	„ argyrodendron
„ „ RED	„ „ RED	„ peralata
Oak, Victorian	(See Oak, Australian)	
OAK, WHITE	OAK, WHITE	Stenocarpus sinuatus
Oliver's sassafras	CAMPHORWOOD	Cinnamomum oliveri
ORANGE BOXWOOD	BOXWOOD, ORANGE	Celastrus dispermus
Orientalwood (U.S.A.)	WALNUT, QUEENSLAND	Endiandra palmerstoni
Pale bloodwood	—	Eucalyptus terminalis
PALM, BLACK	PALM, BLACK	Normanbya normanbyi
Paper-bark	TEA-TREE, BROAD-LEAVED	Melaleuca leucadendron
PAPER-BARKED	„ „ PAPER-BARKED,	„ alternifolia
TEA-TREE,	NARROW-LEAVED	
NARROW-LEAVED	—	Xylomelum pyrifforme
Pear, native	(See Cedar, pencil)	
Pencil cedar	PENDA, BROWN	Xanthostemon chrysanthus
Penda, black	„ RED	„ pubescens
PENDA, BROWN } „ RED „ SOUTHERN „ YELLOW	„ SOUTHERN „ YELLOW	„ oppositifolius „ pachyspermus
Pepperberry tree	WALNUT, WHITE	Cryptocarya obovata

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
PEPPERMINT, BLACK	PEPPERMINT, BLACK	<i>Eucalyptus amygdalina</i>
Peppermint, black	„ NEW ENGLAND	„ <i>nova-anglica</i>
PEPPERMINT, BROAD-LEAVED	„ BROAD-LEAVED	„ <i>dives</i>
„ NARROW-LEAVED	„ NARROW-LEAVED	„ <i>australiana</i>
Peppermint, narrow-leaved	MESSMATE, N.S.W.	„ <i>phellandra</i>
PEPPERMINT, NEW ENGLAND	PEPPERMINT, NEW ENGLAND	„ <i>nova-anglica</i>
Peppermint, New England	ASH, NEW ENGLAND	„ <i>andrewsi</i>
PEPPERMINT, QUEENSLAND	PEPPERMINT, QUEENSLAND	„ <i>exserta</i>
Peppermint, red	WOOLLYBUTT	„ <i>longifolia</i>
PEPPERMINT, RIVER	PEPPERMINT, RIVER	„ <i>numerosa</i>
„ SYDNEY	„ SYDNEY	„ <i>piperita</i>
Peppermint, wattle-leaved	—	„ <i>acaciaeformis</i>
PEPPERMINT, WHITE	PEPPERMINT, WHITE	„ <i>linearis</i>
PEPPERWOOD	PEPPERWOOD	<i>Cinnamomum laubatii</i>
PERSIMMON, GREY	PERSIMMON, GREY	<i>Diospyros pentamera</i>
Pigeonberry ash	MAPLE, ROSE	<i>Cryptocarya erythroxylon</i>
PINE, ALEPPO	PINE, ALEPPO	<i>Pinus halepensis</i>
„ BISHOP	„ BISHOP	„ <i>muricata</i>
„ BLACK	„ BLACK	<i>Podocarpus amara</i>
„ BLACK CYPRESS	„ CYPRESS, BLACK	<i>Callitris calcarata</i>
„ BROWN	„ BROWN	<i>Podocarpus elata</i>
„ BRUSH CYPRESS	„ CYPRESS, BRUSH	<i>Callitris macleayana</i>
„ BUNYA	„ BUNYA	<i>Araucaria bidwillii</i>
„ CELERY-TOP	„ CELERY-TOP	<i>Phyllocladus rhomboidalis</i>
„ COAST CYPRESS	„ CYPRESS, COAST	<i>Callitris columellaris</i>
Pine, colonial	„ HOOP	<i>Araucaria cunninghamii</i>
PINE, CORSICAN	„ CORSICAN	<i>Pinus laricio</i>
Pine, bull	KAURI, QUEENSLAND, NORTH	<i>Agathis microstachya</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
PINE, CYPRESS, BLACK BRUSH	PINE, CYPRESS, BLACK BRUSH	<i>Callitris calcarata</i>
" " COAST	" " COAST	" <i>macleaniana</i>
Pine, cypress, mountain	—	" <i>columellaris</i>
" " Rottnest	—	" <i>cupressiformis</i>
PINE, CYPRESS, WHITE	PINE, CYPRESS, WHITE	" <i>robusta</i>
Pine, Dorrigo	" HOOP	" <i>glauca</i>
PINE, HOOP } " HUON	" HUON	<i>Araucaria cunninghamii</i>
Pine, insignis	" RADIATA	<i>Dacrydium franklinii</i>
Pine, King Billy	" KING WILLIAM	<i>Pinus radiata</i>
PINE, KING WILLIAM } " KLINKI	" KLINKI	<i>Athrotaxis selaginoides</i>
Pine, Leichhardt's	CHEESEWOOD	<i>Araucaria klinkii</i>
PINE, LOBLOLLY	PINE, LOBLOLLY	<i>Sarcocephalus cordatus</i>
" MARITIME	" MARTIME	<i>Pinus taeda</i>
Pine, milky	CHEESEWOOD, WHITE	" <i>pinaster</i>
" Monterey	PINE, RADIATA	<i>Alstonia scholaris</i>
" mountain cypress	—	<i>Pinus radiata</i>
" Murray	" CYPRESS, WHITE	<i>Callitris cupressiformis</i>
" ponderosa	" YELLOW, WESTERN	" <i>glauca</i>
" prickly	" BISHOP	<i>Pinus ponderosa</i>
" Putts	SILKWOOD, SILVER	" <i>muricata</i>
PINE, RADIATA	PINE, RADIATA	<i>Flindersia acuminata</i>
Pine, Richmond River	" HOOP	<i>Pinus radiata</i>
" Rottnest cypress	—	<i>Araucaria cunninghamii</i>
" she	PINE, BROWN	<i>Callitris robusta</i>
PINE, SLASH	" SLASH	<i>Podocarpus elata</i>
" WESTERN	" YELLOW, WESTERN	<i>Pinus caribaea</i>
" WHITE	" CYPRESS, WHITE	" <i>ponderosa</i>
" YELLOW, WESTERN	" YELLOW, WESTERN	<i>Callitris glauca</i>
		<i>Pinus ponderosa</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Pink blackbutt	STRINGYBARK, WHITE	<i>Eucalyptus eugenoides</i>
Pink corkwood	—	<i>Quintinia sieberi</i>
PINK GUM	GUM, PINK	<i>Eucalyptus fasciculosa</i>
PINK POPLAR	POPLAR, PINK	<i>Euroschinus falcatus</i>
Pink silky oak	OAK, SATIN	<i>Embothrium wickhami</i>
PINK WALNUT	WALNUT, PINK	<i>Endiandra sieberi</i>
Planchon's stringybark	—	<i>Eucalyptus</i>
Plum, Burdekin	PLUM, TULIP	<i>planchoniana</i> <i>Pleiogynium solandri</i>
„ grey	PERSIMMON, GREY	<i>Diospyros pentamera</i>
PLUM, TULIP	PLUM, TULIP	<i>Pleiogynium solandri</i>
Plumwood	WALNUT, N.S.W.	<i>Endiandra virens</i>
Ponderosa pine	PINE, WESTERN, YELLOW	<i>Pinus ponderosa</i>
Poplar box	BOX, BIMBIL	<i>Eucalyptus populifolia</i>
POPLAR, PINK Port Macquarie beech } POWDER-BARK WANDOO	POPLAR, PINK	<i>Euroschinus falcatus</i>
Prickle pine	WANDOO, POWDER-BARK	<i>Eucalyptus accedens</i>
Prickly ash	PINE, BISHOP	<i>Pinus muricata</i>
PRICKLY-LEAVED TEA-TREE	OAK, SILKY, SOUTHERN	<i>Grevillea robusta</i>
Putts pine	TEA-TREE, PRICKLY-LEAVED	<i>Melaleuca styphelioides</i>
Quandong, bitter	SILKWOOD, SILVER	<i>Flindersia acuminata</i>
„ brown	—	<i>Fusanus persicarius</i>
QUANDONG, HARD	—	<i>Elaeocarpus</i>
„ SILVER	QUANDONG, HARD	„ <i>coarangooloo</i> „ <i>obovatus</i>
Quandong, sweet	„ SILVER	„ <i>grandis</i>
QUEENSLAND EBONY	—	<i>Fusanus acuminatus</i>
QUEENSLAND GREENHEART	EBONY, QUEENSLAND	<i>Maba humilis</i>
<i>Queensland kauri</i>	GREENHEART, QUEENSLAND	<i>Endiandra compressa</i>
QUEENSLAND MAPLE	(See Kauri, Queensland)	
QUEENSLAND PEPPERMINT	MAPLE, QUEENSLAND	<i>Flindersia brayleyana</i>
QUEENSLAND SILVER ASH	PEPPERMINT, QUEENSLAND	<i>Eucalyptus exserta</i>
	ASH, SILVER, QUEENSLAND	<i>Flindersia bourjotiana</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Queensland silver wattle	—	Acacia podalyraefolia
QUEENSLAND WALNUT	WALNUT, QUEENSLAND	Endiandra palmerstoni
Quince, wild	—	Callicoma serratifolia
RADIATA PINE	PINE, RADIATA	Pinus radiata
RASPBERRY JAM	JAM, RASPBERRY	Acacia acuminata
RED ALMOND	ALMOND, RED	Alphitonia excelsa
<i>Red ash</i>	(See <i>Ash</i> , red)	
Red banksia	—	Banksia serrata
<i>Red bean</i>	(See <i>Bean</i> , red)	
Red beech	MAPLE, QUEENSLAND	Flindersia brayleyana
RED BLOODWOOD	BLOODWOOD, RED	Eucalyptus corymbosa
Red bottlebrush	—	Callistemon viminalis
RED BOX	BOX, RED	Eucalyptus polyanthemus
Red carrobean	MAHOGANY, BRUSH	Geissois benthami
RED CEDAR	CEDAR, RED	Cedrela toona
Red crowsfoot	OAK, TULIP, RED	Tarrietia peralata
<i>Red gum</i>	(See <i>Gum</i> , red)	
<i>Red ironbark</i>	(See <i>Ironbark</i> , red)	
Red lancewood	—	Albizzia basaltica
RED MAHOGANY	MAHOGANY, RED	Eucalyptus resinifera
RED MALLEE	MALLEE, RED	„ oleosa
Red mangrove	—	Rhizophora mucronata
Red messmate	MAHOGANY, RED	Eucalyptus resinifera
RED MORRELL	MORRELL, RED	Eucalyptus longicornis
Red oak	OAK, CALEDONIAN	Carnarvonia araliaefolia
RED PENDA	PENDA, RED	Xanthostemon pubescens
Red peppermint	WOOLLYBUTT	Eucalyptus longifolia
RED SILKWOOD	SILKWOOD, RED	Lucuma galactoxylon
RED SIRIS	SIRIS, RED	Albizzia toona
RED SILKY OAK	OAK, SILKY, RED	Stenocarpus salignus
<i>Red stringybark</i>	(See <i>Stringybark</i> , red)	

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
RED TINGLE	TINGLE, RED	<i>Eucalyptus jacksoni</i>
RED TOURIGA	TOURIGA, RED	<i>Calophyllum costatum</i>
RED TULIP OAK	OAK, TULIP, RED	<i>Tarrietia peralata</i>
<i>Ribbon gum</i>	(See Gum, ribbon)	
Richmond River pine	PINE, HOOP	<i>Araucaria cunninghamii</i>
RIVER BANKSIA	BANKSIA, RIVER	<i>Banksia verticillata</i>
River box	BOX, BLACK	<i>Eucalyptus bicolor</i>
River oak	SHEOAK, RIVER	<i>Casuarina</i>
RIVER PEPPERMINT	PEPPERMINT, RIVER	<i>cunninghamiana</i> <i>Eucalyptus numerosa</i>
RIVER RED GUM	GUM, RED, RIVER	„ <i>rostrata</i>
RIVER SHEOAK	SHEOAK, RIVER	<i>Casuarina</i>
<i>Rose alder</i>	(See Alder, rose)	<i>cunninghamiana</i>
Rose ash	MAPLE, SCENTED	<i>Flindersia laeviscarpa</i>
ROSE BUTTERNUT	BUTTERNUT, ROSE	<i>Blepharocarya</i>
ROSE GUM	GUM, ROSE	<i>involucrigera</i> <i>Eucalyptus grandis</i>
<i>Rose mahogany</i>	(See Mahogany, rose)	
ROSE MAPLE	MAPLE, ROSE	<i>Cryptocarya</i>
Rose marara	MARARIE	<i>erythroxylon</i>
ROSE SATINASH	SATINASH, ROSE	<i>Geissois lachnocarpa</i>
ROSE SHEOAK	SHEOAK, ROSE	<i>Eugenia francisii</i>
<i>Rose walnut</i>	(See Walnut, rose)	<i>Casuarina torulosa</i>
Rose wattle	—	<i>Acacia fasciculifera</i>
Rosewood	MAHOGANY, ROSE	<i>Dysoxylum fraserianum</i>
Rottneest cypress pine	—	<i>Callitris robusta</i>
ROUGH-BARKED	APPLE, ROUGH-BARKED	<i>Angophora intermedia</i>
APPLE	BOX, FUZZY	<i>Eucalyptus baueriana</i>
Round-leaved box	GUM, ROUND-LEAVED	„ <i>deanei</i>
ROUND-LEAVED	BOX, RUDDER'S	„ <i>rudderi</i>
RUDDER'S BOX	APPLE, ROUGH-BARKED	<i>Angophora intermedia</i>
Rusty gum	SAFFRON-HEART	<i>Halfordia drupifera</i>
SAFFRON-HEART		

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
SALLEE, BLACK	SALLEE, BLACK	Eucalyptus stellulata
Sallee, broad-leaved	GUM, SWAMP	" ovata
SALLEE, WHITE	SALLEE, WHITE	" coriacea
<i>Sally wattle</i>	(<i>See Wattle, sally</i>)	
SALMON GUM	GUM, SALMON	Eucalyptus salmonophloia
SALWOOD, BROWN	SALWOOD, BROWN	Acacia aulacocarpa
Sand cypress	PINE, CYPRESS, COAST	Callitris columellaris
SANDALBOX	SANDALBOX	Eremophila mitchelli
SANDALWOOD	SANDALWOOD	Santalum spicatum
SANDALWOOD, NORTHERN	SANDALWOOD, NORTHERN	" lanceolatum
SASSAFRAS	SASSAFRAS	Doryphora sassafras
Sassafras, black	CAMPHORWOOD	Cinnamomum oliveri
" canary	SASSAFRAS	Doryphora sassafras
" northern	—	Daphnandra aromatica
" Oliver's	CAMPHORWOOD	Cinnamomum oliveri
SASSAFRAS, SOUTHERN } Sassafras, Tasmanian	SASSAFRAS, SOUTHERN	Atherosperma moschatum
" yellow	SASSAFRAS	Doryphora sassafras
SATINBOX	SATINBOX	Phebalium squameum
SATIN OAK	OAK, SATIN	Embothrium wickhami
SATIN SYCAMORE	SYCAMORE, SATIN	Ceratopetalum succirubrum
Satinash, cherry	—	Eugenia kuranda
" creek	—	" ventenatii
SATINASH, GREY	SATINASH, GREY	" gustavioides
" ROSE	" ROSE	" francisii
SATINAY	SATINAY	Syncarpia hillii
Satinheart, green	—	Geljera salicifolia
Satinwood	SATINBOX	Phebalium squameum
SATINWOOD, SCENTED	SATINWOOD, SCENTED	Ceratopetalum apetalum

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
SATINWOOD, TULIP	SATINWOOD, TULIP	<i>Rhodospaera rhodanthema</i>
Scalybark	—	<i>Eucalyptus squamosa</i>
Scented mallee	—	„ <i>odorata</i>
SCENTED MAPLE	MAPLE, SCENTED	<i>Flindersia laeviscarpa</i>
SCENTED SATIN- WOOD	SATINWOOD, SCENTED	<i>Ceratopetalum apetalum</i>
SCRIBBLY GUM	GUM, SCRIBBLY	<i>Eucalyptus haemastoma</i>
SCRUB ASH	ASH, SCRUB	<i>Elaeocarpus longifolius</i>
Scrub box	BOX, BRUSH	<i>Tristania conferta</i>
Scrub ironbark	—	<i>Bridelia exaltata</i>
She beech	WALNUT, WHITE	<i>Cryptocarya obovata</i>
She pine	PINE, BROWN	<i>Podocarpus elata</i>
She teak	ASH, BENNETT'S	<i>Flindersia bennettiana</i>
SHEOAK, W.A.	SHEOAK, W.A.	<i>Casuarina fraseriana</i>
Sheoak, beach	—	„ <i>equisetifolia</i>
SHEOAK, BLACK	SHEOAK, BLACK	„ <i>suberosa</i>
„ DROOPING	„ DROOPING	„ <i>stricta</i>
Sheoak, flame	—	„ <i>inophloia</i>
SHEOAK, RIVER	SHEOAK, RIVER	„ <i>cunninghamiana</i>
„ ROSE	„ ROSE	„ <i>torulosa</i>
„ SWAMP	„ SWAMP	„ <i>glauca</i>
SHINING GUM	GUM, SHINING	<i>Eucalyptus nitens</i>
SILKWOOD, BOLLY	SILKWOOD, BOLLY	<i>Cryptocarya oblata</i>
Silkwood, maple	MAPLE, QUEENSLAND	<i>Flindersia brayleyana</i>
SILKWOOD, RED	SILKWOOD, RED	<i>Lucuma galactoxylon</i>
„ SILVER	„ SILVER	<i>Flindersia acuminata</i>
Silkwood, Tazali	„ BOLLY	<i>Cryptocarya oblata</i>
SILKY ASH	ASH, SILKY	<i>Ehretia acuminata</i>
„ BEECH	BEECH, SILKY	<i>Villarsia moorei</i>
<i>Silky oak</i>	<i>(See Oak, silky)</i>	
<i>Silver ash</i>	<i>(See Ash, silver)</i>	

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Silver aspen	—	<i>Pleiococca wilcoxiana</i>
Silver banksia	—	<i>Banksia marginata</i>
SILVER BASSWOOD	BASSWOOD, SILVER	<i>Panax elegans</i>
Silver gum	—	<i>Eucalyptus dealbata</i>
Silver malletwood	—	<i>Rhodamnia argentea</i>
SILVER QUANDONG	QUANDONG, SILVER	<i>Elaeocarpus grandis</i>
SILVER SILKWOOD	SILKWOOD, SILVER	<i>Flindersia acuminata</i>
SILVER SYCAMORE	SYCAMORE, SILVER	<i>Cryptocarya glaucescens</i>
<i>Silver wattle</i>	(<i>See Wattle, silver</i>)	
SILVER-LEAVED IRONBARK	IRONBARK, SILVER-LEAVED	<i>Eucalyptus melanophloia</i>
Silvertop (Vic.) SILVERTOP ASH }	ASH, SILVERTOP	„ <i>sieberiana</i>
SILVER-TOPPED GIMLET	GIMLET, SILVER-TOPPED	„ <i>campaspe</i>
Siris, candlenut	CANDLENUT	<i>Aleurites moluccana</i>
SIRIS, RED	SIRIS, RED	<i>Albizzia toona</i>
„ WHITE	„ WHITE	<i>Ailanthus imberbiflora</i>
„ YELLOW	„ YELLOW	<i>Albizzia xanthoxylon</i>
SLASH PINE	PINE, SLASH	<i>Pinus caribaea</i>
SMOOTH-BARKED APPLE	APPLE, SMOOTH-BARKED	<i>Angophora lanceolata</i>
Snappy gum	GUM, SCRIBBLY	<i>Eucalyptus haemastoma</i>
Snow gum	SALLEE, WHITE	„ <i>coriacea</i>
SOUTH QUEENSLAND KAURI	KAURI, QUEENSLAND, SOUTH	<i>Agathis robusta</i>
SOUTHERN BLUE GUM	GUM, BLUE, SOUTHERN	<i>Eucalyptus globulus</i>
SOUTHERN MAHOGANY	MAHOGANY, SOUTHERN	„ <i>botryoides</i>
SOUTHERN PENDA	PENDA, SOUTHERN	<i>Xanthostemon oppositifolius</i>
SOUTHERN SASSAFRAS	SASSAFRAS, SOUTHERN	<i>Atherosperma moschatum</i>
SOUTHERN SILKY OAK	OAK, SILKY, SOUTHERN	<i>Grevillea robusta</i>
SOUTHERN SILVER ASH	ASH, SILVER, SOUTHERN	<i>Flindersia schottiana</i>
Spearwood, brigalow	BRIGALOW	<i>Acacia harpophylla</i>
„ brown	—	„ <i>rhodoxylon</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Spearwood, gidgee	GIDGEE	Acacia cambagei
Spotted blue gum	GUM, MAIDEN'S	Eucalyptus maideni
SPOTTED GUM	„ SPOTTED	„ maculata
SPUR MAHOGANY } Spurwood	MAHOGANY, SPUR	Dysoxylum pettigrewianum
Spurred mangrove	—	Ceriops candolleana
Stavewood	OAK, TULIP, BROWN	Tarrietia argyrodendron
STEEL BOX	BOX, STEEL	Eucalyptus rummeryi
Stinging tree	FIBREWOOD	Laportea gigas
Stringybark, Bailey	—	Eucalyptus baileyana
STRINGYBARK, BLUE-LEAVED	STRINGYBARK, BLUE-LEAVED	„ agglomerata
„ BROWN	„ BROWN	„ capitellata
Stringybark, brown-top	„ MESSMATE	„ obliqua
„ gum-top	ASH, ALPINE	„ gigantea
STRINGYBARK, MEALY	STRINGYBARK, MEALY	„ cinerea
„ MESSMATE	„ MESSMATE	„ obliqua
Stringybark, Planchon's	—	„ planchoniana
STRINGYBARK, RED	STRINGYBARK, RED	„ macrorrhyncha
Stringybark, red	MAHOGANY, RED	„ resinifera
STRINGYBARK, WHITE	STRINGYBARK, WHITE	„ eugenioides
Stringybark, white-top	ASH, ALPINE	„ gigantea
STRINGYBARK, YELLOW	STRINGYBARK, YELLOW	„ muelleriana
Stringybark, yellow	MAHOGANY, WHITE	„ acmenioides
Stringy gum	ASH, MOUNTAIN	„ regnans
Striped hakea	—	Hakea vittata
SUGAR GUM	GUM, SUGAR	Eucalyptus cladocalyx
SUGARWOOD	SUGARWOOD	Myoporum platycarpum
SWAMP BOX	BOX, SWAMP	Tristania suaveolens
<i>Swamp gum</i>	(See Gum, swamp)	
<i>Swamp mahogany</i>	(See Mahogany, swamp)	
Swamp messmate	MAHOGANY, SWAMP	Eucalyptus robusta

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Swamp oak SWAMP SHEOAK }	SHEOAK, SWAMP	<i>Casuarina glauca</i>
Swamp tea-tree	—	<i>Melaleuca ericifolia</i>
Swamp turpentine	BOX, SWAMP	<i>Tristania suaveolens</i>
Sweet quandong	—	<i>Fusanus acuminatus</i>
SYCAMORE, SATIN	SYCAMORE, SATIN	<i>Ceratopetalum</i>
„ SILVER	„ SILVER	<i>succirubrum</i> <i>Cryptocarya glaucescens</i>
SYDNEY BLUE GUM	GUM, BLUE, SYDNEY	<i>Eucalyptus saligna</i>
SYDNEY GOLDEN WATTLE	WATTLE, GOLDEN, SYDNEY	<i>Acacia longifolia</i>
SYDNEY GREEN WATTLE	„ GREEN, SYDNEY	„ <i>decurrens</i>
SYDNEY PEPPERMINT	PEPPERMINT, SYDNEY	<i>Eucalyptus piperita</i>
TALLOWWOOD	TALLOWWOOD	„ <i>microcorys</i>
Tallowwood (Tas.)	SATINBOX	<i>Phebalium squameum</i>
TAMARIND }	TAMARIND	<i>Diploglottis</i>
Tamarind, native		<i>cunninghamii</i>
Tarzali silkwood	SILKWOOD, BOLLY	<i>Cryptocarya oblata</i>
Tasmanian blue gum	GUM, BLUE, SOUTHERN	<i>Eucalyptus globulus</i>
Tasmanian myrtle	BEECH, MYRTLE	<i>Nothofagus</i>
Tasmanian oak	(See Oak, Australian)	<i>cunninghamii</i>
Tasmanian sassafras	SASSAFRAS, SOUTHERN	<i>Atherosperma</i>
TEA-TREE, BROAD-LEAVED }	TEA-TREE, BROAD-LEAVED	<i>moschatum</i>
Tea-tree, brown		<i>Melaleuca leucadendron</i>
TEA-TREE, CITRON-SCENTED	TEA-TREE, CITRON-SCENTED	<i>Leptospermum</i>
Tea-tree, common	—	<i>liversidgei</i>
		„ <i>flavescens</i>
TEA-TREE, LEMON-SCENTED	TEA-TREE, LEMON-SCENTED	„ <i>citratum</i>
Tea-tree, narrow-leaved	—	<i>Melaleuca linariifolia</i>
TEA-TREE, PAPER-BARKED, NARROW-LEAVED	TEA-TREE, PAPER-BARKED, NARROW-LEAVED	„ <i>alternifolia</i>
TEA-TREE, PRICKLY-LEAVED	TEA-TREE, PRICKLY-LEAVED	„ <i>stypelioides</i>
Tea-tree, swamp	—	„ <i>ericifolia</i>
„ woolly	—	<i>Leptospermum</i> <i>lanigerum</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Teak (N.S.W.)	ASH, CROW'S	Flindersia australis
Teak, grey (Q.)	BEECH, WHITE	Gmelina leichhardtii
„ she	ASH, BENNETT'S	Flindersia bennettiana
THOZET'S BOX Thozet's ironbark	BOX, THOZET'S	Eucalyptus thozetiana
Timor white gum	—	„ alba
TINGLE, RED	TINGLE, RED	„ jacksoni
„ YELLOW	„ YELLOW	„ guilfoylei
TOURIGA, RED	TOURIGA, RED	Calophyllum costatum
TUART	TUART	Eucalyptus gomphecephala
<i>Tulip oak</i>	(<i>See Oak, tulip</i>)	
TULIP PLUM	PLUM, TULIP	Pleiogynium solandri
TULIP SATINWOOD	SATINWOOD, TULIP	Rhodosphaera rhodanthema
TULIPWOOD	TULIPWOOD	Harpullia pendula
TURPENTINE	TURPENTINE	Syncarpia laurifolia
Turpentine, Fraser Island	SATINAY	„ hillii
„ swamp	BOX, SWAMP	Tristania suaveolens
<i>Victorian oak</i>	(<i>See Oak, Australian</i>)	
W.A. BLACKBUTT	BLACKBUTT, W.A.	Eucalyptus patens
W.A. FLOODED GUM	GUM, FLOODED, W.A.	„ rudis
W.A. SHEOAK	SHEOAK, W.A.	Casuarina fraseriana
Wallum banksia	—	Banksia aemula
Walnut, Australian	WALNUT, QUEENSLAND	Endiandra palmerstoni
WALNUT, BLUSH	„ BLUSH	Beilschmiedia obtusifolia
Walnut, grey	—	„ elliptica
WALNUT, N.S.W.	„ N.S.W.	Endiandra virens
WALNUT, PINK	„ PINK	„ sieberi
„ QUEENSLAND	„ QUEENSLAND	„ palmerstoni
„ ROSE	„ ROSE	„ discolor
Walnut, rose	MAPLE, ROSE	Cryptocarya erythroxylon

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
WALNUT, WHITE	WALNUT, WHITE	<i>Cryptocarya obovata</i>
„ YELLOW	„ YELLOW	<i>Beilschmiedia bancroftii</i>
Walnut bean	„ QUEENSLAND	<i>Endiandra palmerstoni</i>
WANDOO	WANDOO	<i>Eucalyptus redunca</i>
WANDOO, POWDER-BARK	WANDOO, POWDER-BARK	„ <i>accedens</i>
Watergum	KANUKA	<i>Tristania laurina</i>
„	SATINASH, GREY	<i>Eugenia gustavioides</i>
„	„ ROSE	„ <i>francisi</i>
WATTLE, BLACK	WATTLE, BLACK	<i>Acacia mollissima</i>
Wattle, black, early	„ GREEN, SYDNEY	„ <i>decurrens</i>
WATTLE, CEDAR	„ CEDAR	„ <i>elata</i>
„ COOTAMUNDRA	„ COOTAMUNDRA	„ <i>baileyana</i>
Wattle, fern-leaved	—	„ <i>filicifolia</i>
„ ferny	—	„ <i>arundelliana</i>
WATTLE, GOLDEN	WATTLE, GOLDEN	„ <i>pycnantha</i>
„ GOLDEN, SYDNEY	„ GOLDEN, SYDNEY	„ <i>longifolia</i>
„ GREEN	„ GREEN	„ <i>irrorata</i>
„ GREEN, SYDNEY	„ GREEN, SYDNEY	„ <i>decurrens</i>
„ HICKORY	„ HICKORY	„ <i>penninervis</i>
Wattle, ironwood	—	„ <i>excelsa</i>
„ Maiden's	—	„ <i>maideni</i>
„ Queensland silver	—	„ <i>podalyriaefolia</i>
„ rose	—	„ <i>fasciculifera</i>
„ sally	—	„ <i>cunninghamii</i>
„ „	LIGHTWOOD	„ <i>implexa</i>
WATTLE, SILVER	WATTLE, SILVER	„ <i>dealbata</i>
Wattle, silver, Queensland	—	„ <i>podalyriaefolia</i>
WATTLE, SYDNEY GOLDEN	WATTLE, GOLDEN, SYDNEY	„ <i>longifolia</i>
„ SYDNEY GREEN	„ GREEN, SYDNEY	„ <i>decurrens</i>
„ WILLOW	„ WILLOW	„ <i>salicina</i>

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
Wattle-leaved peppermint	—	Eucalyptus
Weeping gum	SALLEE, WHITE	acaciaeformis
WESTERN COOLIBAH	COOLIBAH, WESTERN	coriacea
WESTERN YELLOW PINE	PINE, YELLOW, WESTERN	coolabah
White ash	(See Ash, white)	Pinus ponderosa
WHITE BANKSIA	BANKSIA, WHITE	Banksia integrifolia
WHITE BASSWOOD	BASSWOOD, WHITE	Panax murrayi
White bean	SIRIS, WHITE	Ailanthus imberbiflora
WHITE BEECH	BEECH, WHITE	Gmelina leichhardtii
White beefwood	OAK, WHITE	Stenocarpus sinuatus
WHITE BIRCH	BIRCH, WHITE	Schizomeria ovata
White bloodwood	BLOODWOOD, BROWN	Eucalyptus trachyphloia
WHITE BOX	BOX, WHITE	„ albena
WHITE BRITTLE GUM	GUM, BRITTLE, WHITE	„ maculosa
WHITE CEDAR	CEDAR, WHITE	Melia dubia
WHITE CHEESEWOOD	CHEESEWOOD, WHITE	Alstonia scholaris
WHITE CYPRESS PINE	PINE, CYPRESS, WHITE	Callitris glauca
White Eungella gum	—	Eugenia hemilampra
White evodia	—	Evodia micrococca
White gum	(See Gum, white)	
WHITE HANDLEWOOD	HANDLEWOOD, WHITE	Pseudomorus
WHITE HAZELWOOD	HAZELWOOD, WHITE	brunoniana
WHITE HOLLY	HOLLY, WHITE	Symplocos spicata
White honeysuckle	BANKSIA, WHITE	Pittosporum
White ironbark	GUM, YELLOW	rhombifolium
WHITE MAHOGANY	MAHOGANY, WHITE	Banksia integrifolia
WHITE MALLEE	MALLEE, WHITE	Eucalyptus leucoxydon
White mangrove	MANGROVE, GREY	„ acmenioides
White maple	BEECH, SILKY	„ dumosa
White marblewood	—	Avicennia officinalis
White mountain ash	ASH, MOUNTAIN	Villaresia moorei
		Acacia bakeri
		Eucalyptus regnans

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
WHITE OAK	OAK, WHITE	<i>Stenocarpus sinuatus</i>
WHITE PEPPERMINT	PEPPERMINT, WHITE	<i>Eucalyptus linearis</i>
WHITE SALLEE	SALLEE, WHITE	„ <i>coriacea</i>
WHITE SIRIS	SIRIS, WHITE	<i>Ailanthus imberbiflora</i>
WHITE STRINGYBARK	STRINGYBARK, WHITE	<i>Eucalyptus eugenioides</i>
WHITE WALNUT	WALNUT, WHITE	<i>Cryptocarya obovata</i>
White-top stringybark	ASH, ALPINE	<i>Eucalyptus gigantea</i>
WHITE-TOPPED BOX	BOX, WHITE-TOPPED	„ <i>quadrangulata</i>
Wild cherry	CHERRY, NATIVE	<i>Exocarpus cupressiformis</i>
Wild quince	—	<i>Callicoma serratifolia</i>
WILGA	WILGA	<i>Geijera parviflora</i>
WILLOW WATTLE	WATTLE, WILLOW	<i>Acacia salicina</i>
WIREWOOD	WIREWOOD	<i>Acradenia frankliniae</i>
Woolly tea-tree	—	<i>Leptospermum lanigerum</i>
WOOLLYBUTT	WOOLLYBUTT	<i>Eucalyptus longifolia</i>
Woollybutt (N.S.W.)	MAHOGANY, SOUTHERN	„ <i>botryoides</i>
„ (Vic.)	ASH, ALPINE	„ <i>gigantea</i>
WOOLLYBUTT, CAMDEN	WOOLLYBUTT, CAMDEN	„ <i>macarthuri</i>
YARRAN	YARRAN	<i>Acacia homalophylla</i>
YATE	YATE	<i>Eucalyptus cornuta</i>
Yellow bean	SIRIS, YELLOW	<i>Albizzia xanthoxylon</i>
Yellow bloodwood	(See <i>Bloodwood</i> , yellow)	
Yellow box	(See <i>Box</i> , yellow)	
YELLOW BOXWOOD	BOXWOOD, YELLOW	<i>Sideroxylon pohlmannianum</i>
YELLOW CARABEEN	CARABEEN, YELLOW	<i>Sloanea woollsii</i>
Yellow cedar	SATINWOOD, TULIP	<i>Rhodospaera rhodanthema</i>
Yellow cheesewood	CHEESEWOOD	<i>Sarcocephalus cordatus</i>
YELLOW GUM	GUM, YELLOW	<i>Eucalyptus leucoxylon</i>
Yellow hollyhoo	—	<i>Vitex lignum-vitae</i>
Yellow messmate	(See <i>Messmate</i> , yellow)	

Common Name.	Standard Trade Common Name if any.	Standard Trade Reference Name.
YELLOW PENDA	PENDA, YELLOW	Xanthostemon
YELLOW PINE, WESTERN	PINE, YELLOW, WESTERN	pachyspermus Pinus ponderosa
Yellow sassafras	SASSAFRAS	Doryphora sassafras
YELLOW SIRIS	SIRIS, YELLOW	Albizzia xanthoxylon
YELLOW STRINGYBARK	STRINGYBARK, YELLOW	Eucalyptus muelleriana
Yellow stringybark	MAHOGANY, WHITE	„ acmenioides
YELLOW TINGLE	TINGLE, YELLOW	„ guilfoylei
YELLOW WALNUT	WALNUT, YELLOW	Beilschmiedia bancroftii
YELLOWWOOD	YELLOWWOOD	Flindersia oxleyana
YERTCHUK	YERTCHUK	Eucalyptus
YORK GUM	GUM, YORK	consideniana „ loxophleba

APPENDIX I.

AUTHORS OF BOTANICAL NAMES QUOTED IN PARTS I AND II.

Abbreviation.	Name of Author.
Ait.	Aiton, W. 1731-1793
Andr.	Andrews, H. C.
Arn.	Arnott, G. A. W.
F. M. Bail.	Bailey, F. Manson
J. F. Bail.	Bailey, J. F.
Baill.	Baillon, H. E. 1827-1895
R. T. Bak.	Baker, R. T.
Becc.	Beccari, O.
Behr.	Behr, H.
Benth.	Bentham, G. 1800-1884
Betche	Betche, E.
Blakely	Blakely, W. F.
Bl.	Blume, K. L. 1796-1862
R. Br.	Brown, Robert. 1773-1858
Bur.	Bureau, E.
Cambage	Cambage, R. H.
Cav.	Cavanilles, A. J.
Cheel	Cheel, Edwin
A. Cunn.	Cunningham, A. 1791-1839
A. Cunn. Herb.	" " (Herbarium)
De Beuz.	De Beuzeville
DC.	De Candolle, A. P. 1778-1841
C.DC.	De Candolle, Casimir P.
Deane	Deane, H.
Dehn.	Dehnardt, Frederick
Des Fon.	Des Fontaines, R. L.
Dietr.	Dietrich, A.
Domin	Domin, K.
D. Don	Don, D. 1799-1841
G. Don	Don, G.
Dougl.	Douglas, D. D.
Dum-Cours	Dum-Cours
Edlin	Edlin, H. L.
Endl.	Endlicher, S. L.
Engl.	Engler, Adolf. 1889-1930
W. V. Fitzg.	Fitzgerald, W. V.
Forst.	Forster, J. R.
Francis	Francis, W. D.
Fraser	Fraser, C.
Fr.	Fries, E. M. 1794-1878
Gaertn.	Gaertner, J. 1732-1791
C. Hall	Hall, C.
Harv.	Harvey, W. H. 1811-1866
W. Hill	Hill, W.
Hochr.	Hochreutiner, B. P. G.
Hook.	Hooker, W. J. 1785-1865
Hook. f.	Hooker, Sir J. D. 1817-1911
Howitt	Howitt, A. W.
Jacobs	Jacobs, M. R.
A. Juss.	Jussieu, A. de. 1797-1843
Kipp.	Kippist, R.
Knight	Knight, Joseph
Labill.	Labillardiere, J. J. H., de. 1755-1834
Lam.	Lamarck, J. B. A. P. de M., de
Lauterb.	Lauterbach, Carl

Abbreviation.	Name of Author.
L.	Linnaeus, C. von Linné. 1707-1778
L.f.	” C. von Linné. 1741-1783
L'Herit.	L'Heritier, C. L. de Brutelle. 1746-1800
Link	Link, H. F.
Lindl.	Lindley, J.
MacBride	MacBride, J. F.
Maid.	Maiden, J. H.
Mill.	Miller, P. 1691-1771
Mig.	Miguel, F. A. W. 1811-1871
C. Moore	Moore, C.
Morelet	Morelet
Mudie	Mudie, Robert
F.v.M.	Mueller, F. von. 1825-1896
Naud.	Naudin, C.
Nees	Nees, C. G. 1776-1858
Oerst.	Oersted, A. S. 1816-1872
Otto	Otto, F.
Penfold	Penfold, A. R.
Planch.	Planchon, J. E. 1833-1900
Poir.	Poiret, J. L. M.
Reiss.	Reisseck, S.
Reinw.	Reinwardt, K. G. K.
A. Rich.	Richard, A.
L. C. Rich.	Richard, L. C.
M. Roem.	Roemer, M. J.
Roxb.	Roxburgh, W. 1759-1815
Salisb.	Salisbury, R. A. 1761-1829
Schau.	Schauer, 1813-1848
Schlecht.	Schlechtendahl, D. F. L. von, 1794-1866
Schl.	Schlechter, R.
Schott	Schott, H. W. 1794-1865
Sieb.	Sieber, F. W.
Siebold	Siebold, P. F.
Simmonds	Simmonds, J. H.
Sm.	Smith, J. E. 1759-1828
Smith	Smith, H. G.
Spach	Spach, E.
Sprague	Sprague, T. A.
Summ.	Summerhayes, V. S.
Ten.	Tenore, M. 1780-1861
Vent.	Ventenat, E. P.
Viguiet	Viguiet, René
Wedd.	Weddell, H. A.
Welch	Welch, M. B.
White	White, C. T.
Willd	Willdenow, C. L. 1765-1812