



Department of Biodiversity,
Conservation and Attractions



Biodiversity and
Conservation Science



Bibliography for Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*)

Compiled by Allan Burbidge

Biodiversity and Conservation Science, Department of Biodiversity, Conservation and Attractions, Locked Bag 104, Bentley 6983

allan.burbidge@dbca.wa.gov.au

Last update 28 May 2019

This list includes over 300 research, technical and popular articles relating to the biology, ecology and management of Carnaby's Black-Cockatoo. It is intended to be comprehensive in relation to research articles. It is not comprehensive in relation to popular articles, but those included are ones that provide information or interpretation not readily found elsewhere. Inclusion of such publications (of which there are a large number) is a reflection of the high profile of this iconic species and the considerable involvement of 'citizen scientists' in research in this area. The list includes theses but does not include media reports. At this stage, it does not include individual articles from BirdLife Western Australia's *Cocky Notes*.

Please report any errors, omissions or additions to Allan Burbidge (allan.burbidge@dbca.wa.gov.au).

Abbott, I. (1997). Counting cockatoos. *Landscape* **13**(2), 11–16.

Adams, M., Baverstock, P. R., Saunders, D. A., Schodde, R., and Smith, G. T. (1984). Biochemical systematics of the Australian cockatoos (Psittaciformes: Cacatuinae). *Australian Journal of Zoology* **32**, 363–377. doi:[10.1071/ZO9840363](https://doi.org/10.1071/ZO9840363)

Ainsworth, G. (2012). 'A tale of two cockatoos' [Film]. (G. Ainsworth.)

Ainsworth, G. B. (2014). Valuing Birds: Understanding the Relationship between Social Values and the Conservation of Australian Threatened Avifauna. Ph. D. thesis, Charles Darwin University Darwin, N.T.

Ainsworth, G. B., Aslin, H. J., Weston, M. A., and Garnett, S. T. (2016). Social values and species conservation: the case of Baudin's and Carnaby's Black-Cockatoos. *Environmental Conservation* **43**, 294–305. doi:[10.1017/S0376892916000126](https://doi.org/10.1017/S0376892916000126)

Alexander, W. B. (1921). The birds of the Swan River District. *Emu* **20**, 149–168.

Anon. (1975). White-tailed Black Cockatoo. *Nature Walkabout* **11**, 12–15.

Anon. (1997). Endangered cockatoos raised in captivity. *Landscape* **13**(2), 4–5.

- Anon. (2004). Worsley Alumina Extension area: northern mining envelopes. Preliminary fauna assessment. Unpublished report prepared for Worsley Alumina Pty Ltd. Unpublished report prepared for Worsley Alumina Pty Ltd by Bamford Consulting Ecologists and Western Wildlife.
- Bamford, M. (2005). Birds Australia WA: its role in conservation projects. In 'Conserving Carnaby's Black-Cockatoo : future directions : proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 7–8. (Birds Australia Western Australia: Perth.)
- Barrett, G. (2011). Carnaby's Black-Cockatoo. *Western Australian Bird Notes* **140**, 8.
- Barrett, G., Mitchell, D., and Mawson, P. (2011). Recovery plan actions - community monitoring of Carnaby's cockatoos. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 10–11. (Urban Bushland Council (WA) Inc: West Perth.)
- Barrett, G., Scott, R., and Burnham, Q. (2010). Carnaby's black cockatoo night roost surveys in the Perth region. In 'Threatened Species Research Forum: Western Australian Ecology Centre, 9th July 2010: a review of WA government research into threatened species'. Threatened Species Research Forum: Western Australian Ecology Centre, 9th July 2010 : a review of WA government research into threatened species. (Conference Organising Committee: Floreat, W.A.)
- Bartron, C. (2011). Carnaby's Black-Cockatoo training days. *Western Australian Bird Notes* **140**, 11–12.
- Bartron, C., and Scott, R. (2011). Carnaby's Black-Cockatoo: a fully-fledged breeding season. *Western Australian Bird Notes* **137**, 19.
- Berry, P. F. (2008). Counts of Carnaby's Cockatoo (*Calyptorhynchus latirostris*) and records of flock composition at an overnight roosting site in metropolitan Perth. *Western Australian Naturalist* **26**, 1–11.
- Berry, P. F. (2009). More counts of Carnaby's Black-Cockatoo at two overnight roosts in Perth's western suburbs in 2007/2008. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 23–24. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Berry, P. F. (2011). Further counts of Carnaby's Cockatoo at two overnight roosting sites in metropolitan Perth. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 18–22. (Urban Bushland Council (WA) Inc: West Perth.)
- Berry, P. F., and Owen, M. (2009). Additional counts and records of flock composition of Carnaby's Cockatoo (*Calyptorhynchus latirostris*) at two overnight roosting sites in metropolitan Perth. *Western Australian Naturalist* **27**, 27–38.
- Berry, P. F., and Owen, M. (2018). Extension of counts of Carnaby's Cockatoo (*Calyptorhynchus latirostris*) at two overnight roosting sites in metropolitan Perth. *Western Australian Naturalist* **31**, 67–77.

- BirdLife Australia (2000-present). [BirdLife Australia, Western Australia - cocky newsletter]. *Cocky Notes* **1**-
- BirdLife Australia (2013). Carnaby's Black-Cockatoo 2013 Symposium. Proceedings of the Carnaby's Black-Cockatoo 2013 Symposium WA Conservation Science Centre, 19th February 2013. BirdLife Australia, Perth.
- BirdLife Australia (no date). Identifying southwest Black-Cockatoos. BirdLife Australia, Perth. [Eight page pamphlet, available at <http://www.birdlife.org.au/projects/southwest-black-cockatoo-recovery/publications-and-forms>]
- BirdLife Australia (no date). Black-cockatoos and your property. BirdLife Australia, Perth. [Available at <http://www.birdlife.org.au/projects/southwest-black-cockatoo-recovery/publications-and-forms>]
- Blyth, J. (1996). Black-Cockatoos on the golf course. *Western Australian Bird Notes* **77**, 6–7.
- Blyth, J. (2005). The Carnaby's Black-Cockatoo Recovery Program. In 'Conserving Carnaby's Black-Cockatoo : future directions : proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 3–6. (Birds Australia Western Australia: Perth.)
- Blyth, J., and Saunders, D. (2005). Future directions: key points from the Carnaby's Black-Cockatoo Conservation Symposium. In 'Conserving Carnaby's Black-Cockatoo : future directions : proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 67–68. (Birds Australia Western Australia: Perth.)
- Bohner, F. (1984). First breeding of the White-tailed Black Cockatoo. *Bird Keeping in Australia* **27**, 17–18.
- Boyland, R. (2018). Southwest Black-Cockatoo Project. *Western Australian Bird Notes* **165**, 16–17.
- Bremner, M. (1996). Short-billed Black-Cockatoos in Wembley. *Western Australian Bird Notes* **77**, 6.
- Burbidge, A. A. (2000). Carnaby's Black-Cockatoo. *Landscape* **15**(3), 47.
- Burbidge, A. H. (1996). More on Black-Cockatoos. *Western Australian Bird Notes* **79**, 14.
- Burbidge, A. H. (2003). Carnaby's Black-Cockatoo foraging. *Western Australian Bird Notes* **107**, 23.
- Burbidge, A. H. (Ed.) (2009). 'Proceedings of the Carnaby's Black-Cockatoo Symposium [Dec 2008]'. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Burbidge, A. H., and Johnstone, R. (1999). Short-billed or Long-billed - which Black-Cockatoo? *Western Australian Bird Notes* **89**, 12–14.
- Burbidge, A. H., and McKenna, S. (2001). Caring for cockatoos. *Landscape* **17**(2), 6.
- Burbidge, A. H., Barrett, G., Gole, C., Mawson, P., Mitchell, D., Richardson, J., Roache, M., and Stock, W. (2009a). Foreword. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 3. (WWF-Australia: Perth.)

Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>

- Burbidge, A. H., Mitchell, D., and Roache, M. (2009b). Overview of the Carnaby's Black-Cockatoo Symposium. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 4. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Burnham, Q., Barrett, G., Blythman, M., and Scott, R. (2010). Carnaby's Cockatoo (*Calyptorhynchus latirostris*) identification of nocturnal roost sites and the 2010 Great Cocky Count. Report prepared for the WA Department of Environment and Conservation, Perth.
- Byrne, M., Barrett, G., Blythman, M., Finn, H., and Williams, M. (2015). The 2015 Great Cocky Count: a community-based survey for Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) and Forest Red-tailed Black-Cockatoo (*Calyptorhynchus banksii naso*). BirdLife Australia, Floreat, Western Australia.
- Cale, B. (1999). Conserving Carnaby's Cockatoo. *Western Wildlife* **3**, 13.
- Cale, B. (2003). Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) Recovery Plan 2002-2012. Department of Conservation and Land Management, Perth.
- Cameron, M. (2007). 'Cockatoos'. (CSIRO: Collingwood, Vict.)
- Campbell, N. A., and Saunders, D. A. (1976). Morphological variation in the White-tailed Black Cockatoo, *Calyptorhynchus baudinii*, in Western Australia. *Australian Journal of Zoology* **24**, 589–595.
- Carnaby, I. C. (1948). Variation in the White-tailed Black-Cockatoo. *Western Australian Naturalist* **1**, 136–138.
- Carter, T. (1923). Birds of the Broome Hill district. *Emu* **23**, 125–142, 223–235, 306–318.
- Chapman, T. (1999). Fussy black-cockatoos. *Nature Australia* **26(7)**, 48–55.
- Chapman, T. (2000). Carnaby's Black-Cockatoo - cockies in crisis. *Western Australian Bird Notes* **95**, 9–10.
- Chapman, T., and Gole, C. (2000). Carnaby's Cockatoo Recovery Program: Stage One. Birds Australia Western Australia, Floreat, WA.
- Cockerill, A., Lambert, T., Conole, L., and Pickett, E. (2013). Carnaby's Cockatoo Population Viability Analysis Model Report. Report prepared by Parsons Brinckerhoff, Perth. Report funded by the Department of Sustainability, Environment, Water, Population, and Communities through the Sustainable Regional Development Program, Perth, W.A.
- Cooper, C. (2000). Food manipulation by southwest Australian cockatoos. *Eclectus* **8**, 3–9.
- Cooper, C., Withers, P. C., Mawson, P. R., Bradshaw, S. D., Prince, J., and Robertson, H. (2002). Metabolic ecology of cockatoos in the south-west of Western Australia. *Australian Journal of Zoology* **50**, 67–76.
- Cusato-Nocker, J. (2009). Conservation of the Carnaby's Black-Cockatoo: a community association perspective of the impact from proposed land changes within the escarpment

- and rural zones. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 10–13. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Davies, S. J. J. F. (1966). The movements of the White-tailed Black-Cockatoos (*Calyptrorhynchus baudinii*) in south-western Australia. *Western Australian Naturalist* **10**, 33–42.
- Davies, S. (2005a). Usage of artificial nest boxes by Carnaby's cockatoo: assessment of status 2004. Unpublished report. Report to World Wide Fund for Nature, Threatened Species Program and Men of the Trees.
- Davies, S. J. J. F. (2005b). Some practical steps for enhancing the status of Carnaby's Black-Cockatoo. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 36–43. (Birds Australia Western Australia: Perth.)
- Davies, S., and Loomes, D. (2002). Carnaby's cockatoo: coast and catchment: final report on the project. Unpublished report for the Moore Catchment Group, WA, [Perth].
- Davis, M. (2005). WWF-Australia's Woodland Watch Project: relevance for Carnaby's Black-Cockatoo. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 50–53. (Birds Australia Western Australia: Perth.)
- Dawson, R. (2009). Compliance, captive breeding and the potential for soft releases. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 34–35. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Dawson, R., and Saunders, D. A. (2014). Individually marked wild Carnaby's Cockatoos: a challenge and opportunity for keen photographers. *Western Wildlife* **18**(1), 1, 4–5.
- Dawson, R., Saunders, D. A., and Mawson, P. (2011). The vulnerable and the endangered: Carpet Python predation on a breeding female Carnaby's Black Cockatoo. *Australian Zoologist* **35**, 679–680.
- Dawson, R., Saunders, D. A., Lipianin, E., and Fossey, M. (2013). Young-age breeding by a female Carnaby's Cockatoo. *Western Australian Naturalist* **29**, 63–65.
- De Barros, L. (2011a). On a Wing and a Prayer - a film to be released in 2011. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 30–38. (Urban Bushland Council (WA) Inc: West Perth.)
- De Barros, L. (2011b). 'On a wing and a prayer: the story of a Carnaby's cockatoo family' [Film]. (Sea Dog TV International Pty Ltd.)
- De Barros, L. (2011c). 'On a wing and a prayer: the story of a Carnaby's cockatoo family'. (Dept. of Environment & Conservation: Kensington, W.A.)

- Department of Environment and Conservation (2009). Potential Carnaby's Cockatoo Feeding Locations, Potential Carnaby's Cockatoo Breeding Locations, and Potential Carnaby's Cockatoo Roosting Locations (unpublished GIS layers).
- Department of Environment and Conservation (2012). Carnaby's Cockatoo (*Calyptorhynchus latirostris*) Recovery Plan. Western Australian Wildlife Management Program No. 52. Department of Environment and Conservation, Perth.
- Department of Health (2010). Investigation of potential use of nesting boxes, by Carnaby's black cockatoo, installed at the Fiona Stanley Hospital Site. Memorandum of Understanding Section 7.1. February 2010. Fiona Stanley Hospital Project. Fiona Stanley Hospital, Perth, W.A.
- Department of the Environment Water Heritage and the Arts (2010). *Calyptorhynchus latirostris* in Species Profile and Threats Database, Department of the Environment, Water, Heritage and the Arts, Canberra. Available at: [Available from: http://www.environment.gov.au/sprat](http://www.environment.gov.au/sprat). Accessed 2010-01-22T14:04:45
- Department of the Premier and Cabinet (2015). Perth and Peel Green Growth Plan for 3.5 million. Strategic Assessment of the Perth and Peel Regions. Draft EPBC Act Strategic Impact Assessment Report. Part D: MNES Assessment - Chapter 15. Government of Western Australia, Department of the Premier and Cabinet, Perth, W.A.
- Dewhurst, G. (2009). Black Cockatoo Preservation Society of Australia Inc. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 31–33. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Doherty, T. S., Wingfield, B. N., Stokes, V. L., Craig, M. D., Lee, J. G. H., Finn, H. C., and Calver, M. C. (2016). Successional changes in feeding activity by threatened cockatoos in revegetated mine sites. *Wildlife Research* **43**, 93–104. doi:[10.1071/WR15053](https://doi.org/10.1071/WR15053)
- Doley, A. (2005). Carnaby's on 'Koobabbie'. In 'Conserving Carnaby's Black-Cockatoo : future directions : proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 61–64. (Birds Australia Western Australia: Perth.)
- Doley, A. (2009). A landholder perspective. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 25–26. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Donaldson, B. (2018). Black Cockatoo Conservation Project: January 2018 update. *Western Australian Bird Notes* **166**, 20–21.
- Donaldson, F. (2008). Southern seawater desalination project: 2007 terrestrial flora and fauna survey. 360 Environmental Pty Ltd.
- DSEWPaC (2012). EPBC Act referral guidelines for three threatened black cockatoo species: Carnaby's cockatoo (endangered) *Calyptorhynchus latirostris*, Baudin's cockatoo (vulnerable) *Calyptorhynchus baudinii*, Forest red-tailed black cockatoo (vulnerable) *Calyptorhynchus banksii naso*. DSEWPaC, Canberra, ACT.
- Durlik, T. (2015). Dr Denis A. Saunders AM. *Landscape* **30(3)**, 36–41.

- Eco Logical Australia (2013). Carnaby's Cockatoo Foraging Habitat Assessment of the Perth – Peel Region. Prepared for the Department of Sustainability, Environment, Water, Population and Communities, Canberra, ACT.
- Essential Environmental Services (2010). Consideration of matters of National Environmental Significance by the WA land use planning system. Workshop briefing paper. Report prepared for the Department of Planning, Perth.
- Falconer, F. (2005). Conservation of the Carnaby's Black-Cockatoo: a Land for Wildlife perspective from the northern wheatbelt. In 'Conserving Carnaby's Black-Cockatoo : future directions : proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 54–60. (Birds Australia Western Australia: Perth.)
- Farrelly, G. (2007). Bringing Carnaby's Black-Cockatoo back from the edge in the Avon. *Western Australian Bird Notes* **121**, 9.
- Finn, H. (2009). Developing strategies for conserving black cockatoos within production landscapes. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 44–45. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Finn, H., Stock, W., and Valentine, L. (2009). Pines and the ecology of Carnaby's Black-Cockatoos (*Calyptorhynchus latirostris*) in the Gngangara Sustainability Strategy study area. Report to GSS Taskforce, Dept of Water, Perth, WA.
- Finn, H., Barrett, G., Groom, C., Blythman, M., and Williams, M. (2014). The 2014 Great Cocky Count: a community-based survey for Carnaby's Black-Cockatoos (*Calyptorhynchus latirostris*) and Forest Red-tailed Black-Cockatoos (*Calyptorhynchus banksii naso*). BirdLife Australia, Perth, W.A.
- Forshaw, J. M., and Knight, F. (2017). 'Vanished and Vanishing Parrots. Profiling Extinct and Endangered Species'. (CSIRO Publishing & Comstock Publishing Associates: Clayton South, Vic and Ithaca, New York.) [Carnaby's Black-Cockatoo on pages 37-42]
- France, T. (2018). Seasonal regularity and site specific foraging by Carnaby's Black-Cockatoos. *Western Australian Bird Notes* **167**, 18.
- Garnett, S. (1992). 'The Action Plan for Australian Birds'. (ANPWS: Canberra, ACT.) [Carnaby's Black-Cockatoo on page 92]
- Garnett, S., and Crowley, G. (2000). 'The Action Plan for Australian Birds 2000'. (Environment Australia: Canberra.) [Carnaby's Black-Cockatoo on pages 296-298]
- Garnett, S., Szabo, J., and Dutson, G. (2011). 'The Action Plan for Australian Birds 2010'. (CSIRO Publishing: Melbourne.) [Carnaby's Black-Cockatoo on pages 229-231]
- Glossop, B., Clarke, K., Mitchell, D., and Barrett, G. (2011). Methods for mapping of Carnaby's Cockatoo habitat. Department of Environment and Conservation, Kensington, W.A.
- Goldberg, J., Bleby, K., and Mawson, P. (2010). Draft Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) Recovery Plan 2010-2019. Department of Environment and Conservation, Perth.

- Gole, C. A. (2003). Bird surveys in selected Perth metropolitan reserves. A joint biodiversity conservation project between Birds Australia and the Perth Biodiversity Project. Birds Australia, Perth, W.A.
- Gole, C. (2005a). 'Conserving Carnaby's Black-Cockatoo: Future Directions. Proceedings from a conservation symposium. Perth, Western Australia. 2 July 2003'. (Birds Australia WA: Perth, Western Australia.)
- Gole, C. (2005b). Conserving Carnaby's Black-Cockatoo Future Directions Symposium: an overview. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 1–2. (Birds Australia Western Australia: Perth.)
- Gole, C. (2013). Bird bands on black cockatoos - watching their legs can help with their conservation. *Western Australian Bird Notes* **146**, 2.
- Gole, C., Bozoky, V., and Fossey, M. (2013). 'Carnaby's Black-Cockatoo and your farm'. (BirdLife Australia: Floreat, WA.)
- Groom, C. (2010). Artificial hollows for Carnaby's Black Cockatoo. An investigation of the placement, use, monitoring and maintenance requirements of artificial hollows for Carnaby's Black Cockatoo. Department of Environment and Conservation, Perth.
- Groom, C. (2011a). Artificial hollows for Carnaby's cockatoo: how to design a hollow. Dept. of Environment & Conservation, Kensington, W.A.
- Groom, C. (2011b). Artificial hollows for Carnaby's cockatoo: how to maintain and monitor. Dept. of Environment & Conservation, Kensington, W.A.
- Groom, C. (2011c). Artificial hollows for Carnaby's cockatoo: when to use artificial hollows. Dept. of Environment & Conservation, Kensington, W.A.
- Groom, C. (2011d). Plants Used by Carnaby's Black Cockatoo. Department of Environment and Conservation, Perth, W.A.
- Groom, C. (2015). Roost site fidelity and resource use by Carnaby's cockatoo, *Calyptorhynchus latirostris*, on the Swan coastal plain, Western Australia. Ph. D. thesis, University of Western Australia Nedlands, W.A.
- Groom, C., Mawson, P., Warren, K., Roberts, J. D., and Page, M. (2013). Tracking Carnaby's Cockatoos in Western Australia. *ARGOS Forum* **77**, 6–7.
- Groom, C. J., Mawson, P. R., Roberts, J. D., and Mitchell, N. J. (2014a). Meeting an expanding human population's needs whilst conserving a threatened parrot species in an urban environment. *WIT Transactions on Ecology and the Environment* **191**, 1199–1212. doi:[10.2495/SC141012](https://doi.org/10.2495/SC141012)
- Groom, C., Warren, K., Le Souëf, A., and Dawson, R. (2014b). Attachment and performance of Argos satellite tracking devices fitted to black cockatoos (*Calyptorhynchus* spp.). *Wildlife Research* **41**, 571–583. doi:[10.1071/WR14138](https://doi.org/10.1071/WR14138)
- Groom, C. J., Warren, K., and Mawson, P. R. (2017). Survival and reintegration of rehabilitated Carnaby's Cockatoos *Zanda latirostris* into wild flocks. *Bird Conservation International*, 1–14. doi:[10.1017/S0959270916000642](https://doi.org/10.1017/S0959270916000642)

- Groom, P. K., Lamont, B. B., and Duff, H. C. (1994). Self-crypsis in *Hakea trifurcata* as an avian granivore deterrent. *Functional Ecology* **8**, 110–117. doi:[10.2307/2390119](https://doi.org/10.2307/2390119)
- Gustavsson, C. (2009). The inter-relationship between planning legislation and environmental legislation. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 46–47. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Hemsley, V. (2003). Cockatoos foraging. *Western Australian Bird Notes* **108**, 18.
- Heydenrych, B. (2012). A preliminary investigation into restoring landscapes for Carnaby's Black Cockatoos in the Fitz-Stirling area of Gondwana Link on the south coast of Western Australia. Greening Australia, Perth, W.A.
- Higgins, P. J. (Ed.) (1999). 'Handbook of Australian, New Zealand and Antarctic Birds. Vol. 4. Parrots to Dollarbird'. (Oxford University Press: Melbourne.)
- Huelin, K. (2010). The limitation and potential of tracking the Carnaby's cockatoo (*Calyptorhynchus latirostris*) using citizen science. Honours thesis, University of Western Australia Nedlands, W.A.
- Huelin, K. (2011). Carnaby tracker: a citizen science project. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 16–17. (Urban Bushland Council (WA) Inc: West Perth.)
- Hussey, P. (1997). Nest boxes for native wildlife. *Wildlife Notes* **3**, 1–6.
- Irwin, A. (2007). Carnaby's cockatoo : two families in one year! *Western Wildlife* **11(2)**, 7.
- IUCN (2013). *Zanda latirostris*: BirdLife International: The IUCN Red List of Threatened Species 2013: e.T22684733A48062560. doi:[10.2305/IUCN.UK.2013-2.RLTS.T22684733A48062560.en](https://doi.org/10.2305/IUCN.UK.2013-2.RLTS.T22684733A48062560.en)
- Jackson, C. (2009). Assessing and quantifying canola crop damage by Carnaby's Black-Cockatoo *Calyptorhynchus latirostris* in the south-west of Western Australia. M.App.Sc. thesis, University of Sydney, Sydney.
- Johnston, T. (2011). Five-star dining for Carnaby's. *Landscape* **27(2)**, 52–57.
- Johnston, T. (2013). Food resource availability for Carnaby's Cockatoo *Calyptorhynchus latirostris* on the Swan Coastal Plain. M.Sc. thesis, ECU Joondalup. Available at: <http://ro.ecu.edu.au/theses/595>
- Johnston, T. R., Stock, W. D., and Mawson, P. R. (2016). Foraging by Carnaby's Black-Cockatoo in *Banksia* woodland on the Swan Coastal Plain, Western Australia. *Emu - Austral Ornithology* **116**, 284–293. doi:[10.1071/MU15080](https://doi.org/10.1071/MU15080)
- Johnstone, R. E. (1997). Current studies on three endemic Western Australian cockatoos. *Eclectus* **3**, 34–35.
- Johnstone, R. (2010). Information sheet: Carnaby's Cockatoo (*Calyptorhynchus latirostris*). Western Australian Museum, Perth, W.A.

- Johnstone, R. E., and Johnstone, C. (2003). Assessment of roadside vegetation for breeding and feeding habitats of Carnaby's Cockatoo: Dalwallinu-Walebing. Unpublished report. Report prepared for Biota Environmental Services, Perth, W.A.
- Johnstone, R. E., and Kirkby, T. (2005a). Cockatoos in crisis. *Landscape* **21**(2), 58–61.
- Johnstone, R., and Kirkby, T. (2005b). 'Cockatoo Care' - a public programme. *Western Wildlife* **9**, 11–13.
- Johnstone, R. E., and Kirkby, T. (2007). Feral European Honey Bees: a major threat to cockatoos and other tree hollow users. *Western Australian Naturalist* **25**, 252–254.
- Johnstone, R. E., and Kirkby, T. (2008a). Carnaby's Cockatoo (*Calyptorhynchus latirostris*) on the Northern Swan Coastal Plain (Lancelin - Perth) Western Australia. Unpublished report to the Australian Government's Department of Environment, Water, Heritage and the Arts, Canberra.
- Johnstone, R. E., and Kirkby, T. (2008b). White-tailed Black Cockatoos on the Northern Swan Coastal Plain (Lancelin – Perth) Western Australia. Unpublished report to DEWHA.
- Johnstone, R. E., and Kirkby, T. (2009a). Birds of the Wungong Dam catchment, Bedfordale, Western Australia. *Western Australian Naturalist* **26**, 219–274.
- Johnstone, R. E., and Kirkby, T. (2009b). Carnaby's Black-Cockatoo in the south-west: current studies on distribution, status, breeding, food and movements. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 38–40. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Johnstone, R. E., and Kirkby, T. (2010). Carnaby's food list. Unpublished report, WA Museum, Perth, W.A.
- Johnstone, R. E., and Kirkby, T. (2011). Muja to Wellstead proposed transmission lines targeted black cockatoo assessment. Unpublished report for URS Australia and Western Power. URS Australia and Western Power, Perth, W.A.
- Johnstone, R. E., and Storr, G. M. (1998). 'Handbook of Western Australian Birds. Volume I. Non-passerines (Emu to Dollarbird)'. (Western Australian Museum: Perth.)
- Johnstone, R. E., Kirkby, T., and Stone, P. (2002). Review of cockatoo research project in Western Australia, 2001-2002. *Eclectus* **13**, 16–19.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2004). Report on Carnaby's Cockatoo *Calyptorhynchus latirostris* breeding season 2003-2004 within the Cataby Project Area. Unpublished report prepared for Iluka Resources Limited, Perth, W.A.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2005a). Report on Carnaby's Cockatoo *Calyptorhynchus latirostris* nest monitoring within the Cataby Project Area breeding season 2004-2005. Unpublished report prepared for Iluka Resources Limited, Perth, W.A.
- Johnstone, R., Kirkby, T., Stone, P., and Minton, C. (2005b). White-tailed Black-Cockatoos: identification challenges and changes in distribution and status, and links with a community program - Cockatoo Care. In 'Conserving Carnaby's Black-Cockatoo: future

directions : proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 32–35. (Birds Australia Western Australia: Perth.)

- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2006). Report on Carnaby's Cockatoo *Calyptorhynchus latirostris* nest monitoring within the Cataby Project Area breeding season 2005-2006. Unpublished report prepared for Iluka Resources Limited, Perth, W.A.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2007a). Assessment of significant habitat for Carnaby's Cockatoo *Calyptorhynchus latirostris* in the Eneabba region. Unpublished report prepared for Iluka Resources Limited, Perth, W.A.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2007b). Report on Carnaby's Cockatoo *Calyptorhynchus latirostris* nest monitoring within the Cataby Project Area breeding season 2006-2007. Unpublished report prepared for Iluka Resources Limited, Perth, W.A.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2007c). White-tailed Black Cockatoos (Baudin's Cockatoo *Calyptorhynchus baudinii* and Carnaby's Cockatoo *Calyptorhynchus latirostris*) on the Southern Swan Coastal Plain (Bunbury-Dunsborough) Western Australia. Unpublished report, Perth.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2008a). Further assessment of significant habitat for Carnaby's Cockatoo *Calyptorhynchus latirostris* in the Eneabba region. Unpublished report prepared for Iluka Resources Limited, Perth, W.A.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2008b). Report on Carnaby's Cockatoo *Calyptorhynchus latirostris* nest monitoring within the Cataby Project Area breeding season 2007-2008. Unpublished report prepared for Iluka Resources Limited, Perth, W.A.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2009a). Assessment of significant habitat for black cockatoos at proposed wastewater treatment plant, East Rockingham. Unpublished report to Water Corporation, Perth.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2009b). Perth-Bunbury Highway black cockatoo habitat tree monitoring survey. Unpublished report by Biota Environmental Sciences for Southern Gateway Alliance, Perth, W.A.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2010a). Black Cockatoos on the Swan Coastal Plain. Report for the Department of Planning, Western Australia, Perth.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2010b). Black Cockatoos on the Swan Coastal Plain. Carnaby's Cockatoo (*Calyptorhynchus latirostris*), Baudin's Cockatoo (*Calyptorhynchus baudinii*) and the Forest Red-tailed Black Cockatoo (*Calyptorhynchus banksii naso*) on the Swan Coastal Plain (Lancelin–Dunsborough), Western Australia. Studies on distribution, status, breeding, food, movements and historical changes. Report for the Department of Planning, Western Australia, Perth, W.A.
- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2010c). DRAFT Carnaby's cockatoo nest box monitoring, Bindoon region 2009-2010. Unpublished report for Access Alliance/Main Roads Western Australia, Perth, W.A.

- Johnstone, R. E., Johnstone, C., and Kirkby, T. (2010d). Perth-Bunbury Highway black cockatoo nest monitoring 2009-10 season. Unpublished report by Biota Environmental Sciences for GHD Pty Ltd/Main Roads Western Australia, Perth, W.A.
- Johnstone, R. E., Kirkby, T., and Sarti, K. (2011). Cockatoos calling. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 3–9. (Urban Bushland Council (WA) Inc: West Perth.)
- Johnstone, R. E., Fisher, C., and Saunders, D. A. (2014). Case 3658 *Calyptorhynchus baudinii* Lear, 1832 (Aves, CACATUIDA): proposed conservation of usage by designation of a neotype. *Bulletin of Zoological Nomenclature* **71**, 170–178.
- Johnstone, R. E., Kirkby, T., and Mannion, M. (2015). Trials on the use and effectiveness of artificial nest hollows for Carnaby's Cockatoo at Cataby, Western Australia. *Western Australian Naturalist* **29**, 250–262.
- Jupp, T. (1996). Carnaby's Cockatoo – preventing a crisis! *PsittaScene* **8**, 8–9.
- Jupp, T. (2000). The status of cockatoos in south-west Western Australia and conservation efforts by Perth Zoo. *International Zoo Yearbook* **37**, 80–86. doi:[10.1111/j.1748-1090.2000.tb00709.x](https://doi.org/10.1111/j.1748-1090.2000.tb00709.x)
- Jupp, T. (2001). Close encounters with Carnaby's. *PsittaScene* **13(2)**, 13.
- Kabat, T. (2012a). Citizen science proves its worth - the 2011 Great Cocky Count. *Western Australian Bird Notes* **141**, 4–5.
- Kabat, T. (2012b). Managing black-cockatoo habitat on the Swan Coastal Plain. *Western Australian Bird Notes* **143**, 11.
- Kabat, A. P., Scott, R., Kabat, T. J., and Barrett, G. (2012a). 2011 Great Cocky Count: population estimates and identification of roost sites for the Carnaby's Cockatoo (*Calyptorhynchus latirostris*). Report prepared by BirdLife Australia for the WA Department of Environment and Conservation, Perth.
- Kabat, T. J., Barrett, G., and Kabat, A. P. (2012b). 2012 Great Cocky Count: identification of roost sites for Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) and population count for the DEC Swan Region. BirdLife Australia, Perth.
- Kabat, T. J., Barrett, G., and Kabat, A. P. (2013). 2013 Great Cocky Count: identification of roost sites for Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) and population count for the DPaW Swan Region. BirdLife Australia, Perth, W.A.
- Keast, D. (1977). Acrobatics of the White-tailed Black Cockatoo in hot air pillars. *Western Australian Naturalist* **13**, 205.
- Keith Lindbeck and Associates (2012). Forrestania Nickel Project. Spotted Quoll - Cosmic Boy haul road Carnaby's Black Cockatoo conservation management plan. Unpublished report to Western Areas NL, Perth, W.A.
- Kendrick, A. W. (Ed.) (2011). 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Urban Bushland Council (WA) Inc: West Perth.)

- Kenneally, K. F. (2002). Carnaby's Cockatoos feeding in liquid amber. *Western Australian Naturalist* **23**, 224–225.
- Lamont, B. B., and van Leeuwen, S. J. (1988). Seed production and mortality in a rare *Banksia* species. *The Journal of Applied Ecology* **25**, 551–559. doi:[10.2307/2403843](https://doi.org/10.2307/2403843)
- Lauri, J. (2019). Alison Betty Doley 28 October 1938 – 20 February 2019 [Obituary]. *Western Australian Bird Notes* **170**, 29.
- Le Roux, C. (2017). Nocturnal roost tree, roost site and landscape characteristics of Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) on the Swan Coastal Plain. M.Sc. thesis, Edith Cowan University. Available at: <http://ro.ecu.edu.au/theses/2017>
- Le Souëf, A. T. (2012). Development and improvement of clinical tools for rehabilitating endangered black cockatoos (*Calyptorhynchus* spp.) back to the wild. Ph. D. thesis, Murdoch University Murdoch, W.A.
- Le Souëf, A., Vitali, S., Palmer, C., Fenwick, S., and Warren, K. (2009). The rehabilitation of black cockatoos (*Calyptorhynchus* spp.) at the Perth Zoo Veterinary Department – the development of improved conservation and prognostic indicators for debilitated birds. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 29–30. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Le Souëf, A., Stojanovic, D., Burbidge, A. H., Vitali, S. D., Heinsohn, H., Dawson, R., and Warren, K. S. (2013a). Retention of transmitter attachments on black cockatoos (*Calyptorhynchus* spp.). *Pacific Conservation Biology* **19**, 55–57.
- Le Souëf, A. T., Holyoake, C. S., Vitali, S. D., and Warren, K. S. (2013b). Hematologic and plasma biochemical reference values for three species of black cockatoos (*Calyptorhynchus* species). *Journal of Avian Medicine and Surgery* **27**, 14–22. doi:[10.1647/2010-056.1](https://doi.org/10.1647/2010-056.1)
- Le Souëf, A., Warren, K., Holyoake, C., and Vitali, S. (2013c). A tool for the age estimation of black cockatoos (*Calyptorhynchus* spp.). In Carnaby's Black-Cockatoo 2013 Symposium. (Kensington, Western Australia.) Available at: <http://researchrepository.murdoch.edu.au/id/eprint/37994/>
- Le Souëf, A., Holyoake, C., Vitali, S., and Warren, K. (2015). Presentation and prognostic indicators for free-living black cockatoos (*Calyptorhynchus* spp.) admitted to an Australian zoo veterinary hospital over 10 years. *Journal of Wildlife Diseases* **51**. doi:[10.7589/2014-08-203](https://doi.org/10.7589/2014-08-203)
- Le Souëf, A., Vitali, S., Dawson, R., Shephard, J. M., and Warren, K. S. (2019). Fly Away Home: a collaborative program to return rehabilitated black cockatoos to the wild in Western Australia. In 'Scientific Foundations of Zoos and Aquariums'. (Eds A. B. Kaufman, M. J. Bashaw, and T. L. Maple.) pp. 327–338. (Cambridge University Press.) doi:[10.1017/9781108183147.013](https://doi.org/10.1017/9781108183147.013)
- Lee, J. G. H. (2013). Integrating conservation with production: the ecology of three threatened black cockatoos within a mining production landscape in the jarrah-marri forest of Western Australia. Ph. D. thesis, Murdoch University Murdoch, W.A.

- Lee, J. (2014a). Forest Black Cockatoo Symposium & Workshop Perth, June 2014. Summary report. BirdLife Australia, Carlton, Victoria.
- Lee, J. (2014b). Forest Black Cockatoo Symposium and Workshop - 'Understanding the Forest Black Cockatoos of Western Australia'. *Western Australian Bird Notes* **151**, 4–5.
- Lee, J., and Mather, S. (2015). Lotterywest has thrown forest black cockatoos a lifeline. *Western Australian Bird Notes* **153**, 4–5.
- Lee, J., Finn, H., and Calver, M. (2010). Mine-site revegetation monitoring detects feeding by threatened black-cockatoos within 8 years. *Ecological Management & Restoration* **11**, 141–143. doi:[10.1111/j.1442-8903.2010.00533.x](https://doi.org/10.1111/j.1442-8903.2010.00533.x)
- Lee, J., Finn, H., and Calver, M. (2013a). Feeding activity of threatened black cockatoos in mine-site rehabilitation in the jarrah forest of south-western Australia. *Australian Journal of Zoology* **61**, 119–131. doi:[10.1071/ZO12101](https://doi.org/10.1071/ZO12101)
- Lee, J. G. H., Finn, H. C., and Calver, M. C. (2013b). Ecology of black cockatoos at a mine-site in the eastern jarrah-marri forest, Western Australia. *Pacific Conservation Biology* **19**, 76–90.
- van Leeuwen, S. J., and Lamont, B. B. (1996). Floral damage by animals and its impact on reproductive success in *Banksia tricuspis* Meisner (Proteaceae). In 'Gondwanan Heritage: Past, Present and Future of the Western Australian Biota'. (Eds S. D. Hopper, J. A. Chappill, M. S. Harvey, and A. S. George.) (Surrey Beatty & Sons: Chipping Norton.)
- Littler, B. (1983). Observation of the eating habits of the White-tailed Black Cockatoo. *Western Australian Avicultural Magazine* **Sep 1983**, 7–9.
- Mason, S. (2009). The difficulty in maintaining momentum in a rural landscape. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 27–28. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Mawson, P. R. (1995). Observations of nectar feeding by Carnaby's Cockatoo *Calyptorhynchus latirostris*. *Western Australian Naturalist* **20**, 93–96.
- Mawson, P. (1997). A captive breeding program for Carnaby's Cockatoo, *Calyptorhynchus latirostris*. *Eclectus* **3**, 21–23.
- Mawson, P. (2001). A new food for Carnaby's Cockatoos. *Eclectus* **11**, 10.
- Mawson, P. (2009). The application of an off-set policy to the conservation of Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) on the Swan Coastal Plain. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 14–15. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Mawson, P., and Dawson, R. (2005). Conserving Carnaby's Black-Cockatoo through better management of captive stocks. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 19–22. (Birds Australia Western Australia: Perth.)

- Mawson, P., and Johnstone, R. (1997). Conservation status of parrots and cockatoos in Western Australia. *Eclectus* **2**, 4–9.
- Mawson, P., and Temby, I. (1996). Quantifying damage caused by cockatoos. *Eclectus* **1**, 10–11.
- Mawson, P., Saunders, D., and Dawson, R. (2015). Artificial nest hollows for an endangered cockatoo: why, where and what? In ‘Book of Abstracts’. Australasian Wildlife Management Society 28th annual conference: Wildlife management in a changing environment, 23-26 November, 2015. (Australasian Wildlife Management Society: Perth, W.A.)
- McInnes, L. M., Dadour, I. R., Stewart, M. E., Ditcham, W. G. F., Mawson, P., and Spencer, P. B. S. (2005). Characterization of polymorphic microsatellite markers for the Carnaby’s cockatoo (*Calyptorhynchus latirostris*) and related black cockatoo species. *Molecular Ecology Notes* **5**, 504–506. doi:[10.1111/j.1471-8286.2005.00971.x](https://doi.org/10.1111/j.1471-8286.2005.00971.x)
- McMahon, L. (2001a). Carnaby’s Black-Cockatoo project. *Western Australian Bird Notes* **99**, 10.
- McMahon, L. (2001b). Carnaby’s Black-Cockatoo project. *Western Australian Bird Notes* **100**, 11.
- McMahon, L. (2002a). Carnaby’s black-cockatoo: a cocky in crisis. *Western Wildlife* **6(3)**, 4–5.
- McMahon, L. (2002b). Carnaby’s Black-Cockatoo project. *Western Australian Bird Notes* **103**, 15.
- McMahon, L. (2003a). Carnaby’s Black-Cockatoo recovery project. *Western Australian Bird Notes* **107**, 11–12.
- McMahon, L. (2003b). Carnaby’s Black-Cockatoo recovery project. *Western Australian Bird Notes* **105**, 13.
- McMahon, L. (2003c). Carnaby’s Black-Cockatoo recovery project. Look out this summer for Carnaby’s Black-Cockatoos that stand out from the flock. *Western Australian Bird Notes* **108**, 14.
- McMahon, L. (2003d). Carnaby’s Black-Cockatoos. Return of the Rainbird. *Wingspan* **13(1)**, 14–17.
- McMahon, L. (2004a). Carnaby’s Black-Cockatoo recovery project. *Western Australian Bird Notes* **111**, 12.
- McMahon, L. (2004b). Carnaby’s black-cockatoo recovery project: final report to Environment Australia for the period August 2002 to mid 2003. Birds Australia, Western Australian Group, Floreat, W.A.
- McMahon, L. (2004c). Lotterywest Gordon Reid Foundation: final report, October 2004 : Carnaby’s black-cockatoo recovery project. Birds Australia, Western Australian Group, report to Gordon Reid Foundation, Floreat, W.A.
- McMahon, L. (2004d). WA Minister for Environment’s Community Conservation Grant, 2003/04: final report: repair of Carnaby’s Black-Cockatoo hollows in the wheatbelt. Birds Australia, Western Australian Group, Floreat, W.A.

- McMahon, L. (2005a). Carnaby's Black-Cockatoo recovery project. *Western Australian Bird Notes* **113**, 10–11.
- McMahon, L. (2005b). Carnaby's Black-Cockatoo recovery project: recovery actions in the Western Australian wheatbelt. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 44–47. (Birds Australia Western Australia: Perth.)
- McMahon, L. (2006). Tail painting as a method of tracking Carnaby's Black-Cockatoo. *Eclectus* **16–17**, 30–34.
- McMahon, L., and Blyth, J. (2005a). Carnaby's Black-Cockatoo recovery project: update, June 2005. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 69–70. (Birds Australia Western Australia: Perth.)
- McMahon, L., and Blyth, J. (2005b). Recovering the rainbird, Carnaby's Black-Cockatoo. *Landscape* **21(1)**, 32–38.
- Mead-Hunter, D. (2005). Pied parrot pecks prostrata. *Western Australian Bird Notes* **114**, 24.
- Mell, D., and Wetherall, J. (1992). To catch a thief. *Landscape* **7(4)**, 28–32.
- Metcalf, B. M. (2010). 2009 artificial nest hollow monitoring, Ewington Area. Unpublished report by Bamford Consulting Ecologists for the Griffin Coal Mining Company.
- Metcalf, B. M., and Cherriman, S. (2009). Artificial nest-hollow monitoring, Ewington Area, 2008. Unpublished report by Bamford Consulting Ecologists for the Griffin Coal Mining Company.
- Metcalf, B. M., Davies, S. J. J. F., and Ladd, P. G. (2000). Adaptation of behaviour by two bird species as a result of habituation to humans. *Australian Bird Watcher* **18**, 306–312.
- Minton, C. (2011). Managing a university campus for black cockatoo conservation. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 45–51. (Urban Bushland Council (WA) Inc: West Perth.)
- Mitchell, D. (2005). Clearing of Gnangara pine plantation: implications for Carnaby's Black-Cockatoo on the Swan Coastal Plain. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 23–31. (Birds Australia Western Australia: Perth.)
- Mitchell, D. (2011). Recovery of Carnaby's cockatoo. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 12–15. (Urban Bushland Council (WA) Inc: West Perth.)
- Mitchell, S. (2013). People in profile: Alison Doley. *Landscape* **28(3)**, 39–43.
- O'Brien, K. (2006). Cockatoos, conservation and communities. *Western Australian Bird Notes* **118**, 14.
- Orton, C. L. E., and Sandland, P. T. (1913). Birds of Moora (W.A.) and district. *Emu* **13**, 75–80.

- Owen, M. (2011). Observations from the Perry Lakes roosting site. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 23–29. (Urban Bushland Council (WA) Inc: West Perth.)
- Parsons Brinckerhoff (2013). Carnaby's Cockatoo - Population Viability Analysis (PVA) literature review. Parsons Brinckerhoff, Perth, W.A.
- Peck, A. (2016a). BirdLife Australia 2016 Black-Cockatoo breeding survey report. BirdLife Australia, Perth, Western Australia.
- Peck, A. (2016b). Great Cocky Count. *Western Australian Bird Notes* **158**, 17.
- Peck, A. (2016c). The 2016 Great Cocky Count. *Western Australian Bird Notes* **160**, 4–6.
- Peck, A. (2017). BirdLife Australia 2017 Black-Cockatoo breeding survey report. BirdLife Australia, Perth, Western Australia.
- Peck, A. (2018a). BirdLife Australia 2018 Black-Cockatoo breeding survey report. BirdLife Australia, Perth, Western Australia.
- Peck, A. (2018b). Happy hollows. *Bushland News* **106**, 18–19.
- Peck, A. (2018c). Great Cocky Count, 2018. *Western Australian Bird Notes* **168**, 14.
- Peck, A. (2019). Great Cocky Count, 2019. *Western Australian Bird Notes* **170**, 19.
- Peck, A., Barrett, G., and Williams, M. (2016). The 2016 Great Cocky Count: a community-based survey for Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) and Forest Red-tailed Black-Cockatoo (*Calyptorhynchus banksii naso*). BirdLife Australia, Floreat, Western Australia. Available at: <http://birdlife.org.au/documents/GCC-report-2016.pdf>
- Peck, A., Barrett, G., and Williams, M. (2017). The 2017 Great Cocky Count: a community-based survey for Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*), Baudin's Black-Cockatoo (*Calyptorhynchus baudinii*) and Forest Red-tailed Black-Cockatoo (*Calyptorhynchus banksii naso*). BirdLife Australia, Floreat, W.A.
- Peck, A., Barrett, G., and Williams, M. (2018). The 2018 Great Cocky Count: a community-based survey for Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*), Baudin's Black-Cockatoo (*Calyptorhynchus baudinii*) and Forest Red-tailed Black-Cockatoo (*Calyptorhynchus banksii naso*). BirdLife WA and Dept of Biodiversity, Conservation and Attractions, Perth, W.A.
- Peck, J. (2011). Observations of Carnaby's Black-Cockatoo. *Western Australian Bird Notes* **139**, 20–21.
- Perry, D. H. (1948). Black cockatoos and pine plantations. *Western Australian Naturalist* **1**, 133–135.
- Pitman, H., Scott, R., Stojanovic, D., and McLellan, L. (2007). Caring for Carnaby's. *Wingspan* **17(4)**, 24–25.
- de Rebeira, C. P. S., and de Rebeira, A. M. (1977). Birds. In 'The Natural History of the Wongan Hills'. (Ed K. F. Kenneally.) pp. 77–96. (WA Naturalists Club, Handbook No.11: Perth.)

- Richards, B. (2016). Do Environmental Offsets Deliver for Carnaby's Cockatoo? B.Sc. (Hons) thesis, University of Western Australia Nedlands, W.A.
- Robinson, A. (1965). Feeding notes on the white tailed black cockatoo. *Western Australian Naturalist* **9**, 169–170.
- Rose, A., and Rose, S. (2014). Different methods used to extract Marri seeds by two cockatoo species and two parrot species. *Western Australian Bird Notes* **151**, 30–31.
- Rowley, I. C. R., and Saunders, D. A. (1980). Rigid wing-tags for cockatoos. *Corella* **4**, 1–7.
- Rule, D., and Smart, B. (2007). Carnaby's drinking habits at Boundary Lake. *Western Australian Bird Notes* **123**, 15.
- Rycken, S., Warren, K. S., Yeap, L., Jackson, B., Riley, K., Page, M., Dawson, R., Smith, K., Mawson, P. R., and Shephard, J. M. (2018). Assessing integration of black cockatoos using behavioral change point analysis. *The Journal of Wildlife Management*. doi:[10.1002/jwmg.21609](https://doi.org/10.1002/jwmg.21609)
- Saunders, D. A. (1974a). Subspeciation in the White-tailed Black Cockatoo, *Calyptorhynchus baudinii*, in Western Australia. *Australian Wildlife Research* **1**, 55–69.
- Saunders, D. A. (1974b). The function of displays in the breeding of the White-tailed Black Cockatoo. *Emu* **74**, 43–46.
- Saunders, D. A. (1974c). The occurrence of the White-tailed Black Cockatoo, *Calyptorhynchus baudinii*, in *Pinus* plantations in Western Australia. *Australian Wildlife Research* **1**, 45–54.
- Saunders, D. A. (1976). Breeding of the White-tailed Black Cockatoo in captivity. *Western Australian Naturalist* **13**, 171–172.
- Saunders, D. A. (1977). The effect of agricultural clearing on the breeding success of the White-tailed Black Cockatoo. *Emu* **77**, 180–184.
- Saunders, D. A. (1979a). Distribution and taxonomy of the White-tailed and Yellow-tailed Black Cockatoos, *Calyptorhynchus* spp. *Emu* **79**, 215–227.
- Saunders, D. A. (1979b). The availability of tree hollows for use as nest sites by White-tailed Black Cockatoos. *Australian Wildlife Research* **6**, 205–216.
- Saunders, D. A. (1979c). The biology of the short-billed form of the White-tailed Black Cockatoo, *Calyptorhynchus funereus latirostris* Carnaby. PhD, University of Western Australia Nedlands.
- Saunders, D. A. (1980). Food and movements of the short-billed form of the White-tailed Black Cockatoo. *Australian Wildlife Research* **7**, 257–269.
- Saunders, D. A. (1982). The breeding behaviour and breeding biology of the short-billed form of the White-tailed Black Cockatoo, *Calyptorhynchus funereus*. *Ibis* **124**, 422–455.
- Saunders, D. A. (1983). Vocal repertoire and individual vocal recognition in the short-billed White-tailed Black Cockatoo, *Calyptorhynchus funereus latirostris* Carnaby. *Australian Wildlife Research* **10**, 527–536.

- Saunders, D. A. (1986). Breeding season, nesting success and nestling growth in Carnaby's Cockatoo, *Calyptorhynchus funereus latirostris*, over 16 years at Coomallo Creek, and a method for assessing the viability of populations in other areas. *Australian Wildlife Research* **13**, 261–273.
- Saunders, D. A. (1988). Patagial tags: do benefits outweigh risks to the animal? *Australian Wildlife Research* **15**, 565–569.
- Saunders, D. A. (1990). Problems of survival in an extensively cultivated landscape: the case of Carnaby's Cockatoo *Calyptorhynchus funereus latirostris*. *Biological Conservation* **54**, 277–290.
- Saunders, D. A. (1991). The effect of land clearing on the ecology of Carnaby's Cockatoo and the inland Red-tailed Black Cockatoo in the wheatbelt of Western Australia. In 'Acta XX Congressus Internationalis Ornithologici', pp. 658–665.
- Saunders, D. A. (1993). A community-based observer scheme to assess avian responses to habitat reduction and fragmentation in south-western Australia. *Biological Conservation* **64**, 203–218.
- Saunders, D. (2002). From vermin to landscape ecology: the tale of Carnaby's Cockatoo. In 'Perspectives on Wildlife Research: Celebrating 50 years of CSIRO Wildlife and Ecology'. (Eds D. Saunders, D. Spratt, and M. van Wensveen.) pp. 89–96. (Surrey Beatty & Sons in association with CSIRO Sustainable Ecosystems: Chipping Norton, NSW.)
- Saunders, D. (2005). Conserving Carnaby's Black-Cockatoo: historical background on changing status. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 9–18. (Birds Australia Western Australia: Perth.)
- Saunders, D. A. (2009a). Cockatoo movements and conservation management. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 6–7. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Saunders, D. A. (2009b). Concluding remarks. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 48–50; 51–53. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Saunders, D. (2010). Cockie hunting. *Western Wildlife* **14**(3), 11.
- Saunders, D. A. (2013). Carnaby's Cockatoo – is it a rainbird? *Western Wildlife* **17**(4), 16–18.
- Saunders, D. (2016). Atlas of the birds of the Western Australian Wheatbelt 1987-1990. v1. CSIRO. Data Collection. 10.4225/08/57A98E5F609D7 *CSIRO Data Access Portal*. Available at: <http://doi.org/10.4225/08/57A98E5F609D7>
<https://data.csiro.au/dap/landingpage?pid=csiro:18873>
- Saunders, D. A. (2019). Agriculture and conservation: an oxymoron or a necessity? *Pacific Conservation Biology*. doi:[10.1071/PC19005](https://doi.org/10.1071/PC19005)

- Saunders, D. A. (2019). Tribute to Alison Betty Doley AM: farmer and conservationist (28 October 1938 to 20 February 2019). *Pacific Conservation Biology* **25**, in press. doi:https://doi.org/10.1071/PCv25n2_OB
- Saunders, D. A., and Dawson, R. (2009). Update on longevity and movements of Carnaby's Black Cockatoo. *Pacific Conservation Biology* **15**, 72–74.
- Saunders, D. A., and Dawson, R. (2017). Cumulative learnings and conservation implications of a long-term study of the endangered Carnaby's Cockatoo *Calyptorhynchus latirostris*. *Australian Zoologist*. doi:[10.7882/AZ.2017.010](https://doi.org/10.7882/AZ.2017.010)
- Saunders, D. A., and Doley, A. (2014). The birds of “Koobabbie” in the northern wheatbelt of Western Australia (1987-2011) and its role in conservation of the region's avifauna. *Pacific Conservation Biology* **19**, 204–232.
- Saunders, D. A., and Doley, A. (2017). Culling farm wildlife for conservation and production on “Koobabbie”, a cereal and sheep growing property, in the northern wheatbelt of Western Australia. *Australian Zoologist*. doi:[10.7882/AZ.2017.046](https://doi.org/10.7882/AZ.2017.046)
- Saunders, D., and Doley, A. (2018). WA Northern Wheatbelt Bird Counts from Koobabbie 1987-2017. v4. CSIRO. Data Collection. 10.4225/08/5ad3f03d31c69. *CSIRO Data Access Portal*. Available at: <https://doi.org/10.4225/08/5ad3f03d31c69>
<https://data.csiro.au/dap/landingpage?pid=csiro:17611>
- Saunders, D. A., and Ingram, J. A. (1987). Factors affecting survival of breeding populations of Carnaby's Cockatoo *Calyptorhynchus funereus latirostris* in remnants of native vegetation. In ‘Nature Conservation: The Role of Remnants of Native Vegetation’. (Eds D. A. Saunders, G. W. Arnold, A. A. Burbidge, and A. J. M. Hopkins.) (Surrey Beatty and Sons in association with CSIRO and CALM: Chipping Norton, NSW.)
- Saunders, D. A., and Ingram, J. A. (1995). ‘Birds of Southwestern Australia. An atlas of changes in the distribution and abundance of the wheatbelt avifauna’. (Surrey Beatty & Sons: Chipping Norton, NSW.)
- Saunders, D. A., and Ingram, J. A. (1998). Twenty-eight years of monitoring a breeding population of Carnaby's Cockatoo. *Pacific Conservation Biology* **4**, 261–270.
- Saunders, D. A., and Smith, G. T. (1981). Egg dimensions and egg weight loss during incubation in five species of cockatoo, and the use of measurements to determine the stage of incubation of birds' eggs. *Australian Wildlife Research* **8**, 411–419.
- Saunders, D. A., Smith, G. T., and Rowley, I. (1982). The availability and dimensions of tree hollows that provide nest sites for cockatoos (Psittaciformes) in Western Australia. *Australian Wildlife Research* **9**, 541–556.
- Saunders, D. A., Rowley, I., and Smith, G. T. (1985). The effects of clearing for agriculture on the distribution of cockatoos in the southwest of Western Australia. In ‘Birds of Eucalypt Forests and Woodlands: Ecology, Conservation Management’. (Eds A. Keast, H. F. Recher, H. Ford, and D. Saunders.) pp. 309–321. (RAOU and Surrey Beatty and Sons: Chipping Norton, NSW.)
- Saunders, D. A., Smith, G. T., Ingram, J. A., and Forrester, R. I. (2003). Changes in a remnant of salmon gum *Eucalyptus salmonophloia* and York gum *E. loxophleba* woodland, 1978 to

1997. Implications for woodland conservation in the wheat-sheep regions of Australia. *Biological Conservation* **110**, 245–256.
- Saunders, D. A., Dawson, R., and Mawson, P. (2011a). Photographic identification of bands confirms age of breeding Carnaby's cockatoos *Calyptorhynchus latirostris*. *Corella* **35**, 52–54.
- Saunders, D. A., Mawson, P., and Dawson, R. (2011b). The impact of two extreme weather events and other causes of death on Carnaby's Black Cockatoo: a promise of things to come for a threatened species? *Pacific Conservation Biology* **17**, 141–148.
- Saunders, D. A., Wintle, B. A., Mawson, P. R., and Dawson, R. (2013). Egg-laying and rainfall synchrony in an endangered bird species: implications for conservation in a changing climate. *Biological Conservation* **161**, 1–9. doi:[10.1016/j.biocon.2013.02.004](https://doi.org/10.1016/j.biocon.2013.02.004)
- Saunders, D. A., Mawson, P. R., and Dawson, R. (2014a). One fledgling or two in the endangered Carnaby's Cockatoo (*Calyptorhynchus latirostris*): a strategy for survival or legacy from a bygone era? *Conservation Physiology* **2**, cou001–cou001. doi:[10.1093/conphys/cou001](https://doi.org/10.1093/conphys/cou001)
- Saunders, D. A., Mawson, P. R., and Dawson, R. (2014b). Use of tree hollows by Carnaby's Cockatoo and the fate of large hollow-bearing trees at Coomaloo Creek, Western Australia 1969–2013. *Biological Conservation* **177**, 185–193. doi:[10.1016/j.biocon.2014.07.002](https://doi.org/10.1016/j.biocon.2014.07.002)
- Saunders, D., Dawson, R., Doley, A., Lauri, J., Le Souëf, A., Mawson, P., Warren, K., and White, N. (2014c). Nature conservation on agricultural land: a case study of the endangered Carnaby's Cockatoo *Calyptorhynchus latirostris* breeding at Koobabbie in the northern wheatbelt of Western Australia. *Nature Conservation* **9**, 19–43. doi:[10.3897/natureconservation.9.8385](https://doi.org/10.3897/natureconservation.9.8385)
- Saunders, D., Mawson, P., and Dawson, R. (2014d). Carnaby's cockatoo, tree hollows and the fate of large hollow-bearing trees. *Western Wildlife* **18(4)**, 6–8.
- Saunders, D., Dawson, R., and Nicholls, N. (2015). Aging nestling Carnaby's cockatoo, *Calyptorhynchus latirostris*, and estimating the timing and length of the breeding season. *Nature Conservation* **12**, 27–42. doi:[10.3897/natureconservation.12.4863](https://doi.org/10.3897/natureconservation.12.4863)
- Saunders, D. A., Dawson, R., and Nicholls, A.O. (2016). Breeding failure and nestling body mass as a function of age of breeding females in the endangered Carnaby's Cockatoo, *Calyptorhynchus latirostris*. *Australian Zoologist* **38**, 171–182. doi:[10.7882/AZ.2016.032](https://doi.org/10.7882/AZ.2016.032)
- Saunders, D. A., White, N. E., Dawson, R., and Mawson, P. R. M. (2018). Breeding site fidelity, and breeding pair infidelity in the endangered Carnaby's Cockatoo *Calyptorhynchus latirostris*. *Nature Conservation* **27**, 59–74. doi:[10.3897/natureconservation.27.27243](https://doi.org/10.3897/natureconservation.27.27243)
- Saunders, D. A., Dawson, R., Mawson, P. R., and Nicholls, A. O. (2019). Factors affecting nestling condition and timing of egg-laying in the endangered Carnaby's Cockatoo, *Calyptorhynchus latirostris*. *Pacific Conservation Biology* in press. doi:[10.1071/PC19010](https://doi.org/10.1071/PC19010)

- Scott, J., and Black, R. (1981). Selective predation by White-tailed Black Cockatoos on fruit of *Banksia attenuata* containing the seed-eating weevil *Alphitopis nivea*. *Australian Wildlife Research* **8**, 421–430.
- Scott, R. (2008). Carnaby's Black-Cockatoo recovery project. *Western Australian Bird Notes* **127**, 9.
- Scott, R. (2009a). Artificial hollow trial on the south coast. *Western Australian Bird Notes* **131**, 1–2.
- Scott, R. (2009b). Birds Australia Carnaby's Black-Cockatoo Recovery Project. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 19–20. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Scott, R. (2010a). Carnaby's Black-Cockatoo goes on. *Western Australian Bird Notes* **136**, 12–13.
- Scott, R. (2010b). Extreme heat not the only threat to Carnaby's Black-Cockatoo. *Western Australian Bird Notes* **133**, 9.
- Scott, R. (2010c). Plants used by Carnaby's Black-Cockatoo, south and south-eastern regions. Unpublished report. Birds Australia WA, Perth, W.A.
- Scott, R. (2011). 2011 Great Cockey Count, 7 April. *Western Australian Bird Notes* **137**, 18–19.
- Scott, R. (2012). 2011, the year of the Carnaby's Black-Cockatoo survey. *Western Australian Bird Notes* **141**, 12.
- Scott, R., and Gole, C. (2011). The Birds Australia Carnaby's Black-Cockatoo recovery project 2000-2010: a ten year community-based approach to conservation. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 39–40. (Urban Bushland Council (WA) Inc: West Perth.)
- Scott, R., and Pitman, H. (2007). Carnaby's Black-Cockatoo recovery project. *Western Australian Bird Notes* **121**, 8–9.
- Shah, B. (2006a). Carnaby's Black-Cockatoo on the Swan Coastal Plain of Western Australia: population and food resource estimation. *Western Australian Bird Notes* **118**, 13–14.
- Shah, B. (2006b). Carnaby's Black-Cockatoo on the Swan Coastal Plain: we need your help! *Western Australian Bird Notes* **117**, 10–11.
- Shah, B. (2006c). Conservation of Carnaby's Black-Cockatoo on the Swan Coastal Plain, Western Australia, December 2006. Birds Australia Western Australia, Perth.
- Smit, F. (2011). Landcare SJ Inc: engaging the community for black cockatoo recovery. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 44. (Urban Bushland Council (WA) Inc: West Perth.)
- Smith, K. (2017). Second chances for black cockatoos. *Landscape* **33(2)**, 12–17.

- Stock, W. D., Finn, H., Parker, J., and Dods, K. (2013). Pine as fast food: foraging ecology of an endangered cockatoo in a forestry landscape. *PLoS ONE* **8**(4), e61145. doi:[10.1371/journal.pone.0061145](https://doi.org/10.1371/journal.pone.0061145)
- Stojanovic, D. (2008). Not so black and white: the complex conservation of Carnaby's black cockatoo. *Wildlife Australia* **45**(1), 18–23.
- Stojanovic, D. (2009a). Carnaby's Black-Cockatoos. *Landscape* **24**(4), 16–23.
- Stojanovic, D. (2009b). Issues relating to the monitoring of breeding populations in Birds Australia's Carnaby's Black-Cockatoo Recovery Project. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 21–22. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Stojanovic, D. (2009c). What's new with Carnaby's Black-Cockatoo? *Western Australian Bird Notes* **130**, 7–8.
- Stojanovic, D., and Scott, R. (2009). Carnaby's Black-Cockatoo project. *Wingspan* **19**(3), 30–33.
- Stokes, V. (2011). Managing black cockatoos in a production landscape. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 41–42. (Urban Bushland Council (WA) Inc: West Perth.)
- Stokes, V. (2019). Help needed to secure the future of Cocanarup Timber Reserve and its surrounds near Ravensthorpe for the endangered Carnaby's Black-Cockatoo. *Western Australian Bird Notes* **170**, 19–20.
- Storr, G. M. (1991). Birds of the South-West Division of Western Australia. *Records of the Western Australian Museum, Supplement* **35**, 1–150.
- Strategen (2008). Fiona Stanley Hospital Project Carnaby's Black-Cockatoo Management Plan for EPBC Act Referral. Unpublished report prepared for the Department of Health, Perth.
- Stubbs, P. (2005). Conserving Carnaby's Black-Cockatoo: conservation actions in a rural shire. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 48–49. (Birds Australia Western Australia: Perth.)
- Trappe, B. (1996). More on Black-Cockatoos and almonds. *Western Australian Bird Notes* **80**, 14.
- Turpin, J., and Cherriman, S. (2013). Nesting records of Carnaby's Cockatoo (*Calyptorhynchus latirostris*) from the Porongurup Range, south-west Western Australia. *Western Australian Naturalist* **29**, 1–7.
- Usher, K. M., Groom, C., and Saunders, D. A. (2016). Identification of individual Carnaby's Cockatoos *Calyptorhynchus latirostris* from distinctive plumage markings. *Australian Zoologist*. doi:[10.7882/AZ.2015.031](https://doi.org/10.7882/AZ.2015.031)
- Valentine, L. (2010). Food availability for Carnaby's black cockatoo in relationship to fire regimes on the GGS. Department of Environment and Conservation, Perth, W.A.

- Valentine, L. E., and Stock, W. (2008). Food resources of Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) in the Gngangara Sustainability Strategy study area. Report to Forest Products Commission. ECU and DEC, Perth.
- Valentine, L., Stock, W., and Parker, J. (2009). Food resources of Carnaby's Black-Cockatoo (*Calyptorhynchus latirostris*) in the Gngangara Sustainability Strategy (GSS) study area: potential impacts of pine plantation removal. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 38–40. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Valentine, L. E., Fisher, R., Wilson, B. A., Sonneman, T., Stock, W. D., Fleming, P. A., and Hobbs, R. J. (2014). Time since fire influences food resources for an endangered species, Carnaby's cockatoo, in a fire-prone landscape. *Biological Conservation* **175**, 1–9. doi:[10.1016/j.biocon.2014.04.006](https://doi.org/10.1016/j.biocon.2014.04.006)
- van der Moezel, P. (2009). Carnaby's Black-Cockatoo – a development industry perspective. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 8–9. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Vaughan-Higgins, R., Vitali, S., Le Souëf, A., Coiacetto, F., and Warren, K. (2018). Cockatoo hindlimb paralysis syndrome (CHiPS) the past, present and future. In Wildlife Health Australia, Combined Surveillance Group Workshop, 1st May 2018. (Perth Zoo: South Perth, W.A.)
- Vine, S., and Howard, K. (2014). Pining for Carnaby's. *Australian birdlife* **3(3)**, 24–29.
- Vine, S., and Peck, A. (2016). Last stand for Carnaby's. *Australian birdlife* **5(4)**, 20–23.
- Ward, T., and Weavers, A. (2009). Carnaby's Black-Cockatoo and the *EPBC Act*. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 16–18. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- Warren, K., Le Souëf, A., Holyoake, C., Yeap, L., Calver, M., Finn, H., Coe, C., Johnstone, R., Saunders, D., Dawson, R., Mawson, P., Vitali, S., and Klandorf, H. (2013). First insights into the age and sex structure demographics of two wild populations of Carnaby's cockatoo. In Wildlife Disease Association – Australasian Section Conference, 29 September - 4 October. pp. 67. (Wildlife Disease Association – Australasian Section: Grampians National Park, Vic, Australia.)
- Warren, K. S., Dawson, R., Saunders, D. A., Raidal, S., Vitali, S., Mawson, P., and Le Souëf, A. (2017). A study of the health of wild Carnaby's cockatoo (*Calyptorhynchus latirostris*) nestlings at key breeding sites in Western Australia. In 'International Conference on Avian, Herpetological and Exotic Mammal Medicine, March 25-30, 2017'. (Venice, Italy.)
- Weerheim, M. S. (2008). Distribution patterns and habitat use of black cockatoos (*Calyptorhynchus* spp.) in modified landscapes in the south-west of Western Australia. M.Sc. (Environmental Management), Edith Cowan University, School of Natural Sciences Perth, W.A.

- Western Australian Government (2018). Draft EPBC Act Strategic Impact Assessment Report for the Perth and Peel Regions. *Calyptorhynchus latirostris* (Carnaby's cockatoo). Govt of Western Australia, Perth, W.A.
- White, N. E. (2011). Molecular approaches used to infer evolutionary history, taxonomy, population structure, and illegal trade of white-tailed black-cockatoos (*Calyptorhynchus* spp.) in Australia. Ph. D. thesis, Murdoch University Murdoch, Western Australia.
- White, N. E., Mawson, P. R., Dawson, R., Bunce, M. A., and Spencer, P. B. S. (2009a). Characterisation and cross-species utility of 20 microsatellite markers for population and forensic applications in the endangered Carnaby's Black-cockatoo, *Calyptorhynchus latirostris*. *Conservation Genetics Resources* **1**, 341–345. doi:[10.1007/s12686-009-9079-7](https://doi.org/10.1007/s12686-009-9079-7)
- White, N., Spencer, P., and Bunce, M. (2009b). Molecular ecology, conservation, management and protection of black-cockatoos in Western Australia. In 'Proceedings of the Carnaby's Black-Cockatoo Symposium, December 2008'. (Ed A. H. Burbidge.) pp. 36–37. (WWF-Australia: Perth.) Available at: <http://www.birdlife.org.au/projects/carnabys-black-cockatoo-recovery/ecology-research-cbc>
- White, N. E., Phillips, M. J., Gilbert, M. T. P., Alfaro-Núñez, A., Willerslev, E., Mawson, P. R., Spencer, P. B. S., and Bunce, M. (2011a). The evolutionary history of cockatoos (Aves: Psittaciformes: Cacatuidae). *Molecular Phylogenetics and Evolution* **59**, 615–622.
- White, N., Spencer, P., and Bunce, M. (2011b). Molecular ecology, conservation, management and protection of black-cockatoos in Western Australia. In 'Endangered Black Cockatoos in Western Australia. Proceedings of a symposium about their biology, status, threats and efforts to restore their habitat and populations, 26 November 2010'. (Ed A. Kendrick.) pp. 43. (Urban Bushland Council (WA) Inc: West Perth.)
- White, N. E., Dawson, R., Coghlan, M. L., Tridicio, S. R., Mawson, P. R., Hile, J., and Bunce, M. (2012). Application of STR markers in wildlife forensic casework involving Australian black-cockatoos (*Calyptorhynchus* spp.). *Forensic Science International: Genetics* **6**, 664–670. doi:[10.1016/j.fsigen.2011.10.003](https://doi.org/10.1016/j.fsigen.2011.10.003)
- White, N. E., Bunce, M., Mawson, P. R., Dawson, R., Saunders, D. A., and Allentoft, M. E. (2014). Identifying conservation units after large-scale land clearing: a spatio-temporal molecular survey of endangered white-tailed black cockatoos (*Calyptorhynchus* spp.). *Diversity and Distributions* **20**, 1208–1220. doi:[10.1111/ddi.12202](https://doi.org/10.1111/ddi.12202)
- Whitehead, A. L., Kujala, H., and Wintle, B. A. (2015). Identifying conservation priorities and assessing impacts of proposed future development in the Perth and Peel Regions of Western Australia. A report by the NERP Environmental Decision Hub, University of Melbourne, Melbourne, Victoria.
- Whitehead, A. L., Kujala, H., and Wintle, B. A. (2017). Dealing with Cumulative Biodiversity Impacts in Strategic Environmental Assessment: A New Frontier for Conservation Planning. *Conservation Letters* **10**, 195–204. doi:[10.1111/conl.12260](https://doi.org/10.1111/conl.12260)
- Whittell, H. M. (1950). Races of the white-tailed black cockatoo. *Western Australian Naturalist* **2**, 92.
- Williams, M. R., Yates, C. J., Stock, W. D., Barrett, G. W., and Finn, H. C. (2016). Citizen science monitoring reveals a significant, ongoing decline of the Endangered Carnaby's

Black-Cockatoo *Calyptorhynchus latirostris*. *Oryx* **50**, 626–635.
doi:[10.1017/S0030605315000320](https://doi.org/10.1017/S0030605315000320)

- Williams, M. R., Yates, C. J., Saunders, D. A., Dawson, R., and Barrett, G. W. (2017). Combined demographic and resource models quantify the effects of potential land-use change on the endangered Carnaby's cockatoo (*Calyptorhynchus latirostris*). *Biological Conservation* **210**, 8–15. doi:[10.1016/j.biocon.2017.03.018](https://doi.org/10.1016/j.biocon.2017.03.018)
- Winnett, S. (1989). White-tailed Black Cockatoos on Rottnest Island. *Western Australian Naturalist* **18**, 64.
- Witkowski, E. T. F., and Lamont, B. B. (1996). Nutrient losses from commercial picking and cockatoo removal of *Banksia hookeriana* blooms at the organ, plant and site levels. *The Journal of Applied Ecology* **33**, 131–140. doi:[10.2307/2405022](https://doi.org/10.2307/2405022)
- Witkowski, E. T. F., Lamont, B. B., and Connell, S. J. (1991). Seed bank dynamics of three co-occurring banksias in south coastal Western Australia: the role of plant age, cockatoos, senescence and inter-fire establishment. *Australian Journal of Botany* **39**, 385–397.
- Witkowski, E. T. F., Lamont, B. B., and Obbens, F. J. (1994). Commercial picking of *Banksia hookeriana* in the wild reduces subsequent shoot, flower and seed production. *The Journal of Applied Ecology* **31**, 508–520. doi:[10.2307/2404446](https://doi.org/10.2307/2404446)
- Yeap, L., Shephard, J., Bouten, W., Jackson, B., Vaughan-Higgins, R., and Warren, K. (2017). Development of a tag-attachment method to enable capture of fine- and landscape-scale movement in black-cockatoos. *Australian Field Ornithology* **34**, 49–55.
doi:[10.20938/af034049055](https://doi.org/10.20938/af034049055)
- Young, J., and Mason, S. (2005). Cockys for Landcare. In 'Conserving Carnaby's Black-Cockatoo: future directions: proceedings from a conservation symposium, Perth, Western Australia, 2 July 2003'. (Ed C. Gole.) pp. 65–66. (Birds Australia Western Australia: Perth.)