Roadside Vegetation Surveys

Westonia

September 2006



The Task Ahead: Roadside Surveys

- 'snap shot' study of the condition of roadside vegetation.
- designed to allow people with or without botanical expertise to participate.
- left and right hand sides surveyed.





The information you record will help us to decide whether the roadside is...

High conservation value

Low conservation value





Overview...

- ✓ An inventory of conservation values
- ✓ Useful for measuring changes over time
- Produces a map useful for landscape planning & management:

Weed control, Wildlife corridors,

Road works, Tourism,

Revegetation, Funding applications – NRM.



Roadside Surveys...



- >Survey procedure
- > Roadside attributes and examples




Where is the Roadside?

The <u>road reserve</u>:



- road surface;
- -shoulder;
- drain; and
- batter/back slope.



The remaining space is the <u>roadside</u>.



Survey is vehicle based...

- Best done with 2 people per vehicle:
 - Driver (observe) and
 - Passenger (observe & record)
- In most instances the survey can be done at approx. 30km/h.

Remember SAFETY FIRST when driving slowly or stopping.

**PAverage rate of survey is 20km of road per hour, so 100km = 5-6 hours.



You will need...

- checklist and map of roads
- ✓ pens/pencil, highlighter
- ✓ survey pack:
 - iPAQ
 - User's Guide
 - Power chargers
- ✓ a good sense of direction, you MUST indicate direction of travel and odometer readings



Make sure you know your left from your right!



Survey Procedure...



Roadside surveys are done in 'sections' along the road.

This allows you to record changes in vegetation condition.



Survey Procedure...




- ► Always start the survey at an intersection
- ➤ At the start of the road, set your trip meter to 0.0
- ➤ Before you start driving, look at the roadside in front of you, record general details such as:
 - road name
 - your name
 - direction of travel



Survey Procedure...

- Drive slowly along the road.
- > Start recording the roadside attributes for left and right hand sides (more about these later).
- ➤ Continue driving until the road ends <u>or</u> until there is a significant change in condition of roadside vegetation.





A Significant Change...

Some roadsides are uniform along their length, and so can be surveyed as *one section* from start to finish.



Other roadsides may be quite changeable. For example:


- ✓ adjoining <u>landuse</u> changes significantly, eg. from nature reserve to farmland;
- ✓ <u>quality</u> of roadside vegetation changes significantly, eg. from mostly native to mostly weeds.

Changes may occur on only one side or both sides of the road.



Ignore small changes, i.e. less than 200m along the roadside.






See how the colour (conservation value) changes along this road...? Each coloured 'section' reflects when they started a new survey section.



Changing Sections Procedure...

- 1. Note the odometer reading at change over point, this will give the length of Section 1 of the road.
- 2. Section 2 will continue until another marked change is observed, when section 3 will begin, etc.
- 3. Each subsequent section is numbered accordingly for this road (1,2,3,4 etc).





Quick Refresher...




- 1. Would you start a new survey section if the:
 - weed cover increased/decreased dramatically?
 - adjoining land use changed from farmland to nature reserve?
- 2. Changes under ?? metres should be ignored?
- 3. Do you start a new section if the 'change' only occurs in one side of the road?



There are 10 roadside attributes to record ...

- Width of road reserve;
- •Width of vegetation on <u>left and right</u> sides;
- Structure of native vegetation;
- Extent of native vegetation;
- Number of native plant species;
- Value as a biological corridor;
- Degree of weed infestation;
- Nominated weeds;
- Adjoining land use; and
- •Presence of utility (eg. water, power).





1. Width of Road Reserve

Historically, road widths were measured in chains (20.1m).

Select the width of the road reserve: 0, 20, 40, 60, 80, 100m.





2. Native Vegetation on Roadsides

Most native vegetation communities have more than one distinct layer.

Woodlands often have small & large trees, a shrub layer & a ground layer containing reeds, everlastings and orchids.

If one or more of the layers is missing, the conservation value of the area is reduced.





2. Native Vegetation on Roadsides

Record whether the roadside contains a native tree, shrub and/or ground layer.



NATIVE VEGETATION ON ROADSIDE				
Tree Shrub Ground	Left	Right		

3. Extent of Native Vegetation

Is the native vegetation continuous along the road section, or interrupted by weeds or other disturbances? e.g, fire, soil, rubbish, stockpiles.

EXTENT OF NATIVE VEGETATION ON ROADSIDE Left Right Less than 20% 20 - 80% over 80%



4. Number of Native Species

This is a measure of the <u>diversity</u> of the native vegetation.

Make an average estimate along the length of roadside. It does not have to be done in detail.

No. OF NATIVE SPECIES			
	Left	Right	
0 - 5			
6 - 19			
0VER 20			





5. Weeds

Estimate average 'weediness' over the section being considered.

It should be estimated as a percentage of total plants along the section.

RIGHT: majority of the total plants are weeds





5. Weeds

RIGHT: Ground layer totally weeds







LEFT: Few weeds


WEEDS		
	Left	Right
Few weeds (<20% total plants	s) 🗹	
Half weeds (20 - 80% total)		
Mostly weeds (>80% total)		
Ground layer totally weeds		

tee

5. Weeds 5% cover










10% cover











Weeds may be clumped, or spread out within the road section.

20% cover











30% cover










40% cover










50% cover











6. Nominated Weeds

Record roadside populations of these 6 weeds:

- African lovegrass
- Fountain Grass (Pennistemon setaceum)
- Onion Weed (Asphodelus fistulosis)
- Patterson's Curse
- Saffron Thistle
- Wild Oats/Wild Radish/Capeweed



7. Value As a Biological Corridor

In cleared areas, the road reserve can be very important as a corridor, allowing the movement of fauna — especially birds — enabling them to seek out feeding and nesting areas.

VALUE AS A BIOLOGICAL CORRIDOR

Connects uncleared areas Flowering shrubs Large trees with hollows Hollow logs







8. Utilities

Electricity, power lines and pipelines often built in roadside.

To construct and maintain them, the roadside vegetation may be destroyed. Their presence may be

detrimental.






nittee

9. Width of Vegetated Roadside


This is a measure of how much vegetation/land is left along the roadside. With practice, it is easy to recognise the width categories.





10. Adjoining Land-use

Different land uses have different impacts on the roadside.



Record the *predominant* adjoining land use.





10. Adjoining Land-use



ADJOINING LAND USE	Left	Right
Agricultural crop or pasture		/
- completely cleared		
- scattered		
Uncleared land		
Plantation of non-native trees		
Urban or industrial		
Railway Reserve		
Drain Reserve		
Other		



10. Adjoining Land-use



scattered



plantation non-native



completely cleared



Wildcard Attribute

Habitat Trees







Using the iPAQs...





Getting Acquainted...

- Power: press & hold to turn screen on & off
- Amber flash = battery charging
 Amber solid = battery charged
- 3. Display screen
- 4. Stylus pen: slide up to remove, slide down to store






Getting Acquainted...

Use the stylus pen to tap or write on the screen.

- ✓ The screen is sensitive, so be careful with your fingers...
- Simply 'tap' the screen to select open an item.
- Tapping is like pressing a keyboard key.





Charging the iPAQ...

 Make sure the iPAQ is fully charged before use, and charge again at the end of each day. Approx. 4 hours.

 If the battery goes flat, you could lose your work!





To protect your work...

 A program (Sprite Backup) saves your information onto a memory card daily at 5pm.
 If you are using it at this time, you may need to follow the prompt and tap 'OK'.

 Automatically backs up if battery is low. Press 'OK' if prompted to do this.




Getting Started

- 1. Turn the iPAQ on.
- 2. Using the stylus pen, tap this icon: (top left corner, next to the word 'Start').

3. Select 'RCC survey'.

The program may take a few seconds to start up.

Make sure the device is fully charged.





Starting the Survey

- 1. Select the name of the **Shire** from the drop-down menu.
- 2. Select the name of the <u>road</u> you are going to be surveying: Test Rd 1

If a road is not listed, select 'Add New Road'. In the space provided, type the road name. Press **OK**.

3. You are now ready to begin the roadside survey for the selected road. Tap 'Start'.





Starting the Survey

- There is a keyboard you can use for typing in details.
- It is located at the bottom right corner of the screen.






Details

Record the following:

- Section number (1,2,3,etc)
- Observer
- Date
- Width (m)
- Direction

Go to the next tab, named Location.



Location

Record the following:

- Nearest Place
- Odometer Start (eg. 0.0)
- Odometer Finish (eg. 5.6)
- Start: start point, eg. Grt Sthn Hwy
- Finish: finish point, eg. Boundary Rd

You will need to come back to this page later to fill in Odometer finish and Finish point.

Go to the Land use Tab






Land use

Record the:

- Predominant Adjoining Landuse: select the <u>dominant</u> land use from the drop-down menu.
- Remember to record both the left and right sides.



Go to the next tab, named Weeds.





Weeds

- Predominant Weeds: record the presence of 6 pre-determined weed species. Select from drop-down menu.
- African Lovegrass, Caltrop,
 Saffron Thistle, Paterson's Curse,
 Wild Oats, and Wild Radish
- Leave blank if not present.

Go to next tab, **Comments.**






Comments

Comments: you may like to enter other details.

 Occasionally note down a side road and the odometer reading.
 This helps greatly in the GIS map production.

Go to the next tab, named **Attributes**.






Attributes

Record the **8 roadside attributes** that, when combined, make up the roadside conservation value.

Record the left and right sides independently.

The options will change from red to green, indicating that you have made a selection.

Press Next.






Attributes

Tick the box if present and press 'Next'.

Record the other 7 attributes...





Finishing the Section

- The last attribute page will be 'Habitat Trees'. Press Next.
- You will receive an error message:

"Please go back and fill in the Odometer Finish field. Go to the Location tab."

Press 'ok'.

- Continue driving along the road until there is a significant change, or until the road ends.
- When this happens, pull over or slow down, enter the Odometer Finish and Finish point on the 'Location' page.



Finishing the Section

On the **Details** page select either:

 Change Road: to begin surveying a new road; or

 Next Section: if you are still on the same road, and have to start surveying a new section.





Roadside Surveys



- > Roadside survey groups/teams.
- Volunteer forms filled out...?
- > Map of Shire.



Concurrent Sessions...

- > A: groups of 4 to go for practice run (20 mins);
- B: others plan their survey teams and roads, mark onto a central map, and organise roster for using/sharing iPAQs.





Review



- Survey procedure;
- Roadside survey attributes;
- Using the iPAQs;
- Survey teams and allocated roads;
- Roster to share iPAQs;
- Other questions...



Thank-you...

For further information please contact

Christina Pailthorpe

Technical Officer (Mapping)


Roadside Conservation Committee

Phone: 9334 0174 Fax: 9334 0145

E-mail: christina.pailthorpe@dec.wa.gov.au




1. African Lovegrass



A large, tufted perennial to 1m tall, with greyish-green, often inrolled leaves. The inflorescence is an open or contracted panicle of greenish-purple (or blackish) flowers, to 40cm long. Flowers during spring and summer. Native to South Africa



2. Onion Weed (Asphodelus fistulosis)



A short-lived perennial that produces a lax clump of hollow, cylindrical leaves up to 40cm long. These look like onion leaves but they do not have an 'oniony' smell. The flowers, white with a brownish central stripe, are carried on a branched stalk to 60cm high and are produced in winter and spring. A widespread and invasive weed, particularly abundant along road and rail verges, invading disturbed bushland, including arid pastoral areas.. Native to southern Europe and India.



3. Fountain Grass (Pennistemon setaceum)



A densely tufted, tussocky perennial to 1 m tall. The inflorescence is a moderately dense, erect or pendulous, spike-like, plumose, cylindrical purple panicle. Flowers in spring and summer. Widespread along roadsides and rail lines, from Geraldton to York and invading adjoining bushland in the Perth area. Native to East Africa.



4. Paterson's Curse

This large, coarse, bristly annual flowers in late winter and spring. Vegetative plants possess rosettes of broad, deep veined hairy leaves. Native to southern Europe, it is widespread.






5. Saffron Thistle

An annual from southern Europe that grows up to 70cm tall. The leaves are rigid, with spiny lobes. The yellow flower heads are surrounded by spiny bracts and are borne in terminal clusters.

It flowers in spring and summer and is a serious weed of agricultural and pastoral areas as well as disturbed bushland throughout the South West.





6. Wild oats

Wild oats are the main oat weed of cropping. Native to southern Europe, it is an abundant and widespread weed throughout southern Western Australia.

An erect grass-like annual grows up to 90 cm tall and produces green flowers in spring and summer.





6. Wild Radish

An annual herb, up to 1m tall. The leaves and stem usually bear bristly hairs and the petals are pale yellow, white or occasionally purple to lilac, 15-20mm long, often with dark veins. Economically one of the most important weeds of cropping in Western Australia. Flowers throughout the year but mainly in spring. Native to Europe.





6. Cape Weed

A major weed of crops and pastures, found in all habitats throughout the south-west, and increasing rapidly in the arid zone, where it is displacing everlastings. It is a rosette-forming annual, with greyish, lobed leaves, hairy-white on the underside, and heads up to 6cm across, produced in spring. They have brilliant yellow ray florets and a centre of black disc florets. The seeds are covered in a beige fluffy 'wool'.

