

Teesdale

Quadrats

1/53


TEESDALE QUADRAT
ASSESSMENT


21/1/1953

Scale $1'' = 21k.s.$

Quadrat 2

Scale 1" = 2 R.R.s.






Quadrat 2


Scale $1'' = 2 \text{ LKs.}$




Quadrat 4.




Quadrat 5




Quadrat 4.



Quadrat 6




Quadrat 7




Quadrat 6




Quadrat 8.



True "Smoothing obble."




Quadrat 8.




Quadrat 10

22/10/53



Quadrat 11





Quadrat 10

22/10/53




Quadrat 12





Quadrat 12.



<i>Phyllanthus calycinus</i>	Ph
<i>Loxacarya flexuosa</i>	L.F.
<i>Conostylis candicans</i>	Co.c
<i>Conostylis setigera</i>	Co.s
<i>Lepidospermum sb</i>	Lep.
<i>Dryandra</i>	Dr.
<i>Macrozamia</i>	Mac.
<i>Xanthorrhoea</i>	B.B
<i>Bossaea</i>	Bo (b)
<i>Tetratheca</i>	Tt (a)
<i>Hibbertia sp.</i>	H (e)
<i>Hibbertia hypericoides</i>	Hb (b)
<i>Dampiera</i>	Da. (c)
<i>Adenanthos</i>	Ad
<i>Jarrah</i>	J.
<i>Morri</i>	M
<i>Dioneila revoluta</i>	Du
<i>Banksia grandis</i>	B.G
<i>Thomasia</i>	Th. (b)
<i>Hakea bipinatifida</i>	Hb. (L)
<i>Scaevola</i>	Sc