

Jim Lane's Field Notebooks

(INDEX)

<u>PDF Name</u>	<u>Book Label</u>	<u>Approx. Span of Dates</u>
JL_(1970-84)_1	1970-71	(6-12-70 / 17-2-71)
JL_(1970-84)_2	1971	(08-03-71 / 21/01/72)
JL_(1970-84)_3	1972/73	(24-01-72 / 15-02-73)
JL_(1970-84)_4	1973	(05-03-73 / 15-11-73)
JL_(1970-84)_5	1973-74	(12-04-73 / 11-06-74)
JL_(1970-84)_6	1973-74	(03-12-73 / 28-03-74)
JL_(1970-84)_7	1974-76	(03-05-74 / 24-10-75)
JL_(1970-84)_8	1974	(26-05-74 / 18-11-74)
JL_(1970-84)_9	1974-76	(28-08-74 / 02-10-76)
JL_(1970-84)_10	1974-76	(21-12-74 / 25-01-75)
JL_(1970-84)_11	1976	(25-10-76 / 27-11-76)
JL_(1970-84)_12	1977-78	(16-10-77 / 21-03-78)
JL_(1970-84)_13	1977-78	(24-10-77 / 19-04-78)
JL_(1970-84)_14	Oct 78-Apr 79	(06-10-78 / 14-04-79)
JL_(1970-84)_15	1979 (Apr-Sep)	(16-04-79 / 19-09-79)
JL_(1970-84)_16	1979-80	(26-09-79 / 23-05-80)
JL_(1970-84)_17	1980	(14-05-80 / 07-11-80)
JL_(1970-84)_18	1982-83	(13-03-82 / 18-03-83)

Part 2 of 2

<u>PDF Name</u>	<u>Book Label</u>	<u>Approx. Span of Dates</u>
JL_(1970-84)_19	1984	(15-03-84 / 16-03-84)
JL_(1970-84)_20	1984	(20-09-84 / 05-75)
JL_(1992 on)_1	1	(03-11-92 / 03-08-93)
JL_(1992 on)_2	2	(04-08-93 / 18-09-93)
JL_(1992 on)_3	3	(18-09-93 / 26-10-93)
JL_(1992 on)_5	4	(27-10-93 / Dec-93)
JL_(1992 on)_6	5	(14-12-93 / 22-12-93)
JL_(1992 on)_7	6	(23-12-93 / 06-01-94)
JL_(1992 on)_8	7	(18-01-94 / 18-03-94)
JL_(1992 on)_9	8	(21-05-94 / 08-07-94)
JL_(1992 on)_10	9	(03-07-94 / 02-09-94)
JL_(1992 on)_11	10	(02-09-94 / 17-11-94)
JL_(1992 on)_12	11	(22-11-94 / 9-03-95)
JL_(1992 on)_14	12	(15-03-95 / 01-04-95)
JL_(1992 on)_15	13	(02-04-95 / 07-04-95)
JL_(1992 on)_16	14	(07-04-95 / 29-04-95)
JL_(1992 on)_13	15	(29-04-95 / 17-05-95)

TO BE CONTINUED

DEER INLET

THES 23 OCT 73

When I went to check Peter's Station
 at Pt Barrow EG there were
 thousands of skat and
 sandpiper feeding in pools
 of decaying weed in
 Bogg Bay. A number
 of Sharp-tailed Sandpiper
 were seen in the flocks

(147)

DEER INLET

TUES 23 OCT 73

When I went to check
at Pt Barrow Bay
thousands of arctic
sandpiper feeding in pools
of deepening water in
Boggy Bay. A number
of Sharp-shinned Hawks
were seen in the flocks

148

(149)

LESCHENAU LT INLET

TUES 23 OCT 73

Saw one Turnstone *Actinonotus melanotos*
on the sand flats of Foster Point
at 1640 hrs.

WED 24 OCT

1145 hrs: Saw one Sharp-shinned
Sandy plover in breeding plumage
on the mud flats on the
west side of the Foster Pt.
so it might be the 1st.
re. approach the P.M.R. sand
flats. It was feeding in
company with a few hundred
Sooty all along this exposed
mudflat on the west shore
(they were well scattered from
the shore 500 yds by
the embankment)

(150)

(149)

(150)

LESCHER

TUES 23

Saw one Turnstone *Actinonotus* ~~in~~
on the sand flats of Porton River
at 1640 hrs.

WED 24 OCT

1145 hrs: Saw one Sharp-
tailed Sandpiper in breeding plumage
on the mud flats on the
west side of the Porton R.
as it emerged into the Est.
re. approach the Porton R. and
flats. It was feeding in
company with a few hundred
Sooty all along this exposed
mudflat on the west shore
(They were well stalked from
the shore by the bridge by
the embankment)

130 52 SMITH

Saw party of 6 Turnstone
nesting ^{led} the water edge of the
along embankment at south end
of the estuary — 1040 hrs.

34 → Stokley Rd.
Bunbury

Dr. Frank Mashfield

Black Island Creek, opposite
Golf Course.

Solomon Coates in England
Brooming egg. Cobble Co.

Copy of Whitlock's 1939 paper.

[illegible]

Frank referred to the existence of an
 all-white White Iris. Said
 he had spoken to Peter Slater
 about it & that he thought
 it was a local variant of
 the White Iris. A number
 of people have apparently reported
 it around the Newbury area.

(155)

Must be Mammals + Birds Nov 73, because
these birds are expected to be Nov 73 (156)
and get over not a "regular" count.
LESCHEMERE INLET BIRD COUNT

And species lists are hopefully at least as many
data?

Nov 73

SPECIES LIST

Oct 73

Nov 73

- | | | |
|-----|---------------------------------|---|
| 1. | Common Sandpiper | ✓ |
| 2. | Silver Gull | |
| 3. | Pink Cormorant | |
| 4. | Crested Tern | |
| 5. | Pink Oystercatcher | ✓ |
| 6. | Caspian Tern | |
| 7. | Curlew Sandpiper | ✓ |
| 8. | Grey Plover | ✓ |
| 9. | 3 Little Green Bird. | |
| 10. | White-faced Heron | |
| 11. | White Egret | ✓ |
| 12. | Whistling Kite | |
| | Monkton Duck | |
| | Black Duck | |
| | Grey Teal | ✓ |
| | Went Duck | ✓ |
| | Pelican | |
| | Black Cormorant | |
| | Little Black Cormorant | |

Must be Mon Th 1 + Fri 2 Nov 73, because
two few date against for Sept 1 to be Oct 73 (156)
and Oct was not a "regular" week.
LESCHEMPER JACKET (BES) COUNT

are species lists are typically at the end of many
books?

Nov 73

SPECIES LIST

Oct 73

Nov 73

1. Common Sandpiper ✓
2. Silver Gull ✓
3. Red Cormorant ✓
4. Crested Tern ✓
5. Pink Oystercatcher ✓
6. Caspian Tern ✓
7. Curlew Sandpiper ✓
8. Grey Plover ✓
9. ~~3~~ White Green Bird ✓
10. White-faced Heron ✓
11. White Egret ✓
12. Whistling Kite ✓
13. Northern Duck ✓
14. Black Duck ✓
15. Grey Teal ✓
16. Black Duck ✓
17. Black Duck ✓
18. Black Duck ✓
19. Black Duck ✓
20. Black Duck ✓
21. Black Duck ✓
22. Black Duck ✓
23. Black Duck ✓
24. Black Duck ✓
25. Black Duck ✓
26. Black Duck ✓
27. Black Duck ✓
28. Black Duck ✓
29. Black Duck ✓
30. Black Duck ✓
31. Black Duck ✓
32. Black Duck ✓
33. Black Duck ✓
34. Black Duck ✓
35. Black Duck ✓
36. Black Duck ✓
37. Black Duck ✓
38. Black Duck ✓
39. Black Duck ✓
40. Black Duck ✓
41. Black Duck ✓
42. Black Duck ✓
43. Black Duck ✓
44. Black Duck ✓
45. Black Duck ✓
46. Black Duck ✓
47. Black Duck ✓
48. Black Duck ✓
49. Black Duck ✓
50. Black Duck ✓
51. Black Duck ✓
52. Black Duck ✓
53. Black Duck ✓
54. Black Duck ✓
55. Black Duck ✓
56. Black Duck ✓
57. Black Duck ✓
58. Black Duck ✓
59. Black Duck ✓
60. Black Duck ✓
61. Black Duck ✓
62. Black Duck ✓
63. Black Duck ✓
64. Black Duck ✓
65. Black Duck ✓
66. Black Duck ✓
67. Black Duck ✓
68. Black Duck ✓
69. Black Duck ✓
70. Black Duck ✓
71. Black Duck ✓
72. Black Duck ✓
73. Black Duck ✓
74. Black Duck ✓
75. Black Duck ✓
76. Black Duck ✓
77. Black Duck ✓
78. Black Duck ✓
79. Black Duck ✓
80. Black Duck ✓
81. Black Duck ✓
82. Black Duck ✓
83. Black Duck ✓
84. Black Duck ✓
85. Black Duck ✓
86. Black Duck ✓
87. Black Duck ✓
88. Black Duck ✓
89. Black Duck ✓
90. Black Duck ✓
91. Black Duck ✓
92. Black Duck ✓
93. Black Duck ✓
94. Black Duck ✓
95. Black Duck ✓
96. Black Duck ✓
97. Black Duck ✓
98. Black Duck ✓
99. Black Duck ✓
100. Black Duck ✓

Oct 72

Nov 72

Little Red Cormorant

Manx Shearwater

Wedge-tailed Shearwater

Black Swan

Black-winged Stilt

Avocet

Jay

Large Lark

Red-necked Stint

Lesser Sandpiper

Sharp-shinned Hawk

Kestrel

Great Knot

Bar-tailed Petrel

Wedge-tailed Shearwater

Red-tipped Booby

Turnstone

Straw-necked Ibis

Common Sandpiper

(161)

Thurs 1 Nov 1973 - see pgs.

(162)

midway between shore to NW
of Anglice I.

Pink Cyclops

3

52

Knot

2

Cinder Sp

3

Coast Knot

2

Greenish

4

Grey Flower

52

Spot

1

White sand

Clear to Anglice Island

130

Spot

2

Greenish

1

White sand

Thurs 1 Nov 1973 - see map (164)
Spencer R Delta

12 + 15 + 112 Larks Sp = 139

26 + 2 5-7

3 7 1 Red-eyed 7 = 228

5 Transverse

200 Skat

1 Whole Egg

Island in "Sampled Bay"

28 Skat

10 Larks Sp.

29 B + G

60 Cas

to NW 20' 2 Skat

of 2 Transverse

Point Dove

165

166

Thurs 1 Nov 1973 - see page

Collier Delta I. ✓

2 GP

5 SLT

2 Timber

Boat ramp
one at
Pier Rd.

Antelope

30 B:G

2. Grey Phalar.

70 54-

2 DQG

~~Thicket~~

North

Thicket

8

3

13

✓

8

3

13

✓

GP
SLT

PETROL !!

TO DO

1. Check log volume of kraters in
Interior - orange/greenish?
Area I containing shell with Tuller's shell?
2. Check Parker R. shells for species
3. Keep eyes open for Black-shelled Goshawk.
4. Photographs of
 - a) Parker R. mudflats
 - b) Tuller's R. I.
 - c) Two areas of mudflat in
Victoria Bay
 - d) Fringing vegetation - rocky islets.

Fri 2 Nov 1973 - see map

1A GP
Mudflats to old
of shoreline
of Anglessea I.
- see map
180 + 22
3 GP
435 500 street
500 Coast Road

400 Salt
385 Cap
2 PO
1 G.P. Bay
Rocky area

North side of 1A

(SE end of Lancelotti Peninsula)

(171)

Fri 2 Nov 1973 - see map

(172)

Top of	Cap
132	
10	Sho to be
1	Kill
20	Spit

Forest Macphail says there are
Red Vultures in the Bullmoose
at Bending part of estuary

Also about the shore ? (5-3)
Pis. of Clark up to salt
bed in Nov-Dec of 1972.
(old the person lives in Amherst)

(171)

(172)

Fri 2 Nov 1973 - see map

Top of Esker

132

Chf

10

Shrub

7

Kill

20

Slit

Forest Macfarlane says there are
Red Vetches in the Dullinches
at Bembury just of to the west

Also showed me where ? (S-3)
Pis. of Black wooded hill
had - Nov Dec of 1972.
(old the Dullinches River (Linnich))

(173)

Thu 1 Nov - Fri 2 Nov 73

(see data on waders page)

18/10/02

(174)

SUMMARY OF BIRD COUNTS

A. WADERS

4	Pied Oystercatcher
128	Red-necked Stint
44	Curlew Sandpiper
10	Sharp-tailed Sandpiper
56	Knot
10	Great Knot
27	Grey Plover
68	Bald-tailed Godwit
7	Large Dottrel
1	Tattler
8	Avocet
1	Black-winged Stilt
110	Green-shank
9	Turnstone

Th 1 Nov - Fri 2 Nov 73

B. PELICANS, WATERFOWL + EGRET

101 PELICANS

32 WHITE EGRET

BLACK SWAN

MOUNTAIN DUCK

BLACK DUCK

GREY TEAL

MUSK DUCK

SAT 3 NOV

As shown in photograph looking south along west Colne at top of stratum (first plots of 2.9.1) the bulk of the working has started to drop so that some fringing shoreline is now exposed.

Some more is made of this by water - particularly groundwater

In fact on this large area you should just be able to see signs of Dr. Peter's point - 3 groundwater

On the previous visit (2.1.50) and all those preceding, the water was right up to the edge of the, no mudflats being exposed.

2nd Date - shows a number of pieces of debris north of plots 1

TO DO ON RETURN

1. Sterke Food & Service
2. New steel cable & fixings
3. New Rope
4. ~~Star~~ Crank handle tightened
5. RAC Mounting and
6. Put distribution plates onto inlets.
(to write)

36 Motor Switch

TUES 10 DEC 23

11 18/10/22
 LESCHENAUZ TAVET SPECIES LIST

~~18/10/22~~

1. Silver Gull
2. Caspian Tern
3. Crested Tern
4. Little Black Cormorant
5. Little Red Cormorant
6. Pelican
7. Swan
8. Murre
9. White Egret
10. White-faced Heron
11. Red Phalarope
12. Red-necked Grebe
13. Common Sandpiper
14. Grey Plover
15. Wren
16. Great Knot
17. Jaeger
18. Common Sandpiper
19. Greyhound
20. Pelican
21. Murre


22. Whistling Eagle
 23. House Martin
 24. Little Green Bird
 25. Red capped Siskin
 26. W. finch
 27. White Siskin
 28. Grey Jay
 29. Red Siskin
 30. Mock Duck
 31. Black winged Stilt

WED 12 DEC

9 Great knots in one flock in corner of colony adjacent to SOC houses
13 Great knots in one flock on the main road take at south end of colony.

3 Black eyed Sitts seen -
2 juveniles in lake next to station h.
1 adult in lake at south end of colony.

Noted that the few White faced I have seen on this trip have had yellow.



THUR 13 DEC 73

AM. Flew around inlet taking
photographs.

PM Spent afternoon at Lomney -
these boys saw the
following birds.

1. Brindbillian Pheasant : groups of 2 or
3 seen scattered around the valley.

2. Pied Cormorant

3. Little Pied Cormorant

4. Gull

5. Little Black Cormorant

6. White Gull

7. Snowy Plover - small numbers
around edge of valley.

THUR 13

Mr. The second inlet taking
photographs.

PM Spent afternoon at Lonsing -
Vasee Embury saw the
following birds.

1. Protection Pheasant : groups of 2 or
3 seen scattered around the colony.

2. Red Lament

3. Little Red Lament

4. Starling

5. Double Black Lament

6. White Gnat

7. Striped Lament This - small numbers
around edge of colony.

8. White-faced Heron - plentiful
 9. Black Swan - very hundreds
 including many young birds - almost
 none.
 10. Mountain Duck

11. Grey Teal - very abundant

12. Black Duck - very abundant

13. White-eyed Duck - a few seen.

14. Mallard Duck - plentiful

15. Western Grebe - a few seen

16. Coot - plentiful

17. Sharp-shinned Hawk - abundant,
 one flock of 80 birds counted.

18. Common Sandpiper - abundant,
 hundreds seen.

19. Red-necked Duck - abundant,
 but no more so than Curlew
 or Sharp-shinned Hawk.

20. Common Sandpiper - plentiful
 along the channel to the sea.

21. Green Heron - plentiful

~~etc.~~

MY FIRST

RECORD !!

22. LITTLE GREENSHANK

Saw party of five Little Greenshank
 extending in better up to their bellies
 in company of a number of
 Chest-rumped Gulls. Observed them
 feeding closely. ~~Shorebirds~~

~~By~~ ~~at~~ ~~with~~ ~~eye~~ ~~conspicuous~~
 at least

After seeking them for about 5 mins
 the Greenshank flew in & landed
 nearby. The L. G. were
 subsequently

a) Still vis in company
 of Greenshanks

b) Five or six light bill

c) darker wing of same sex

d) Less active than Greenshank

e) Less wary than

f) Did not give distinctive

alarm call of Greenshank

193

194

g) Jays build well beyond the
flight - further than
the Grosbeaks.

h) When disturbed the L. G.
sings in company of
Hills - Green-Led Yellow
off alone

23. Turnstone : one bird
seen in company of Larks &
Sharp-shinned Flycatcher.

24. Chest-winged Gull : abundant
may. heard on water.

25. Parrot : abundant, many
hundreds on water.

26. Bar-bell Gull : one seen
at mouth of estuary.

27. Silver Gulls : 100000

28 Cassin's Tern: a ~~few~~ a few
seen around colony.

29 Wilson's Gull: plentiful over
colony.

30 White-faced Chat: a number
seen over colony.

197

Sas Seagull

1. 53856 on sl. by.
2. yellow throat on top of grey head
on left by
2. green on yellow on left by.

198

SUMMARY OF BIRD COUNTSA. WADEES

1,899	RED-NECKED STENT	15 DEC
491	CURLEW SANDPIPER	16 DEC
7	SHARP-TAILED SANDPIPER	16 DEC
1	TEREK SANDPIPER	16 DEC
1	EASTERN CURLEW	
1	WHIMBREL	
5	LARGE DOTTED	16 DEC
3	TURNSTONE	16 DEC
71	KNOT	18 DEC
42	GREAT KNOT	15 DEC
3	TATTLER	
4	AVOCET	15 DEC
3	PEED OYSTERCATCHER	15 DEC
147	BAR-TAILED GODWIT	16 DEC
59	GREY PLOVER	16 DEC
26	GREENSHANK	11 DEC

(20)

MON 7 JAN 74
NOVEMBER 30

1750 - 1805 hr.

240 Adults

25 young

banded 5-6 young.

Take large 20 am.

(202)

B. PELICAN, EGRET WATERFOWL

59	PELICAN	11 DEC
16	EGRET	11 DEC
381	SWANS	11 DEC
3	MUSK DUCK	11 DEC

(20)

MON 7 JAN 74

NEEDHAM COV

1750 - 1805 hr.

240 Adults

25 young

banded 5-6 young.

Take large 20 am.

(202)

B. PELICAN, EGRET WATERFOWL

59	PELICAN	11 DEC
16	EGRET	11 DEC
381	SWANS	11 DEC
3	MUSK DUCK	11 DEC

(203)

MON 28 JAN 74

NEEMBA CAY

1845 hrs

240 Pch.

Take Jugs 20 cm.

First record for me on I.S.

2 seen heavily over
sapphire at top of estuary.



(204)

TUES 29 JAN 74

DESCHENAU ISLET

BIRD LIST

- 1 Silver Gull
- 2 Cassin Tern
- 3 Crested Tern
- 4 Little Black Cormorant
- 5 Little Pink Cormorant
- 6 Veiled Cormorant
- 7 Black Cormorant
- 8 Pelican
- 9 Sooty
- 10 Mountain Duck
- 11 Mott Duck
- 12 Cape Teal
- 13 White Egret
- 14 White-headed Heron
- 15 Brown Heron
- 16 Whistling Eagle
- 17 Green Heron
- 18 Common Sandpiper
- 19 Black-winged Stilt
- 20 Darter
- 21 Bar-tailed Godwit

203

MON 28 JAN 74

NEROMBA CAY

1845 hrs

240 Pch.

Tide gauge 26 cm.

First record for me on I.S.

I seen hardly over
sample at top of estuary.



204

TUES

28

BIRDS LIST

- 1 Silver Gull
- 2 Caspian Tern
- 3 Crested Tern
- 4 Little Black Cormorant
- 5 Little Pied Cormorant
- 6 Pied Cormorant
- 7 Black Cormorant
- 8 Pelican
- 9 Swan
- 10 Mountain Duck
- 11 Mott Duck
- 12 Coot Teal
- 13 White Egret
- 14 White-headed Heron
- 15 Green Heron
- 16 Whistling Eagle
- 17 Greenshank
- 18 Common Sandpiper
- 19 Black-winged Stilt
- 20 Plover
- 21 Band-tailed Gull

My friends for U.S.

→

22. Gray Plover
23. Red-necked Stint
24. Western Swallow
25. Knot
26. Curlew Sandpiper
27. Black Duck
28. Large Doffard
29. Little Green Bird
30. Red-capped Doffard
- 31

OBSERVED CHARACTERS IN ESTUARY

1. Tide High : Tide as high as to cover all of the flats at the top end of the estuary. Least visit much of them were exposed.

2. Dry Top-End : Almost all of exposed sapphire were dry. Also dry right up to end of sapphire area $\Rightarrow$ no ducks, grebes, water-moccasins. This was there on this trip.

3. Sapphire Flourishing : As in last trip that sapphire area are growing vigorously.

4. Greenbank Rebuilt to Fly : There are longer parts least birds to fly. This may have been the reason for the low stands of greenbank on last trip.

no Chats, Vulture Larks
Little Greenback or Larks $\Rightarrow$
seen - they anywhere at top end
is not just some along road

5. SWAN COUNT : 11/24/64
Swans have now moved to
 freshwater meadow on west side
 of inlet 10 (see photographs)

6. LARGE MAN-MADE LAKE - ADJACENT
TO PRESTON S. DEARSON.

This is now completely dry &
 therefore devoid of birds.

(TUE 29 - THUR 31 JAN '74)
SUMMARY OF BIRD COUNTS

A. WADERS

779	RED-NECKED STENT	(31 JAN)
30	CURLEW SANDPIPER	(30 JAN)
44	SHARP-TAILED SANDPIPER	31 JAN
5	LARGE DOTTREL	30 JAN
33	KNOT	31 "
1	GREAT KNOT	31 "
1	TATTLER	31 "
2	PLED OYSTERCATCHER	31 "
68	BAR-TAILED GODWIT	31 "
59	GREY Plover	31 "
29	BLACK-NECKED STILT	31 "
115	GREEN SANDPiper	29 "
0	LIMBERGEL	
0	TEREC SANDPIPER	
0	TURNSTONE	
0	AVOULET	
0	W EASTERN CURLEW	

213

214

B. PELICAN, EGRET, WATERFOWL

125	PELICAN	25	Jan
40	EGRET	25	"
487	SWANS	25	"
23	MUSK DUCK	25	"

PELICONS

THURS 7 FEB 74

Test Plots of Red
cattle behavior in
at night,

PELICANS

THUR 7 FEB 74

Test Run of Los
 Angeles Harbor in 1950
 1st Black,

WINTER 17, Sun 17 FEB

BC

CPC

BC

CBC

Common

Chickadee

White-eyed Vireo

Robin

Coat

Common Sp

Parakeet

S. Lin. Gull

White-throated

W. Wren.

TUES 19 FEB 74

NIGARBA CAY

Arrived on island at 1030 hrs.

167 pelicans were counted
so they moved off the island.
No other pelicans in the area.

Of these 167, 49 were
juveniles, so judged by stage
of development of plumage, size
of beak & size of body. In
general, birds of the two
broods could be separated by
stage of development.

Birds of the first brood
were able to fly. It is not
known whether birds of the second
brood were able to.

Tide gauge: 21 cms.

Sargassum etc. growth on the

TUES 19 FEB 74

NEAREST CAY

Observed on island at low.

167 pelicans were counted so they moved off the island. No other pelicans in the area.

Of these 167, 49 were juveniles, so judged by stage of development of plumage, size of beak & size of body. In general, birds of the two broods could be separated by stage of development.

Birds of the first brood were able to fly. It is not known whether birds of the second brood were able to.

Tide gauge: 21 cm.

Sargassum etc. growth on the

21 cm
21 cm
21 cm

island is still primitive.

All nesting has ceased, nests
almost completely destroyed without
trace. Not a trace of eggs found.
No fresh remains of dead specimens
found.

Left island at 1100 hrs.

NB Some anthropomorphic behavior
between several specimens was noted.
This was interesting because the
dead specimen I have in captivity
had started talking a few days
previously.

✓

28 FEB 79

PEECOWS

Since the last visit to Smith
Cay, the larger of my two penguins
has been ~~staying~~ ^{staying} the smaller
— apparently at feeding time.

Thus the smaller has probably
been going off its food with
over the last 5 or 10 days
it has nearly fed at all,
while the large one only has
3 or 40 feeds. The small
one has become very shy & on
the 27 FEB lost that faster
condition on the land.

Today (28 FEB) I visited the
~~small~~ 2 penguins, once fed
the small one with 3 molts
and gave 3 molts to the
big one. The small one
looks look's better, having
regained its head feathers.
The large penguin ~~displayed~~
showed no response.

(225)

towards the small portion

All this is in heavy chains
related to the part that
adult persons have ~~the~~
individual feeding services

(226)

Pelican Pt. Thru 7 miles N
 1900 hrs 13 ~~thru~~ Pelican
 Ujigaladit 64 days left
 sitting on the Pelican Pt. Lake.

LAKE

Mon March 1230 hrs.

Large flocks of stint and other
waders at the south end of
the northmost of the two lakes
between Mankam + Ashington.
Feeding in shallow water + exposed
mud areas.

Also seen were one

Little Greenback in

the company of a Greenback.

Idempodroma grisea, composed
in flight and standing. This

size of the lake is forever
(skewed it), as water seeps
out from hills. Type

birds nearly to prove it.

I have only seen Little Greenbacks
once before, 5' at

Voore Estuary 13 Dec 73 (see index
page)

(231)

(232)

~~RE~~ HARVEY ESTUARY

FINN 12 MAR 74

1320 hrs.

Stopped at Jansenville

Observed ~~2~~ ~~3~~

3 Towhees

One was feeding in the weed
patch around the rocks at the
shoreline, the other two were
roosting on the rocks above the
shoreline.

(231)

(232)

~~RE~~ HARVEY ESTUARY

12 MAR 74

1320 hrs.

at Jaramilla

Ward ~~2~~

3 Towhee

One was feeding in the nest
looking around the nests at the
shoreline, the other two were
roosting on the nests above the
shoreline.

233

MON 12 MAR 74 -

LESCHENAUZ INLET

BIRD LIST

- 1 Greenshank
- 2 White-faced Heron
- 3 Black Scaup
- 4 Black-winged Stilt
- 5 Silver Gull
- 6 Little Pied C.
- 7 Little Black C.
- 8 Black C.
- 9 Pelican
- 10 Bar-tailed Godwit
- 11 Pied Oystercatcher
- 12 Grey Teal
- 13 Black Duck
- 14 White Egret
- 15 Chestnut Teal
- 16 Western Swamphen
- 17 Dusky Moorhen - immatures
- 18 Pied Cormorant
- 19 Little Wagtail



233

MON 12 MARCH -

COLUMBIA RIVER

back
fresh Heron

- 3 Black Swan
- 4 Black-winged Stilt
- 5 Silver Gull
- 6 Little Red C.
- 7 Little Black C.
- 8 Black C.
- 9 Pelican
- 10 Bar-tailed Godwit
- 11 Red Goshawk
- 12 Gull
- 13 Black Duck
- 14 White Egret
- 15 Chestnut Teal
- 16 Western Swamphen
- 17 Dusky Moorhen - immature
- 18 Red Cormorant
- 19 White Wagtail

234

HARD BASKET

E. MONTH

c	40	Red m. Shit
	1	Carlow Sp
	few	Sanderling
		Red capped Doh.
		Pine Gnat
		LPC.
		WFH
		Leaked Tern
		Comp Tern
		Silver Gull
		Booby
	40	Kest
	4	Ct Kest
	8	Sanderling
	2	C. Puffin
		Black Duck
		Green Phe
		Redf Idiom

Field Comment

- 1 LP
- 2 Black
- 3 LB
- 4 REEF HERON
- 5 WHITE FACED HERON
- 6 Noddy Night heron
- 7 Mountain Duck
- 8 Black Duck
- 9 Grey Tail
- 10 Black Swan
- 11 Mask Duck
- 12 Whistling Kite
- 13 Osprey
- 14 Sharp-shinned Sandpiper
- 15 Pectoral "
- 16 Curlew "
- 17 Red-necked Stilt
- 18 Sanderling
- 19 Knot
- 20 Great Knot
- 21 Greenshank

- 23 Grey Plover
24 Red-capped Dittell
25 Bannock Godwit
26 Whimbrel
27 Red Oystercatcher
28 Silver Gull
29 Crested Tern
30 Caspian Tern

- 31 White Egret
32 Common Sandpiper
33 Sanderling
34 Western Gull
35 Swamp Sparrow
36 Brown Pelican
37 Pelican

- 38 Large Dittell
39 Fairy Tern
40 Double-banded Dittell

Nov 11th Mann - Down St.

FRED Jan 4, 1974
20 Pelicans

This is the number we. they have seen.

They will keep a note in their diary of
pelican numbers.

SUN 24 MAR 1974

Unmated Flats - rising tide

0935 : gulls & terns &
Unmated on the flats.
They are almost covered,
water level is a little lower.

~~0940 : Terns just arrived.~~

1001 : Terns just arrived.

(249)

Sun 24 March

1535 hrs

Bent 1

well cut

" 2

to end out
at the most

Plot of it would be covered

by low shr 2 ans of water

Will 10-15 k SE

804 hrs

92 Cashed Jan

at the entrance

1815 hrs

74

(250)

Sun 24 March

1535 hrs Bent 1 -- well out
 " 2 -- ~~4~~ ins out
 of the nest

Plod if it would be covered
 by grass etc 2 ins of water
 10-15 K SE

804 hrs 92 Crested Tern

of the entrance

1815 hrs 74

Mon 25 MARCH 74

At 0900 hrs I paddled to the channel bank & set three traps for the birds.

Three Red Gulls were feeding in belly deep water NNE of the bank, helping to the next island, At

0914 precisely the water was too deep for them & they flew to the bank. There

they spent a couple of minutes spanning & then settled down to roost.

As I approached the bank (at 0900) I observed a flock of gulls, terns, kittiwakes

whose birds were perched on the southern-most fells. The flock took to the air.

The birds landed off down-drain, but the gulls - Kittiwakes, came back & roosted to roost on the bank.

1001 hrs Some more gulls
 top and bottom around from the north
 bank (which is now almost empty
 around) and joined the gulls
 & birds on the channel bank.

1025 hrs Three gulls flew over
 1 bird flew from the north
 bank to join the 3
 last gulls. The north
 bank now has ducks, terns
 & gulls only on it.

TIDE ↑

1030 hrs The gulls, have
 & other sp back off. ~~The gulls~~
~~which were~~ which could swim for
 a while, gulls left, and
 then came back to settle
 in a shallow area of the water-
 weed flats

1038 hr. The 3 grey Plover had
 all 3 headed in the same direction,
 the direction, ~~the~~ southwards.

1045 The three Plover from the
 north end to the south end of the
 Church bank, and then out to
 join the other 1, but, apparently lost.
 As they did so the flock ~~was~~

TIDE ↑ rose, Plover started by again
 to then came back to south
 in the same place. The
 description Plover that is their
 previous position on the north
 end of the bank.

1100 The north bank is now completely
 covered, with no birds sitting
 on it.

1120 The 35 Chukar + 2 Gulls in the
 flock took off and headed
 towards the W by end of bank
 They had been unable to stay

NEXT DREPS

1. HEDIE/STAND : platform 6"
Steel frame (scaffolding parts); wooden
panels (front, walls)
2. Alarm clock.
3. DYES FOR STAPERS
LEG BANDS (corners) (for identification)
4. BANDAGE EQUIP.
5. SPOTTERGUN - SHARPS + NEUTRALIZER
+ LITHIUMS. + DOTTING
6. SPECIES CAN - amplified bird
performance
7. MAPS - base maps to use
with performers.
8. KEY TO W+R side cage

with the hydant because of the
risky hole.

1125 The solar was more the
sleep for the 33 gophers and they
moved to the edge of the
channel bank. I decided
when by standing up, however
the singly collected gophers.

↑
TIDE

1215 left for lunch

1325 Arrived back. Gophers
and 3 Gophers-lickers still
on the channel bar - roosting
so also came two Fairy Terns.

1344 The tide is starting to ebb.
Some of the Red-eyed Doves
& the White-Bellied Scaup are
feeding on the seaward shore.
A large dotted Redwing has
arrived & is feeding with
them.

260

15-04 Tue 3 Part Goshawks
took off, flew to the lowest
structure of the channel bar
and ~~on west~~ feeding off
~~along edge of it~~ watered.

1514 has 4 ... have moved
from the flock & are feeding on
the landward side of the c-b.

1535 L. One of last 10 mm)
20 or so of the John's Lane
Moore active feeder.

1537 The whole flock got into
look off, flew around this
morning a feeding even, but
it was just too deep, and
then settled along the mud
slope of C.B. Lake Bay.
all began swimming fully in
the deep mud & shells
water.

1569 A flock of approx 22
Red-bellied hawks. I mist
I didn't see where they were from
but ~~the~~ it must have been from
the lower lake district. All
eagles then stopped feeding.

1612 approx 20 that arrived
from Cayuga district to join
the other eagles. Found they
latched in the old trees & then
they camped in a small group
near a selected position on
the C.B.

1619 A Whitey Eagle flew
overhead. All birds except the
bird took off. The hawks
& hawks flew ~~the~~ towards
the North Bank & then
discovering that there was no
where to land they came back

1644 The four or five Carib
arrived from Agate direction
or David's Gubris / Lake

1647 Approx 25' shot
arrived from the Agate direction

1645 All the Gubris, Lake
the flew to the North Bay
where they settled. All the
left now is a few shot
& 14 knots. & 1 egg. These shot
arrived about 5 min ago.

1648 Approx 15' shot returned
from North Bay. They must
have found it too deep.

1650 Approx 6 shot arrived
from Agate direction & remained
feeding.

NOTE 2 of these 14 knots have the
well developed uniform timing
on their necks ~~and~~

1703 To Lumber of same
back from the Port of
direction

1705 The 3 Red Lumber
headed off in a wading
direction

~~1712~~ 1713 Nearly all the oak
have stopped feeding during the last
10 min & are floating ~~at the~~
chilled parts on the C.B.

1716 Lumber 15 Red have
arrived from the Japanese docks

1720 All still just moved
out onto the shoreline,
and another 30 Red just
arrived from somewhere

Note these are now 44 "Krebs"
they were up a machine of 44/15

Note that this is the same 44
that I had for "Krebs" a 846
last Friday as marked

1748 All "dove's" a sort of
 L.D. are now feeding on the
 sandhewer's flesh of C.B. as
 most of these flocks are
 killed around our not a considerable
 digit!

1750 Four shot arrived from the
 north. Quite a few
 shot have arrived from the
 As some from this direction.
 I wonder if they have a
 sandy place at the North
 Bay area.

TUE 26 MAR 74

At high tide I walked along the coastline from Anguak Coast to the first point (ca. 2 1/2 miles) to see if the shore "was" or not, by the road along the shore.

At 1145 hrs I found a flock of ca. 25 "Kook"s & a few big Hovers on the beach adjacent to the eastern tip of the road betw. the shed-rocks. They were very shy.

and flew over to the (old) shed-rocks, were unable to find a suitable landing place there because of the high tide, so they flew back to the beach, then east along the coast. They were joined by another larger flock of ca. 20 birds & kept landing east. (1200 hrs)

TUE 26 MAR 74

At high tide I walked along the coastline from Angkor East to the first pond (about 2 1/3 miles) to see if the short "kork", long the road along the shore.

At 1145 hrs I found a flock of c. 25 "kork" & a few grey Plover on the beach adjacent to the eastern tip of the reed beds of the deadwater. They were very shy.

700E ↑ and flew over to the Colaba water, were unable to find a suitable landing place there because of the high tide, so they flew back to the beach, then east along the coast. They were joined by another larger flock of white & grey landing east. (1200 hrs)

At 1230 I caught up with them
 & ~~lost~~ had a good look at the
 flock. I now imagined some
 30 knots and 35° from track.
 The flock was back with the
 first point before dredge R.

I landed but without disturbing
 them. The only other catches

I saw along this stretch of the
 coast were a few sandlings
 and albatross and ~~2~~ ³ ~~4~~ ⁵
 also parties of Red Gulls
 (one of 3 birds, one of 5)

TIDE

At 1330 I looked for
 sides of the entrance to the
 water - found sparse 150
 about 1/2 mile - few Carls
 So.

This is obviously where they
 feed for their food.

ANNOTATED CHECKLIST

1. PEERAN: Only one seen, firstly at the entrance, then it rooks on the rocks and is fed by fishermen. Later I saw one soaring over the inlet. Mr March reported that the most she has seen was 20 birds on Feb Jan 4 1974. She will keep a note of no. in future.

2. WHITE-FACED WILSON: seen all over the inlet. Large no seen in some date but particularly in the daytime at the entrance to the cove.

3. PEED CREWENT: seen at the entrance (up to 6 seen)

4. LITTLE PEED } all over inlet

5. LITTLE BLACK

6. BLACK CREWENT - over inlet

7. DARTER : ~~has~~ seen 8000
~~up~~ & above only.
8. WHITE EGRET : 2 seen in Swan Lake
on SAT 23 MAR, one
seen in Scott's. heard
on same day.
9. REEF HERON : One bird seen and
the entrance (375) each day.
10. BROWN BITTERN : One bird seen
in Scott's R. heard on ~~same~~ SAT 23 MAR.
11. NORTHERN NIGHT-HERONS : 1 by estuary
seen in Melburne overgrowing water
at Island Pt.
12. SWAN : seen all round salt,
largest flock (~300) in Swan Lake
13. MOUNTAIN DUCK : some seen
14. COCKY TEAL : some seen

15 BLACK DUCK : not abundant ducks
 16 MUD DUCK : seen all over the
 inlet.

17 Lutescent BARKER : common around
 inlet.

18. OSPREY : frequently seen and
 the looking

19. SWAMP WARRER : one bird seen
 collecting White faced Heron on
 Sat 23rd on west side of
 Muddy I.

20. WESTERN SWAMPHEN : 2 birds seen ^{seen several times}
 one in the edges of the ~~shrub~~ ^{Blackberry}
 with the second in the edges of
 the channel on N. side of Muddy I.

21. PECTORAL SANDPAPER : one bird seen
 on Thomas I on Fri 22 & Sun 24th.
 in company of 3 Songbirds & 1 Cuckoo Sp.

22. SHARP TAILED SP. : 3 birds
seen on Thomas I on East ~~side~~ RR
* 2 on Sam Rd.
23. CURLEW SP. : 2 ~~few~~ seen on
Rd - Thomas I, Channel Is.,
at the entrance & lake
just west of Standish (Shaker land)
24. RED-NECKED STILT : 20 at road.
seen on Channel Is., at the Bar,
entrance, & few along Pukerua,
and slotters ~~the~~ pond.
25. SANDERLING : few seen on C.B.,
entrance & beach.
26. CRESTED KNUT : seen on C.B., N.B.
and coastline, 35' at road.
27. KNUT : seen on C.B., N.B.
& coastline, 30' at road.

28. COMMON SP. : most common along S. side of bloodwater. ~~Along~~ One bird also seen in West Bay.
29. GREENISHMAN : seen on Thomas I. and also on C.B. and N.B. and at ^{first} ~~egg~~ and Duckwater & Duckwater Lake.
30. GREY PLOVER : few seen on C.B., N.B., Duckwater? & coastline (<5)
31. DOWSIE BANNED DOTTREEL : one bird seen on C.B. on Jan 25 Max
32. LARGE DOTTREEL : 5-6 seen on C.B., some also along coastline - need to check to confirm.
33. RED-CAPPED DOTTREEL : common on C.B., entrance, coastline & sand areas.

34. BAR-TAILED GODLET : 33 seen
on CB & N.B. only.

35. LIPSTICKED : one seen to
move between entrance bar,
east end of cluster, and
original flock & entrance.

36. RED OYSTERCATCHERS : seen
on C.B., ~~collected~~ near North of
CB, Dumbuts, entrance
& coastline (estimate 8 birds)
(one less club foot)

37. SILVER GULL : common all
over island.


38. CASPIAN TERN } mostly
seen at entrance
39. CRESTED " } & on C.B.

40. FAERY TERN : 2 seen on CB
on near 25" mark.

41. LITTLE GLOSSIBIRD - seen.

285

286



THURS. 6th JUNE

Meeting with EMAC + EPA.

"Completed Study of Blackwood R. Estuary"

(Bar to fork 10 m in past)

Warner Glen

(289)

THUR 4 APR 74

NERENSA CAY

1100 hrs 150 Pelican - almost
all flew off but I managed to
count 9 immatures.

Tide Gauge 28.5 cm.

No signs of nests, eggs etc.

TUES 23 APR 74

NERENSA CAY

1415 hrs 170 Pelican

Only the tops of the anopheline are showing
above water.

Tide Gauge 49 cm.

No sign of nests, eggs etc.

(290)

24
LEXINGTON INLET ^{FAT} ~~WED 28 APR~~ - ~~SAT 26~~

19 Oct 2002

SPECIES LIST

Pelican
 Pied Cormorant
 Little Pied Cormorant
 Little Black Cormorant
 Duck
 White Egret
 White-faced Heron
 Mountain Duck
 Black Swan
 Black Duck
 Grey Teal
 Pintail Duck
 Whistling Eagle
 Green-backed
 Grey Plover
 Black-winged Stilt
 Red-necked Avocet
 Bar-headed Goose

(289)

THUR 4 APR 74

NEREMBA CAY

1100 hrs 150 Pelican
all flew off but I managed to
count 9 immatures

Tide Gauge 28.5 cm.

No signs of nests, eggs etc.

TUES 23 APR 74

NEREMBA CAY

1415 hrs 170 Pelican
Only the tops of the mangrove are showing
above water.

Tide Gauge 49 cm.

No signs of nests eggs etc.

(290)

24
TUES 24 APR 74

19 Oct 2002

Pelican
Pied Cormorant
Little Pied Cormorant
Little Black Cormorant

Darter
White Egret
White-faced Heron
Mourning Duck
Black Swan
Black Duck
Grey Teal
Pheasant Duck
Whistling Eagle
Green heron
Grey Plover
Black-winged Stilt
Red-necked Avocet
Barn-headed Grackle

(291)

Dominican Gull
Silver Gull
Crested Tern
Cargua Tern

(292)

293

WED 24 - FRIED 26 MAR 74

SUMMARY OF BIRD COUNTS

A. WADERS


0

STENT

11

CURLEW SANDPENER

294



(299)

1110 - 1130

4 Swans feeding in
the river on Peapack West just south of
Ellen E. ~~the~~ across 50 yds. of water.
24 Swans feeding on east side of inlet
just south of opposite point

(300)

FRED 3 MAY 74

Staged at Lawrenceville on way home from
Cherokee

1245 hrs. 6 passing *Pelecanus*
(4 immature + 2 adult)

Immature were developing the blue gray legs
of the adults. Two were still
black however legs varied from
light pink above to a light blue gray
Yellow very small eye was
same size in juveniles as adults.
White plumage very soft & still
not developed.

Fishes	2 min	1 adult
	1	1

FRED 3 MAY 74

Staged at Shawsville on
Cynote from

1245 hrs. 6 passing *Pelicanus*
(4 immature + 2 adult)

Immature were developing the blue grey legs
of the adults. Two were still
blue however legs varied from
light pink to a light blue grey.
Yellow very small eye was
seen only in juveniles or adults.
White plumage very early or still
not developed.

Fishes	2 min	1 adult
	1	1

303

FRED 3 MAR 74 1330 - 1350 hrs.

South Lake

5 Sams

North Lake

196 Sams

304

WED, MAR 1 74

Spent day at White to check the
Mangrove Wren? which I saw on
Frankland Is. on Sun 14th Dec.

Found the bird in same place
at approx 1530 hrs. Recorded following
description

B. Wren - like bird

Black cap extending down back of neck

Upper back - black

Lower back - yellow

Black streak to eye from upper back

Eye yellow

Yellow streaks above & below eye

Body uniform grey with less uniform
grey wings

Two white feathers at very edge of shoulder
Two white stripes down centre of back,
rusty in between.

Small white patch on outer side
of throat/chin.

Yellow over eye extends as narrow

WED, MAR 1 74

Spent day at White
Pinegrove Haven? about
Frankland Is. on Sun 14th 1974.

Found the bird in same place
at approx 1530 hrs. Recorded following
description

B. Heron-like bird

Black cap extending down back of neck

Upper back - black

Lower back - yellow

Black streak to eye from upper back

Eye yellow

Yellow streaks above & below eye

Body uniform grey with less uniform

grey wings

A few white feathers at very edge of shoulder

Two white stripes down centre of breast,
mostly in between.

Small white patch on outer side
of throat / chin.

Yellow over eye extends as narrow

yellow forehead.

Observed first with 1810 hrs.

It was hunting for food by leaning head down from branches 1-2'

above water - in thickets, on

shady side of river. When

disturbed it flew back to

another branch further along river

& resumed same posture.

Wing beats are 12 beats / 5 sec

ie 2+ / sec

In flight it appeared as a

uniform grey bird with black

cap and yellow legs.

Check skins in museum.

~~2/2/2~~

NORTH LAKE

FRED 10 MAY 74 1050 hrs

44 Black Seem.

NGRUBA CAY

FRED 10 MAY

1210 hrs

22 February

{ 12 juvenile
10 Adult

One of the juveniles was seen feeding from the pouch of an adult.

Other juveniles were seen scattered around the colony.

Tide gauge 63 cms

~~2/11/12~~

NORTH LAKE

FRED 10 MAY : 1050 hrs

44 Black Swans.

NOVEMBER CAN

1210 hrs

FRED 10 MAY

22 February

{	12 juvenile
	10 adult

One of the parents was seen feeding from the pouch of an adult.

Other adults were seen scattered around the colony.

Tide gauge 63 cms

N.C. Continued

The remains of one specimen of
were found on the way. No
other signs of nesting activities.

They were moved west for the
every type of the original.

Lake dig. 9 inch savings

— may detect a movement
near there
from another it is in the
same course of birds for
Pied & Hens.

TOM SPENCE — WED 15 MAY.

1. Tent — not covered on sand.

2. Security fence
T
not

since T will stop acts

3. Use mesh, not twisted wire
for top of T.

4. 2' L stops with jutting on roof
Call sound.

—
^
sand to detect animal under

5. Tentlet & Security — must fix.

6. Must exclude rats

OK for birds. — gas not like

$\frac{1}{2} \times 1$ " mesh for wiring.

7. 8' so much less light.
no birds can fly overhead.

8. Catch mice if possible

9. Later arrives on top of plinth



Mice

1. Start at night
2. carry cheese

E. coli
Salmonella

Geo mice with granite flakes

10. Shade Clock - i) $\frac{1}{2}$ shade in summer
very opaque when raining
could caught workers.

11. Shorter periods by $\frac{1}{3}$ so as to fly
mostly long

Kerry Muller

Quintana Roo at Tulum

- seen on shorebirds & shore-
birds

Roots

1. smooth bark fruit

2. the birds squeak, in
the eyes will find some of
heron intensity

3. dry stick of possible for under
Kerry Muller

Feeds with mostly purple
in perfume & fragrance

Tom feeds with

1. named lamb heart
- depicted
partly for

2. Bread makers breadmakers.

319

Concord Adam Middleton

Lake Belknap - 1 May 1911

Belknap Stalks not there.

land open.

Proctor To Stalk Lake Means
- many stalks.

3 per year

10 m east Lake Belknap sitting

Stalk - spring

Proctor - autumn

320

14. Stalks common with small
fruits or the like.

LYSANGH T - $\frac{1}{2} + 1$
stems.

2' plant in - with 1 m.

15 1 1/2 days growth for stalks.

LESCHENAUET ENLET

Slowly to Bunting with J.D.S.
 — left Port at 2000 hrs and
 arrived at Leschenauet Point at 1045 hrs.

MON 10th JUL

Flies around water at 1010
 at 1105 hrs. Condition of the boat
 so plane was unsuitable for the last
 mission. This small - pilot.
 also was fine & cold & light breeze.
 The flies around water conditions is
 bad for search parties. The
 only place where better could possibly
 be found and with their engines
 as the dogs going to the
 hospital are above the surface of
 the top of the water.

After landing we found land and
 then drove to top & then down
 the west side of the water.
 This was to connect the North head

LESCHENAUAT ENLET

Sun 9 July Leave for Bunting with J.D.S.

— Left Port at 2000 hrs and
arrived at Leschenauat 1100 hrs at 1045 hrs.

MON 10 TH JUL

— Flew around at 1010

at 1103 hrs. Landmark 114 at 0830

no plane was observable at the last
moment. John Brull - pilot.

also was fine & cold with light breeze.

We flew around at 1010 hrs. I
lost for a while finding. The

only place where we could possibly

landed and with their engines

on the top wing is the

highest one above the surface of

the top of the water.

(

After landing we landed and

then drove to top & then down

the west side of the water.

This was to count the birds.

LESCHENAU

Sun 9 June 84

went to morning walk J.D.S.

— left Dept at 2000 hrs and

arrived at Leschenau 1 March at 1045 hrs.

MON 10-11 JUL

— Flew around between 1010

at 1105 hrs. Condition 14 at 0830

so plane was manoeuvring at the last
moment. John Small - pilot.

also saw four or eight v. light breezes.

As flew around when conditions in

bad for a while. The

only place where birds could possibly

land and walk their engines

as the tops going is the

highest air above the surface of

the top of the column.

(

After landing we looked around and

then drove to Dept & then down

the road north of the column.

This was to count the birds which

Boat and the Pintuck — see
Labels on the Bird Survey sheet.

Had completed ~~the~~ we got the boat
in at Little R. and saw water
feeding areas. Even area of
mudflats was covered except for
the edges of the Burton R. Lake.
Where there were quite a number
of water — see annotated sketch.

The Boat was the afternoon serial
sample. During that we noticed
that the ~~water~~ Pintuck had
spread out into the center of
the lake.

End of day

Wald and the Wood Duck — all
 looked on the level Sargassum.

Not completed ~~the~~ we got the boat
 in at Cattle R. and saw water
 feeding area. Even area of
 mudflats was covered except for
 the edges of the Cattle R. Lake.
 Water there were quite a number
 of water — see annotated sketch.

My boat was the afternoon service
 route. During that we noticed
 that the water level had
 spread out with the center of
 the tiding. ~~The~~

End of day

TUES 11th JUNE

~~Sp~~ While so overhead we saw a Whistling Tyle fly in from the west with a fork in its claws. It landed on the shore about 150 yds north of the landing ramp but before it could start eating 2 crabs moved in on it. It flew up the air with them in pursuit and dropped the fork. The crabs in and grabbed it.

— Yellow-Lit Pans

Fam. Theropidae (Tyrannidae or tyrannos)
Amphispiza caudavittatus.

Weight: 217 gms length 24 cm.

Identification by Rod Lumberton. —————>

TUES 11th JUNE

~~Sp~~ White at Greenland we
saw a Whistling Tanager fly
in from the west with the
flock in its claws. It
landed on the shore about
150 yds north of the landing
ramp but before it could
start eating 2 crows moved
in on it. It flew up
the air with them in pursuit and
dropped the prey. The
deserted in and grabbed it.
— Yellow-bellied Parrot

Fam. Thraupidae (Tanager perches on granites)
Amphispiza caerulea

Weight. 219 gms length 24 cm.

Identification by Redoubton. —————>