

# Flowering over the seasons at Brixton Street Wetlands

## Autumn

**Mesobolbia cana** (Nees) B.G. Briggs & L.A.S. Johnson  
 Restionaceae  
 Perennial tufted dicotyledonous herb to 70cm. Flowers brown (heads). Abundant. Water saturated clays. Orange-brown sandy clay, seasonally inundated. Mesobolbia lanata (Nees) Johnson & Johnson associated species. Viminaria juncea, Amphibromus nervosus, Azorella affinis, Schoenolobos juncea. Excellent condition. Floristic community: both rich shrublands in clays (S).  
 Loc: Brixton Street Wetlands, Kewick  
 Lat: 32°15'07" S Long: 115°58'13" E (GD494)  
 Coll: K.L. Brown & G. Paczkowska KL8702 Date: 28/05/2008  
 Voucher: Greater Brixton Field Herbarium

**Mesobolbia cana**  
 Family: Restionaceae

**Kingia australis** R.Br.  
 Dasygynaceae  
 Perennial tufted grass-like monocot to 1.5m high. Flowers green-white-brown. Locally common. Wet flat. Seasonally inundated. White-brown sand over clay. Viminaria juncea (Nees) Johnson associated species. Viminaria juncea, Mesobolbia lanata, Verticordia densiflora, Nuxia microbachne, Hakea variegata, Eriochloa ciliatissima. Floristic community: both rich shrublands in clays (S). Recently from March 2009.  
 Loc: Brixton Street Wetlands, Kewick  
 Lat: 32°20'07" S Long: 115°58'10" E (GD494)  
 Coll: K.L. Brown & G. Paczkowska KL8714 Date: 29/04/2009  
 Voucher: Greater Brixton Field Herbarium

**Kingia australis**  
 Family: Dasygynaceae

**Conula australis** (Spring) Hook.f.  
 Asteraceae  
 Annual prostrate herb to 5cm high and 10cm wide. Flowers with yellow centres and white ray florets. Occurrence: Track adjacent to wet flat. Grey-brown heavy sand, poorly drained. Edge of Viminaria juncea rich shrubland. Associated species: Lantana argentea, Vulpia sp., Melospiza sp., Hypochaeris glabra, Lantana argentea, Eriochloa ciliatissima. Completely degraded condition. Floristic community: both rich shrublands in clays (S). On a track.  
 Loc: Brixton Street Wetlands, Kewick  
 Lat: 32°18'27" S Long: 115°58'27" E (GD494)  
 Coll: K.L. Brown, R. McCreery, J. Cully & G. Paczkowska KL8704 Date: 27/05/2008  
 Voucher: Greater Brixton Field Herbarium

**Conula australis**  
 Family: Asteraceae

**Isopogon asper** R.Br.  
 Proteaceae  
 Perennial open shrub to 40cm. Flowers pink with yellow-orange pollen protrusion. Rare. Wet flat. Water wet. Grey sandy bank. Brixton wetlands, Kewick. Associated species: Hakea cordifolia, Mesobolbia lanata, Buxtonia dallmannii (Nees) Briggs & Johnson, Xanthorrhoea sp., Buxtonia complanata, Viminaria juncea, Neorachis alpestricola, Gasteridium spiculum. Excellent condition. Floristic community: both rich shrublands in clay pans (S).  
 Loc: Brixton Street Wetlands, Kewick  
 Lat: 32°15'07" S Long: 115°58'13" E (GD494)  
 Coll: K.L. Brown & G. Paczkowska KL8701 Date: 28/05/2008  
 Voucher: Greater Brixton Field Herbarium

**Isopogon asper**  
 Family: Proteaceae

**Schoenus grammamphylus** F.Muell.  
 Cyperaceae  
 Perennial herb to 30cm high. Flowers green-brown. Occurrence: Wet flat. Seasonally inundated. Brown sandy clay. Viminaria juncea rich shrubland, on the edge of Mann woodlands. Associated species: Viminaria juncea, Hakea cordifolia, Conostylis spicata, Mesobolbia lanata, Buxtonia dallmannii, Buxtonia complanata, Neorachis alpestricola, Verticordia densiflora, Hibernia tyrrhenica. Excellent condition. Floristic community: both rich shrublands in clays (S).  
 Loc: Brixton Street Wetlands, Kewick  
 Lat: 32°14'46" S Long: 115°58'16" E (GD494)  
 Coll: K.L. Brown, R.K. Hayes, G. Burren & G. Paczkowska KL8700 Date: 30/05/2008  
 Voucher: Greater Brixton Field Herbarium

**Schoenus grammamphylus**  
 Family: Cyperaceae

**Acacia stenoptera** R.Br.  
 Fabaceae  
 Low shrub to 30cm high and 20cm wide. Yellow flowers. Common. Low sandy rise. Grey sand. Mann woodlands. Associated species: Conostylis calyptrella, Tetradlea scabra, Viminaria juncea, Mesobolbia lanata, Gasteridium spiculum, Xanthorrhoea sp., Buxtonia dallmannii, Gonyphobolus rostratus, Acacia lineata, Caribaea arvensis, Gasteridium spiculum, Xanthorrhoea sp., Neorachis alpestricola, Buxtonia complanata, Verticordia densiflora, Hibernia tyrrhenica. Excellent condition. Floristic community: Conostylis calyptrella-Kingia australis woodlands on heavy soils (S).  
 Loc: Brixton Street Wetlands, Kewick  
 Lat: 32°15'07" S Long: 115°58'13" E (GD494)  
 Coll: K.L. Brown & G. Paczkowska KL8703 Date: 27/05/2008  
 Voucher: Greater Brixton Field Herbarium

**Acacia stenoptera**  
 Family: Fabaceae

**Alternanthera nodiflora** R.Br.  
 Amaranthaceae  
 Perennial prostrate herb. Flowers white-cream. Occurrence: Seasonally inundated. Wet flat. Grey clay. Dispersed border of Mann woodlands. Associated species: Paspalum dilatatum, Eragrostis curvula, Hakea cordifolia, Xanthorrhoea sp., Tribulus terrestris, Callitriche sp.  
 Loc: Brixton Street Wetlands, Kewick  
 Lat: 32°15'53" S Long: 115°58'18" E (GD494)  
 Coll: K.L. Brown, R.K. Hayes & G. Paczkowska KL8704 Date: 28/05/2008  
 Voucher: Greater Brixton Field Herbarium

**Alternanthera nodiflora**  
 Family: Amaranthaceae

