





RANGE TO REEF

DISCOVER CAPE RANGE NATIONAL PARK
AND NINGALOO MARINE PARK



A CALM PUBLICATION



RANGE TO REEF

DISCOVER CAPE RANGE NATIONAL PARK
AND NINGALOO MARINE PARK



DEPARTMENT OF CONSERVATION AND LAND MANAGEMENT

Published by:
Dr Syd Shea, Executive
Director,
Department of
Conservation and Land
Management,
50 Hayman Road, Como,
Western Australia, 6152.

Text:
Barry Wilson
Photographers:
Bill Bachman
Patrick Baker
Robert Garvey
John Trowell Advertising
Lochman Photographics/
Transparencies

Barry Wilson
Cliff Winfield
Western Australian
Museum

Calm Publications:
Sweton Stewart
Tess Williams
Craig Garratt

Copyright 1988. All
material in this book is
copyright and may not be
reproduced except with
the written permission of
the publishers.

ISBN 0-7309-2106-9



CONTENTS

- 4 Range to Reef*
- 6 Parks of the Peninsula*
- 8 Range of Wildlife*
- 10 Range of Vegetation*
- 12 Terraces of Time*
- 13 Nature's Tiny Architects*
- 14 Shoreline - Shorelife*
- 15 Salt Water Forests*
- 16 Wall of Mouths*
- 18 Cordon Bleu Coral*
- 20 Coral Condominiums*
- 22 Fish Fashion*
- 24 Blue Water Behemoths*
- 25 Pretty and Painful*
- 26 Park Leisure and Pleasure*



Range to Reef

In the vicinity of the Cape Range Peninsula it is possible to pass from high plateau shrubland to deep ocean within a distance of only a few kilometres. Hike through eucalypt woodlands or climb down deep rocky gorges and enjoy breathtaking scenery. Walk over a flat spinifex plain and a succession of ancient fossil reefs, climb coastal dunes down to sandy beaches and laze in the sun. If fishing or snorkelling are your interests, dive into an emerald lagoon and swim over a coral reef, or take a boat through the reef passages, beyond thunderous surf to the open ocean.

As you enjoy these activities you will pass through the habitats, or dwelling places, of many creatures: some as exotic as fish-eating cone shells and some as familiar as the red kangaroo; some as tiny as coral polyps and some as thrilling in their size as the whale shark and great whales.

We invite you to explore these natural beauties and observe the inhabitants of a virtually undisturbed world. This book will provide you with memories, or make a gift for someone with whom you would like to share your north-west trip.



Parks of the Peninsula

Ningaloo Reef is Western Australia's largest coral reef. To protect this natural wonder the State and Commonwealth Governments jointly declared the Ningaloo Marine Park in 1987. A portion of Cape Range Peninsula was earlier declared National Park, and together the two parks offer a variety of scenery, wildlife and recreational opportunities rarely equalled in one locale.

The primary objective of park management is to provide for as much public enjoyment of this wild and wonderful place as is consistent with its maintenance and protection for all time.




Above: Euro at Osprey Bay, with a coral reef in the background.

Above Right: Soft-corals interest three divers on a deep rock ledge beyond the reef.

Right: The beach at Vlaming Head, North West Cape, is a popular recreational spot for the people of Exmouth.



Opposite page: Craggy limestone hills, Shothole Canyon




Range of Wildlife

Right: The Blind Gudgeon (*Milyeringa veritas*) is a troglodyte, living in the water of caves and rock stfata beneath Cape Range and its coastal plains.

Below right: Red Kangaroo (*Macropus rufus*). Both Reds and Euros have become tame and abundant in Cape Range National Park.

Below: A male Spotted Bower-bird has succeeded in attracting a mate to his bower with its decoration of stones.



The nature trails in Cape Range National Park are sited so that visitors have a good chance of seeing many animal species at close quarters. Enquire at the Milyering Bicentennial Visitor Centre for information and guidance.

Late in the 19th century some of the coastal plains below Cape Range, and the lower, flatter coastal lands further south, were taken up as pastoral leases. However, since 1964 no sheep have grazed, and no hunting has been permitted in the northern national park areas, so wildlife has prospered.

The abundant fauna of the Cape Range Peninsula is typical of the arid Pilbara Region, but due to its relative isolation and geological history it has some peculiarities. Some species have evolved distinctive forms, while others now unique to Cape Range were once more widespread in northern Australia. Low and irregular rainfall and limited occurrence of fresh surface water means that the permanently resident animals are adapted to living in harsh conditions.




About 100 kinds of land birds have been recorded from Cape Range, though some of these are temporary immigrants after rain. There are also many species of shore birds, including some annual migrants from the northern hemisphere, which feed along the Marine Park coastline.



Left: Big goannas (*Varanus panoptes rubidus*) are commonly seen in Cape Range National Park and may be approached with care.

Far left: A rock-wallaby (*Petrogale penicillata*) sits on the cliff-face at Yardie Creek, waiting for the evening when he can safely feed.

Below: Ospreys (*Pandion haliaetus*) nest along the shore of the marine park. They feed mainly on fish which they pluck from the surface waters of the lagoon.



Range of Vegetation

Although these hot, dry lands cannot boast a wealth of wildflowers like the plains of southern Western Australia, the amateur botanist will find plants of interest, and the novice may be surprised and charmed to discover the occasional delicate flower growing in the hard, hot stony earth.

Because of the geological history of the Cape Range Peninsula, the flora is an unusual mixture of Pilbara, south-west and northern species. Winter rains allow the existence of south-west species such as Banksia, Hibbertia and Thryptomene, and about ten species of plants are found only on this peninsula.

Below: The Cape Range form of Sturt Pea (*Clianthus formosus*) lacks the black centre typical of this plant elsewhere.

Right: Ranji Bush (*Acacia pyrifolia*) - A harsh, straggling, prickly shrub with usually pear-shaped, blue-green phyllodes and large showy bright golden flowers.



Left: Rock Morning Glory (*Ipomoea costata*) - A climber or woody shrub which is common in the Cape Range area.

Below left: Slender Petalostylis (*Petalostylis labicheoides*) - A slender shrub, the stems and leaves often covered in a waxy bloom, which is widely distributed along watercourses or open plains.

Below: Ashby's Banksia (*Banksia ashbyi*) - A showy, spreading shrub which grows on sandheaths and is the only species of *Banksia* growing on North West Cape.



Terraces of Time

Ten million years ago, the north west corner of Australia was covered by a warm, shallow sea. Later the crust of the earth crumpled and a huge anticline rose to form Cape Range Peninsula. The backbone of the range is hard fossil-bearing limestones, laid down on the sea-floor in those earlier times.


The western side of the peninsula exhibits four distinct limestone terraces cut into the side of the range, reflecting changing sea levels, when ice-ages alternated with warm periods. There are deposits of marine sediments left by the sea on each terrace. Some of these include fossil coral reefs which grew along these shores in those periods, just

as the modern reef grows lower down along the present coastline.

The present day coastal plain is built of marine sediments deposited about 40 000 years ago during the last of the high sea-level periods. The fossil species present on the plain are much the same as the living species on the modern reef, and very different to those of the range.

In places below the escarpment fans of alluvial stones and sands, carried down from the range by creeks, have spread over the marine sediments of the plain. Along the shore fringe, the modern sea and wind have thrown up dunes of sea-sand, some of which have been stabilized by vegetation while others are still mobile.

Please remember that collecting fossils in the park is not permitted.



Ningaloo Reef forms a ragged line of coral, winding down the coast on the western side of the Cape Range Peninsula, and running southwards to Amherst Point. For much of its 260 km length it is a barrier reef protecting a shallow sandy lagoon.

After a period of low sea-level during the last of the Pleistocene ice ages, the sea rose to its present level about 6 000 years ago. We can assume that pioneer corals quickly settled on off-shore limestone ridges, grew, perished and were replaced in time. With help from other organisms with limey skeletons, successive generations built the massive modern reef which we see today.



Nature's Tiny Architects

The living coral forms a crust on accumulated remains of the earlier generations. About 220 species of reef-building corals, belonging to at least 54 genera, have been recorded from Ningaloo Reef.

The majority of coral species, and the associated fish, molluscs, crustaceans and other creatures living on Ningaloo Reef are widespread throughout the tropical Indian and Western Pacific Oceans. For the most part, the animals and plants to be seen at Ningaloo are the same as those on the Great Barrier Reef. There are not quite so many species at Ningaloo, probably because the structure of the reef is relatively simple and there is less habitat diversity.

Left: Corals and other living creatures with skeletons of lime build the structure of the reef and provide habitat for a variety of reef-dwellers.

Below: An *Acropora bombie* at Coral Bay provides home for many fish which became very tame after regular feeding by divers.



Shoreline - Shorelife

Long white sandy beaches backed by Lvegetated dunes characterize the shore of Ningaloo Marine Park. Except for a few places where there are large gaps in the protective outer reef, the beaches are quiet and safe for swimming. In some areas, such as Osprey Bay, there is no beach and low limestone cliffs fringe the shore. The cliffs are undercut by the action of waves and burrowing animals and they are often fronted by intertidal rock platforms.

There is much to see along the shore. Turtles nest on the beaches during summer. Ghost crabs burrow in the sand and provide great entertainment when they quickly scuttle away. Flotsam and jetsam from far away are deposited on these beaches by ocean currents, and the remains of shells and other casualties of the reef and lagoon ecosystem provide fascinating pickings for the beachcomber.

Right: The shore is characterized by long, sandy beaches or low limestone cliffs. Here in the southern part of the marine park, there are undercut limestone cliffs and an intertidal rock platform rich in invertebrate life.

Below: Ghost crabs (*Ocypode convexa*), inhabitants of the long beaches, scavenge along the water's edge in the evening.



At low tide, sand flats become exposed and there you may see a variety of burrowing molluscs, crustaceans and other creatures. Look for their tracks and burrows.

On the stony intertidal reef platforms there is a great variety of creatures. Hard and soft corals may be seen in tide pools, and a small species of 'giant clam', *Tridacna maxima*, is common, attached to the rock by its hairy byssus. Under the stones and rock slabs is a host of crustaceans and molluscs, with many shells occupied by hermit crabs.

Shore fossicking is always a great delight. But remember not to tread down the corals, leave stones overturned, or otherwise damage the shore creatures or their habitat. The park is for their protection as well as your enjoyment.



Mangrove forests, or mangals, are a feature of the muddy northern Australian coast. They form a dark-green fringe along vast areas of shore. They are salt-tolerant, but grow best where there is some freshwater seepage.

Only in recent years has the ecological significance of these forests been generally acknowledged. They are the source of huge amounts of organic material which enter coastal waters and provide a large proportion of the energy which drives the coastal ecosystem. They also create a muddy habitat for a large number of specialized animals, and nursery areas for many coastal water fish. There are extensive mangals in Exmouth Gulf, on the eastern side of the Cape Range Peninsula. On the open ocean side, in Ningaloo Marine Park, the



Salt Water Forests

environment is not generally suitable for growth of mangroves. Nevertheless, small but important mangals occur at Mangrove Bay and in Yardie Creek, and there are scattered mangrove trees elsewhere along the shore. Three kinds of mangrove tree are present in the park, *Avicennia marina*, *Rhizophora stylosa* and *Bruguiera exaristata*.

The Mangrove Bay mangal is the best developed example. It is flushed by a tidal channel and provides visitors with an excellent opportunity to study this peculiar ecosystem. A timber boardwalk and a birdhide have been constructed to assist observation.



Above: A fiddler-crab (*Uca flammula*) sits in the mud near the entrance to its burrow at the edge of the mangrove forest in Mangrove Bay.

Left: In the brackish waters of Yardie Creek there is a small mangrove forest. *Rhizophora* is characterised by its strange prop-roots.




Wall of Mouths

The edge of the continental shelf is unusually close to land in this region, located only a few kilometres from the front edge of the reef. Mighty ocean swells spend their force on the reef edge before spreading in foaming sheets over the shallow reef-flat and pouring into the lagoon behind.

The coral reef owes its existence to this constant flow of clear, warm oceanic water which contains countless numbers of tiny planktonic plants and animals produced in the sunlit surface waters of the open ocean.

Corals and many other coral-reef animals are primarily "suspension feeders". As the water flows over them, they capture the plankton with an endless variety of filters, mucous traps and sticky tentacles. This 'wall of mouths' concentrates energy from the surface water of the eastern Indian Ocean to support the complex coral-reef ecosystem.

Through the looking glass:
A captivating collage of texture
and colour await visitors to the
underwater world of the
Ningaloo Reef.



Cordon Bleu Coral


The fleshy tissues and mucous secretions of living corals are the natural food of many coral-reef animals. For example, the families of Butterfly-fish, Parrot-fish and Wrasses have many coral-predator species. Butterfly fish have elongated snouts and they delicately nip off protruding polyps from the coral colonies. Coral-eating Parrot-fish and Wrasses, however, bite off and ingest chunks of hard coral, and have powerful grinding plates in their throats which reduce the limy skeleton to rubble. The indigestible skeletal material is then excreted as fine pulverized powder. These fish contribute a great deal to the redistribution of coral matter and to the sedimentation of coral-reefs.

The Crown of Thorns Starfish and several species of marine snail feed on living corals. The purple-mouthed snail *Coralliophila violacea* lives and feeds on the massive coral *Porites*, and the muricid snail *Drupella cornus* feeds on a

greater variety of corals but seems to prefer the staghorns and their relatives, *Acropora*. All of these coral-eaters occur in the Ningaloo Marine Park.

Generally, polyps eaten by predators are quickly replaced by asexual budding within the colony and a balance is maintained in the predator-prey relationship. But sometimes ecological upsets occur and outbreaks of predators extensively damage coral reefs.


Crown of Thorns is uncommon on Ningaloo Reef. However, *Drupella cornus* is present in vast numbers in some parts of Ningaloo Reef, and has caused extensive damage.



Opposite page: The long snout of a Butterfly-fish (*Chaetodon aureofasciatus*) is a useful tool for pecking at polyps of coral prey.

Right: A large adult Crown of Thorns spreads its spiny arms around its coral prey.

Below: A marine biologist examines a small group of the marine snail *Drupella cornus* feeding on a *Porites* colony.



Coral Condominiums

Right: There are many species of cowry shell in the marine park. This one is *Cypraea eglantina*. In life the thin mantle spreads over the shell and keeps it polished.

Below: Fan-worms (*Spirobranchus*) live in burrows in massive corals and feed by means of colourful crown tentacles which catch plankton.

Below right: These small, long-spined sea-urchins (*Echinostrephus molaris*) burrow into dead coral rock and help break it down into calcareous silt and sand.



As well as being food for many specialised coral-eating creatures, living coral provides a habitat for a host of reef creatures.

Examples of close association between particular kinds of coral and particular species of invertebrates are legion in the coral reef communities. The fan worms are conspicuous burrowers in massive corals like *Porites*. Small crabs of the genus *Trapezia* live among fronds of the coral *Pocillopora*. The basis of such tight host-specific associations is not understood.

Several kinds of fish known as Pullers, genus *Dascyllus*, live in schools close by a branching coral colony, which provides their home. They swim in a tight school within metres of the coral, foraging for floating fragments of sea-weed, but when threatened they dart into the shelter of the coral fronds. These colourful little fish are one of the most charming and conspicuous features of the Ningaloo lagoon.



Nooks and crannies among living and dead corals provide hiding places for many kinds of mollusc, worm, echinoderm, and crustacean. For example, herbivorous and omnivorous cowries hide under slabs and ledges during the day and come out at night to forage for food.

It is this host of colourful and varied creatures inhabiting coral reefs which makes them such fascinating places for the curious visitor or the dedicated amateur naturalist. But remember that collecting living shells is not permitted in the park.



Left: The Ornate Spiny-lobster (*Panulirus ornatus*) is one of the tropical species of this genus. They may be caught by visitors in the marine park, but only by hand.

Far left: Egg Cowries (*Ovula ovum*) feed on the tissues of soft corals. Although the shell is milk-white, the mantle of this animal is jet-black.


Below: Hermit crabs are often vividly coloured. This *Trizopagurns strigatus* has commandeered a dead cone-shell for its home.



Fish Fashion



Dashing dandies of the sea: Flirting through the coral fronds, the fish at Ningaloo sport some of nature's most adventurous colours and designs.



Some coral-reef fish are among the most colourful and beautifully patterned of all living creatures. Their variety of size, form and colour is almost beyond belief. Striking differences occur in colour and pattern between males and females, and between juveniles and adult fish of the same species.

Some fish are fierce, streamlined ocean predators capable of swimming at great speed. Others are festooned with camouflaging fronds and fins and may spend their days quietly hiding among coral and other growths on the sea floor.

Fish-watching is becoming a popular natural history activity and there is no better place for it than Ningaloo Marine Park. Even the novice snorkeller can swim in the lagoon shallows and witness an amazing spectacle of fish variety. So far, no less than 500 species have been recorded by scientists in the park, and no doubt many more remain to be discovered.



Blue Water Behemoths

Beyond the reef the sea-bottom slopes Brather steeply and it isn't far out to the very edge of the continental shelf. This is the habitat of ocean monsters. Every year, towards the end of summer, whale sharks appear off the reef. These gigantic fish may be up to 10m long, yet they are slow-moving gentle creatures which feed on plankton. Their annual appearance correlates roughly with the annual mass-spawning of the reef corals, when the sea surface is a virtual soup of eggs and larvae of corals and other creatures. The lucky diver who encounters one of these ocean monsters may safely swim along with them as they quietly go about their business at the surface of the sea.

Another giant ocean plankton feeder is the Manta Ray. These are common off the reef front, and it is sometimes possible to swim with them as well,

although they are usually nervous and may not stay for long.

And finally, the ocean waters just beyond the reef are part of the migratory route of the mighty Humpback Whales on their way between their Antarctic feeding grounds and their breeding area on the North-West Shelf. Every year in early winter the herds appear on their way north, and in early summer they appear heading south again. Noted for their haunting songs, these creatures often pass within sight and sound of the reef.

For some years Humpbacks were caught off Point Cloates and their great bodies rendered down for oil, meat and fertilizer at a whaling station at Norwegian Bay. The population declined to dangerously low levels before whaling ceased in 1959. Now, after nearly 30 years they are recovering and the herds are once again becoming a spectacle as they pass through the Marine Park.

Below: A Humpback Whale (*Megaptera novaeanglii*) breaks its long journey from Antarctica with spectacular games off the reef in the marine park.



Many marine animals use venoms and toxins for catching prey or defending themselves. Some of these may cause mild stings or rashes if contact is made with human skin. Only a few species have venoms and toxins potent enough to cause serious harm to humans.

In Ningaloo Marine Park several dangerous venomous animals are present, although they are secretive and rarely encountered. The most harmful are the Blue Ringed Octopus and several fish-eating cone-shell. These creatures kill their prey with a potent toxin injected with their bite, and they are known to have killed people in other parts of Australia.

Many coelenterates may sting. A few may cause serious injury to humans. There are several kinds of large Saucer Jellyfish which sting, some of them quite severely. They generally float in the open sea beyond the reef, but sometimes appear in the lagoon.

Two very dissimilar stinging hydroids are common on Ningaloo Reef. Fireweed resembles a feathery fern, but it is not a plant, and Fire Coral forms large stony colonies. Both are colonial coelenterates whose polyps carry stinging cells which may cause a painful rash if divers brush sensitive areas of skin against them.

Many kinds of echinoderm can cause injury with their sharp spines, and a few species have venom associated with the spines. The Crown of Thorns Starfish is one of these. It has venom glands in the thin skin covering its razor-sharp spines and can cause painful wounds and nausea.

Sea-urchins have sharp spines covering their spherical bodies and may cause injury. People generally avoid handling these spiny creatures, but accidental injuries are not uncommon.

Pretty and Painful

Certain fish have venomous spines. Catfish, or 'cobblers', and Sting-rays are commonly responsible for very painful injuries and there are species of these venomous fishes in Ningaloo Marine Park. The family of Scorpion Fish is particularly notable for venomous spines, the most dangerous of which is the unlovable Stone-fish.

Further details, including treatment in the event of injuries from marine invertebrates, can be found in *Sea Stingers*, by L.M. Marsh and S.M. Slack-Smith, W.A. Museum, 1986.

Below: The Lion-fish (*Pterois volitans*) is a member of the family *Scorpaenidae* and has venomous spines which can cause very painful wounds.



Park Leisure and Pleasure

Right: Fishing from the shore is a fun way of providing a camp meal. Visitors are encouraged to take only as much fish as they can eat.

Below: At Mangrove Bay there is a boardwalk and birdhide where visitors may explore the mangrove habitat and watch shore-birds in comfort.

Below right: Paddling a canoe up the Yardie Creek Gorge is a wonderful way to see wildlife and enjoy the scenery.



From the rugged range to the coral reef, parks of the coral coast encompass a variety of landscapes and wildlife guaranteed to delight the explorer, naturalist and artist alike.

The Visitor Centre at Milyering houses an extensive display which introduces visitors to the natural environment and facilities within the parks; for example, geological developments, wildlife communities and the history of human habitation. The displays are designed to whet the appetite and direct visitors towards activities which provide first hand experiences in the natural surrounds of the parks.

On the side of Cape Range, two dirt roads wend their way into the stone country. For the more energetic, walk trails at Mandu Mandu Gorge, Yardie Creek and between the Shothole and Charles Knife roads provide opportunities for closer inspection of undisturbed bush and wildlife among the cliffs and canyons of Cape Range.


At Mangrove Bay, a short walk among mangrove trees leads to a hide which

overlooks a shallow lagoon. Shore birds roost in the lagoon at high tide, and, during the summer months, migratory birds can be observed from the hide.

Lured by the turquoise waters of Ningaloo Reef, a world of colourful fish and coral gardens opens up to those with snorkelling or SCUBA gear. Equipment hire and diving excursions can be arranged in Coral Bay or Exmouth. For those who prefer dry feet, glass bottomed boats operate out of Coral Bay and at Bundegi Reef near to Exmouth.

The most popular, passive pursuit in the park is fishing. Angling from the beach or shore rocks is usually productive, but most enthusiastic fishers in the park use small boats launched from the shore.

Recreational fishing in the park is subject to the Amateur Fishing Regulations and there are bag and size limits which should be followed. Also, check the locations of Sanctuary Zones, where fishing is not permitted.




Well Designed - Naturally

For park visitors seeking to learn more about the land and marine environments, and the plants and animals living there, an information centre has been built at Milyering in Cape Range National Park. It is called the Bicentennial Visitor Centre in recognition of the funding received from the Australian Bicentennial Authority.

The Visitor Centre serves as a focus for a wide range of interesting activity programmes. There you can find information about the parks and their wildlife, and directions for the nature trails developed throughout the parks.

The building is designed and constructed to provide comfortable living and working conditions in the arid environment and harsh climate of the north-west. A policy of energy conservation was adopted in constructing the centre and many features have been incorporated to ensure there is minimal impact on the environment from the building and occupants.

Natural lighting and ventilation are used wherever possible, and solar panels and storage batteries provide power. The thick, rammed earth walls reduce the fluctuations between night and day temperatures in the building, and the deep verandahs ensure shade even at midday. Water is a precious commodity in the north, so composting toilets mean no flushing. The toilets also provide a safe rich fertiliser for the garden, which is watered by runoff from bitumised areas at the centre. Truly a house of the future.



Vlamingh Head Lighthouse



Mangrove Bay Bird Hide



Milyering Visitor Centre



Yardie Creek



Boat Fishing



Scuba / Snorkel Diving

INDIAN OCEAN

NINGALOO MARINE PARK

Coral Bay

Tropic of Capricorn

Mangrove Bay

Milyering

CAPE RANGE NATIONAL PARK

Exmouth

Learmonth




Swimming / Sunbathing



Bushwalking





Coral Viewing



IAN DICKINSON

Parks of the North West Cape



**RANGE TO
REEF**