

LIBRARY

Department of Biodiversity,
Conservation and Attractions

This PDF has been created for digital preservation. It may be used for research but is not suitable for other purposes. It may be superseded by a more current version or just be out-of-date and have no relevance to current situations.

PRICE LIST 1993

NARROGIN NURSERY

TREE SEEDLINGS

Price \$1.25/pot



These are young seedlings raised in individual root trainer pots 12cm deep.

KWIK POTTED SEEDLINGS

Price \$19.00/tray (48's) and (56's)

Depending on species.

Seedling price 0.365c and 0.422c each.

Minimum 45 and 52 seedlings per tray

Eucalyptus globulus and camaldulensis

Price \$24.00/tray (64's)

Seedling price 0.40c each.

Minimum 60 seedlings per tray.



*The above prices include delivery with the NARROGIN DELIVERY AREA.
(see map of area over)*

MANJIMUP PLANT PROPAGATION CENTRE

KWIK POTTED SEEDLINGS

10 000-100 000
(Kwik Pot 64/tray)

Price \$15.60/tray

100 000 plus

Price by negotiation/tray

Surplus Stock

\$15.00/tray

Discount per tray

Seed Supplied

\$1.50

Trays Returned

\$1.00

BARE ROOTED PINE SEEDLINGS

500-1000 seedlings \$21.99/100

1000-10,000 seedlings \$112.80/1000

10,000-100,000 seedlings \$100.39/1000

More than 100,000 seedlings \$86.77/1000

Special Quality (more than 5000) By negotiation

Cuttings \$0.272/each

Freight Charge \$12.70/1000

Discount for Seed Supplied \$9.40/1000

CONDITIONS OF SALE NARROGIN NURSERY ONLY

1. The distribution season commences 1st May and closes on August 31st.
2. A remittance made payable to the Dept. of Conservation and Land Management must accompany each order for trees.
3. The Nursery reserves the right to supply a lesser number of trees than were ordered when accompanying remittance is insufficient to cover the full value of the order.
4. Substitutes will be made for trees not available at the time of despatch unless the order is clearly marked otherwise.
5. Where possible orders will be grouped in customer lots and delivered to Shire Offices or other locations as arranged, within the Narrogin delivery area.
6. Orders taken from outside the delivery area must be either
 - a. Collected from the Nursery.
 - b. Delivered to within the delivery area.
 - c. Client to pay freight

CONDITIONS OF SALE MANJIMUP PLANT PROPAGATION CENTRE

The following can be ordered by phoning Manjimup Plant Propagation Centre on (097) 721377.

CONTAINERISED TREE SEEDLINGS

Bulk orders of more than 10,000

BARE ROOTED PINES

1. Orders will be accepted for a minimum of 500 bare rooted pine seedlings of one species.
2. Distribution season commences 1st June, closes 31st July.
3. As for 2 of Narrogin Conditions of Sale.
4. As for 3 of Narrogin Conditions of Sale.
5. Price will vary according to number ordered (see prices section).
6. All orders to be collected from Manjimup Plant Propagation Centre.

ADVICE TO CLIENTS

1. Orders should be placed as early as possible.
2. Trading hours 8.00 a.m. to 4.30 p.m.
— Monday to Friday.



Department of
Conservation and Land Management

TREE NURSERY PRICE LIST 1993

*Trees for Shade,
Shelter and
Conservation*

PAM00953

Distribution Season

Narrogin — 1st May — 31st August

Manjimup — 1st May — 31st August

1st June — 31st July

Pines Only

ORDER FOR TREES (pots & trays)

To DISTRICT MANAGER
DEPARTMENT OF
CONSERVATION AND
LAND MANAGEMENT
POST OFFICE BOX 100
NARROGIN 6312
Ph. (098) 811113
811696
Fax (098) 811645

ORDER FOR BULK TREE SEEDLINGS AND BARE ROOTED PINES

To MANAGER
WEST MANJIMUP NURSERY
DEPARTMENT OF CALM
BRAIN STREET
MANJIMUP 6258
Ph. (097) 721377

SALT TOLERANT SPECIES


Acacia saligna
Casuarina obesa
Eucalyptus camaldulensis
diptera
eremophila
flocktoniae
kondininensis
loxophleba
myriadena
microcarpa
occidentalis
platypus var. heterophylla
sargentii
spatulata
Melaleuca cuticularis
thyoides
acuminata
brevifolia

- [] Available in pots
[*] Available in pots
and trays
* Available in trays
(48)
+ Available in trays
(64)
x Available in trays
(56)

The degree of tolerance varies, consult the
Dept. of C.A.L.M. staff for advice for your
particular management requirement.

Species	Common Name	Species	Common Name
<i>Acacia</i> [*] <i>acuminata</i> [*] <i>celastrifolia</i> [] <i>collettioides</i> x <i>cyclops</i> [] <i>hemiteles</i> * <i>lasiocalyx</i> [*] <i>meisneri</i> [*] <i>melanoxylon</i> [*] <i>merrallii</i> [*] <i>microbotrya</i> [] <i>myrtifolia</i> [*] <i>prainii</i> [] <i>redolens</i> [] <i>rostellifera</i> [x] <i>saligna</i>	Raspberry Jam Wattle Wait-A-While Wattle W.A. Coastal Wattle Tasmanian Blackwood Merral's Wattle Manna Wattle Myrtle Wattle Golden Wreath Wattle Swamp Cypress W.A. Peppermint Rock Oak Woolly Banksia Bird Nest Banksia Menzies Banksia Acorn Banksia Showy Banksia Round Fruited Banksia Violet Banksia W.A. Kurrajong Crimson Bottlebrush Lesser Bottlebrush Stiff Leafed Bottlebrush Willow Bottlebrush Albany Bottlebrush Weeping Bottlebrush Native Cypress Common Net Bush Mouse Ears Blood Red Net Bush	<i>Casuarina</i> * <i>obesa</i> <i>Dryandra</i> [] <i>carduacea</i> [] <i>nobilis</i> [] <i>quercifolia</i> [] <i>sessilis</i> <i>Eremaea</i> [] <i>pauciflora</i> <i>Eucalyptus</i> * <i>accedens</i> * <i>albida</i> [*] <i>angulosa</i> * <i>annulata</i> * <i>argyphaea</i> * <i>aspera</i> * <i>astringens</i> * <i>botryiodes</i> [x] <i>brockwayi</i> [*] <i>burdettiana</i> * <i>burracoppinensis</i> [] <i>caesia</i> subsp <i>caesia</i> [] <i>caesia</i> subsp <i>magna</i> * <i>calophylla</i> [] <i>calycogona</i> [x +] <i>camaldulensis</i> [*] <i>campaspe</i> * <i>capillosa</i> [*] <i>citriodora</i> * <i>cladocalyx</i> x <i>cladocalyx</i> var <i>nana</i> [] <i>clelandii</i> * <i>clivicola</i> * <i>conferruminata</i> x <i>cornuta</i> [] <i>corrugata</i> x <i>crebra</i> [*] <i>crucis</i> * <i>decipiens</i> * <i>densa</i> ssp <i>densa</i> [] <i>dielsii</i> [*] <i>diptera</i> x <i>diversicolor</i> * <i>drummondii</i> [x] <i>dundasii</i> * <i>ebbanoensis</i> [*] <i>eremophila</i> [] <i>erythrandra</i>	Swamp Oak Pingle Golden Dryandra Oak Leaved Dryandra Parrot Bush Powderbark Wandoo White Leaved Mallee Ridge Fruited Mallee Open Fruited Mallee Silver Mallet Darling Range Mallee Brown Mallet Bangalay Dundas Mahogany Burdett Gum Burracoppin Mallee Gungurru Silver Princess Marri Gooseberry Mallee River Gum Silver Gimlet Inland Wandoo Lemon Scented Gum Sugar Gum Dwarf Sugar Gum Cleland's Blackbutt Green Mallet Bald Island Marlock Yate Rough Fruited Mallee Narrow Leafed Red Ironbark Silver Mallee Red Heart Cap Fruited Mallee Two Winged Gimlet Karri Drummond's Gum Dundas Blackbutt Sandplain Mallee Tall Sand Mallee Rosebud Gum
<i>Actinostrobus</i> [] <i>pyramidalis</i>			
<i>Agonis</i> [*] <i>flexuosa</i>			
<i>Allocasuarina</i> * <i>huegeliana</i> [*] <i>humilis</i>			
<i>Banksia</i> [] <i>baueri</i> [] <i>baxteri</i> [] <i>menziesii</i> [] <i>prionotes</i> [] <i>speciosa</i> [] <i>sphaerocarpa</i> [] <i>violacea</i>			
<i>Brachychton</i> [] <i>gregorii</i>			
<i>Callistemon</i> [*] <i>citrinus</i> [*] <i>phoeniceus</i> [*] <i>rigidus</i> [*] <i>salignus</i> [*] <i>glaucus</i> [*] <i>viminalis</i>			
<i>Callitris</i> [] <i>preissii</i>			
<i>Calothamnus</i> [*] <i>quadrifidus</i> [*] <i>rupestris</i> [*] <i>sanguineus</i>			

Species	Common Name	Species	Common Name	Species	Common Name
<i>Eucalyptus</i>		<i>Eucalyptus</i>		<i>Leptospermum</i>	
[*] <i>erythrocorys</i>	Red Cap Gum	* <i>pileata</i>	Capped Mallee	* <i>erubescens</i>	Tea Tree
[*] <i>erythronema</i>	Red Flowered Mallee	[*] <i>platypus</i> var <i>heterophylla</i>	Coastal Moort		
[] <i>ewartiana</i>	Ewart's Mallee	[x] <i>platypus</i> var <i>platypus</i>	Moort	<i>Melaleuca</i>	
* <i>famelica</i>	Salt Mallee	* <i>pluricaulis</i>	Blue Leaved Mallee	* <i>acuminata</i>	Broom Bush
[x] <i>ficifolia</i>	Red Flowering Gum	[] <i>polyanthemnos</i>	Red Box	[*] <i>armillaris</i>	Bracelet Honey Myrtle
[] <i>flocktoniae</i>	Merritt	[] <i>preissiana</i>	Bell Fruited Mallee	* <i>brevifolia</i>	White Flowered
[*] <i>formanii</i>	Forman's Mallee	x <i>robusta</i>	Swamp Mahogany		Honey Myrtle
[*] <i>forrestiana</i>	Fuchsia Gum	x <i>rudis</i>	W.A. Flooded Gum	* <i>cardiophylla</i>	Umbrella Bush
* <i>gardneri</i>	Blue Mallet	* <i>salicola</i>	Salt Gum	[] <i>conothamnoides</i>	Purple Flowered
[+] <i>globulus</i>	Tasmanian Blue Gum	x <i>saligna</i>	Sydney Blue Gum		Honey Myrtle
* <i>bicostata</i>	Eurabbie	[*] <i>salmonophloia</i>	Salmon Gum	* <i>cuticularis</i>	Salt Water Paperbark
x <i>gomphocephala</i>	Tuart	[*] <i>salubris</i> var <i>salubris</i>	Gimlet	[] <i>diosmifolia</i>	Green Honey Myrtle
<i>goniantha</i>	Jerdacuttup Mallee	[*] <i>sargentii</i>	Salt River Gum	[] <i>elliptica</i>	Granite Honey Myrtle
x <i>grandis</i>	Rose Gum	[] <i>sheathiana</i>	Ribbon Bark Mallee	[*] <i>hamulosa</i>	Broom Bush Honey Myrtle
[] <i>griffithsii</i>	Griffith's Grey Gum	* <i>sideroxylon</i> var <i>rosea</i>	Pink Flowered Ironbark	[] <i>hypericifolia</i>	Hillock Bush
[*] <i>halophila</i>		* <i>spathulata</i>	Swamp Mallet	[] <i>incana</i>	Grey Honey Myrtle
* <i>hypochlamydea</i>	Rough Barked Mallee	x <i>suggrandis</i>		[*] <i>lanceolata</i>	Rottnest Island Tea Tree
* <i>incrassata</i>	Lerp Mallee	x <i>steedmanii</i>	Steedman's Mallet	[] <i>lateriflora</i>	Oblong Leaf Honey Myrtle
[*] <i>kochii</i> var <i>plenissima</i>	Watheroo Mallee	[*] <i>stoatei</i>	Scarlet Pear Gum	[*] <i>nesophylla</i>	Western Tea Myrtle
* <i>kondininensis</i>	Stocking Gum	[*] <i>stricklandii</i>	Strickland's Gum	* <i>pauperiflora</i>	
[*] <i>kruseana</i>	Bookleaf Mallee	x <i>tereticornis</i>	Forest Red Gum	* <i>pentagona</i>	Prickly Leaf Honey Myrtle
* <i>laeliae</i>	Darling Range Ghost Gum	[] <i>torquata</i>	Coral Gum	* <i>platycalyx</i>	Mauve Flowered
* <i>lanepoolei</i>		[*] <i>torwood</i>			Honey Myrtle
[*] <i>lansdowneana</i>	Purple Flowered Gum	[] <i>transcontinentalis</i>	Red Wood	* <i>pungens</i>	Needle Leaf Honey Myrtle
x <i>lehmannii</i>	Bushy Yate	* <i>uncinata</i>	Hook Leaf Mallee	[] <i>radula</i>	Graceful Honey Myrtle
x <i>leptopoda</i>	Tammin Mallee	x <i>viminalis</i>	Manna Gum	* <i>raphiophylla</i>	Swamp Paperbark
[] <i>lesouefii</i>	Goldfield's Blackbutt	* <i>wandoo</i>	White Gum	[] <i>scabra</i>	Rough Honey Myrtle
[*] <i>leucoxylon</i> ssp	Large Fruited S.A.	[] <i>websteriana</i>	Webster's Mallee	* <i>spicigera</i>	
<i>megalocarpa</i>	Blue Gum	[] <i>woodwardii</i>	Lemon Flowered Gum	[] <i>steedmanii</i>	Steedman Honey Myrtle
[*] <i>leucoxylon</i> ssp	Pink Flowered	* <i>yilgarnensis</i>	Yorrel	* <i>thyoides</i>	Scale Leaf Honey Myrtle
<i>rosea</i>	Yellow Gum			* <i>viminea</i>	White Flowered
[*] <i>longicornis</i>	Red Morrel	<i>Grevillea</i>			Honey Myrtle
* <i>loxophleba</i>	York Gum	[] <i>eristachya</i>	Flame Grevillea	[] <i>wilsonii</i>	Wilson's Honey Myrtle
* <i>loxphleba</i> ssp <i>lissophloia</i>	Smooth Barked York Gum				
[] <i>macrandra</i>	Long Flowered Marlock	<i>Hakea</i>		<i>Pinus</i>	
[*] <i>macrocarpa</i>	Mottlecah	[] <i>bucculenta</i>	Red Pokers	[] <i>halepensis</i>	Allepo Pine
* <i>maculata</i>	Spotted Gum	[] <i>francisiana</i>	Grass Leafed Hakea	[] <i>halepensis</i> var <i>brutia</i>	
x <i>marginata</i>	Jarrah	[*] <i>laurina</i>	Pin Cushion Hakea	[] <i>pinea</i>	Stone Pine
[*] <i>megacornuta</i>	Warty Yate	[*] <i>lissocarpha</i>	Needle Bush		
[] <i>melanoxylon</i>	Black Morrel	[] <i>multilineata</i>	Grass Leafed Hakea	<i>Pittosporum</i>	
* <i>melliodora</i>	Yellow Box	[] <i>pandanicarpa</i>	Large Fruited Hakea	[] <i>phylliraeoides</i>	Native Apricot
* <i>microcarpa</i>	Grey Box	[*] <i>petiolaris</i>	Sea Urchin Hakea		
* <i>mimica</i>		[] <i>recurva</i>	Bent Leafed Hakea	<i>Santalum</i>	
x <i>muellerana</i>	Yellow Stringy Bark	[] <i>undulata</i>	Wavy Leafed Hakea	[] <i>acuminatum</i>	Quandong
[*] <i>myriadena</i>	Snap and Rattle	[] <i>varia</i>	Holly Leafed Hakea	[] <i>spicatum</i>	Sandalwood
[*] <i>nicholii</i>	Narrow Leaf Peppermint				
[*] <i>nutans</i>	Red Flowered Moort	<i>Kunzea</i>		<i>Xylomelum</i>	
x <i>occidentalis</i>	Flat Topped Yate	[] <i>baxteri</i>	Baxter's Kunzea	[] <i>angustifolium</i>	Sand Plain Pear
[] <i>oldfieldii</i>	Oldfield's Mallee	[] <i>ericifolia</i>	Yellow Flowered Kunzea		
* <i>patens</i>	Blackwood	[] <i>pulchella</i>	Granite Kunzea		
* <i>phaenophylla</i>	Mallee White Gum				



DESPATCH AREA NARROGIN NURSERY

*To assist us in maintaining low as possible prices,
we request trays be returned to the point of delivery.*

Thank you.