

THE FLORA OF TWO PEOPLES BAY NATURE RESERVE
(SEPTEMBER 1990)

- Where is this digitally?

+ Species included on historical lists, no specimen sighted but it occurs in the general area.
Species included on historical lists, no specimen sighted and it does not occur in the general area
(I. Abbott's specimens not sighted)
* Introduced Species
? Uncertain identification

1. CSIRO Western boundary area
2. CSIRO/CALM Between the lakes area
3. CSIRO Moates traverse
4. CSIRO Robinson Valley
5. CSIRO Tick Flat
6. CSIRO Bat & Obat transects
7. CSIRO, I. Abbott
and CALM Coffin Island
8. I. Abbott Cape Vancouver *18/5/85*
9. I. Abbott False Island *17/2*
10. CALM Plateau and lakes areas
11. CALM Isthmus area
12. CALM Mt Gardner headland area
13. CALM Lake Angove

0 Species written in are from old list. currency has been checked in flora base
 100% means this species from this list has been added to the pen old list which is the digital list.

x in flower
o in fruit

[illegible]

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
TYPHACEAE													
<i>Typha domingensis</i> Pers.	2,11	x	x				x						
JUNCAGINACEAE													
<i>Triglochin procera</i> R. Br.	1,2,9,10,13	x						x		x	x		
<i>Triglochin striata</i> Ruiz Lopez & Pavon	3	x											
POACEAE													
<i>Agrostis avenacea</i> J. Gmelin	2,9		o										
* <i>Aira caryophyllea</i> L.	6,7,11,12												
<i>Amphipogon laguroides</i> R. Br.	3,11	x											
<i>Amphipogon turbinatus</i> R. Br.	5,11						o	o					
* <i>Anthoxanthum odoratum</i> L.	1										x		
* <i>Briza maxima</i> L.	7												
* <i>Bromus diandrus</i> Roth	7,8,9												
<i>Danthonia caespitosa</i> Gaudich	2,6,11								o			ox	
* <i>Ehrharta longiflora</i> Smith	7												
* <i>Holcus lanatus</i> L.	11,13			x									
* <i>Lagurus ovatus</i> L.	11	o											
* <i>Parapholis incurva</i> (L.) C.E. Hubb.	2		o										
<i>Poa drummondiana</i> Nees	2,6,10,11	x	x					o			o	o	
<i>Poa poliformis</i> (Labill.) Druce	7,8,9,11												
<i>Spinifex hirsutus</i> Labill.	10,11												
<i>Sporobolus virginicus</i> (L.) Kunth	7,8,9												
<i>Stipa compressa</i> R. Br.	2,5,6,10										o	o	
<i>Stipa elegantissima</i> Labill.	+												
<i>Stipa flavescens</i> Labill.	8												
CYPERACEAE													
<i>Baumea articulata</i> (R. Br.) S.T. Blake	1,2,3,13					o							
<i>Baumea juncea</i> (R. Br.) Palla	1,3,12												
<i>Baumea preissii</i> Nees	13												
<i>Cyathochaeta clandestina</i> (R. Br.) Benth.	2,11	x											
<i>Cyperus tenuiflorus</i> Rottb.	1,11					x							
<i>Evandra aristata</i> R. Br.	1,3	x	x			o		o		o	o		
<i>Gahnia lanigera</i> (R. Br.) Benth.	11												
<i>Gahnia trifida</i> Labill.	2,3,8	x						o					
<i>Isolepis cernua</i> (M.Vahl) Roemer & Schultes	9												
<i>Isolepis marginata</i> (Thunb.) A. Dietr.	1												
<i>Isolepis nodosa</i> (Rottb.) R. Br.	1,2,7,8,9,11,13	x	x			x	x	o			o		
<i>Isolepis prolifer</i> (Rottb.) R. Br.	13												
<i>Lepidosperma angustatum</i> R. Br.	1,3,4,8	o	o	x		x		x					
<i>Lepidosperma brunonianum</i> Nees.	1,3,5,6,11				o			o					
<i>Lepidosperma effusum</i> Benth.	2	o	o	o		o	o				o		
<i>Lepidosperma gladiatum</i> Labill.	1,2,4,5,8,9,11,12	o				o	o		x		o		
<i>Lepidosperma longitudinale</i> Labill.	1									x			
<i>Lepidosperma striatum</i> R. Br.	1,3	o						o					
<i>Lepidosperma tetraquetrum</i> Nees									o				
<i>Lepidosperma</i> sp. indet (CSIRO 353A)	1					o							
<i>Mesomelaena tetragona</i> (R. Br.) Benth.	1,3,8		x	x	x	x		x					
<i>Mesomelaena stygia</i> (R. Br.) Nees	1,3,8												
<i>Mesomelaena</i> sp. aff. <i>stygia</i> (CSIRO 384)	1							x		x			
<i>Schoenus brevifolius</i> R. Br.	2,3,8	x					o	o	o	o	o	x	
<i>Schoenus caespitius</i> W. Fitzg.	6,11,12				o								
<i>Schoenus curvifolius</i> (R. Br.) Benth.	10,11								x		x	x	x

* *Leobocaulis meanderi* sp. n. occurs just N Albany
Leobocaulis occurs from Albany → Port

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Schoenus grandiflorus</i> (Nees) F. Muell.	12					o			o				x
<i>Schoenus hexandrus</i> F. Muell. & Tate	11												
<i>Schoenus rigens</i> S.T. Blake	2,4		o		x	x							
<i>Schoenus subbulbosus</i> Benth.	5,8												
<i>Schoenus subflavus</i> Kuek.	11												
RESTIONACEAE													
<i>Anarthria gracilis</i> R. Br.	1,3,8									o	x		
<i>Anarthria prolifera</i> R. Br.	1,2,3,5,6,8,11	x		o		x	o	x	o	o	x		
<i>Anarthria scabra</i> R. Br.	1,3,5,8,12	x				x		x	x	x	x	x	x
<i>Hypolaena exsulca</i> R. Br.	1,3,5,11	x				o		o			o	o	
<i>Leptocarpus coangustatus</i> Nees (N)	1,3,10,11												
<i>Leptocarpus scariosus</i> R. Br.	1,3,6,10,13	x	x	o		x		o	o		x		o
<i>Lepyrodia drummondiana</i> Steudel	8												
<i>Lepyrodia</i> sp. 1	8												
<i>Loxocarya fasciculata</i> (R. Br.) Benth.	3,8	x											
<i>Loxocarya flexuosa</i> (R. Br.) Benth.	1,2,5,6,11	x	ox	x	o	o				o	o	ox	
<i>Loxocarya pubescens</i> (R. Br.) Benth.	2,8,10						o			o	o	o	
<i>Lyginia barbata</i> R. Br.	1,2,5,6,11	o	ox					x		x	x	o	
<i>Restio megalotheca</i> F. Muell.	2,3,4				x	o		o	o	x	o		
CENTROLEPIDACEAE													
<i>Centrolepis aristata</i> (R. Br.) Roemer & Schultes	8												
<i>Centrolepis polygyna</i> (R. Br.) Hieron.	8,9												
<i>Centrolepis strigosa</i> (R. Br.) Roemer & Schultes	7,8,9												
XYRIDACEAE													
<i>Xyris lanata</i> R. Br.	1,3	x								x	x		
JUNCACEAE													
+ <i>Juncus capitatus</i> Weigel	13			x									
<i>Juncus kraussii</i> Hochst.	2,11,13	x		x	x								
+ <i>Juncus pallidus</i> R. Br.	13			x									
DASYPOGONACEAE													
<i>Calectasia cyanea</i> R. Br.	2,5	x					x	x			x		
<i>Dasyogon bromeliifolius</i> R. Br.	1,3,5	x				x	x		x	x	x	x	
+ <i>Kingia australis</i> R. Br.	10												
<i>Lomandra nigricans</i> T.D. Macfarlane	1,2,3,5,11					x	x		x				
<i>Lomandra rigida</i> Labill.	3	x										o	
<i>Lomandra sonderi</i> (F. Muell.) Ewart	3						x						
XANTHORRHOACEAE													
<i>Xanthorrhoea platyphylla</i> D.J. Bedford	10,12												
<i>X. preissii</i> in other list — not recorded E of ALB except at SRNP. Renamed by GJK													
PHORMIACEAE													
<i>Dianella revoluta</i> R. Br.	7,8,9												
<i>Stypandra grandiflora</i> Lindley	7,9												
ANTHERICACEAE													
<i>Agrostocrinum scabrum</i> (R. Br.) Baillon	1,3,5	x					x			x	x		
<i>Borya nitida</i> Labill.	8,12								x	x			
<i>Chamaescilla corymbosa</i> (R. Br.) F. Muell.													
ex Benth.	3								x				
<i>Johnsonia lupulina</i> R. Br.	1,3,4	x	x		x		x		x	x	x	x	

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Thysanotus asper</i> Lindley	1,2	x	x					x					
<i>Thysanotus glaucifolius</i> N.H. Brittan	3,10	x											
<i>Thysanotus gracilis</i> R. Br.	2,10,11			x	x								
<i>Thysanotus multiflorus</i> R. Br.	3	x											
<i>Thysanotus patersonii</i> R. Br.	1,2								x		x		
<i>Thysanotus tenellus</i> Endl.	3,5	x											x
<i>Thysanotus thyrsoides</i> Baker	2										x		
+ → <i>Tricoryne elatior</i> left off from earlier list '90													
ALLIACEAE													
* <i>Allium triquetrum</i> L.	10												
COLCHICACEAE													
<i>Burchardia umbellata</i> R. Br.	1,3,5,11	x	x							x	x		
HAEMODORACEAE													
<i>Anigozanthos flavidus</i> Redoute & DC.	2,3	x	x			x				x	x		
<i>Anigozanthos preissii</i> Endl.	1,3									x	x		
<i>Conostylis aculeata</i> R. Br. ssp. <i>aculeata</i>	2,6,8,11									x	x	x	
<i>Conostylis serrulata</i> R. Br. <i>west of Albany. Rare</i>	1,4,5,6								x	x	x	x	
<i>Conostylis setigera</i> R. Br.	2,3									x	x		
<i>Haemodorum spicatum</i> R. Br.	3,11	x											
<i>Tribonanthes violacea</i> Endl.	12					x		x					
IRIDACEAE													
* <i>Crocasmia crocosmiiflora</i> (Lemoine) N.E. Br.	11			x									
* <i>Homeria flaccida</i> Sweet	11												
<i>Patersonia occidentalis</i> R. Br.	2,8,10										x		
<i>Patersonia umbrosa</i> Endl.	1,3,5										x		
* <i>Romulea rosea</i> (L.) Ecklon var. <i>rosea</i>	11							x					
<i>Acianthus reiformis</i> =													
ORCHIDACEAE													
<i>Caladenia aphylla</i> Benth.	10												
+ <i>Caladenia cairnsiana</i> F. Muell. <i>was filamentosa - can be there</i>	10												
<i>Caladenia corynephora</i> A.S. George	2,10	x										x	
<i>Caladenia deformis</i> R. Br.	6							x					
<i>Caladenia ericksonae</i> Nicholls <i>lx can be there</i>	1												
<i>Caladenia denticulata</i> Lindley <i>was filamentosa denticulate</i>	3,11									x	x		
<i>Caladenia flava</i> R. Br.	1,2,3,6,10,11									x	x		
<i>Caladenia gemmata</i> Lindley	10,11										x		
+ <i>Caladenia</i> aff. <i>infundibularis</i> A.S. George													
('granitiora') <i>+ C. hvegetti</i>	12											x	
<i>Caladenia latifolia</i> R. Br.	1,2,9,11					x				x	x		
✓ <i>Caladenia longicauda</i> Lindley <i>ex C. patersonii var. longicauda should be there ABr.</i>	10												
✓ <i>Caladenia longicauda</i> x <i>pectinata</i> <i>NOT IN PROSP. 1974</i>	2,6										x		
✓ <i>Caladenia pectinata</i> R.S. Rogers	1,3,6,10,11,12									x	x		
<i>Caladenia sericea</i> Lindley	3									x			
<i>Calochilus robertsonii</i> Benth.	12										x		
<i>Corybas despectans</i> D.L. Jones	+												
<i>Corybas dilatatus</i> Rupp & Nicholls ex Rupp	12							x					
✓ <i>Cryptostylis ovata</i> R. Br.	11												
✓ <i>Cryptostylis robusta</i> D. Jones & Mclements	1,2						x	x	x	x	x		
<i>Diuris emarginata</i> R. Br. var. <i>pauciflora</i>	10	x											
<i>Diuris laevis</i> Fitzg.	2										x		
<i>Diuris laxiflora</i> Lindley	+												
<i>Diuris longifolia</i> R. Br.	3,11								x		x		

+ *C. hvegetti* ⇒ *C. pectinata* AAB 3/5/99.

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Elythranthera brunonis</i> (Endl.) A.S. George	1,3,8,12										x		
<i>Elythranthera emarginata</i> (Lindley) A.S. George	11												
<i>Epiblema grandiflorum</i> R. Br.	3	x											
<i>Eriochilus dilatatus</i> Lindley	1,3			x	x	x							
<i>Eriochilus scaber</i> Lindley									x				
<i>Leporella fimbriata</i> (Lindley) A.S. George	+												
<i>Leptoceras menziesii</i> R. Br.	10									x			
<i>Lyperanthus nigricans</i> R. Br.	10,11							x		x			
<i>Lyperanthus serratus</i> Lindley	1,11,12									x			
<i>Microtis alba</i> R. Br.	1,2,4		x								x	x	
<i>Microtis unifolia</i> (G. Forster) H.G. Reichb.	2,3	x											
* <i>Monadenia bracteata</i> (Sw.) T. Durand & Schinz	12										x		
<i>Paracaleana nigrita</i> (Lindley) Blaxell	12										x		
<i>Prasophyllum elatum</i> R. Br.	3									x			
<i>Prasophyllum fimbria</i> H. Reichb.	10,12							x		x			
<i>Prasophyllum hians</i> H. Reichb.	3,10									x			
<i>Prasophyllum parvifolium</i> Lindley	1,2,3,6,12		x			x	x	x	x	x	x		
<i>Prasophyllum regium</i> R.S. Rogers	3								x				
<i>Pterostylis barbata</i> Lindley	12							x			x		
<i>Pterostylis</i> aff. <i>nana</i> R. Br.	1,4,10,11						x		x	x			
<i>Pterostylis plumosa</i> L. Cady	10,11										x		
<i>Pterostylis rogersii</i> E. Coleman	1,2,11	x				x		x					
<i>Pterostylis vittata</i> Lindley	1,11,12					x	x						
<i>Thelymitra antennifera</i> (Lindley) J.D. Hook.	12										x		
<i>Thelymitra campanulata</i> Lindley	1										x		
<i>Thelymitra canaliculata</i> R. Br.	1,2										x		
<i>Thelymitra crinita</i> Lindley	1,3,6,12									x	x		
<i>Thelymitra flexuosa</i> Endl.	12										x		
<i>Thelymitra fuscolutea</i> R. Br.	1										x		
<i>Thelymitra nuda</i> R. Br.	12										x		
<i>Thelymitra pauciflora</i> R. Br.	1,2										x		
<i>Thelymitra tigrina</i> R. Br.	+												
CASUARINACEAE													
<i>Allocasuarina fraseriana</i> (Miq.) L. Johnson	10												
<i>Allocasuarina humilis</i> (Otto & Dietr.) L. Johnson	2,6,8,11,12		x	x	x		x	x	x	x	x	x	x
<i>Allocasuarina lehmanniana</i> (Miq.) L. Johnson	10												
<i>Allocasuarina trichodon</i> (Miq.) L. Johnson	2,4,8	x		x					o				
URTICACEAE													
<i>Parietaria debilis</i> G. Forster	2,7,8										x		
PROTEACEAE													
<i>Adenanthos cuneatus</i> Labill.	1,2,3,6,8,11	x	x	x	x	x	x	x	x	x	x	x	x
<i>Adenanthos cunninghamii</i> Meissner	10,11									x	x		
<i>Adenanthos obovatus</i> Labill.	1,3,4	x	x	x	x	x	x	x	x	x	x		x
<i>Adenanthos sericeus</i> Labill.	1,2,4,8,12	x	x	x	x	x	x	x	x	x	x		
<i>Banksia attenuata</i> R. Br.	3,8,10,11,12	x								x	x		
<i>Banksia coccinea</i> R. Br.	1,10,12						x	x	x	x			
<i>Banksia dryandroides</i> Baxter ex Sweet	12												
<i>Banksia gardneri</i> A.S. George var. <i>gardneri</i>	3,11	x									x	x	
<i>Banksia grandis</i> Willd.	3,10,11,12	x	x								x		
<i>Banksia ilicifolia</i> R. Br.	3,10	x											
<i>Banksia littoralis</i> R. Br.	1,3,10,11,12					x							
<i>Banksia nutans</i> A.S. George var. <i>cernuella</i>	10			x									

as Caladina.

x + A venosus E. Aust. Mt. Barron

Table 10.1 (continued)

FLORA (a)		LOCATION (b)	PHENOLOGY (c)											
			J	F	M	A	M	J	J	A	S	O	N	D
<i>Banksia occidentalis</i> R. Br. var. <i>occidentalis</i>	1,10				x	x	x	x				x		
<i>Banksia praemorsa</i> Andrews	1,8,10,11,12						x		x			x		
<i>Banksia quercifolia</i> R. Br.	1,10			x	x	x	x		x			x		
<i>Banksia seminuda</i> (A.S. George) B.L. Rye	1,10						x							
<i>Banksia verticillata</i> R. Br.	1,12		x	x		x	x	x	x					
<i>Conospermum caeruleum</i> R. Br.	3,8,12						x		x	x	x	x	x	x
<i>Conospermum petiolare</i> R. Br.	1,3		x											
<i>Conospermum teretifolium</i> R. Br.	4,5		x											x
<i>Dryandra armata</i> R. Br.	5						x		x	x			x	
<i>Dryandra formosa</i> R. Br.	3,5,8,12		x		x		x	x	x	x	x	x		
<i>Dryandra nivea</i> (Labill.) R. Br.	2,5,6,8,11						x			x	x	x		
<i>Dryandra pteridifolia</i> R. Br.	4,5,8,11								x	x				
<i>Dryandra serra</i> R. Br.	10												x	
<i>Dryandra sessilis</i> (Knight) Domin	1,2,6,8,11,12			x	x		x	x	x	x	x	x		
<i>Franklandia fucifolia</i> R. Br.	5,12		x			x								
<i>Grevillea brownii</i> Meissner	+													
<i>Grevillea fasciculata</i> R. Br.	+													
<i>Grevillea pulchella</i> (R. Br.) Meissner	2,3,12		x	x					x		x	x		
<i>Grevillea trifida</i> (R. Br.) Meissner	1,3,10						x							
<i>Hakea amplexicaulis</i> R. Br.	+													
<i>Hakea ceratophylla</i> (Smith) R. Br.	3,8,12		x				x		x		x			
<i>Hakea corymbosa</i> R. Br.	8								x	x				
<i>Hakea cucullata</i> R. Br.	12								x					
<i>Hakea dolichostyla</i> Diels	1,3					x	x		x		x			
<i>Hakea elliptica</i> (Smith) R. Br.	1,4,8,12												o	
<i>Hakea linearis</i> R. Br.	1,5								o					
<i>Hakea oleifolia</i> (Smith) R. Br.	1,3,6						x		x	x	x	x		
<i>Hakea prostrata</i> R. Br.	1,2,6,11			x				x	x	x	x	x	x	
<i>Hakea ruscifolia</i> Labill.	2,3,6,11			x	x	x	x	x	x			x		
<i>Hakea suaveolens</i> R. Br.	8,9													
<i>Hakea trifurcata</i> (Smith) R. Br.	1,4,8				x		x	x	x				x	
<i>Hakea varia</i> R. Br.	1,2,5		x	x	x		x		x		x			x
<i>Isopogon attenuatus</i> R. Br.	5													o
<i>Isopogon cuneatus</i> R. Br.	+													
<i>Isopogon formosus</i> R. Br.	1,3,4,5						x		x	x	x	x		
<i>Isopogon longifolius</i> R. Br.	3,4		x											
<i>Lambertia uniflora</i> R. Br.	5		x		x		x	x	x	x			x	

Table 10.1 (continued)

[illegible]

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
DROSERACEAE													
<i>Drosera erythrorhiza</i> Lindley	3,11,12							x	x	x			
<i>Drosera glanduligera</i> Lehm.	3									x	x		
<i>Drosera huegelii</i> Endl.	1,3,11,12							x	x	x			
<i>Drosera macrantha</i> Endl.	1,4							x		x			
<i>Drosera menziesii</i> R. Br.	6										x		
<i>Drosera microphylla</i> Endl.	5								x				
<i>Drosera modesta</i> Diels	3										x		
+ <i>Drosera neesii</i> Lehm. ssp. <i>neesii</i> was <i>sulphurea</i>	+												
+ <i>Drosera paleacea</i> DC.	3												
<i>Drosera pallida</i> Lindley	1,2,3,6					x		x	x	x	x	x	
<i>Drosera platypoda</i> Turcz.	3									x	x		
<i>Drosera pulchella</i> Lehm.	3	x											
<i>Drosera stolonifera</i> Endl.	3,11									x	x		
CRASSULACEAE													
<i>Crassula colorata</i> (Nees) Ostenf.	11												
<i>Crassula decumbens</i> Thunb.	7,8,9,11												
CEPHALOTACEAE													
<i>Cephalotus follicularis</i> Labill.	10	x	x										
PITTOSPORACEAE													
<i>Billardiera laxiflora</i> (Benth.) E.M. Bennett	1,3,4,5		x	x	x	x						x	
<i>Billardiera variifolia</i> DC.	1,2,3	x	x	x	x	x							
<i>Pronaya fraseri</i> (Hook.) E.M. Bennett	3	x		x									
<i>Sollya heterophylla</i> Lindley	1,2,3,4,9,10,13	x	x	x	x			x				x	x
MIMOSACEAE													
<i>Acacia browniana</i> H.L. Wendl. var. <i>browniana</i>	1,3	x	x					x					
<i>Acacia cochlearis</i> (Labill.) H.L. Wendl.	1,2,6,11	x	x										
<i>Acacia cyclops</i> Cunn. ex Don	2,3,11	x											
<i>Acacia varia</i> Maslin var. <i>varia</i> ?	+												
<i>Acacia leioderma</i> Maslin	1,3,5,8,12					x		x	x	x	x		
<i>Acacia littorea</i> Maslin	1,2,3,8	x	x			x	x	x	x	x	x		
<i>Acacia luteola</i> Maslin	3					x		x	x	x	x		
<i>Acacia myrtifolia</i> (Smith) Willd.	1,3,4,8,9					x		x	x	x	x		
<i>Acacia myrtifolia</i> (Smith) Willd. var. <i>angustifolia</i>	3											x	
<i>Acacia pulchella</i> R. Br.	3		x	x	x	x				x	x		
<i>Acacia pulchella</i> R. Br. var. <i>goadbyi</i>	12							x					
<i>Acacia robiniae</i> Maslin	3					x							
<i>Acacia sulcata</i> R. Br.	8,12					x		x		x	x		
<i>Acacia willdenowiana</i> H.L. Wendl.	3									x	x		
<i>Paraserianthes lophantha</i> (Willd.) I. Nielsen	8												
PAPILIONACEAE													
<i>Aotus intermedia</i> Meissner	1,3	x	x							x			
<i>Bossiaea dentata</i> (R. Br.) Benth.	4			x		x	x	x	x	x	x	x	
<i>Bossiaea linophylla</i> R. Br.	1,2,3,5,11							x	ox	x	x		
<i>Bossiaea rufa</i> R. Br.	3,5								x	x		x	
<i>Burtonia asperula</i> S. Moore													
<i>Burtonia conferta</i> DC.	2,3,6,8,10,11	x	x	x		x					x	x	x
<i>Burtonia scabra</i> (Smith) R. Br.	3,12			x		x				x	x	x	x
<i>Chorizema glycinifolium</i> (Smith) Druce	2,3,5,6,11					x		x	x	x	x		
<i>Chorizema ilicifolium</i> Labill.	1,2,6						x	x	x	x	x	x	

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Chorizema reticulatum</i> Meissner	3												
<i>Chorizema rhombeum</i> R. Br.	3								x		x	x	
<i>Daviesia benthamii</i> Meissner	1,2,3,4,5,6,11	x				x		x	x	x	x	x	x
<i>Daviesia decurrens</i> Meissner	8												
<i>Daviesia flexuosa</i> Benth.	11												
<i>Eytaxia obovata</i> (Labill.) C. Gardner	5,8,9,11								x	x	x	x	
<i>Gastrolobium bilobum</i> R. Br.	8,9,12			x					x	x	x	x	x
<i>Gompholobium amplexicaule</i> Meissner	+												
<i>Gompholobium aristatum</i> Benth.	3	x											
<i>Gompholobium knightianum</i> Lindley	3,5,11	x				x		x		x	x		
<i>Gompholobium polymorphum</i> R. Br.	3,5,11,12	x									x	x	
<i>Gompholobium tomentosum</i> Labill.	2,6								x		x	x	x
<i>Gompholobium venustum</i> R. Br.	10												
<i>Hardenbergia comptoniana</i> (Andrews) Benth.	1,2,12					x		x	x	x			
<i>Hovea chorizemifolia</i> (Sweet) DC.	3,12							x					
<i>Hovea elliptica</i> (Smith) DC.	+												
<i>Hovea trisperma</i> Benth.	4,5								x				
<i>Isotropis cuneifolia</i> (Smith) Benth. ex B.D. Jackson	2,6,10,11								x	x	x		
<i>Jacksonia furcellata</i> (Bonpl.) DC.	+												
<i>Jacksonia horrida</i> DC.	2,3,4,6,8,11,12	x	x	x	x	x	x	x	x	x	x	x	x
<i>Jacksonia spinosa</i> (Labill.) R. Br.	1,3,4,5,12	x		x	x	x	x	x	x	x	x	x	x
<i>Kennedia coccinea</i> Vent.	1,2,3,6,10,11								x	x	x	x	
<i>Latrobea genistoides</i> (Meissner) Meissner	1,3									x	x		
<i>Latrobea hirtella</i> (Turcz.) Benth.	1,3		x								x		
* <i>Lotus ? angustissimus</i> L.	3										x		
<i>Oxylobium coriaceum</i> (Smith) C. Gardner	3,5,10									x	x		
<i>Oxylobium lanceolatum</i> (Vent.) Druce	2,3,5,7,8,9,13	x									x	x	x
<i>Oxylobium obovatum</i> Benth.	12												
* <i>Psoralea pinnata</i> L.	13		x										
<i>Pultenaea barbata</i> C.R.P. Andrews	1,3,13		x			x		x		x	x		
<i>Pultenaea obcordata</i> (R. Br.) Benth.	2,12								x	x			
<i>Pultenaea reticulata</i> (Smith) Benth.	1,4			x		x		x	x	x	x		x
<i>Sphaerolobium alatum</i> Benth.	3,5,8					x		o		x	x		
<i>Sphaerolobium grandiflorum</i> (R. Br.) Benth.	1,3										x		
<i>Sphaerolobium linophyllum</i> (Huegel) Benth.	2		x										x
<i>Sphaerolobium vimineum</i> Smith	1,2,3									x	x		
<i>Templetonia retusa</i> (Vent.) R. Br.	8												
* <i>Trifolium dubium</i> Sibth.	3										x		
* <i>Ulex europaeus</i> L.	10									x			
GERANIACEAE													
* <i>Erodium botrys</i> (Cav.) Bertol.	3										x		
* <i>Geranium molle</i> L.	11												
<i>Pelargonium australe</i> Willd.	7,8												
* <i>Pelargonium capitatum</i> (L.) L'Her.	2,11	x									x		
<i>Pelargonium havlasae</i> Domin	2,10										x		
RUTACEAE													
<i>Boronia alata</i> Smith	12												
<i>Boronia albiflora</i> R. Br. ex Benth.	8,12							x					
<i>Boronia crenulata</i> Smith	1,4,5,12			x		x		x	x	x	x	x	
<i>Boronia denticulata</i> Smith	1,2,3	x											
<i>Boronia</i> sp. aff. <i>denticulata</i> Smith (CSIRO 355A)	1,2		x			x							
<i>Boronia gracilipes</i> F. Muell.	12,13						x	x	x	x			

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Boronia spathulata</i> Lindley	1,2,3,4,12	x	x	x	x	x		x		x	x	x	x
<i>Boronia tetrandra</i> Labill.	12							x	x		x		
<i>Chorilaena quercifolia</i> Endl.	1,4,8,9,12							x	x	x	x		
<i>Crowea angustifolia</i> Smith var. <i>dentata</i>	3,4,12		x			x				x			
<i>Phebalium anceps</i> DC.	1,2,4,11	x	x	x		x	x	x	x	x	x	x	x
<i>Phebalium rude</i> Bartling	8		x										
TREMADRACEAE													
<i>Tetradlea setigera</i> Endl.	3,5,12	x				x		x	x	x	x	x	
<i>Tremandra stelligera</i> R. Br. ex DC.	7,11							x	x		x		
POLYGALACEAE													
<i>Comesperma calymega</i> Labill.	1,2,3,6	x	x	x							x	x	x
<i>Comesperma confertum</i> Labill.	1,2,3,6,10	x	x								x	x	x
<i>Comesperma flavum</i> DC.	3	x											
<i>Comesperma nudiusculum</i> DC.	1,2					x							
<i>Comesperma virgatum</i> Labill.	2,3,5,6,11		x							x	x	x	
EUPHORBIACEAE													
<i>Amperea ericoides</i> A.Dr. Juss.	5,11										x		
* <i>Euphorbia paralias</i> L.	8,11												
<i>Phyllanthus calycinus</i> Labill.	1,2,5,6,10,11	o			x		x	x	x	x	x	x	x
<i>Poranthera huegelii</i> Klotzsch	3	x									x		
<i>Poranthera microphylla</i> Brongn.	6,10										x		
<i>Ricinocarpos glaucus</i> Endl.	4,12								x		x		
<i>Ricinocarpos tuberculatus</i> Muell. Arg.	8												
STACKHOUSIACEAE													
<i>Stackhousia huegelii</i> Endl.	11												
<i>Stackhousia pubescens</i> A. Rich.	4										x	x	
SAPINDACEAE													
<i>Dodonaea ceratocarpa</i> Endl.	8,9,12												
RHAMNACEAE													
<i>Spyridium globulosum</i> (Labill.) Benth.	1,2	x				x	x	x		x	x		
<i>Spyridium spadiceum</i> (Fenzl) Benth.	1,2,6,8	x	x	x	x	x		x		x			
<i>Trymalium floribundum</i> Steudel	4,8,12							x	x		x		
<i>Trymalium ledifolium</i> Fenzl	1,2,11	x	x			x				x			
MALVACEAE													
prob. → * <i>Lavatera plebeia</i> Sims	7												
or? <i>arborescens</i> .													
STERCULIACEAE													
<i>Thomasia discolor</i> Steudel	+												
<i>Thomasia</i> aff. <i>foliosa</i> Gay.	+												
<i>Thomasia purpurea</i> (Aiton) Gay	4,5,12										x	x	x
DILLENIACEAE													
<i>Hibbertia cuneiformis</i> (Labill.) Smith	1,2,7,8,11	x			x	x		x		x	x		
<i>Hibbertia cunninghamii</i> W.T. Aiton ex Hook.	2,3,8,11,12							x	x	x	x	x	
<i>Hibbertia depressa</i> Steudel	10												
<i>Hibbertia desmophylla</i> (Benth.) F. Muell.	3	x											
<i>Hibbertia enervia</i> (DC.) Hoogl.	11												

T. *quercifolia* P2 sp 3 loc, 2 specimens in Florakase)

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Hibbertia furfuracea</i> (R. Br. ex DC.) Benth.	5,8,10			x		x		x	x	x	x	x	x
<i>Hibbertia grossulariifolia</i> (Salisb.) Salisb.	11								x				
<i>Hibbertia microphylla</i> Steudel	12									x	x		
<i>Hibbertia pulchra</i> Ostenf.	3,5	x		x	x	x	x	x			x		
<i>Hibbertia racemosa</i> (Endl.) Gilg.	1,2,6,8,11	x	x	x		x	x	x	x	x	x	x	x
<i>Hibbertia verrucosa</i> (Turcz.) Benth.	12					x		x	x				
THYMELAEACEAE													
<i>Pimelea clavata</i> Labill.	1	x						x		x	x		
<i>Pimelea ferruginea</i> Labill.	6,8,11								x				x
<i>Pimelea hispida</i> R. Br.	12							x	x		x	x	
<i>Pimelea longiflora</i> R. Br.	1,3,5,8,11	x	x			x		x	x	x	x	x	x
<i>Pimelea preissii</i> Meissner	5,11,12									x	x		
<i>Pimelea rosea</i> R. Br.	1,2,6,8,11	x				x	x	x	x	x	x	x	x
<i>Pimelea suaveolens</i> Meissner	#												
<i>Pimelea sylvestris</i> R. Br.	+												
MYRTACEAE													
<i>Actinodium cunninghamii</i> Schauer	3	x						x		x	x		
<i>Agonis flexuosa</i> (Sprengel) Schauer	2,6,8,9,11	x		x		x		x			x	x	x
<i>Agonis hypericifolia</i> Schauer	1,3	x		x							x	x	
<i>Agonis juniperina</i> Schauer	1,2,3,5,13	x	x	x	x	x	x	x	x	x	x	x	x
<i>Agonis linearifolia</i> (DC.) Schauer	3,8,13	x		x		x							
<i>Agonis marginata</i> (Labill.) Schauer	5,8,9,12			x	x	x	x				x		
<i>Agonis parviceps</i> Schauer	1,2,3,5,12	x	x	x		x		x	x	x	x	x	
<i>Astartea fascicularis</i> (Labill.) DC.	1,3,8,13	x	x			x							
<i>Baeckea schollerifolia</i> Lehm.	3,10							x			x	x	
<i>Beaufortia anisandra</i> Schauer	1,3	x	x	x	x	x		x					
<i>Beaufortia decussata</i> R. Br.	1,3,4,5	x		x	x	x	x	x	x				
<i>Callistemon speciosus</i> (Sims) DC.	1				x	x							
<i>Calothamnus sanguineus</i> Labill.	#												
<i>Calytrix asperula</i> (Schauer) Benth.	3	x	x										
<i>Calytrix leschenaultii</i> (Schauer) Benth.	4								x				
<i>Chamelaucium forrestii</i> (F.Muell) Marchant & Keighery	8										x		
<i>Darwinia citriodora</i> (Endl.) Benth.	12								x				
<i>Darwinia diosmoides</i> (DC.) Benth.	8												
<i>Darwinia oederoides</i> (Turcz.) Benth.	10												
<i>Darwinia vestita</i> (Endl.) Benth.	1,2,3,4,5,8,12							x	x	x	x	x	
<i>Eucalyptus angulosa</i> Schauer	4,8,11,12	x		x					o		x		
<i>Eucalyptus calophylla</i> Lindley	3,4,10,11,12	x	x	x									
<i>Eucalyptus conferruminata</i> D.J. & S.G.M. Carr	4,12		x			x			x	x			
<i>Eucalyptus cornuta</i> Labill.	8,11,12			x									
+ <i>Eucalyptus goniantha</i> Turcz.	3,5,11,12		x						x				
<i>Eucalyptus marginata</i> Donn ex Smith	3,4,10,11,12	x		x			x	x		x	x		
<i>Eucalyptus megacarpa</i> F. Muell.	4,10,11,12			x		x			x		x		
+ <i>Eucalyptus missilis</i> Brooker & Hopper (med)	12												
<i>Eucalyptus staeri</i> (Maiden) Kessel & C.Gardner	3,10,12	x											
+ <i>Homalospermum firmum</i> Schauer	1,3,10,12	x						o					
<i>Hypocalymma angustifolium</i> Endl.	1									x	x		
<i>Hypocalymma cordifolium</i> (Lehm.) Schauer	3,4,8	x				x		x	x	x	x		
<i>Hypocalymma strictum</i> Schauer	1,3,8,12		x	x		x							
<i>Kunzea recurva</i> Schauer var. <i>melaleucoides</i>	1										x		
<i>Kunzea ericifolia</i> (Smith) Heynh. <i>was vestita</i>	1,3,10,13	o			o					x	x		
* <i>Leptospermum laevigatum</i> (Gaertner) F.Muell.	+												

Does

E aff *angulosa* = ? *goniantha*
 E aff *decipies* > *missilis*

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Lhotskya ericoides</i> Schauer	10,11												
<i>Melaleuca cuticularis</i> Labill.	10,11,13												
<i>Melaleuca densa</i> R. Br.										x			
<i>Melaleuca diosmifolia</i> Andrews	8,12									x			
<i>Melaleuca nesophila</i> F. Muell.	#												
<i>Melaleuca pentagona</i> Labill.	1,2,6	x											x
<i>Melaleuca preissiana</i> Schauer	10,11	x											
<i>Melaleuca raphiophylla</i> Schauer	10,11												
<i>Melaleuca striata</i> Labill.	1,2,3,4,5,8,10	x		x	x	x	x	x			x	x	x
<i>Melaleuca thymoides</i> Labill.	1,2,3,6,8,11,12,13	x		x	x	x	x	x	x	x	x	x	x
<i>Melaleuca</i> sp. 1 (formally regarded as <i>M. baxteri</i>). <i>now Agonis spatulata</i>	10,12,13											x	
<i>Melaleuca</i> sp. 2 (I. Abbott)	8												
<i>Pericalymma ellipticum</i> (Endl.) Schauer	3										x		
<i>Thryptomene saxicola</i> (Cunn. ex Hook.) Schauer	5						x	x	x	x			
<i>Verticordia plumosa</i> (Desf.) Druce	5,8							x	x	x		x	
ONAGRACEAE													
<i>Epilobium billardierianum</i> Ser.	2		x										
HALORAGACEAE													
<i>Glischrocaryon aureum</i> (Lindley) Orch.													
<i>Haloragis brownii</i> (J.D. Hook.) Schindler	2	x	x					x			x		
APIACEAE													
<i>Actinotus glomeratus</i> Benth.	1					x							
<i>Actinotus omnifertilis</i> (F. Muell.) Benth.	1,3	x	x		x	x							
<i>Apium prostratum</i> Labill. ex Vent.	7,8,9,11												
+ <i>Centella asiatica</i> (L.) Urban	2												
<i>Homalosciadium homalocarpum</i> (F. Muell.) H. Eichler	11												
<i>Hydrocotyle diantha</i> DC.	8,9												
<i>Platysace compressa</i> (Labill.) Norman	1,2,3,6,10,11	x	x	x	x	x	x	x	x	x	x	x	x
<i>Trachymene cyanopetala</i> (F. Muell.) Benth.	1,3												
<i>Trachymene pilosa</i> Smith	2,6,10,11								ox	x	x		
<i>Xanthosia huegelii</i> (Benth.) Steudel	11									x			
<i>Xanthosia pusilla</i> Bunge	6,11											x	
<i>Xanthosia rotundifolia</i> DC.	1,3,4,8,12	x	x	x	x	x	x	x	x	x	x	x	x
EPACRIDACEAE													
<i>Acrotriche cordata</i> (Labill.) R. Br.	2,8						x						
<i>Andersonia caerulea</i> R. Br.	1,3,6,11,12		x			x	x	x	x	x	x	x	
<i>Andersonia micrantha</i> R. Br.	12												
<i>Andersonia simplex</i> (Stschegl.) Druce	3									x			
<i>Andersonia sprengelioides</i> R. Br.	8,11												
<i>Astroloma baxteri</i> DC.	1,3,5	x	x	x	x	x		x					
<i>Astroloma ciliatum</i> (Lindley) Druce	5					x							
<i>Astroloma microcalyx</i> Sonder	1,6					x		x					
<i>Astroloma pallidum</i> R. Br.	3,5												
<i>Cosmelia rubra</i> R. Br.	3,12	x	x						x	x	x		
<i>Leucopogon</i> sp. aff. <i>australis</i> R. Br. (CSIRO 128)	1,12 <i>W4</i>		x	x	x		x	x			x		
<i>Leucopogon capitellatus</i> DC.	3,4				x	x	x	x	x	x	x	x	x
<i>Leucopogon carinatus</i> R. Br.	1,3,4,6,8				x								
<i>Leucopogon corynocarpus</i> Sonder	+												
<i>Leucopogon distans</i> R. Br.	1,3	x	x	x	x	x			x	x			

Table 10.1 (continued)

? Loppesch f. 10/5

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Leucopogon elegans</i> Sonder	3	x											
<i>Leucopogon flavescens</i> Sonder	3,10	x											
<i>Leucopogon glabellus</i> R. Br.	3	x											
<i>Leucopogon obovatus</i> (Labill.) R. Br.	2,3,6,7,8,9,11					x	x	x	x	x	x	x	x
<i>Leucopogon oxycedrus</i> Sonder	2,12	x			x						x		
<i>Leucopogon parviflorus</i> (Andrews) Lindley	1,2,3,5,6		x			x	x	x	x	x	x		
<i>Leucopogon pendulus</i> R. Br.	11			x					x				
<i>Leucopogon propinquus</i> R. Br.	1,3,5		x	x	x			x					
<i>Leucopogon reflexus</i> R. Br.	1,5,8							x	x	x	x		
<i>Leucopogon strictus</i> Benth.	3,5		x	x				x	x	x	x		
<i>Leucopogon verticillatus</i> R. Br.	3,10	x				x		x	x	x	x		
<i>Leucopogon</i> sp. indet (CSIRO 118B)	6												
<i>Leucopogon</i> sp. indet (CSIRO 415)	3					x							
<i>Lysinema ciliatum</i> R. Br.	1,2,3,5,6	x	x	x	x	x	x	x	x	x	x	x	x
<i>Lysinema conspicuum</i> R. Br.	1,3,10	x		x	x	x				x	x		
<i>Needhamiella pumilio</i> (R. Br.) L. Watson	1		x							x			
<i>Oligarrhena micrantha</i> R. Br.	12					x		x			x		
<i>Sphenotoma capitatum</i> (R. Br.) Lindley	3,4												x
<i>Sphenotoma dracophylloides</i> Sonder	5,12										x	x	x
<i>Sphenotoma gracile</i> (R. Br.) Sweet	1,3,10,12	x								x	x		
<i>Styphelia melaleuroides</i> F. Muell.	+												
PRIMULACEAE													
<i>Anagallis arvensis</i> L. var. <i>arvensis</i>	1,5							x					x
<i>Anagallis arvensis</i> L. var. <i>caerulea</i>	8												
<i>Samolus repens</i> (Forster & G. Forster) Pers.	8												
LOGANIACEAE													
<i>Logania fasciculata</i> R. Br.	6					x	x	x	x			x	
<i>Logania serpyllifolia</i> R. Br.	2,3,5,6,8,10,11	x				x		x		x	x	x	x
<i>Logania vaginalis</i> (Labill.) F. Muell.	1,2	x					x			x	x		
<i>Mitrasacme paradoxa</i> R. Br.	2,5,6,8,9,11										x	x	
GENTIANACEAE													
* <i>Centaurium erythraea</i> Rafn	8,9												
* <i>Centaurium spicatum</i> (L.) Fritsch ex Janchen	1				x								
MENYANTHACEAE													
<i>Villarsia lasiosperma</i> F. Muell.	1,2,3									x	x		
<i>Villarsia parnassifolia</i> (Labill.) R. Br.	2,3,10	x	x								x		
LAMIACEAE													
<i>Hemigenia podalyrina</i> F. Muell	12								x				
<i>Hemigenia</i> sp. aff. <i>sericea</i> Benth. (CSIRO 584)	3	x											
<i>Microcorys barbata</i> R. Br.	4	x						x		x	x	x	
<i>Microcorys virgata</i> R. Br.	12				x								
<i>Westringia dampieri</i> R. Br.	1,4,8,9,12								x	x	x		
SOLANACEAE													
<i>Anthocercis littorea</i> Labill.	2,10,12							x	x	x	x	x	
<i>Anthocercis viscosa</i> R. Br.	1,7,8,9,12					x		x	x		x	x	
* <i>Solanum nigrum</i> L.	1,2,3	ox				x		x			x	x	
<i>Solanum symonii</i> H. Eichler										x			

seed

Table 10.1 (continued)

[illegible]

Table 10.1 (continued)

FLORA (a)	LOCATION (b)	PHENOLOGY (c)											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Stylidium fasciculatum</i> R. Br.	6,8												
<i>Stylidium glaucum</i> Labill.	3		x	x				x		x	x		x
<i>Stylidium hirsutum</i> R. Br.	10	x										x	
<i>Stylidium imbricatum</i> Benth.	3					x							
<i>Stylidium junceum</i> R. Br.		x											
<i>Stylidium luteum</i> R. Br.	1,3	x											
<i>Stylidium piliferum</i> R. Br.	3,11										x		
<i>Stylidium plantagineum</i> Sonder	10										x		
<i>Stylidium repens</i> R. Br.	1		x			x						x	
<i>Stylidium scandens</i> R. Br.	1,3	x	x		x	x		x		x	x		
<i>Stylidium schoenoides</i> DC.	1,3,11										x		
<i>Stylidium spathulatum</i> R. Br.	4,5							x	x	x	x	x	
<i>Stylidium violaceum</i> R. Br.	3	x											
ASTERACEAE													
+ <i>Actites megalocarpa</i> (J.D. Hook) N.S. Lander	11												
* <i>Arctotheca calendula</i> (L.) Levyns	1,3,5	x				x				x	x		x
* <i>Arctotheca populifolia</i> (F.Bergius) Norlindh	11,12												
<i>Asteridea asteroides</i> (Turcz.) G. Kroner	10										x		
<i>Asteridea nivea</i> (Steetz) G. Kroner	8												
<i>Brachycome iberidifolia</i> Benth.													
<i>Brachycome pusilla</i> Steetz	6								x	x	x		
<i>Calocephalus brownii</i> (Cass.) F.Muell.	7,8												
+ <i>Cotula coronopifolia</i> L.	13		x										
<i>Craspedia pleiocephala</i> F.Muell.	+												
* <i>Gnaphalium gymnocephalum</i> DC.	7,13		x										
<i>Helichrysum cordatum</i> DC.	1,2	x	x		x	x							
* <i>Hypochaeris glabra</i> L.	1,3,7,9,11	x	x			x							
<i>Ixiolaena viscosa</i> Benth.	2	x											
<i>Lagenifera huegelii</i> Benth.	6,10												
<i>Leptorhynchus medius</i> Cunn. ex DC. = <i>L. scaber</i>	2,6,10,12										x		
<i>Millotia tenuifolia</i> Cass.	3										x	x	x
<i>Olearia axillaris</i> (DC.) F.Muell. ex Benth.	8,11										x		
<i>Olearia ciliata</i> (Benth.) F.Muell. ex Benth.	5				x								
<i>Podolepis canescens</i> Cunn. ex DC.	2	x	x			x	x			x		x	x
<i>Podolepis rugata</i> Labill.	6												
<i>Podotheca angustifolia</i> (Labill.) Less.	2,6,10,11										x	x	x
<i>Quinetia urvillei</i> Cass.	6,8,9,11										x	x	
<i>Senecio elegans</i> L.	1,6,11										x		
<i>Senecio lautus</i> G. Forster	1,2,6,7,8,10,11	x						x	x	x	x	x	x
<i>Senecio ramosissimus</i> DC.	1,2	x									x		
<i>Siloxerus humifusus</i> Labill.	8												
* <i>Sonchus asper</i> Hill	1,3,13							x					
* <i>Sonchus oleraceus</i> L.	2,7,8,9	x	x								x		x
<i>Trichocline spathulata</i> (Cunn. ex DC.) J.H. Willis	7												
* <i>Ursinia anthemoides</i> (L.) Poiret	+												
* <i>Vellereophyton dealbatum</i> (Thunb.) Hilliard & B.L. Burt	1,3,13		x			x					x		
<i>Waitzia citrina</i> (Benth.) Steetz	1,2,3,6,11												
<i>Waitzia suaveolens</i> (Benth.) Druce	2,6,10,11	x	x	x	x					x	x		

Flora w no data - also 3 CSIRO spp.

- Anarthria laevis* - dish correct (+)
Philydrella pygmaea - +
Xan. preissii - disⁿ not really correct. Deleted (Renamed GJK)
Thysanotus glaucus - +
Tricoryne elatior - +
Conostylis misera - +
Adenanthos venosus - +/#
Hakea lissocarpha - +
Isopogon latifolius - most likely actually *I. cuneatus*
Petrophile acicularis - + (mainly W of Albany but close enough)
Petrophile divaricata - +
Rhagodia crassifolia - #/+ mostly E of Denmark - check.
Clematis linearifolia - already # possible deleteⁿ
Acacia nigricans - # far E Albany (Esp)
Acacia nitidula - # far E Albany (Esp)
~~Acacia~~ *Acacia saligna* - + (all over SW)
Gompholobium asperum - # (or delete - not anywhere near!)
Eutascia cuneata - +
Amesperma volubile - + (all over SW)
* *Spyridium* sp. CSIRO 349 - no records.
Thamnia quercifolia - +/# (only W Albany / Warren)
Erema pauciflora - +
Homaloxpermum firmum - + (has this been confused w
Melaleuca densa - + ~~Hom~~
M. scaltra - +/# N of Albany
Glistrocaryon aueum - +
Leucopogon oppositifolius - +
Dampiera linearis - +
Brachycome ibendifolia - not coastal #
Cyperis congestus - +/# east & west (was deleted)
Acacia drummondii

Additional flora, QPB list

Baumea juncea — in
Baumea preissii — not there.
Caladenia cairnsiana — to be added once resolved.
Caladenia xericksonae — not there.
Juncus capitatus } both added in
Juncus pallidus }

- Check that all altered/added names are up to date.
- Check all data entries
- Get list of herbarium flora specimens from Sue Carroll (with voucher N^o, collector etc)
- Resolve (where possible) naming probs.

Additional flora

TRISTR ✓ HOLLAN ✓ BAUTUN ✓ ISOPRO ✓ no that's
MEECOA ✓ JUNCAP ✓ JUNPAL ✓ KINAUS ✓ inland.
XANPLA ✓ THYGRA ✓ ATRPRO - could now be ATRPUL ?
ACEVUL ✓ DROPAL ✓ ACAVAR ✓ THOFOL ✓ (not aff.)
EUCGON — current but which is it? Locⁿ is correct.
EUCMIS — current, locⁿ correct — perhaps should just delete
other Euc. spp in question.
HOMFIR ✓ Leptospermum firmum was
Disⁿ ^{okay} not quite right, but was recorded by CSIRO.
CENASI ✓ (was C. cordifolia) DAMLIN ✓ (was D. cuneata)
ACIMEG ✓ (was Sorbus meg) COTCIBR ✓