

LIST OF PLANT SPECIES ON MAINLAND AREAS (LETTERS) AND ISLANDS (NUMERALS)
LETTERS AND NUMERALS CODE ^{PLACES} ~~AREAS~~ SHOWN IN FIGURE 1

*Denotes naturalized alien species.

H
OXYGLOSSACEAE*Phylloglossum drummondii* Kunze G

DENNSTAEDTIACEAE

Pteridium esculentum (Forst.f.) Cockayne H,I,J

LINDSAEACEAE

Lindsaea linearis Sw. G, H

ADIANTACEAE

Cheilanthes tenuifolia (Burm.f.) Sw. G,H, 9,17,24,25,35

ASPLENIACEAE

Asplenium adiantoides (L.) Lam. 24,35

CUPRESSACEAE

Callitris preissii Miq. Q, 35

SCHEUCHZERIACEAE

Triglochin centrocarpa Hook. A,B,C,D,G,I,L,M, 24,25,26

POACEAE

Agrostis avenacea Gmel. B,E,G,H,I,J,M, 14,25,35*Airacynophylla* Guss. ^{*cupaniana*} ~~*cupaniana*~~ G,J,32,35*Ammophila arenaria* (L.) Link D,J*Avena* ^{*barbata*} ~~*alba*~~ Vahl. 14,23,24*Briza maxima* L. A,E,F,G,H,17,32*B. minor* L. E,G,H,17*Bromus arenarius* Labill. B,16,24*B. diandrus* Roth. 14,32*Cynodon dactylon* (L.) Pers. F*Danthonia caespitosa* Gaud. B,C,D,E,G,J,K,M,N,O,Q,24,35*Ehrharta longiflora* Sm. E,F,G,H,I,L,9,14,16,17,22,23,24,25,32*Hordeum leporinum* Link K,9,14,23*Lagurus ovatus* L. F,K,L*Lolium rigidum* Gaud. var. *rothbollioides* Boiss. 22*Neurachne alopecuroides* R. Br. D,E,G,H,I,J,O,Q*Parapholis incurva* (L.) C.E. Hubbard K,L*Poa annua* L. E,H,Q,14,17,22,23,25*P. ^{poiformis} australis* ~~R.Br.~~ ^{(Labill.) Druce} A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,8,9,14,16,17,24,25,26,32,35,36*P. drummondiana* Nees D

DOB 28-32

MNO

98

M - Falsed

N Cape Vancouver

O "

POACEAE (continued)

- Polypogon maritimus Willd. 9
Spinifex hirsutus Labill. H
 *Sporobolus africanus (Poir.) Robyns & Tournay H
S. virginicus (L) Kunth. A,B,C,E,F,H,I,L,M,N,O,P,8,9,17,22,24,25,26,32,35,36
^u
 *Stenotaphrum secundatum (Walt.) Kuntze H
~~Stipa variabilis Hughes~~ ^{flavescens Labill.} B,D,G,J,K,L,N,O,Q,14,35
Tetrarhena laevis R.Br. H
 *Triticum vulgare L. 9
 *Vulpia myuros (L) Gmel. C,H,K,L,24,25

^c
 ARIZONAEAE

- *Zantedeschia aethiopica (L) Spreng. H,9,22,25

CYPERACEAE

- ^a
Cyperus preissii Nees D,I,8,9,16,17,24,25,26,35
Cyathochaete clandestina (R.Br.) Benth. A,E,G,H,I,J,O,Q
Gahnia trifida Labill. B,C,J,K,N,O,Q,35
Lepidosperma angustatum R.Br. A,B,C,D,E,F,G,H,I,J,K,L,N,O,Q,35
L. drummondii Benth. B,G,35
L. gladiatum Labill. A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,Q,9,16,17,24,25,35
Mesomelaena tetragona (R.Br.) F.Muell. H,I,J,O
M. stygia (R.Br.) Nees H,J,O
Schoenus armeria Boeck. J
S. brevifolius R.Br. A,B,D,O
S. cf. brevisetis Benth. O,Q
S. curvifolius (R.Br.) Benth. D,E,G,H,J,Q
S. grandiflorus (Nees) F.Muell. A,D,I,K,Q
S. lanatus Labill. C,J
S. subbulbosus Benth. B,D,K,O
Scirpus cernuus Vahl. C,D,F,G,H,I,J,L,M,P,17,24,25
S. inundatus Spreng. A
S. nodosus Rottb. A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,9,16,17,23,24,25,26,32,35,36

RESTIONACEAE

- Anarthria gracilis R.Br. B,E,G,H,I,J,O,Q
A. prolifera R.Br. A,D,E,G,H,I,J,K,O,Q,35
A. scabra R.Br. E,G,H,J,O
Hypolaena exsulca R.Br. H,J,O
Leptocarpus aff. tenax (Labill.) R.Br. H

56
RESTIONACEAE (continued)

- Lepyrodia drummondiana Steud. 0
L. hermaphrodite R.Br. H
L. sp. 0
Loxocarya fasciculata (R.Br.) Benth. H,J,O,Q
L. flexuosa (R.Br.) Benth. A,D,E,G,H QAB
L. pubescens (R.Br.) Benth. A,B,C,D,G,I,J,K,L,O,Q
Lyginia barbata (Labill.) R.Br. E,G,H,I,J,Q 2AB

CENTROLEPIDACEAE

- Aphelia cyperoides R.Br. G,H
Brizula muelleri Hieron. I
Centrolepis aristata (R.Br.) Roem. & Schultz D,E,G,Q
C. drummondii (Nees) Hieron. G
C. polygyna (R.Br.) Hieron. ?A,B,C,D,G,J,K,L,M,N,O,P,Q,17,35
C. strigosa (R.Br.) Roem. & Schultz C,E,G,I,M,O,9,16,17,32,35

JUNCACEAE

- Juncus bufonius L. G,22
J. kraussii Hochst. G,H,22
J. pallidus R.Br. 9,35(Storr)
Luzula meridionalis Nordenskiöld G

LILIACEAE

- Agrostocrinum scabrum (R.Br.) Bail. G,H,Q
Borya nitida Labill. C,E,G,H,O
Bulbinopsis semibarbata (R.Br.) Borzi 16,17
Burchardia umbellata R.Br. G,H,J
Caesia parviflora R.Br. H
Chemaescilla corymbosa (R.Br.) F.Muell. C,D,F,P, 24,35
Dianella revoluta R.Br. A,B,F,H,I,K,M,N,O,9,17,24,25,26,32,35
Johnsonia lupulina R. Br. H
Stypandra grandiflora Lindl. B,C,D,E,F,G,I,M,32
Thysanotus multiflorus R.Br. K
T. patersonii R.Br. C,D,E,G,H,I,O,35
T. pauciflorus R.Br. I
*Trachyandra divaricata (Jacq.) Kunth. 24

XANTHORRHOACEAE

- Dasypogon bromeliifolius R.Br. E,G,H,J,O
Lomandra endlicheri (F.Muell.) Ewart H
Xanthorrhoea preissii Endl. G,H,I,J

PHILYDRACEAE

Philydrella pygmaea (R.Br.) Caruel D,E,H,K,O,Q

HAEMODORACEAE

Anigozanthos flavidus Red. & DC. J

Conostylis aculeata R.Br. A,B,C,D,G,H,I,J,K,O

C. setigera R.Br. G,I,J

Tribonanthes variabilis Lindl. G,H

AMARYLLIDACEAE

*Allium triquetrum L. A,H

sp. indet. 25

IRIDACEAE

*Gladiolus caryophyllaceus (Burm.f.) Poir. H

*G. vittatus Homen F,17

Patersonia occidentalis R.Br. A,B,E,G,H,I,J,O,Q

*Romulea rosea (L) Eckl. D,E,F,H,K,17

ORCHIDACEAE

Acianthus reniformis R.Br. C,G

Caladenia cairnseana F. Muell. H

C. flava R.Br. E,G,H,I,?35

C. huegelii Reichb.f. Q

C. latifolia R.Br. A,D,F,G,H,I,J,M,17,24,25,26

C. pectinata Rogers Q

Cryptostylis ovata R.Br. G,H,I

Diprus longifolia R.Br. E,G,H,J

Elythranthera brunonis (Endl.) A.S. George O

Lyperanthus nigricans R.Br. D,G,H,P,17,35

L. serratus Lindl. H

Microtis alba R.Br. C

M. atrata Lindl. H

M. unifolia (Forst.f.) Rchb.f. G

*Monadenia micrantha Lindl. E,Q

Pterostylis nana R.Br. C,H,24

P. vittata Lindl. G,H

Thelymitra attenifera Hook. G,H

T. ?carnea R.Br. H

T. nuda R.Br. C,G,O(?sp.),Q

T. pauciflora R.Br. B,C,D,E,G,I

CASUARINACEAE

- Casuarina huegeliana Miq. D,9
C. humilis Otto & Dietr. A,B,D,E,G,H,I,J,O,Q
C. thuyoides Miq. H
C. trichodon Miq. O

URTICACEAE

- Parietaria debilis Forst.f. M,24,25,32,35
*Urtica urens L. 9,22,24,25,35

PROTEACEAE

- Adenanthos cuneata Labill. E,G,H,J,O,Q
A. obovata Labill. H
A. sericea Labill. A,B,C,D,E,G,H,I,J,K,L,N,O,Q
Banksia attenuata R.B. H,J,O
B. coccinea R.Br. H
B. grandis Willd. B,E,G,H,J
B. ilicifolia R.Br. E,H
B. littoralis R.Br. H,J
B. occidentalis R.Br. K
B. nutans R.Br. Q
B. praemorsa Andrews A,B,C,D,I,J,K,L,O,Q,35
B. quercifolia R.Br. H
B. verticillata R.Br. B,C,J,Q,O,
Conospermum caeruleum R.Br. J,Q
C. capitatum R.Br. H
C. petiolare R.Br. H
Dryandra formosa R.Br. A,B,D,E,G,H,I,J,K,O
D. nivea R.Br. G,H,I,O
D. pteridifolia R.Br. J,O
D. sessilis (R.Br.) Druce A,B,D,I,J,O,Q
Franklandia fucifolia R.Br. H
Grevillea brownii Meissn. I,Q
G. pulchella Meissn. G,H,I,J,K
Hakea ceratophylla (Sm.) R.Br. H,J,O
H. corymbosa R.Br. O
H. elliptica (Sm.) R.Br. B,J,O,35
H. oleifolia (Sm.) R.Br. A,B,D,I,24
H. prostrata R.Br. A,D,I,J,K,Q
H. ruscifolia Labill. D,I,J,Q
H. suavolens R.Br. B,C,G,H,M,O,Q,24,35
H. trifurcata (Sm.) R.Br. E,G,H,I,J,O

59
PROTEACEAE (continued)

- Hakea undulata R.Br. G,H
H. varia R.Br. A,B,D,E,H,J,K,Q
Isopogon formosus R.Br. A,D,E,H,J,Q
Petrophile biternata Meissn. Q
P. longifolia R.Br. H,Q
P. rigida R.Br. H,J,Q
Stirlingia tenuifolia (R.Br.) Steud. H
Synaphaea polymorpha R.Br. J
S. preissii Meissn. E,H
S. reticulata (Sm.) C.A. Gardn. H

OLACACEAE

- Olax phyllanthi (Labill.) R.Br. A,B,C,D,E,G,H,I,J,K,L,Q,P,Q

SANTALACEAE

- Exocarpos sparteus R.Br. A,C,D,E,G,I,P,Q,17
Leptomeria cunninghamii Miq. E,G,H,J

LORANTHACEAE

- Nuytsia floribunda (Labill.) R.Br. H

POLYGONACEAE

- Muehlenbeckia adpressa (Labill.) Meissn. C,F,H,J,M,O,Q
 *Rumex brownii Campd. 16,17,22,25
 *Rumex acetosella L. H

CHENOPODIACEAE

- Atriplex isitidea Moq. B,D,H,K,O,Q
A. paludosa R.Br. H,22,35,36
A. patula L. H,17,32
 *Chenopodium murale L. 22,23
Enchylaena tomentosa R.Br. 35(Storr)
Maireana oppositifolia (F.Muell.) P.G. Wilson A,C,L,M,Q,9,24,25,26,35,36
Rhagodia crassifolia R.Br. Q,9
R. radicata Nees A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,8,9,16,17,24,25,26,
 32,35,36
Salicornia blackiana (Ulbr.) A.J. CoH A,B,C,H,J,L,N,O,P,Q,22,24,25,35
Sueda arustralis (R.Br.) Moq. F,H,22
Threlkeldia diffusa R.Br. A,B,C,D,G,H,J,K,L,N,Q,8,9,24,25,26,35,36

PHYTOLACCACEAE

- Gyrostanon sheathii W.V. Fitz. A,B,C,D,I,K,L,Q,P,Q
 *Phytolacca octandra L. 22

AIZOACEAE

- Carpobrotus virescens (Haw.) Schwantes A,B,C,D,E,F,G,H,I,J,K,L,M,N,
O,Q,8,9,14,16,17,23,24,25,26,32,35,36
Disphyma blackii Chinnoek A,B,C,L,M,N,O,Q,8,9,24,25,26,35,36
Tetragonia amplexicoma (Miq.) Hook. A,B,C,D,G,H,J,K,L,N,O,Q,8,9,26,35
T. decumbens Mill. H,O
T. tetragonioides (Pall.) Kuntze H,16,17,22

PORTULACACEAE

- Calandrinia calyptrata Hook.f. C,D,E,H,J,^O~~Q~~,14,17,23,24,25,26,32

CARYOPHYLLACEAE

- *Cerastium glomeratum Thuill. E,F,H,I,16,17,24,25,26
*Petrorhagia prolifera (L.) Ball & Heywood E,F,H
*Polycarpon tetraphyllum (L.) L. E,F,H,14,16,17,22,23
Sagina apetala L. A,C,D,E,F,H,I,P,9,24,25,32
*Silene nocturna L. H
Spergularia rubra (L.) J. & C. Presl. E, 35
* Stellaria media (L.) Vill. H,9,17,22,23,25

LAURACEAE

- Cassytha glabella R.Br. A,B,C,D,E,G,H,J,K,L,O,Q

RANUNCULACEAE

- Clematis pubescens Hueg. A,D,G,H,I,J,K,L,M,24,25,35

BRASSICACEAE

- *Brassica tournefortii Gouan. H,?I
Cakile maritima Scop. B,D,G,H,J,K,O,Q,22
Heliophila pusilla L.f. J
Hymenolobus procumbens (L.) Nutt. Q,24,25
Lepidium foliosum Desv. 14,15,23,32
L. hyssopifolia Desv. 35
*^{an}Raphanus ^{an}raphistrum L. 22
*Sisymbrium orientale L. 22

DROSERACEAE

- Drosera erythrorrhiza Lindl. E,G,H,I,J,Q
D. glanduligera Lehm. G,H,I
D. huegelii Endl. D,H
D. menziesii R.Br. E,H
D. pallida Lindl. D,E,G,H,I,Q,17,24

PAPAVERACEAE

- *Fumaria muralis Sond. ex Koch. F,G,H,I,25

CRASSULACEAE

*Cotyledon orbiculata L. 25

Crassula macrantha (Hook.f.) Diels A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,
14,16,17,24,25,26,32

Crassula glomerata L. L

PITTOSPORACEAE

Sollya heterophylla Lindl. A,B,C,D,E,F,G,H,I,J,K,L,M,P,24,35(Storr)

MIMOSACEAE

Acacia alata R.Br. G,H,35

A. browniana H. Wend. J,K

A. cochlearis Labill. I,J,K,Q

A. crassiuscula Wendl. H

A. cyclops A. Cunn. ex G. Don. D,F,G,H,I,J,17,24

A. leioderma B.R. Maslin B,E,G,H,I,J,N,O,P,Q,35

A. littorea B.R. Maslin A,B,C,D,H,I,J,K,L,O,Q,24

A. myrtifolia Willd. B,C,E,G,H,M,O,Q

A. nitidula Benth. G

A. pentadenia Lindl. H

A. pulchella R.Br. E,G,H

A. rostellifera Benth. I

A. sulcata R.Br. G,H,O

Albizia lophantha (Willd.) Benth. O,24

FABACEAE

Bossiaea linophylla R.Br. A,D,E,H,I,J,Q

Burtonia conferta DC A,B,D,J,O,Q

Chorizema glycinifolium (Sm.) Druce A,E,H,J,Q

C. ilicifolium Labill. A,B,D,G,H

C. rhombeum R.Br. I

Daviesia flexuosa Benth. I,Q

D. pectinata Lindl. O = *D. brevifolia* 218 sp List

Eutaxia obovata (Labill.) C.A. Gardn. B,C,D,E,F,G,H,M,N,O,P,Q,24,35

Gastrolobium bilobum R.Br. A,B,C,D,G,H,I,J,M,O,Q,17,35

Gompholobium sp.n. A,D

G. knightianum Lindl. H

G. ovatum Meissn. J

G. polymorphum R.Br. E,J,Q

G. tomentosum Labill. D,E,H,I

Hardenbergia comptoniana Benth. D,E,F,G,H,I,24

Hovea chorizemifolia (Sf) DC. D,H

H. trisperma Benth. G,J

FABACEAE (continued)

- Isotropis cuneifolia (Sm.) Domin. A,D,G,H,I,Q
Jacksonia horrida DC. B,E,G,H,I,J,O,Q
J. sternbergiana Hueg. F
Kennedia coccinea Vent. A,B,D,E,H,K,Q
K. prostrata R.Br. G
*Lotus subbiflorus Lag. 17,23
*Medicago polymorpha L. F,?G,17,22,25
Oxylobium coriacea (Smith) C.A. Gardn. J,Q
O. ellipticum (Labill.) R.Br. E,F,G,H,J,K,M,O,17,32
*Psoralea pinnat^a L. H
Pultenaea dasyphylla (Turcz.) C.A. Gardn. H
P. reticulata (Sm.) Benth. H
Sphaerolobium alatum Benth. E,H,O
S. macranthum Meissn. E,H,J
Templetonia retusa (Vent.) R.Br. A,B,C,D,I,J,O,Q, 35
*Trifolium campestre L. E,F
*T. subterraneum L. E,H

GERANIACEAE

- *Erodium cicutarium (L.) L'Herit. ex Ait. 9,14
*Geranium molle L. E,16,17,23,24,25,35
Pelargonium australe Willd. D,M,N,O,24,25,26,32,35
P. capitatum (L.) Ait. A,D,G,H,I,J,K

OXALIDACEAE

- Oxalis corniculata L. 9,17,24,25,35
*O. pescaprae L. H,16
*O. purpurea L. G,H

TROPAEOLACEAE

- *Tropaeolum majus L. 22

RUTACEAE

- Boronia alata Sm. A,G,J,K,L,P,Q,9,16,24,25,35
B. albiflora (R.Br.) Benth. O,Q,35
B. crenulata Sm. C,D,H,J,O
Chorilaena quercifolia Endl. A,B,M,O,P,Q,9,24,35
Phebalium ~~pn~~nceps DC. J
P. rude Bartl. O,Q,35

TREMANDRACEAE

- Tetratheca hirsuta Lindl. H
Tremandra stelligera R.Br. B,G,H,I

POLYGALACEAE

- Coxesperma confertum Labill. I,J,K,Q
C. flavum DC. G

EUPHORBIACEAE

- Amperea ericoides A. Juss. H
Euphorbia drummondii Boiss. B,H,I,J
 *E. paralias L. B,D,F,H,I,J,K,O,P,Q,16,17,25,35
 *E. peplus L. H,35
Phyllanthus calycinus Labill. A,B,D,I,J,K,Q,35
Poranthera microphylla Brongn. D
Ricinocarpus tuberculatus Muell.-Arg. O

STACKHOUSIACEAE

- Stackhousia pubescens A. Rich. D,E,G,H,I,J,Q,35

SAPINDACEAE

- Dodonaea ceratocarpa Endl. B,C,E,F,G,H,I,M,N,O,P,Q,9,35

RHAMNACEAE

- Spyridium globulosum (Labill.) Benth. A,B,D,G,H,I,J,K,L,P,Q,24
S. spadiceum (Fenzl.) Benth. B,D,J,K,O,35
Trymalium ledifolium Fenzl. D
T. spathulatum (Labill.) Ostf. O,35

MALVACEAE

- *Lavatera arborea L. 14,22,23
L. plebeia Sims 14,22,23,32(?sp.)
 *Malva parviflora L. H,23
Sida hookerana Miq. 35(Marchant)

STERCULIACEAE

- Commersonia crispa Turcz. E,H,I,Q
Lasiopetalum indutum Steud. 35(Marchant)
Rulingia corylifolia Grah. C,E,Q
Thomasia discolor Steud. Q,35
T. solanacea J. Gay A,C,D,I,K,L,Q,35

DILLENACEAE

- Hibbertia cuneiformis (Labill.) Gilg. A,B,C,E,F,H,K,O,Q,9,14,16,17,
 22,24,25,32,35,36
H. cunninghamii (Benth.) Steud. A,B,C,D,E,G,H,I,J,K,O
H. enervia (DC.) Hoogland G
H. furfuracea (R.Br.) Benth. A,B,D,G,H,I,J,O
H. grossulariifolia (Salisb.) Salisb. A,B,D,J
 ae

DILLENACEAE (continued)

- Hibbertia montana Steud. C
H. pulchra Ostf. H
H. racemosa (Endl.) Gilg. A,B,D,G,H,I,J,K,O,Q
H. sp.n. J
H. sp. n. J

THYMELEACEAE

- Pimelea clavata Labill. D,H,J,8,9,17,25,26,35
P. ferruginea Labill. A,B,C,D,H,I,J,K,L,O,Q
P. longiflora R.Br. E,J,O
P. microcephala R.Br. J
P. rosea R.Br. A,B,D,G,H,I,J,K,O,Q

MYRTACEAE

- Agonis flexuosa (Spreng.) Schau. A,B,C,D,E,F,G,H,I,J,K,M,O,P,Q,9,14,
 17,24,25,35
A. hypericifolia Schau. J
A. juniperina Schau. H
A. linearifolia (DC.) Schau. B,J,O,35
A. marginata (Labill.) Schau. B,C,E,G,H,J,M,O,Q,24,35
Astartea fascicularis (Labill.) DC. H,O
Beaufortia aff. micrantha Schau. Q
Calothamnus quadrifidus R.Br. P,Q
Calytrix brachyphylla Turcz. H
Chamelaucium aff. ciliatum Desf. B,C
aff. forrestii (F. Muell.) Marchant & Keighery (ined.)
C. sp. n. O
Darwinia diosmoides (DC.) Benth. E,F,G,H,I,J,K,N,O,P,Q
D. vestita (Endl.) Benth. E,H,J,O,35
Eucalyptus angulosa Schau. B,D,O,Q,24
E. calophylla R.Br. E,G,H,I
E. cornuta Labill. B,G,H,I,O,17,24
E. lehmannii (Schau.) Benth. C,O,35 = *E. con Perrominata*
E. marginata Sm. E,H,I,J
Hypocalymma cordifolium (Lehm.) Schau. O
H. strictum Schau. B,C,D,E,O,Q
?H. sp. O
Lhotzkya ericoides Schau. E,G,H,17
Melaleuca cuticularis Labill. A,H,I,J,K
M. diosmifolia Andrews D,M,O,P,35
M. lanceolata Otto. B,Q,9,35

MYRTACEAE (continued)

- Melaleuca microphylla Sm. A,P,Q,9,35
M. striata Labill. D,J,0,Q
M. thymoides Labill. A,B,D,E,G,H,I,J,0,Q
M. sp.n. (A.S. George, pers.comm.) 0
Thryptomene saxicola (A. Cunn.) Schau. D,H,I,9,24,25,35
Verticordia plumosa (Desf.) Druce C,E,G,H,0,9

ONAGRACEAE

- Epilobium cinereum A. Rich. A,B,D,I,J,Q

HALORAGACEAE

- Haloragodendron racemosum (Labill.) Orchard Q,35

APIACEAE

- Apium prostratum Labill. A,B,C,D,E,F,H,I,K,L,M,N,P,Q,8,9,16,17,24,25,
 26,32,35,36
Centella cordifolia (Hook.f.) Nannf. B
Daucus glochidiatus (Labill.) Fisch. et al. B,C,L,M,24,35
Hydrocotyle diantha DC. A,D,E,F,G,H,I,M,⁰16,17,24,25,26,35
H. tetragonocarpa Bunge B,D
Platysace compressa (Labill.) Norman A,B,C,D,G,H,J,K,L,0,Q,35
~~Trachymene compressa~~ ~~35(Storr)~~
T. pilosa Sm. B,D,E,G,I,J,Q²4
Xanthosia candida (Benth.) Steud. ex Bunge B,G,H,I,J
X. pusilla Bunge E,G,H,I,J,K,Q
X. rotundifolia DC. E,H,0

EPACRIDACEAE

- Acrotriche cordata (Labill.) R.Br. A,B,D,J,K,L,0,Q
Andersonia caerulea R.Br. E,H
A. sprengelioides R.Br. A,B,C,D,E,G,H,I,J,K,N,0,Q,9,24,35
Astroloma drummondii Sond. E,G,H,I,J,Q
A. pallidum R.Br. G,I,J
Leucopogon capitellatus DC. A,H
L. carinatus R.Br. 0
L. crassiflorus F. Muell. G,H
L. parviflorus (Andr.) Lindl. A,B,C,D,H,J,K,L,P,Q,24
L. propinquus R.Br. H
L. oppositifolius Sond. H
L. oxycedrus Sond. E,G,H
L. reflexus R.Br. A,E,0

EPACRIDACEAE (continued)

- Leucopogon revolutus R.Br. A,C,D,E,F,G,H,I,J,M,N,O,P,8,9,17,24,25,26,
32,³~~7~~5
L. verticillatus R.Br. H
Lysinema ciliatum R.Br. A,B,D,E,G,H,I,J,Q
Needhamiella pumilio (R.Br.) L. Watson E,G,H

PRIMULACEAE

- *Anagallis arvensis L. A,F,H,J,9,16,17,22,24,25,26,35
Samolus repens (Forst.) Pers. A,B,C,D,E,F,H,I,J,K,L,N,O,P,Q,8,9,17,
24,25,26,35

LOGANIACEAE

- Logania fasciculata R.Br. A,B,D,K,L
L. serpyllifolia R.Br. A,B,E,H,J,O,Q
L. vaginalis (Labill.) F. Muell. D
Mitrasacme paradoxa R.Br. C,D,G,J,M,O

GENTIANACEAE

- Centaurium minus Gars. B,C,D,F,G,I,J,K,L,M,N,Q,9,17,35 (Storr)

CONVOLVULACEAE

- Dichondra repens R. & G. Forst. J,?14,17,?23,24,25,35
Wilsonia backhousei Hook.f. A

LAMIACEAE

- Westringia dampieri R.Br. A,B,C,D,I,J,K,L,M,N,O,P,Q,24,35

SOLANACEAE

- Anthocercis littorea Labill. A,B,D,L
A. viscosa R.Br. A,B,C,E,F,G,H,I,J,K,M,N,O,P,Q,17,23,32
Solanum symonii Eichler 17,22,23,24,25,35
*S. nigrum L. 9,22,23,24

SCROPHULARIACEAE

- *Bellardia trixago (L.) All. D,E,K,Q
*Dischisma a~~xy~~enarium E. Mey. H,L
*Parentucellia viscosa (L.) Caruel. 17
Veronica calycina R.Br. B,J,Q

LENTIBULARIACEAE

- Polypompholyx tenella (R.Br.) Lehm. ?G,H
Utricularia menziesii R.Br. E,G,H

MYOPORACEAE

- Myopororum adscendens R.Br. Q
M. oppositifolium R.Br. B,D,P,Q,24,26
M. tetrandrum (Labill.) Domin. J,Q,35

RUBIACEAE

- Galium sp. indet. 24,35
Opercularia hispidula Endl. A,B,C,D,E,G,H,I,J
O. vaginata Labill. A,B,D,J,K,L,Q

OROBANCHACEAE

- Orobanche australiana F. Muell. ex Tate B,C,K,L

PLANTAGINACEAE

- *Plantago lanceolata L. F,H

LOBELIACEAE

- Isotoma hypocrateriformis (R.Br.) Druce G
I. scapigera (R.Br.) G. Don B,C,D
Lobelia alata Labill. A,B,C,E,G,H,I,K,M,N,O,Q,8,9,14,16,23,24,32,35
L. heterophylla Labill. B,G,K.

GOODENIACEAE

- Dampiera cuneata R.Br. G,H,N,O,35,36
D. linearis R.Br. E,H,J
D. sacculata (F.Muell.) Benth. G
Lechenaultia tubiflora R.Br. B,J,Q
Scaevola globifera Labill. A,B,D,Q
S. nitida R.Br. A,B,C,D,E,G,H,I,J,K,L,O,Q
S. striata R.Br. E,I,J,K,Q
Velleia trinervis Labill. E,G,H,J,K,O,Q

STYLIDIACEAE

- Stylidium adnatum R.Br. B,F,G,H,P,9,17,24,25,26,35
S. amoenum R.Br. A,B,E,G,H,I,O
S. corymbosum R.Br. J,O
S. crassifolium R.Br. H
S. fasciculatum R.Br. B,D,J,K,L,O,Q,17
S. glaucum Labill. 35
S. hirsutum R.Br. B
S. schoenoides DC. Q

ASTERACEAE

- Actinobole uliginosum (A. Gray) Eichler. 23,35
Angianthus humifusus (Labill.) Benth. C,D,E,G,J,N,O,Q
A. tenellus (F. Muell.) Benth G

ASTERACEAE (continued)

- *Arctotheca calendula (L.) M. Levyns E,H,I,22,23,25
*A. populifolia (Berg.) T. Norl. B,D,G,H,J,Q,23
Athrixia nivea (Steetz.) Druce B,C,G,N,O,P,Q,35
Calocephalus brownii (Cass.) F. Muell. A,B,C,D,H,J,K,L,O,P,Q,8,9,
24,25,26,35
Carduus tenuiflorus Curt. D,?H,9,24,25,35
*Cirsium vulgare (Savi) Ten. 9
*Conyza bonariensis (L.) Cronquist. A,F,G,H
Cotula australis (Less.) Hook. F,G,H,?J,P,14,16,17,22
C. coronopifolia L. E,G,H,17,23
C. cotuloides (Steetz.) Druce F,G,N
Craspedia uniflora Forst. D,I
Gnaphalium candidissimum Lam. A,E,F,G,H,I,K,L,Q,16,17
G. gymnocephalum DC. D,32
G. indutum Hook.f. F,25,26
G. luteoalbum L. L,24
G. sphaericum Willd. G,J,16(?sp)
Helichrysum cordatum DC. A,B,G,H
Helipterum cotula (Benth.) DC. D
*Hypochoeris glabra L. A,C,E,F,G,H,I,J,K,M,P,Q,16,17,24,25,32,35
*Inula graveolens (L.) Desf. 9
Lagenifera stipitata (Labill.) Druce H,I
Leptorhynchus elongatus DC. B
Millotia tenuifolia Cass. E,G,H,I,24
Olearia axillaris (DC.) F. Muell. A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,16,
24,25,26,35
O. ciliata (Benth.) F. Muell. ex Benth. Q
Podolepis gracilis R. Grah. B,D
P. rugata Labill. B
Podotheca angustifolia (Labill.) Less. B,D,Q
Quinetia urvillei Cass. E,G,H,M,O,17,24
*Senecio elegans L. K,Q
S. hispidulus A. Rich. D,G,H
S. lautus Forst.f. ex Willd. A,B,C,D,E,G,H,I,J,K,L,N,O,8,9,14,16,24,
25,26,32,35,36
S. ramosissimus DC. G,H,I,35
Sonchus megalocarpus A,B,K
*S. oleraceus L. A,B,C,D,E,F,G,H,I,J,K,L,M,N,Q,8,9,14,16,17,22,23,24,
25,32,35

ASTERACEAE (continued)

Vittadini^a australasica ined. 35

Waitzia citrina (Benth.) Steetz. B,C,D,G,H,I,J,35 (Marchant)

W. suaveolens (Benth.) Druce D

3
Abbot Veg of Is near ALH

Chenopodium *malacota* 1-2m.
Parpetrostos *viridescens*
Sporobolus *virginicus*
Anthracoceros *blacosa* 2m
Styandra *grandifolia* 0.5m
✓ 201

Abbot I in pres.

The transition from mainland to island
illustrated by flora + landbird
fauna of headlands, peninsulas
& islands near abo

J. Roy See. WA

10/11/11

* *Aira* *eupariang*
Apium *prestrang*
Amplex *patulal* ? *paludosa*
* *BALIA* *MAXIMA*
Bromus *diarea*
Calamita *calyptata*
Centolepis *stygiosa*
Crassula *macrantha* =
Dianella *revoluta*
Eichharta *longiflora*
Cnaphalum *gymnocephalum*
Gibbertia *arbutifolia*
Hypochaeris *glabra*
Lavatera *arbuta* ? *spontanea*
Lepidium *foliosum*
Leucosporon *revolutus*
Labelia *abata*
Oxylepis *ellipticum* =
Patienceara *debilis*

Relagoneum australe

Poa poiformis

Sagina apetala ✓

Scirpus oedoceros

Teretiolactus

* *Sonchus oleraceus*

&



chedra