


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Jumbo 52846 38 117 32 45 SITE NUMBER A\$COON/1
 DATE TRIP 9.9.96 RECORDERS All. group A
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.


Mud Map Draw a sketch of the location of the site below.



Road Location Track east of Jumbo Well at point it runs down breakaway - E side, below breakaway

Geographic Location	Latitude	S	Longitude	E	Altitude
Reference Map	28 46 38		117 32 45		
Photograph	Photographer's Name				Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope	flat	gentle	steep	Aspect	N	NE	E	SE	S	SW	W	NW
Surface Soil	Red Sand Pale						Colour	Red pale				
Exposed rock	type Sandy laterite gravel						% surface					
Sub-surface Soil							Colour					
Rock	type sandy						depth to rock	?				
Drainage	well	mod	poor	depth water	cm	Wet	all year	winter/spring				
Litter	✓						% cover					
Bare Ground							5 %cover					
Depth							cm					

Photo Daphne.


BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

3. VEGETATION STRUCTURE AND COVER

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2 - 10% 10 - 30% 30 - 70% over 70%

TREES						MALLEES	
	over 30m	10 - 30m	under 10m	over 8m	under 8m		
LIFE FORM			 			30m	10m
COVER CLASS (%)			28%				
DOMINANT SPECIES							
SHRUBS				SHRUBS			
	over 2m	2m - 1m	under 1m				
LIFE FORM	  	  	   		2m	1m	
COVER CLASS (%)	25%						
DOMINANT SPECIES	Acacia ? limphylla						
GRASSES		HERBS	SEDGES		OTHER		
LIFE FORM	 	   	  		1m		
COVER CLASS (%)	0.5%	75%					
DOMINANT SPECIES		Valeriana					

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS appears good but grazed in past, no immature Mulgas.
2	EXCELLENT	☒	
3	VERY GOOD	☒	
4	GOOD		
5	DEGRADED		

5. SPECIES PRESCENCE

Label each plant
Record on Sheet

SITE No A / SCORN 1
Date / 9-9-96
31.3-97

- Column 1 plant name-
- Column 2 plant number
- Column 3 flowering time
- Column 4 identification

plant's name or working name if required

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]

A20000

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant
Record on Sheet

SITE No A SCOW 1

Date 17-8-97

- Column 1 plant name-
- Column 2 plant number
- Column 3 flowering time
- Column 4 identification

TICK if species flowering
check

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]

5. SPECIES PRESCENCE

Label each plant
Record on Sheet

SITE No 1A Scoon

Date 19.10.98

- Column 1 plant name -
- Column 2 plant number
- Column 3 flowering time
- Column 4 identification

- Column 3 flowering time- TICK if species flowering

- Column 4 identification check

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]

ASCOON1 - Species List in Alphabetical Order

31	<i>Austrostipa</i>	
163	<i>Acacia ayersiana</i>	4
163	<i>Acacia coolgardiensis</i> subsp. <i>effusa</i>	1A
163	<i>Acacia quadrimarginea</i>	49 0
345	<i>Actinobole uliginosum</i>	8
293	<i>Anagalis arvensis</i>	34 48 0
345	<i>Brachyscome ciliocarpa</i>	13
111	<i>Calandrinia eremea</i>	39
111	<i>Calandrinia polyandra</i>	21
345	<i>Calotis multicaulis</i>	14
345	<i>Cephalopterum drummondii</i>	24
345	<i>Chthonocephalus pseudevax</i>	19
149	<i>Crassula colorata</i> var <i>a. cuneolata</i>	18
307A	<i>Cuscuta epithymum</i>	28
345	<i>Dielitzia tysonii</i>	6
326	<i>Eremophila forrestii</i>	45 0
326	<i>Eremophila latrobei</i> ssp. <i>latrobei</i>	46 0
31	<i>Eriachne pulchella</i>	52 0
167	<i>Erodium cygnorum</i>	16
345	<i>Gilruthia osbornei</i>	42
341	<i>Goodenia mimuloides</i>	26
341	<i>Goodenia pinnatifida</i>	203
341	<i>Goodenia pusilliflora</i>	15
110	<i>Gunniopsis rubra</i>	36 81
345	<i>Helipterum craspedioides</i>	20
345	<i>Lawrencella davenportii</i>	40
345	<i>Lemooria burkittii</i>	25
288	<i>Leucopogon breviflorus</i>	51 0
105	<i>Maireana carnosum</i>	17
110	<i>Micropterum papulosum</i>	48
31	<i>Pentaschistus airoides</i>	2
329	<i>Plantago debilis</i>	9
345	<i>Podolepis lessonii</i>	11
345	<i>Pogonolepis</i> sp. <i>muelleriana?</i>	33
345	<i>Rhodanthe battii</i>	44
345	<i>Rhodanthe maryonii</i>	37
345	<i>Rhodanthe polycephalus</i>	43
31	<i>Rostraria pumila</i>	3
32	<i>Schoenus nanus</i>	53 0
105	<i>Sclerolaena densiflora</i>	7
	<i>Swainsona gracilis</i>	s.n.
110	<i>Tetragonia cristata</i>	32
273	<i>Thryptomene decussata</i>	47 0
31	<i>Thyridolepis multicaulis</i> <i>culmis</i>	101 0
54F	<i>Thysanotus manglesianus</i>	29 0
281	<i>Trachymene ornata</i>	30
281	<i>Trachymene pilosa</i>	35
26	<i>Triglochin</i> sp. A, Perth Flora	10
341	<i>Velleia hispida</i>	27
341	<i>Velleia rosea</i>	12

Austrostipa scabra out 305

Calocephalus multicaulis 301
meriflorus

Lobelia winifridae 304

Philotus gaudichaudii 302

Gnephosis tenuissima 306

Mesembryanthemum wadylorum 303

Swainsona sp.

Triglochin Sp B. 10