

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA A/No. Two/8 1km S of No. Two Well. W side of track. SITE NUMBER _____
 DATE TRIP 12.9.96 RECORDERS Ken, Gary, Ida
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST S. Patrick

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.



A/No 2/8
 2 N° 18 - second
 renumbered 18A.
 not represented on specimen
 sheet.

~~No number 14. This
 could be one of the
 un-numbered specimen
 in A/MAR/7 as a
 couple of the A/N2/8 -
 specimens had got mixed
 with this.~~

Road Location Track between No Two Well & Nodagullamarra Well.

Geographic Location Latitude _____ S Longitude _____ E Altitude _____


Reference Map

28 41 05

117 23 06

Photograph _____ Photographer's Name S. Patrick Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NWSurface Soil red loam Colour red

Exposed rock _____ type _____ % surface _____

Sub-surface Soil same Colour _____

Rock _____ type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter	% cover	Bare Ground	% cover
Depth	cm		

BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

From '*Bushland Plant Survey*' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class	2 - 10 %	10 - 30 %	30 - 70 %	over 70 %
-------------	----------	-----------	-----------	-----------

	TREES			MALLEES	
	over 30m	10 - 30m	under 10m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)			c. 8m		
DOMINANT SPECIES			Acacia		
			50%		

	SHRUBS over 2m	2m - 1m	SHRUBS under 1m
LIFE FORM			 2m 1m
COVER CLASS (%)	10%	2-10%	10-30%
DOMINANT SPECIES	<i>Alnus arvensis</i>	<i>Erigeron officinalis</i>	<i>Erigeron officinalis</i>

	GRASSES	HERBS	SEDGES	OTHER
LIFE FORM				1m
COVER CLASS (%)	2-10%	30-70%		
DOMINANT SPECIES	- ? <i>Styria</i>	<i>Bioderma</i> <i>Valleriacea</i> <i>Billy Button</i>		

4. VEGETATION CONDITION

DEGRADATION CONDITION		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	✓
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

Good condition but some Acacia shrubs cut down in past in the area. few weeds.

1

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 2 plant number

64 Neeldands WA 6008.

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name-

From 'Bushland'

SITE NO A/No 2/8

Date 18.10.98

- Column 1 plant name-
- Column 2 plant number
- Column 3 flowering time-TICK if species flowering
- Column 4 identification check

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]

A NOTWO8 - Species List in Alphabetical Order

163	Acacia aneura	4
163	Acacia ayersiana	8
163	Acacia coolgardiensis subsp. effusa	14
163	Acacia ?coriacea	33
163	Acacia craspedocarpa	3
163	Acacia tetragonophylla	13 ✓
105	Atriplex ?amnicola	11
105	Atriplex sp.	9
345	Brachyscome ciliocarpa lineariloba	6 ✓
111	Calandrinia eremaea	18
345	Cephalopterum drummondii	29 ✓
149	Crassula colorata	35
307A	Cuscuta epithymum	39
54E	Dianella revoluta	36 ✓
31	Eragrostis ?eriopoda	27
326	Eremophila georgii	17
326	Eremophila glandulifera	2
167	Erodium cygnorum	18A ✓
341	Goodenia mimuloides	23
341	Goodenia occidentalis	15 ✓
105	Maireana carnosa	26 ✓
105	Maireana planifolia x villosa	10
315	Nicotiana rotundifolia	22
345	Podolepis lessonii	16 ✓
106	Ptilotus obovatus	7 ✓
105	Rhagodia ?drummondii	9
345	Rhodanthe maryonii	12
31	Rostraria pumila	31
221	Sida sp. atrovirens	20
311A	Spartothamnella teucriflora	28 ✓
341	Velleia rosea	19 ✓
339	Wahlenbergia gracilentia	24
	Xanthoparmelia isidiigera (lichen)	
	Eremophila	1 ✓

Austroanthonia ? setacea 37
 Austrostipa elegantissima 310.
 Calcecephalus multiflorus 307
 Cuscuta epithymum 309.
 Erodium cygnorum 403.
 Gnaphosia tenuissima ant. (300 (400) sericea)
 Eremophila pumila 1
 Levenhookia leptantha (3 or 400 sericea out)
 Pentaschistis aeroides 306
 Stipa elegantissima 310
 Actinobole uliginosum 210
 Pycnocephalus gueriniae 2050
 Helyterum craspedioides 207
 Trachymene ornata 405.
 Wahlenbergia 103
 Sclerolaena paniculata 25
 Isoetes graminifolia 32
 Dietzia tysonii 32A
 Brachyscome ciliocarpa 38
 Tietkensia corniculata 41
 Eucalyptus sp. 120
 Halea recurva ssp. arida 2040
 Acaua acuminata 200 out
 Ptilotus schwartzii 2080
 Rhycharthena linearis 202
 Schoenia casimiana 203
 Waitzia acuminata 308

Label each plant with plants number, site code, date and plant's name or working name if required

5. SPECIES PRESCENCE

SITE No A / No. T.50/8

Date 12.9.26

36,3.57

36,3.57

Record on Sheet

- Column 1 plant name-
- Column 2 plant number
- Column 3 flowering time
- Column 4 identification

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]

Erodium cyparissium. 18A
Diclitia tysonii. 32A

5