

C7.
CNOTW 7.


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA BURNERBURN SITE NUMBER C7
 DATE TRIP 12.9.96 RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude 28 40 35 S Longitude 117 23 00 E Altitude _____

Reference Map

Photograph Photographer's Name STEVE Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope	<u>flat</u>	gentle	steep	Aspect	N	NE	E	SE	S	SW	W	NW
Surface Soil	<u>sand</u>				Colour	<u>Red</u>						
Exposed rock	<u>type</u>				% surface							
Sub-surface Soil	<u>sand</u>				Colour							
Rock	<u>type</u>				depth to rock							
Drainage	<u>well</u>	mod	poor	depth water	cm	Wet	all year	winter/spring				
Litter	3	% cover			Bare Ground	3	% cover					
	Depth	cm										

BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

3. VEGETATION STRUCTURE AND COVER

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2 - 10% 10 - 30% 30 - 70% over 70%

	TREES			MALLEES	
	over 30m	10 - 30m	under 10m	over 8m	under 8m
LIFE FORM			 		
COVER CLASS (%)			10%		
DOMINANT SPECIES			Acacia		
	SHRUBS		SHRUBS		
	over 2m	2m - 1m	under 1m		
LIFE FORM	  	  	   		
COVER CLASS (%)	5%	15%	5%		
DOMINANT SPECIES	Acacia	Eremophila	Eremophila microphylla		
	GRASSES	HERBS	SEDGES	OTHER	
LIFE FORM	 	   	   		
COVER CLASS (%)	20%	95%			
DOMINANT SPECIES					

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS
2	EXCELLENT		
3	VERY GOOD	✓	
4	GOOD		
5	DEGRADED		

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

SITE No CN01W 7

Date 12.9.20.

From 'Bushland Plant Survey' written by
B. Keighery (1994) and published by the
Wildflower Society of WA (Inc.), PO Box
64 Nedlands WA 6008.

• Column 1 plant name-
• Column 2 plant number
• Column 3 flowering time- TICK if species flowering
• Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Acacia coelocaulensis</i> var. <i>effusa</i>	33	✓						<i>Goodenia occidentalis</i>	15	✓	
<i>Acacia ayersiana</i>	44	—						<i>Haleragis odontocarpa</i>	16	✓	
<i>Acacia ramulosa</i>	45	—						<i>Sida? intricata</i>	17	✓	
								<i>Velleia rosea</i>	18	✓	
								<i>Uladinia ceratocarpa</i>	23	✓	
								<i>Velleia rosea</i>	25	✓	
MALLEES								<i>Chalk onocarpus pseudocarpus</i>	26	✓	
								<i>Calandrinia glandulifera</i>	27	✓	
				GRASSES				<i>Crassula colorata</i>	28	✓	
				<i>Austrostipa scabrifolia</i>	22			<i>Cuscuta ebrithymum</i>	30	✓	
				<i>Eragrostis lanipes</i>	24			<i>Goodenia occidentalis</i>	32	✓	
				<i>Thyridolepis multicaulis</i>	29			<i>Velleia intricata</i>	35	✓	
				<i>Pennisetum airoides</i>	31			SEDGES - <i>Dichobrya capillipes</i>	36	✓	
<i>Eremophila glandulifera</i>	12	✓		<i>Thyridolepis multicaulis</i>	34			OUTSIDE	37	✓	
<i>Eremophila glandulifera</i>	19	✓			40			OUTSIDE	38	✓	
<i>Pseudanthus intricatus</i>	20	—			50			<i>Goodenia mimuloides</i>	39	✓	
<i>Eremophila glandulifera</i>	21	✓		<i>Schismus barbatus</i>	47			OUTSIDE	42	✓	
<i>Eremophila georgii</i>	50	—		<i>Kestria pumila</i>	51			<i>Quingueremulus linearis</i>	43	✓	
				<i>Horridum pumilum glaucum</i>	51			<i>Brachyscome ciliocarpa</i>	46	✓	
				HERBS				<i>Cratogeomys obionoides</i>	48	✓	
				<i>Lawrencella davenportii</i>	1	✓		<i>Sonchus oleraceus</i>	49	✓	
				<i>Brachyscome ciliocarpa</i>	2	✓			41		
				<i>Myriocephalus guerinii</i>	3	✓					
				<i>Podolepis canescens</i>	4	✓					
				<i>Calandrinia polyandra</i>	5	✓					
				<i>Calandrinia brevinosa</i>	6	✓					
				<i>Calandrinia dispersa</i>	7	✓					
				<i>Quingueremulus linearis</i>	8	✓					
				<i>Eradium cygnorum</i>	9	✓					
				<i>Swainsona affinis</i>	10	✓					
				<i>Rhodanthe moryonii</i>	11	✓					
				<i>Trianthodium skirrophorum</i>	13	✓					
				<i>Calotis hispidula</i>	14	✓					

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

SITE No C N 0 7 2 0 7
Date 30.3.97

Label each plant
Record on Sheet

- Column 1 plant name-
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]

5. SPECIES PRESCENCE

Label each plant

plant's name or working name if required

SITE No C-1102, 17

Record on Sheet

Date 18.10.98

- Column 2 plant number

flowering time.

- Column 3: flowering time- TICK if species flowering

- Column 4 identification check

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]

5. SPECIES PRESCENCE

Label each plant

: number. site code. date and

plant's name or working name if required

Record on Sheet

SITE NO CNO TW 7

Date 21-8-97

Date 21-8-97

- Column 2 plant number

plant number

B. Keighery (1994) and p

--	--

- Column 3 – flowering time-

flowering time-TICK if species flowering

Wildflower Society of WA

1000

— 250 —

Column 2 identifying information

• Column 4 identification

identification check

64 Nedlands WA 6008.

[illegible]

CNOTWO7 - Species List in Alphabetical Order

163	Acacia ayersiana	44
163	Acacia coolgardiensis subsp. effusa	33
163	Acacia ramulosa	45
31	Austrostipa scabrida	22
345	✓ Brachyscome ciliocarpa	2
111	Calandrinia disperma	7
111	✓ Calandrinia ? eremaea	6
111	Calandrinia granulifera	28
111	Calandrinia polyandra	5
345	Calotis hispidula	14
345	Ceratogyne obionoides	49
345	✓ Chthonocephalus pseudevax	27
149	Crassula colorata	30
307A	✓ Cuscuta epithymum	32
54F	Dichopogon capillipes	37
326	Eremophila georgii	50
326	✓ Eremophila glandulifera <i>farrestii</i>	12
167	✓ Erodium cygnorum	9
341	Goodenia mimuloides	42
341	✓ Goodenia occidentalis	16
276	✓ Haloragis odontocarpa	17
31	Hordeum maritimum <i>glaucum</i>	51
345	✓ Lawrencella davenportii	1
345	✓ Myriocephalus guerinae	3
31	✓ Pentaschistis airoides	31
345	✓ Podolepis canescens	4
185	Pseudanthus intricatus	20
345	Quinqueremulus linearis	8
345	Rhodanthe maryonii	11
31	Rostraria pumila	47
345	Sonchus oleraceus	41
165	✓ Swainsona affinis	10
345	Trichanthodium skirrophorum	13
281	Uldinia ceratocarpa	25
341	Velleia hispida	36
341	✓ Velleia rosea	23

Brachyscome ciliaris (S.V.)

Eragrostis lanipes 203, 24

monochather paradoxus

Sida intricata 206.

Schisimus barbatus sn (9/96)

Tetragenia cristata 305 *culmis*

Thyridolepis multicaulis 210, 29

~~Se~~

Vulpia myuros var *myuros* 215