

3 columns. 1 number to order information. 2 field header. 3 information about that field.

Describes the data fields for West Midlands. WMAlocation Data. Margaret Langley. Department of Conservation
Data collection 1998/1999.

1 field header Description: !!KEEP Site location data replaces locationwm and locfixand is a copy

15	RecNo	RecNoLong Integer
21	RecNo	ColumnWidth: 30
29	Sample	SampleText
35	Sample	ColumnWidth: 825
37	Sample	Description: Quadrat code for sites in the West Midlands Additional Survey of
38	Sample	Vegetation. 1998 - 1999. Department of Conservation and Land
39	Sample	Management. Field/technical staff Margaret Langley. Instigating
40	Sample	staff Angus Hopkins. Most sites marked with fence dropper.
51	Locn_ num	Locn_ numText
57	Locn_ num	ColumnWidth: 240
59	Locn_ num	Description: Margarets pre survey code for site selection notes.
68	LocnName	LocnNameText
74	LocnName	ColumnWidth: 2775
76	LocnName	Description: reserve name
85	Tenure	TenureText
91	Tenure	ColumnWidth: 240
93	Tenure	Description: Tenure.
102	Shire	ShireText
109	Shire	ColumnCount: 1
113	Shire	ColumnWidth: 240
114	Shire	ColumnWidths: 1440
129	Reserve	ReserveText
135	Reserve	ColumnWidth: 240
137	Reserve	Description: reserve number
146	Location	LocationText
152	Location	ColumnWidth: 3210
154	Location	Description: General location, nearest named location, approx. distance and
155	Location	direction to site +/- 500m, +/- 2 degrees.
166	Access	AccessText
172	Access	ColumnWidth: 240
174	Access	Description: Describes location in reserve and how to get there.
183	Date1	Date1Date/Time
189	Date1	ColumnWidth: 1110
191	Date1	Description: first visit
192	Date1	Format: Short Date
199	Date2	Date2Date/Time
205	Date2	ColumnWidth: 1110
207	Date2	Description: second visit
216	Recorders	RecordersText
221	Recorders	ColumnCount: 1
225	Recorders	ColumnWidth: 540
227	Recorders	Description: EAG Ted Griffin, JMH Judith Harvey, MAL Margaret Langley, PMS
228	Recorders	Peter Smith, LWS Leigh Sage
248	Alt_LatE	ColumnWidth: 510

251 Alt_LatE	Description: Alternative Geocode estimated from GIS coverage of airphoto and
252 Alt_LatE	tenure boundaries Latitude S or map grid Easting taken if field
253 Alt_LatE	geocode seems off mark significantly
265 Alt_LonN	ColumnWidth: 165
270 Alt_LonN	Description: Alternative Geocode estimated from GIS coverage of airphoto and
271 Alt_LonN	tenure boundaries Longitude E or map grid Northing t taken if
272 Alt_LonN	field geocode seems off mark significantly
284 Alt_CoSy	ColumnWidth: 165
286 Alt_CoSy	Description: Alternative geocode from GIS taken if field geocode seems off
287 Alt_CoSy	mark significantly. Datum and projection as applicable.
296 Fld_LatE	Fld_LatEDouble
302 Fld_LatE	ColumnWidth: 165
305 Fld_LatE	Description: Field record of latitude or easting see FieldCoordinateSystem for
306 Fld_LatE	datum and projection if applicable. Various datums as recorded in
307 Fld_LatE	field.
313 Fld_LonN	Fld_LonNDouble
319 Fld_LonN	ColumnWidth: 165
324 Fld_LonN	Description: Field record of longitude or northing see FieldCoordinateSystem
325 Fld_LonN	for datum and projection if applicable. Various datums as recorded
326 Fld_LonN	in field.
332 Fld_CoSy	Fld_CoSyText
338 Fld_CoSy	ColumnWidth: 165
340 Fld_CoSy	Description: BEWARE values vary. Field recorded coordinates datum and
341 Fld_CoSy	projection where applicable.
350 SlideFlm	SlideFlmText
356 SlideFlm	ColumnWidth: 360
358 SlideFlm	Description: slide film used. Film number
367 Slidefrm	SlidefrmText
375 Slidefrm	ColumnWidth: 360
377 Slidefrm	Description: slide film used. slide number
386 landsape	landsapeText
392 landsape	ColumnWidth: 360
394 landsape	Description: general landscape type
403 LAN	LANText
409 LAN	ColumnWidth: 360
411 LAN	Description: landform code
420 Topo	TopoText
425 Topo	ColumnCount: 1
431 Topo	ColumnWidth: 495
433 Topo	Description: Topographical position
447 Slope	SlopeText
452 Slope	ColumnCount: 1
456 Slope	ColumnWidth: 495
458 Slope	Description: topography at site
477 Aspect	ColumnCount: 1
481 Aspect	ColumnWidth: 495
483 Aspect	Description: direction slope faces
499 SoilSurf	SoilSurfText
505 SoilSurf	ColumnWidth: 195
507 SoilSurf	Description: Soil surface character

516	SoilDep1	SoilDep1Text
522	SoilDep1	ColumnWidth: 195
524	SoilDep1	Description: depth of upper soil layer just beneath surface
533	SoilDes1	SoilDes1Text
541	SoilDes1	ColumnWidth: 195
543	SoilDes1	Description: soil character of upper soil layer just beneath surface
552	SoilDep2	SoilDep2Text
558	SoilDep2	ColumnWidth: 195
560	SoilDep2	Description: depth second layer of soil
569	SoilDes2	SoilDes2Text
575	SoilDes2	ColumnWidth: 195
577	SoilDes2	Description: second layer of soil character
586	SoilDep3	SoilDep3Text
592	SoilDep3	ColumnWidth: 195
596	SoilDep3	Description: depth of third layer of soil
605	SoilDes3	SoilDes3Text
611	SoilDes3	ColumnWidth: 195
613	SoilDes3	Description: third layer of soil character
622	BrGrnd%	BrGrnd%Text
628	BrGrnd%	ColumnWidth: 525
630	BrGrnd%	Description: = BA Bareground % cover of site
639	Litter%	Litter%Text
645	Litter%	ColumnWidth: 525
647	Litter%	Description: =LI Litter %cover of site
658	LitrDep	LitrDepText
664	LitrDep	ColumnWidth: 1665
666	LitrDep	Description: Litter depth in cms. average.
675	WE	WEDouble
681	WE	ColumnWidth: 525
684	WE	Description: Weeds % of site
690	Conditn	ConditnText
696	Conditn	ColumnWidth: 2445
708	CO	COText
714	CO	ColumnWidth: 525
716	CO	Description: Condition Code: E excellent V very good G good F fair P poor D
717	CO	degraded
726	DR	DRDouble
731	DR	ColumnCount: 1
735	DR	ColumnWidth: 525
738	DR	Description: Drainage 1 well, 3 mod, 5 poor.
749	F	FText
755	F	ColumnWidth: 525
757	F	Description: Fire Age. V very old, O old, M medium, Y young.
768	WaterDep	WaterDepText
774	WaterDep	ColumnWidth: 750
784	Wet	WetText
789	Wet	ColumnCount: 1
793	Wet	ColumnWidth: 540
795	Wet	Description: wet all year;winter/spring
809	W	WDouble

817 W ColumnWidth: 480
 820 W Description: Wet: 1 driest to 5 wettest.
 826 Dand_Plate Dand_PlateauText
 832 Dand_Plate ColumnWidth: 630
 834 Dand_Plate Description: Indicate Y for sites on Dandaragan Plateau for Salinity Action Plan
 835 Dand_Plate Survey, Wheatbelt.
 844 SPEC1 SPEC1Text
 850 SPEC1 ColumnWidth: 525
 852 SPEC1 Description: Highest cover dominant species 1 (may be co-dominant) CODED
 853 SPEC1 according to Ted griffins MSPLIST norther sand plains some old
 862 NameID1 NameID1Double
 866 NameID1 Caption: TaxonID1
 870 NameID1 ColumnCount: 6
 874 NameID1 ColumnWidth: 525
 875 NameID1 ColumnWidths: 540;810;1140;1140;1440;495
 878 NameID1 Description: taxon id for wa census dominant species 1 (may be co-dominant)
 879 NameID1 current name where possible
 887 NameID1 [speciesindata].[Sample], [speciesindata].[Genus],
 888 NameID1 [speciesindata].[Species], [speciesindata].[InfraspName],
 889 NameID1 [speciesindata].[Curnt] FROM [speciesindata];
 893 SPEC2 SPEC2Text
 899 SPEC2 ColumnWidth: 525
 901 SPEC2 Description: 2nd Highest cover dominant species 2 (may be co-dominant)
 902 SPEC2 CODED according to Ted griffins MSPLIST norther sand plains
 911 NameID2 NameID2Double
 915 NameID2 Caption: TaxonID2
 917 NameID2 ColumnCount: 6
 923 NameID2 ColumnWidth: 525
 924 NameID2 ColumnWidths: 660;810;1065;945;870;345
 927 NameID2 Description: taxon id for wa census dominant species 2 (may be co-
 928 NameID2 dominant)current name where possible
 936 NameID2 [speciesindata].[Sample], [speciesindata].[Genus],
 937 NameID2 [speciesindata].[Species], [speciesindata].[InfraspName],
 938 NameID2 [speciesindata].[Curnt] FROM [speciesindata];
 942 SPEC3 SPEC3Text
 948 SPEC3 ColumnWidth: 525
 950 SPEC3 Description: 3rd Highest cover or dominant species 3 (may be co-dominant)
 951 SPEC3 CODED according to Ted griffins MSPLIST norther sand plains
 952 SPEC3 some old names
 961 NameID3 NameID3Double
 965 NameID3 Caption: TaxonID3
 967 NameID3 ColumnCount: 6
 971 NameID3 ColumnWidth: 525
 972 NameID3 ColumnWidths: 675;930;1065;945;1215;465
 977 NameID3 Description: taxon id for wa census dominant species 3 (may be co-
 978 NameID3 dominant)current name where possible
 986 NameID3 [speciesindata].[Sample], [speciesindata].[Genus],
 987 NameID3 [speciesindata].[Species], [speciesindata].[InfraspName],
 988 NameID3 [speciesindata].[Curnt] FROM [speciesindata];
 992 T0 T0Text

998 T0	ColumnWidth: 525
1000 T0	Description: Trees> 15m (1 dense>70%,2 mid-dense30-70%,3 sparse10-30%,4
1001 T0	very sparse2-10%,5 scattered<2%) additional to EAG NSP FIELDS
1010 T1	T1Text
1016 T1	ColumnWidth: 525
1018 T1	Description: Trees 5 - 15m (1 dense>70%,2 mid-dense30-70%,3 sparse10-30%,4
1019 T1	very sparse2-10%,5 scattered<2%)
1030 T2	T2Text
1036 T2	ColumnWidth: 525
1038 T2	Description: Trees under 5 m (1 dense>70%,2 mid-dense30-70%,3 sparse10-
1039 T2	30%,4 very sparse2-10%,5 scattered<2%)
1048 MT	MTText
1054 MT	ColumnWidth: 525
1056 MT	Description: Mallee tree form (1 dense>70%,2 mid-dense30-70%,3 sparse10-
1057 MT	30%,4 very sparse2-10%,5 scattered<2%)
1066 MS	MSText
1072 MS	ColumnWidth: 525
1074 MS	Description: Mallee shrub form (1 dense>70%,2 mid-dense30-70%,3 sparse10-
1075 MS	30%,4 very sparse2-10%,5 scattered<2%)
1086 S	SText
1092 S	ColumnWidth: 525
1094 S	Description: Shrubs over 2m (1 dense>70%,2 mid-dense30-70%,3 sparse10-
1095 S	30%,4 very sparse2-10%,5 scattered<2%)
1104 SA	SAText
1110 SA	ColumnWidth: 525
1112 SA	Description: Shrubs 1.5 - 2.0m (1 dense>70%,2 mid-dense30-70%,3 sparse10-
1113 SA	30%,4 very sparse2-10%,5 scattered<2%)
1122 SB	SBText
1128 SB	ColumnWidth: 525
1130 SB	Description: Shrubs 1.0 - 1.5m (1 dense>70%,2 mid-dense30-70%,3 sparse10-
1131 SB	30%,4 very sparse2-10%,5 scattered<2%)
1142 SC	SCText
1148 SC	ColumnWidth: 525
1150 SC	Description: Shrubs 0.5 - 1.0m (1 dense>70%,2 mid-dense30-70%,3 sparse10-
1151 SC	30%,4 very sparse2-10%,5 scattered<2%)
1160 SD	SDText
1166 SD	ColumnWidth: 525
1168 SD	Description: Shrubs to 0.5m (1 dense>70%,2 mid-dense30-70%,3 sparse10-
1169 SD	30%,4 very sparse2-10%,5 scattered<2%)
1178 MP	MPText
1184 MP	ColumnWidth: 525
1186 MP	Description: mat plants (1 dense>70%,2 mid-dense30-70%,3 sparse10-30%,4
1187 MP	very sparse2-10%,5 scattered<2%)
1204 B	ColumnWidth: 525
1206 B	Description: bunch grass (1 dense>70%,2 mid-dense30-70%,3 sparse10-30%,4
1207 B	very sparse2-10%,5 scattered<2%)
1216 H	HText
1222 H	ColumnWidth: 525
1224 H	Description: herbs (annual spp) (1 dense>70%,2 mid-dense30-70%,3 sparse10-
1225 H	30%,4 very sparse2-10%,5 scattered<2%)

1234 ST STText
 1240 ST ColumnWidth: 525
 1244 ST Description: sedges (including graminoides) =/over 0.5m (1 dense>70%,2 mid-dense30-70%,3 sparse10-30%,4 very sparse2-10%,5
 1245 ST
 1254 SL SLText
 1260 SL ColumnWidth: 525
 1262 SL Description: sedges (including graminoides) under 0.5m (1 dense>70%,2 mid-dense30-70%,3 sparse10-30%,4 very sparse2-10%,5
 1263 SL
 1272 notes notesText
 1278 notes ColumnWidth: 525
 1280 notes Description: any extra notes from presurvey or survey etc. this field added to
 1281 notes locfox 2 april 2003 need to add it to marghad.
 1290 mapMGAE: mapMGAE1Long Integer
 1298 mapMGAE: ColumnWidth: Default
 1301 mapMGAE: Description: coordinates recommended for mapping/ field location converted to
 1302 mapMGAE: GDA94/MGA zone50 for mapping, Easting calculated or
 1303 mapMGAE: transferred from other/best fields.
 1309 mapMGAE: mapMGAE2Text
 1315 mapMGAE: ColumnWidth: Default
 1317 mapMGAE: Description: coordinates recommended for mapping/ field location converted to
 1318 mapMGAE: GDA94/MGA zone50 for mapping, direction calculated or
 1319 mapMGAE: transferred from other/best fields.
 1328 mapMGAN mapMGAN1Long Integer
 1334 mapMGAN ColumnWidth: Default
 1337 mapMGAN Description: coordinates recommended for mapping/ field location converted to
 1338 mapMGAN GDA94/MGA zone50 for mapping, Northing calculated or
 1339 mapMGAN transferred from other/best fields.
 1345 mapMGAN mapMGAN2Text
 1353 mapMGAN ColumnWidth: Default
 1355 mapMGAN Description: coordinates recommended for mapping/ field location converted to
 1356 mapMGAN GDA94/MGA zone50 for mapping, direction calculated or
 1357 mapMGAN transferred from other/best fields.
 1366 mapCoSys mapCoSysText
 1372 mapCoSys ColumnWidth: Default
 1374 mapCoSys Description: Geographic/projected coordinate system for coordinates
 1375 mapCoSys recommended for mapping/ field location

ry of new location table. geocodes and descriptions kept and all field codes amalgamated into 1 field. jur

re 2009.