

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only


BUSHLAND AREA Corrigin Flora Reserve SITE NUMBER AS 01
 DATE TRIP 31/8/2000 RECORDERS WM/GK
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

KIN29

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude _____ S Longitude _____ E Altitude _____
 Reference Map _____

Photograph Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope	<u>flat</u> gentle steep	Aspect	N NE E SE S SW W NW
Surface Soil	<u>clay loam</u>	Colour	<u>brown</u>
Exposed rock	type _____ % surface _____		
Sub-surface Soil	<u>clay</u>	Colour	_____
Rock	type _____ depth to rock <u>>1</u>		
Drainage	well <u>mod</u> poor	depth water	cm <u>Wet</u> all year <u>winter/spring</u>
Litter	<u>10S, twigs, bark</u>	% cover	<u>30/70</u>
Depth	<u>2-10</u> cm	Bare Ground	<u>30/50</u> %cover

3. VEGETATION STRUCTURE AND COVER

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

4. VEGETATION CONDITION

very good—excellent

CORRIGIN RESERVE								
Site No.: 1								
Community 1: York gum woodland				Date Assessed			Date Assessed	
Coll.No.	ID Name	4-Jun-98			29/10/98			
		Ht	% A	% D	Ht	% A	% D	
	*Aira caryophylla	5		0.05	5		0.01	
	*Arctotheca calendula				5	0.01		
	*Oxalis corniculata <i>perennans</i>				3	0.5	2.5	
	*Parantucellia latifolia				15		0.1	
	*Ursinia anthemoides	10	0.1					
	*Vulpia bromoides				15		0.01	
	Acacia acuminata subsp. acuminata	500	2.5	2	500	2.5		
AS004.03	Austroanthonia caespitosa	5	1		25	1		
	Austrostipa sp. <i>trichophylla</i>				25	0.1		
	Bromus rubens <i>diandrus</i>				5		0.1	
	Calandrinia eremaea				2.5	2		
	Calotis hispidula				5		1	
	Crassula colorata				5	1		
AS001.06	Dichopogon fimbriatus				15		0.1	
	Enchylaena tomentosa				15	0.01		
	Eucalyptus loxophleba <i>loxophleba</i>	1600	50		1600	50		
AS001.04	Gonocarpus confertifolius				15		0.01	
AS015.01	Lomandra effusa	10	0.1		10	0.1		
AS001.03	Maireana enchylaenoides				10	0.01		
	Millotia tenuifolia				10	2	3	
AS001.05	Pelargonium havlasae				20	0.5		
	Plantago debilis <i>aff. hisp</i>				5	0.01		
	Podolepis lessonii				10		3	
AS001.01	Ptilotus spathulatus forma spathulatus				5	1		
AS001.02	Rhodanthe citrina <i>Hydrocotyle glutinosa glutinosa</i>				5		0.1	
	Trachymene cyanopetala				15		0.1	
	Waitzia acuminata				10	0.01		
	<i>Parietaria debilis</i>							
	<i>Triglochin calcar</i>							
	<i>Daucus gloch</i>							
	<i>Wahlenberg gracil</i>							
	<i>Rhodanthe laevis</i>							
	<i>Hypochaeris glabra</i>							

Drosera bulbosa

Bulbine semib

Bromus *microphylla*

Zaluznikia divar

Acacia (*maritima*) - manna gum

Ophioglossum coriacea

Podolepis pepperi

Actinobole uliginosa

Quinertia urvillei

Paranthera microphylla

KN29


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Corrigin Water Res SITE NUMBER ASØZ
 DATE TRIP 31-8-2000 RECORDERS WM/gk
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sandy loamy clay Colour brown-orange
 Exposed rock type _____ % surface _____

Sub-surface Soil gravelly clay loam Colour _____
 Rock type _____ depth to rock > 1m

Drainage well mod poor depth water cm Wet all year winter/spring

Litter lvs, twigs % cover 30/70 Bare Ground 30/50 %cover
 Depth 2-10 cm

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

TREES				MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM			 		
COVER CLASS (%)		2-10			
DOMINANT SPECIES		<i>Euc. capillosa</i>			
SHRUBS				SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM	 				
COVER CLASS (%)	2-10		2-10		2-10
DOMINANT SPECIES	<i>Alloc. camp</i> <i>Mel. uncin</i>		<i>Phoebe. liliif</i> <i>Hakea liss</i>		<i>Hibbertia exasp</i>
GRASSES		HERBS	SEDGES	SEDGES	
			over 0.5m	under 0.5m	
LIFE FORM	 	 	 	 	
COVER CLASS (%)	2-10	2-10		10-30	
DOMINANT SPECIES	<i>Nerac line alop</i>	<i>Opres. rag</i>		<i>Lepidosp. +iscid</i> <i>Lepidosp. chaet</i>	

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE								
Site No.: 2								
Community 2: Wandoo woodland				Date Assessed			Date Assessed	
				4-Jun-98			29/10/98	
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D	
	* <i>Aira caryophyllea</i>							
	* <i>Ursinia anthemoides</i>				10	0.01		
					15			
AS002.01	<i>Allocasuarina campestris</i>	200	4	2	300	5	2	
AS011.13	<i>Astroloma serratifolium</i>	120	1		120	1		
AS004.03	<i>Austrodanthonia caespitosa</i>	5	0.2		5	0.5		
AS007.11	<i>Austrostipa elegantissima</i>	50	0.5		50	0.5		
AS014.04	<i>Baeckea crispiflora</i>	120	3		120	3		
	<i>Dampiera lavandulacea</i>				15	0.05		
AS002.03	<i>Desmocladius asper</i> ms	10	0.1	0.5	10	0.5	0.5	
AS001.06	<i>Dichopogon fimbriatus</i>				25	0.01		
	<i>Diuris</i> sp.				20	0.01		
AS002.06	<i>Dodonaea caespitosa</i>				25	0.5		
	<i>Eucalyptus wandoo</i> (grey sin bark)	1500	5		1500	10		
	<i>Goodenia berardiana</i>				10		0.05	
	<i>Grevillea paniculata</i>				10	0.01		
	<i>Hakea lissocarpa</i>	100	3	1	100	3		
AS011.04	<i>Hibbertia exasperata</i>	40	0.5		40	1		
	<i>Isotoma hypocrateriformis</i>				15	0.01		
AS011.06	<i>Lepidobolus chaetocephalus</i>	20	10	2	20	20	2	
AS002.05	<i>Lepidosperma viscidum</i>	70	2.5		70	2.5		
AS011.05	<i>Melaleuca leptospermoides</i>	40	0.3		40	0.3		
AS002.02	<i>Melaleuca uncinata</i>	200	2		250	2		
	<i>Neurachne alopecuroidea</i>				1	1		
	<i>Opercularia vaginata</i>				10	0.05		
AS007.04	<i>Phebalium tuberculatum</i>	80	2		80	4		
	<i>Podotheca angustifolia</i>				5			
AS002.04	<i>Pterochaeta paniculata</i>	5		0.05	5		0.5	
	<i>Rhodanthe laevis</i>				5		0.01	
AS014.24	<i>Stylidium dichotomum</i>				5	0.01		
	<i>Thysanotus patersonii</i>				T		0.01	
	<i>Waitzia acuminata</i>				15	0.5		
	<i>Comesperma volubile</i>							
	<i>Heterotrichum cyanop</i>							
	<i>Drosera macrantha</i>							
	<i>Chaemascilla corymb</i>							
	<i>Lomandra effusa</i>							

KIN30

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Corrigin Flora Res SITE NUMBER AS 03
 DATE TRIP 25-8-2000 RECORDERS NG/GK/WM
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

KN31

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil type clay loam Colour red-brown
 Exposed rock type _____ % surface

Sub-surface Soil Colour _____
 Rock type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter vs, twigs, branches % cover 30/70 Bare Ground 30 %cover
 Depth 2-20 cm

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

	TREES			MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)	2-10				
DOMINANT SPECIES	<i>Euc. salmon</i>				

	SHRUBS				SHRUBS
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)		2-10			10-30
DOMINANT SPECIES		<i>frevill bentham</i> <i>Dunbaria</i>			<i>Olearia muellen</i> <i>Olearia axillaris</i> <i>Acac. erinacea</i>

	GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
	LIFE FORM				
COVER CLASS (%)	<1	<1			
DOMINANT SPECIES					

4. VEGETATION CONDITION

Comments

cut over ca 40 yrs ago

CORRIGIN RESERVE							
Site No.: 3							
Community 3: Salmon gum woodland				Date Assessed		Date Assessed	
				5-Jun-98		29/10/98	
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
AS007.09	<i>Acacia brachyclada</i>	60	2		60	2	✓
AS003.03	<i>Acacia erinacea</i>	15	3		20	3	✓
	<i>Austrodanthonia caespitosa</i>				20	0.1	
AS007.11	<i>Austrostipa elegantissima</i>	30	0.4	0.3	50	1	0.1 ✓
	<i>Austrostipa tenuifolia</i>				40	0.5	✓
AS003.08	<i>Dodonaea amblyophylla</i>	100	1		100	1	0.5 ✓
AS003.02	<i>Dodonaea bursariifolia</i>	40	5		40	5	✓
	<i>Eucalyptus salmonophloia</i>	2000	50		2000	50	✓
AS003.10	<i>Leptomeria preissiana</i>	160	0.6	2	160	1	2 ✓
AS007.10	<i>Lomandra effusa</i> ~~or <i>tillyi</i>~~	20	1		20	1	✓
AS003.05	<i>Olearia (dampieri) subsp. eremicola</i>	80	0.5		80	0.5	✓
AS003.01	<i>Olearia muelleri</i>	60	7	2	60	15	✓
	<i>Templetonia sulcata</i>				30	0.2	✓
AS003.04	<i>Westringia rigida</i>	30	1		30	1	✓
	<i>Thysanotus patersonii</i>						
	<i>Austrostipa pycnostachya</i>						
	<i>Daucus glochidiatus</i>						
	<i>Hypochaeris glabra</i>						
✓	<i>Pterostylis rufa</i> ~~<i>sargentii</i>~~						
	<i>Lobelia</i>						
	<i>Thelymitra</i> aff. <i>macrophylla</i>						
	<i>Arthropodium capillipes</i>						

~~*Thysanotus glau.*~~
Dawsonia bentl.

KN31


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Corrigin Water Reserve SITE NUMBER AS04
 DATE TRIP 31/8/2000 RECORDERS WM/GK
 DATE TRIP _____ RECORDERS KIN32
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope	<u>flat</u>	gentle	steep	Aspect	N	NE	E	SE	S	SW	W	NW
Surface Soil	<u>loam</u>			Colour	<u>red brown</u>							
Exposed rock	type			% surface								
Sub-surface Soil	<u>clay</u>			Colour								
Rock	type			depth to rock								
Drainage	<u>well</u>	mod	poor	depth water	cm	Wet	all year	winter/spring				
Litter	<u>twigs, vs</u>			% cover	<u>30/70</u>			Bare Ground	<u>30/50</u>			% cover
Depth	<u>2-20</u>			cm								

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

TREES			MALLEES		
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)	10-30			10-30	
DOMINANT SPECIES	Euc. salm			Euc. celastr	
SHRUBS			SHRUBS		
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)					2-10
DOMINANT SPECIES					Olearia muelleri
GRASSES		HERBS	SEDGES	SEDGES	
	over 0.5m		over 0.5m	under 0.5m	
LIFE FORM					
COVER CLASS (%)	<1	<1		<1	
DOMINANT SPECIES					

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE							
Site No.: 4		Date Assessed				Date Assessed	
Community 4: Salmon gum open woodland with mallee		4-Jun-98				29/10/98	
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
AS004.03	<i>Austrodanthonia caespitosa</i>	5	0.05		5	0.05	
	<i>Calotis multicaulis</i>				5		0.05
AS004.01	<i>Eucalyptus celastroides</i> ssp <i>vinella</i>	600	18	1	600	20	
	<i>Eucalyptus salmonophloia</i>	1600	15		1600	15	
AS011.20	<i>Lepidosperma resinosum</i>				15	0.05	
AS007.06	<i>Olearia muelleri</i>	50	1	0.2	50	1	0.2
	<i>Trachymene pilosa</i>				15		0.5
	<i>Wilsonia humilis</i>				5	0.05	
	<i>Calotis hispidula</i>						
	<i>Euc. phenax</i>						
	<i>Caladenia saccharata</i>						
	<i>Thysanotus patersonii</i>						
	<i>Neurachne diopeda</i>						

KN32

calycogaster = celastroides ssp vinella
 (VSR)
 Mallee grey stocking @ base

phenax Mallee c smth bark

10x10 // Euc. gillgossii

// 20x20 Euc. *gladstoniae* *eremophila*
tenera

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only


BUSHLAND AREA Corrigin Flora Reserve SITE NUMBER A505
 DATE TRIP 31-8-2000 RECORDERS WM/GK
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

KN33

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude _____ S Longitude _____ E Altitude _____
 Reference Map _____

Photograph Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil Sandy clay Colour grey brown
 Exposed rock type _____ % surface _____

Sub-surface Soil clay Colour _____
 Rock type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter twigs, lvs, _____ % cover 30/70 Bare Ground 30/50 % cover
 Depth 2-10 cm

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

3. VEGETATION STRUCTURE AND COVER
For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

TREES			MALLEES		
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)		2-10			30-70
DOMINANT SPECIES		<i>Euc. Capillosa</i>			<i>Euc</i> <i>Euc</i>

SHRUBS				SHRUBS
	over 2m	2m - 1.5m	1.5 - 1m	under 0.5m
LIFE FORM				
COVER CLASS (%)	30-70			2-10
DOMINANT SPECIES	<i>Mel. uncinata</i>			

GRASSES		HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)		30-70			2-10
DOMINANT SPECIES		<i>Anthropodium</i>			<i>Lepidosperma visc</i>

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE

Site No.: 5		Date Assessed			Date Assessed		
Community 9: Mallee over thicket		5-Jun-98			29/10/98		
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
AS011.24	<i>Austroanthonia caespitosa</i>	5	0.2		5	0.2	
AS007.11	<i>Austrostipa elegantissima</i>	20	0.1				
	<i>Blennospora drummondii</i>				5		0.1
AS001.06	<i>Dichopogon fimbriatus</i>				25	0.01	
AS005.21	<i>Dodonaea bursariifolia</i>				20	0.1	
	<i>Drosera</i> ~~sp.~~ <i>macrophylla</i>						0.01
AS005a.09	<i>Eucalyptus</i> ~~spathulata~~ <i>vergandi</i>	600	1	0.5	600	1	0.5
AS005a.08	<i>Eucalyptus pluricaulis</i> subsp. <i>pluricaulis</i>	700	30		700	30	
AS005a.07	<i>Eucalyptus wandoo</i> ~~wandoo~~ <i>ssp wandoo</i>	600	4		600	4	
AS005a.02	<i>Gastrolobium parviflorum</i> ~~capillare~~	40	1		60	1	
AS005.20	<i>Lepidosperma</i> ~~affin. resinosum~~ <i>brongniartii</i>				30	0.1	
	<i>Lepidosperma benthamianum</i>				40	0.05	
AS005a.01	<i>Lepidosperma leptostachyum</i> Could not det genus	15	0.5				
AS002.05	<i>Lepidosperma viscidum</i>	40	0.2				
AS005a.06	<i>Leptospermum erubescens</i>	50	0.2		20	0.2	
AS007.10	<i>Lomandra effusa</i>	15	0.5		15	0.5	
AS002.02	<i>Melaleuca uncinata</i>	250	70	1	300	70	1
	<i>Neurachne alopecuroidea</i>				25	0.1	
AS005a.05	<i>Poaceae</i> sp.	10	0.3				
	<i>Podolepis lessonii</i>				20		0.1
AS005a.04	<i>Rhamnaceae</i> sp.	30	0.7		30	1	
	<i>Rhodanthe laevis</i>				5		0.5
AS005a.03	<i>Schoenus pleiostemoneus</i>	15	0.3		15	0.3	
	<i>Trachymene cyanopetala</i>				15		0.1
	<i>Lomandra micrantha</i>						
	<i>Drosera macrantha</i>						
	<i>Chaemascilla corymbosa</i>						
	<i>Eriochilus dilatatus</i>						
	<i>Stylidium emarginatum</i>						
	<i>Brya sphaerocephala</i>						
	<i>Diuris porrifolia</i> (USN)						
	<i>Prostylistis sanguinea</i> (USN)						

KN33

Cryptanthus willsonii (USN)

Note: 3 ferns recorded at site
28 sedum spp.

Can det pluricaulis
not accepted

Can det wandoo
not accepted
leaf very orange.

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only


BUSHLAND AREA Corrigin Water Reserve SITE NUMBER AS 06
 DATE TRIP 31-8-2000 RECORDERS WM / GK
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

KN34

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil type clay Colour red-brown
 Exposed rock type laterite pebbles % surface

Sub-surface Soil type clay Colour red-brown
 Rock type depth to rock


Drainage well mod poor depth water cm Wet all year winter/spring

Litter lvy branches bark % cover 30-40 Bare Ground 50 %cover
 Depth 2-10 cm

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

	TREES			MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)	2				10-30
DOMINANT SPECIES	Euc. salmon				Euc. yilgar Euc. eremoph Euc. capitata
	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES					
	GRASSES		HERBS	SEDGES	
				over 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES					

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE								
Site No.:6		Date Assessed			Date Assessed			
Community 6: Eucalyptus falcata forest		4-Jun-98			29/10/98			
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D	
AS006.04	Eucalyptus celastroides ss/p virella (vsn)	250	5		400	15		
AS06.1	Eucalyptus eremophila tenera				500	6		
AS006.02	Eucalyptus wandoo E? falcata [no]	600	3		1600	3		
AS006.03	Eucalyptus yilgarnensis	600	20		600	20		
	Euc. salmonophloia							
	Euc. myriadena							
	Pterostylis							
	Thysanotus patersonii							

KN34

no in community 7: Mixed Mallee with occ
emergent Salmon gum

20x20 *Euc. phenax*

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Carrigin Flats Reserve SITE NUMBER AS 07 KN35
 DATE TRIP 25-8-2000 RECORDERS NA / GK / WM
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope

flat

gentle

steep

Aspect

N

NE

E

SE

S

SW

W

NW

Surface Soil

clay loam

Exposed rock

type

% surface

Colour

pale red-brown

Sub-surface Soil

clay

Rock

type

depth to rock

Colour

Drainage well

mod

poor

depth water

cm

Wet

all year

winter/spring

Litter

logs, lvs, twigs

% cover

30/70

Bare Ground

10/30

% cover

Depth

20-20 cm

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

3. VEGETATION STRUCTURE AND COVER

3. VEGETATION STRUCTURE AND COVER
For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer					
Cover Class		2-10%	10-30%	30-70%	over 70%
TREES					
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)					10-30
DOMINANT SPECIES					<i>Euc. flockt</i> <i>Euc. leucomphila</i>
SHRUBS					
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	7		2-10		2-10
DOMINANT SPECIES			<i>Grevill bruth</i> <i>Opheod. tuberc</i>		<i>Dodon hirsuti</i> <i>Olearea muelleri</i>
GRASSES		HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	<2	<2			
DOMINANT SPECIES					

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE								
Site No.: 7		Date Assessed			Date Assessed			
Community 7: Mixed mallee		3-Jun-98			29/10/98			
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D	
AS007.09	<i>Acacia brachyclada</i>	30	0.5					
AS007.11	<i>Austrostipa elegantissima</i>	20	0.1		50	0.1		
AS007.07	<i>Daviesia benthamii</i> subsp. <i>acanthoclona</i>	120	4		120	5		
AS007.03	<i>Dodonaea bursariifolia</i>	30	8	0.5	30	10	0.5	
AS007.01	<i>Eucalyptus eremophila</i> <i>tenera</i>	450	12		600	12		
AS007.02	<i>Eucalyptus flocktoniae</i>	550	20		900			
AS007.05	<i>Grevillea huegelii</i>	40	0.5		40	1		
AS007.10	<i>Lomandra effusa</i>	20	0.1					
AS007.06	<i>Olearia muelleri</i>	40	1		40	2		
UN	<i>Oxylobium parviflorum</i>				80	0.5		
AS007.04	<i>Phebalium tuberosum</i>	80	5		80	8		
AS007.08	<i>Templetonia sulcata</i>	20	0.1		20	0.1		
	~~<i>Trymalium ledifolium</i> var <i>rosmarifolium</i>~~ ~~<i>daphnifolium</i>~~				140	2		
	<i>Thysanotus patersonii</i>							
	<i>Trachymene cyanopetala</i>							
	<i>Picrostylis recurva</i>							
	<i>Eucalyptus phenax</i>							

20x20 Euc. salmonophloia ✓

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Corrigin Flora Reserve SITE NUMBER AS 08
 DATE TRIP 25-8-2000 RECORDERS NQ/GK/WM
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

KN36

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.


Slope	flat	<u>gentle</u>	steep	Aspect	N	NE	E	SE	S	SW	W	<u>NW</u>
Surface Soil	sand										Colour	yellow
Exposed rock	type										% surface	
Sub-surface Soil											Colour	
Rock	type										depth to rock	
Drainage	<u>well</u>	mod	poor	depth water	cm	Wet	all year	winter/spring				
Litter	twigs, bark, lvs	% cover	10	30	Bare Ground	30	% cover					
Depth	2-10	cm										

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

3. VEGETATION STRUCTURE AND COVER

3. VEGETATION STRUCTURE AND COVER
For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

TREES				MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)					10-30
DOMINANT SPECIES					<i>Euc. alba</i>

SHRUBS				SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)		30-70			
DOMINANT SPECIES		<i>Alloc. camp</i> <i>Caloth. quadr</i> <i>Pet. gominuda</i> <i>Dryanda cissi</i>			

GRASSES		HERBS		SEDGES	
	over 0.5m		under 0.5m		under 0.5m
LIFE FORM					
COVER CLASS (%)	2	10-30		30-70	
DOMINANT SPECIES	<i>Newachme alop</i>	<i>Borya const</i>		<i>Mesomet press</i>	

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE							
Site No.: 8		Date Assessed			Date Assessed		
Community 8: Eucalyptus albida over scrub		3-Jun-98			28/10/98		
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
	* <i>Ursinia anthemoides</i>				40	0.01	✓
AS008.03	<i>Acacia eremophila</i>	100	3		100	3	
AS011.01	<i>Allocasuarina campestris</i>	220	4		250	4	✓
BO005.30	<i>Amphipogon (laguroides) strictus</i>				15	0.1	✓
AS011.13	<i>Astroloma serratifolium</i>	80	2		80	2	✓
AS011.24	<i>Austrodanthonia caespitosa</i>	5	1		5	1	✓
	<i>Austrostipa elegantissima</i>				60	0.1	
	<i>Baeckea crispiflora</i>				150	1	
AS008.04	<i>Baeckea grandibracteata</i>	50	8		50	8	
AS011.22	<i>Borya constricta</i>	5	0.5		5		✓
AS008.02	<i>Calothamnus quadrifidus</i>	120	10		120	10	✓
AS008.10	<i>Calytrix leschenaultii</i>	20	1		40	1	
	<i>Chorizema aciculare</i>	30	1		30	1	✓
	<i>Dampiera oligophylla</i>				40	0.01	✓
BO007.11	<i>Daviesia articulata</i>				20	0.01	✓
AS008.07	<i>Dodonia pinifolia</i>	50	1		50	1	✓
AS011.16	<i>Dryandra cirsioides</i>	120	2		120	2	✓
AS008.01	<i>Eucalyptus albida</i>	350	12		400	12	✓
AS008.05	<i>Gompholobium obcordatum</i>	15	0.5		15	0.5	✓
AS011.17	<i>Hakea incrassata</i>	30	0.2		30	0.2	✓
AS011.06	<i>Lepidobolus chaetocephalus</i>	20	0.5		20	0.5	✓
AS011.05	<i>Melaleuca leptospermoides</i>	30	0.5		30	0.5	
AS008.06	<i>Melaleuca psammophila subtrigona</i>	50	0.2		50	0.2	
AS011.07	<i>Mesomelaena preissii</i>	40	8		40	10	✓
	<i>Neurachne alopecuroides</i>				40	1	✓
	<i>Opercularia vaginata</i>				15	0.1	✓
AS011.03	<i>Petrophile seminuda</i>	150	5	1	150	5	1
	<i>Pterostylis vittata sanguinea</i>				15		0.01
AS011.21	<i>Synaphea tripartita</i>	20	0.2		20	0.2	
	<i>Thysanotus patersonii</i>				T		0.01
	<i>Trachymene pilosa</i>				10	0.5	
AS008.09	<i>Verticordia chrysantha</i>	40	2		40	2	✓
	<i>Hypochaeris glabra</i>						
	<i>Thysanotus thyrsoideus</i>						
	<i>Waltzia acuminata</i>						
	<i>Millotia tenuifolia</i>						
	<i>Micbelia trichocalyx</i>						
	<i>Caladenia sp</i>						

KN36

(as AS10)

20x20

Euc. albida ✓


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Corrigin Water Reserve SITE NUMBER AS 09
 DATE TRIP 31-8-2000 RECORDERS WM/9K KN37
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude _____ S Longitude _____ E Altitude _____
 Reference Map _____

Photograph _____ Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope	flat	<u>gentle</u>	steep	Aspect	N	NE	E	<u>SE</u>	S	SW	W	NW	
Surface Soil	gravelly loam							Colour	brown				
Exposed rock	type latritic pebbles							surface	30				
Sub-surface Soil	gravelly loam							Colour	brown				
Rock	type							depth to rock					
Drainage	<u>well</u>	mod	poor	depth water	cm	Wet	all year		winter/spring				
Litter	lvs twigs							% cover	30/70		Bare Ground	30	%cover
	Depth 2-10							cm					

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

3. VEGETATION STRUCTURE AND COVER
For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

TREES				MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM			 		
COVER CLASS (%)		10-30			2-10
DOMINANT SPECIES		<i>Euc. capillaris</i>			<i>Euc. leptocarpa</i>

SHRUBS				SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM	 				
COVER CLASS (%)	10-30				2
DOMINANT SPECIES	<i>Mel. uncin</i>				<i>Dodon burs</i>

GRASSES		HERBS		SEDGES		SEDGES	
				over 0.5m		under 0.5m	
LIFE FORM	 	  		 		 	
COVER CLASS (%)	<1	<1				<1	
DOMINANT SPECIES							

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE							
Site No.: 9				Date Assessed		Date Assessed	
Community 5: Eucalyptus myriadena woodland				4-Jun-98		29/10/98	
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
	<i>Dodonaea bursariifolia</i>				20	3	✓
AS005.01	<i>Eucalyptus leptocalyx</i>	600	4		600	4	
AS005.02	<i>Eucalyptus wandoo capillare capillare</i>	800	10		800	10	
AS005.03	<i>Melaleuca uncinata</i>	200	10	1	250	10	1
AS005.04	Unknown sp.	30	1				
	<i>Austrostipa trichophylla</i>						
	" <i>elegantiss</i>						
	<i>Pterocarpus rufa</i> <i>argentea</i>						
	<i>Thysanotus patersonii</i>						
	<i>Neurachne alopec</i>						

KN37

Euc. capillare *polydora*

both mallett + mallee

forms present

could not write
1 square 4p.

✓ 20x20 — *Euc. ~~eremophila~~ tenera*
6m barbed mallee

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Corrigin Flava Reserve SITE NUMBER AS10
 DATE TRIP 25-8-2000 RECORDERS NG/gk/wm KN38
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil lateritic sandy clay Colour _____
 Exposed rock type _____ % surface _____

Sub-surface Soil _____ Colour _____
 Rock type laterite depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring


Litter twigs, lvs % cover 10/30 Bare Ground 50 %cover _____
 Depth 2 cm

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

3. VEGETATION STRUCTURE AND COVER
For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

TREES				MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES			<i>Adiantum</i>		

SHRUBS				SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	2-10				30-70
DOMINANT SPECIES	<i>Allocas</i>				<i>Mixed</i>

GRASSES		HERBS		SEDGES		SEDGES	
				over 0.5m		under 0.5m	
LIFE FORM							
COVER CLASS (%)	2-10					10-30	
DOMINANT SPECIES	<i>Neurachne alopecuroides</i>					<i>Schoenus hexand</i>	

4. VEGETATION CONDITION

Comments

very good - excellent

CORRIGIN RESERVE							
Site No.: 10				Date Assessed		Date Assessed	
Community 10: Laterite mixed heath				5-Jun-98		28/10/98	
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
AS010.08	<i>Acacia incurva</i>	50	1.5	1	50	1.5	1
AS011.01	<i>Allocasuarina campestris</i>	200	6	2	250	10	2
AS011.13	<i>Astroloma serratifolium</i>	60	1		60	1	
AS011.24	<i>Austrodanthonia caespitosa</i>	5	1		15	0.5	
AS014.02	<i>Baeckea crispiflora</i>	30	0.5		30	0.5	
	<i>Baeckea crispiflora</i>				30	0.05	
AS010.14	<i>Calytrix leschenaultii</i>	40	0.3		40	0.5	
	<i>Cassytha pomiformis</i> - <i>anwar hirta</i>				T	0.5	
AS010.11	<i>Caustis dioica</i>	20	2	0.5	20	5	0.05
AS010.05	<i>Chorizema aciculare</i>	15	2		15	2	
AS010.06	<i>Cryptandra leucopogon</i>	30	2.5		40	0.5	
AS010.20	<i>Dampiera juncea</i>	20	0.2		30	0.5	
AS011.16	<i>Dryandra cirsioides</i>	40	2		40	2	
	<i>Dryandra lindleyana</i>	15	0.3				
	<i>Glischrocaryon aureum</i>				40	0.05	
AS008.05	<i>Gompholobium obcordatum</i>	10	1		10	1	
AS010.07	<i>Hakea gilbertii</i>	60	1		60	1	
AS011.17	<i>Hakea incrassata</i>	40	1.5		40	1.5	
AS010.10	<i>Hakea lissocarpa</i>	30	1.5		30	1.5	
AS011.04	<i>Hibbertia exasperata</i>	40	1		40	1	
AS010.15	<i>Isopogon buxifolius</i> var. <i>spatulatus</i>	100		1	100		1
AS010.13	<i>Isopogon divergens</i>	80	2		80	2	
AS011.06	<i>Lepidobolus chaetocephalus</i>	15	0.3		15	0.5	
AS010.04	<i>Leucopogon crassifolius</i>	40	2.5		40	2.5	
AS014.3	<i>Leucopogon dielsianus</i>	30	1				
~~AS011.05~~	<i>Melaleuca leptospermoides</i>	30	3		30	5	
~~AS010.01~~	<i>Melaleuca subtrigona</i>	30	8		30	8	
AS011.07	<i>Mesomelaena preissii</i>	30	1.5		30	2	
	<i>Neurachne alopecuroidea</i>				30	0.5	
AS011.08	<i>Persoonia striata</i>	40	0.5		40	0.5	
~~AS010.12~~	<i>Petrophile ericifolia</i> - <i>marallii</i>	50	1		50	1	
BO005.31	<i>Pterochaeta paniculata</i>				2	0.05	
~~AS010.09~~	<i>Schoenus hexandrus</i> - <i>lepidoloma</i> sp P1	25	1		25	1	
	<i>Stylidium luteum</i> subsp. <i>clavatum</i>				15	0.01	
	<i>Stylidium piliferum</i>		0.05		30	0.05	
AS011.21	<i>Synaphea tripartita</i> - <i>off. interm.</i> (2) (P1)	15	0.5		15	0.5	
AS010.03	<i>Verticordia grandiflora</i>	40	3		40	15	
AS008.11	<i>Xanthorrhoea nana</i>	30	3	0.5			
	<i>Chamaecilla corymbosa</i>						
	<i>Drosera macrantha</i>						
	<i>Opercularia rubidioides</i>						
	<i>Thysanotus patersonii</i>						

Pterostylis

// *Drosera* (pygmy) *androsacea*

// *Schoenus* sp "smooth clump"

Comesperma ciliatum

haxmannia omnifertilis

Thysanotus

KN38

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Corrigin SITE NUMBER AS 11
 DATE TRIP 25-8-2000 RECORDERS NG/KK/WM KN39
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sandy clay Colour yellow
 Exposed rock type lateritic pebbles % surface

Sub-surface Soil Colour
 Rock type depth to rock

Drainage well mod poor depth water cm Wet all year winter/spring

Litter logs, twigs % cover
 Depth 2-5 cm
 Bare Ground 30 %cover

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

3. VEGETATION STRUCTURE AND COVER
For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

TREES				MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES					

SHRUBS				SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	10-30		10-30		2-10
DOMINANT SPECIES	<i>Allocas campestr</i>		<i>Hakea</i>		<i>Astroloma serratif</i> <i>Hibbetia scoparia</i>

	GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	<2	10-30			10-30
DOMINANT SPECIES		<i>Drosera macr</i>			<i>Schoenus hex</i> <i>Lepidob</i> <i>Mesomel. preiss</i>

4. VEGETATION CONDITION

Comments

excellent

KN39

CORRIGIN RESERVE							
Site No.:11	Date Assessed			Date Assessed			
Community 11: Tamma thicket	3-Jun-98			29/10/98			
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
AS011.01	<i>Allocasuarina campestris</i>	2	15		250	20	
AS011.13	<i>Astroloma serratifolium</i>	120	4		120	4	
AS011.24	<i>Austrodanthonia caespitosa</i>	3	0.5		30	0.5	
AS011.19	<i>Austrostipa elegantissima</i>	60	0.1		60	0.5	
~~AS011.12~~	~~<i>Beaufortia cyrtodonta</i>~~ <i>interstans</i>	100	0.8		100	1	
CG	<i>Blennospora drummondii</i>				5		0.5
AS011.22	<i>Borya constricta</i>	5	0.1		5	0.1	
	<i>Comesperma scoparium</i>	30	0.3		30	0.3	
AS011.15	<i>Dampiera candicans</i>	15	0.1		15	0.1	
	<i>Dampiera lavandulacea</i>				15	0.5	
	<i>Drosera glanduligera</i>				5		0.1
	<i>Drosera</i> sp.				T		0.1
AS011.16	<i>Dryandra cirsioides</i>	80	2		80	2	
	<i>Goodenia berardiana</i>				5		0.1
AS011.23	<i>Haemodorum discolor</i>	20	0.1		20	0.1	
AS011.17	<i>Hakea incrassata</i>	50	0.5		50	0.5	
AS011.02	<i>Hakea scoparia</i>	120	50	3	120	50	
AS011.25	<i>Hakea subsulcata</i>				300	1	
AS011.04	<i>Hibbertia exasperata</i>	30	0.5		30	0.5	
	<i>Hibbertia rupicola</i>				40	0.5	
	<i>Isopogon scabriusculus</i>				50	0.5	
AS011.06	<i>Lepidobolus chaetocephalus</i>	20	0.5		20	0.5	1
~~AS011.20~~	~~<i>Lepidosperma resinosum</i>~~ <i>brun (sterile)</i>	40	0.2		40	0.5	
AS011.14	<i>Leucopogon crassifolius</i>	40	0.2				
~~AS011.05~~	~~<i>Melaleuca leptospermoides</i>~~	60	1		60	1	
~~AS011.11~~	~~<i>Melaleuca platycalyx</i>~~	120	2		120	3	
AS011.07	<i>Mesomelaena preissii</i>	50	1		50	1	
	<i>Mirbelia spinosa</i>				40	0.5	
	<i>Neurachne</i> sp. <i>alopecuroides</i>				35	1	
	<i>Opercularia vaginata</i>				20	0.5	
AS011.08	<i>Persoonia striata</i>	30	0.3		30	0.5	
AS011.03	<i>Petrophile seminuda</i>	100	0.5		100	1	
AS011.10	<i>Platysace (maxwellii)</i> <i>affine</i>	30	0.3		30	0.5	
AS011.09	<i>Psammomoya choretroides</i>	40	1		40	1	
AS010.02	<i>Schoenus hexandrus</i>	15	3				
AS011.21	<i>Synaphea ?tripartita</i>	20	0.1				
	<i>Thysanotus patersonii</i>				T		0.01
	<i>Trachymene cyanopetala</i>				2	0.01	
AS011.18	<i>Verticordia chrysantha</i>	20	0.2		20	0.5	
	<i>Waitzia acuminata</i>				15	0.5	
AS008.11	<i>Xanthorrhoea nana</i>	60	1		60	1	

No. 11c on 2b

Amphipogon strictus
Hydrocotyle callicarpa
Pterostylis sp.
Cassytha pomiformis
Comesperma ciliatum
Drosera macrophylla
Drosera menziesii
Baronia caeruleascens
Chaemascilla corymbosa
Pterochaeta panniculata
Lepidosperma resinosum
Drosera macrantha
Eriochilus dilatatus
Cryptandra ^{*ingrantha*} _{*nutans*} (hair leaf form)
Stylidium ?dichotomum
Schoenus brevisetis
Drosera (pygmy)

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Corrigun Flora Res SITE NUMBER AS12
 DATE TRIP 25-8-2000 RECORDERS NG/GK/WM KN40
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour yellow
 Exposed rock type _____ % surface _____

Sub-surface Soil sand Colour _____
 Rock type _____ depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring

Litter twigs, lvs, stems % cover 30/70 Bare Ground 30 %cover
 Depth 2-5 cm

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

3. VEGETATION STRUCTURE AND COVER
For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

TREES			MALLEES	
over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM			 	 
COVER CLASS (%)				2-10
DOMINANT SPECIES				<i>Nuytsia florib</i>

SHRUBS			SHRUBS	
over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM	 			
COVER CLASS (%)	10-30	10-30		
DOMINANT SPECIES	<i>Actinostrobus 'arenar</i>	<i>Cas. humilis</i> <i>Caloth. quad</i>		

GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM	 	  	  	  
COVER CLASS (%)	2	2		10-30
DOMINANT SPECIES	<i>Neracanthus</i>			<i>Lepidol</i> <i>Mesomel freiss</i> <i>Caustis dioica</i>

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE							
Site No.: 12				Date Assessed		Date Assessed	
Community 12: Sandplain heath				4-Jun-98		28/10/98	
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
	* <i>Aira caryophylla</i>				5	0.1	
	* <i>Hypochaeris glabra</i>	1	0.05		2		0.05
	* <i>Ursinia anthemoides</i>	15		0.05	50		1
	* <i>Vulpia bromoides</i>				15		3
	✓ <i>Actinostrobos</i> sp. — <i>arenarius</i>	200	10	1	300	25	1
	<i>Allocasuarina humilis</i>	150	7	2	150	10	2
	<i>Anigozanthos humilis</i>				25	0.1	
AS011.24	<i>Austrodanthonia caespitosa</i>	5	0.1		5	0.1	
AS007.11	<i>Austrostipa elegantissima</i>	30	0.3		30	0.3	
AS008.02	<i>Calothamnus quadrifidus</i>	80	6	1	150	6	1
AS012.05	<i>Calytrix fraseri</i>	90	2		90	2	
AS012.03	<i>Caustis dioica</i>	20	2		20	2	
	<i>Conostylis petrophiloides</i>				10	0.1	
AS012.01	<i>Desmocladus fasciculatus</i> — ms) <i>parthenicus</i>	30	3		30	3	
AS012.02	<i>Gompholobium tomentosum</i>	80	2		80	2	
AS012.04	<i>Hibbertia exasperata</i>	15	0.2				
AS011.06	<i>Lepidobolus chaetocephalus</i>	15	1		15	2	
AS012.06	<i>Melaleuca subtrigona</i>	80	3	1	80	3	1
AS011.07	<i>Mesomelaena preissii</i>	30	3		30	5	
	<i>Millotia tenuifolia</i>				5		0.01
	<i>Nuytsia floribunda</i>	200	3		200	3	
	<i>Opercularia vaginata</i>				15	0.5	
	<i>Podolepis lessonii</i>				15		0.1
	<i>Podotheca angustifolia</i>				5		0.01
	<i>Waitzia nitida</i>				25	2	

KN40

Drosera zonaria

Thysanotus patersonii

Stylidium repens

Conostylis setigera

Trachymene pilosa

Austrostipa pycnostachya

Laxmannia paleacea

Senecio glossanthus

Pterostylis

collected
4/11/01

Eriodictyon dumetorum

Navarone alopecurus

Amphibromus tenuis


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Carrigin Water Res SITE NUMBER AS13
 DATE TRIP 31/8/2000 RECORDERS WM/GK KN41
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude _____ S Longitude _____ E Altitude _____
 Reference Map _____

Photograph _____ Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope	<u>flat</u>	gentle	steep	Aspect	N	NE	E	SE	S	SW	W	NW		
Surface Soil	<u>gravelly sand</u>										Colour	<u>orange brown</u>		
Exposed rock	type											% surface		
Sub-surface Soil	<u>gravelly sand</u>										Colour	<u>brown</u>		
Rock	type	<u>laterite</u>											depth to rock	<u>?</u>
Drainage	<u>well</u>	mod	poor	depth water	cm	Wet	all year	winter/spring						
Litter	<u>twigs lvs</u>	% cover	<u>10/30</u>	Bare Ground	<u>50</u>	%cover								
Depth	<u>2-5</u>	cm												

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

3. VEGETATION STRUCTURE AND COVER
For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

TREES			MALLEES		
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES					

SHRUBS				SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	2-	2-10	30-70		16-30
DOMINANT SPECIES		<i>Alloc. camp.</i> <i>Gast. spinos</i>	<i>Ret. semin</i> <i>Dry. amata</i> <i>Isop. scabr</i> <i>Mel. pungens</i>	<i>Cirsioide</i>	<i>Hibb. exasp</i>

GRASSES		HERBS		SEDGES		SEDGES		
				over 0.5m		under 0.5m		
LIFE FORM								
COVER CLASS (%)	2-10	2-10					10-30	
DOMINANT SPECIES	<i>Neurachne</i>						<i>Mesomel -prass</i> <i>Sch. hex</i>	

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE							
Site No.: 13				Date Assessed			Date Assessed
Community 13: Low heath				5-Jun-98			29/10/98
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
AS010.08	<i>Acacia incurva</i>	40	2		40	0.5	
AS011.01	<i>Allocasuarina campestris</i>	200	2		20	2	
AS013.11	<i>Allocasuarina microstachya</i>	20	0.2				
AS011.13	<i>Astroloma serratifolium</i>	20		0.2	40	0.5	
AS011.24	<i>Austrodanthonia caespitosa</i>	5	0.2		5	0.2	
AS014.02	<i>Baeckea crispiflora</i>	25	0.1		25	0.1	
	<i>Beaufortia micrantha</i> var. <i>puberula</i>				50	5	
AS008.10	<i>Calytrix leschenaultii</i>	15	0.2		15	1	
AS013.10	<i>Cassya</i> sp. <i>pomiformis</i>	T	1		T	1	
AS010.05	<i>Chorizema aciculare</i>	20	0.5		20	0.5	
AS010.06	<i>Cryptandra leucopogon</i> (VSP)	25	0.2		60	0.7	
	<i>Dampiera oligophylla</i>				30	0.5	
AS013.13	<i>Daviesia incrassata</i>	20	1	0.5	20	1	
AS013.09	<i>Daviesia uniflora</i>	40	0.8		40	0.5	
AS011.16	<i>Dryandra cirsioides</i>	100	8	1.5	120	15	
	<i>Gastrolobium spinosum</i>	150	1		150	1	
	<i>Glischrocaryon aureum</i>				25	0.5	
AS013.06	<i>Grevillea hookeriana</i>	50	0.6		50	0.6	
AS011.17	<i>Hakea incrassata</i>	80	2		80	3	
AS011.04	<i>Hibbertia exasperata</i>	20	0.2		20	0.5	
AS013.08	<i>Hibbertia</i> sp. <i>enervia</i> (grey) lvs	40	0.5				
AS010.13	<i>Isopogon divergens</i>	100	2		100	2	
BO004.15	<i>Laxmannia squarrosa</i> <i>palacea</i>				5	0.01	
AS011.06	<i>Lepidobolus chaetocephalus</i>	15	0.3		15	1	
AS013.04	<i>Lepidosperma leptostachyum</i> <i>beanoianum</i>	20	0.3		20	1	
AS010.04	<i>Leucopogon crassifolius</i> <i>seen in bush</i>	30	0.5		30	0.5	
AS014.03	<i>Leucopogon dielsianus</i>	30	0.3				
AS013.05	<i>Melaleuca leptospermoides</i>	40	6		40	8	
AS013.01	<i>Melaleuca pungens</i>	40	2		40	2	
AS011.07	<i>Mesomelaena preissii</i>	40	3		40	5	
BO016.20	<i>Nemcia hookeri</i>				30	0.1	
	<i>Neurachne alopecuroidea</i>				2	2	
	<i>Opercularia vaginata</i>				15	1	
AS011.08	<i>Persoonia striata</i>	60	1		60	1	
AS013.07	<i>Petrophile brevifolia</i>	50	0.5		50	0.5	
AS013.03	<i>Petrophile seminuda</i>	120	5		120	8	
AS013.12	<i>Psammomoya choretroides</i>	20	0.2		20	0.2	
BO005.31	<i>Pterochaeta paniculata</i>				5	0.01	
AS010.02	<i>Schoenus hexandrus</i> <i>seen in bush</i>	20	2.3		20	2.3	
AS014.24	<i>Stylidium dichotomum</i>				5	0.01	
AS010.03	<i>Verticordia grandiflora</i>	30	0.2		30	0.5	
AS008.011	<i>Xanthorrhoea nana</i>	20	1		40	1	

Isopogon scabriusculus

Drosera / *sp* (pygmy) *androsaceae*

Drosera macrantha

Hakea cygna

choemascilla spiralis

Mirbelia floribunda (VSP)

Thysanotus paterson

KIN41

No spec / low data

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Corrigin Flora Reserve SITE NUMBER AS 14
 DATE TRIP 25-8-2000 RECORDERS NG/GK/WM KN42
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude

S Longitude

E Altitude


Reference Map

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope	flat	<u>gentle</u>	steep	Aspect	N	NE	E	SE	S	<u>SW</u>	W	NW
Surface Soil	<u>deep sand</u>										Colour	<u>cream</u>
Exposed rock	type										% surface	
Sub-surface Soil											Colour	
Rock	type										depth to rock	
Drainage	<u>well</u>	mod	poor	depth water	cm	Wet	all year	winter/spring				
Litter + twig, lvs	Depth		2-5	cm	% cover	30/70	Bare Ground	30/50	% cover			

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

3. VEGETATION STRUCTURE AND COVER
For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

TREES				MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM			 		
COVER CLASS (%)					
DOMINANT SPECIES					

SHRUBS				SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM	 				
COVER CLASS (%)		2-10		2-10	10-30
DOMINANT SPECIES		<i>Allocas camp</i>		<i>Hakea cyg</i> <i>Acacia</i> <i>Vertic grand</i>	<i>Mel. leptosp</i> <i>Vert grand</i>

GRASSES		HERBS		SEDGES	
	over 0.5m			over 0.5m	under 0.5m
LIFE FORM	 	 	  		 
COVER CLASS (%)	< 2	< 2			30-70
DOMINANT SPECIES					<i>Mesomelaena pr</i> <i>Lepidosperma</i>

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE

KN42

Site No.: 14		Date Assessed			Date Assessed		
Community 14: Prostrate Grevillea heath		3-Jun-98			28/10/98		
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D
AS008.03	<i>Acacia eremophila</i>	150	4		150	4	
AS010.08	<i>Acacia incurva</i>	40	2				
AS008.08	<i>Acacia sphacelata</i>	40	0.8	1			
AS011.01	<i>Allocasuarina campestris</i>	200	6		200	8	
AS014.06	<i>Allocasuarina microstachya</i>	80	1.5	1.5	80	1.5	1.5
AS011.24	<i>Austrodanthonia caespitosa</i>	5	0.5		5	0.5	
AS014.04	<i>Baeckea crispiflora</i>	30	0.5		30	1	
AS014.02	<i>Baeckea crispiflora</i>	25	1		25	1	
AS011.22	<i>Borya constricta</i>	5	0.1		5	0.1	
	<i>Calytrix leschenaultii</i>				50	0.05	
	<i>Conospermum scaposum</i>				40	0.5	0.1
AS011.15	<i>Dampiera candicans</i>	20	0.2		10	0.2	
BO007.11	<i>Daviesia articulata</i>				30	0.05	
AS014.23	<i>Drosera erythrorhiza</i>				5	0.01	
AS008.05	<i>Gompholobium obcordatum</i>	15	0.1		15	0.1	
AS014.01	<i>Hakea cygna</i> subsp. <i>cygna</i>	120	3	3	120	5	3
	<i>Hakea incrassata</i>				50	0.5	
	<i>Hibbertia gracilipes</i>				40	0.1	
AS014.09	<i>Jacksonia restioides</i>	30	0.5		30	0.5	
AS011.06	<i>Lepidobolus chaetocephalus</i>	15	2		15	2	
	<i>Lepidosperma drummondii</i>				50	2	
AS011.20	<i>Lepidosperma-resinosum-brunonianum</i>	40	1.5				
AS014.22	<i>Lepidosperma</i> sp. K				20	0.5	
	<i>Lepidosperma tenue</i>				50	0.05	
BO001.21	<i>Leucopogon tamminensis</i>				30	0.5	
AS014.20	<i>Lobelia rarifolia</i>				10	0.01	
	<i>Logania flaviflora</i>				15	0.1	
AS011.05	<i>Melaleuca leptospermoides</i>	20	1.5		20	1.5	
AS011.07	<i>Mesomelaena preissii</i>	50	3		50	3	
AS014.07	<i>Microcorys subcanescens</i>	50	1		50	0.5	
AS014.21	<i>Microtis-media</i>				30	0.01	
	<i>Millotia tenuifolia</i>				5		0.01
AS014.05	<i>Mirbelia spinosa</i>	30	0.5		30	0.5	
	<i>Monotaxis grandiflora</i>				5	0.1	
	<i>Neurachne alopecuroidea</i>				20	1	
	<i>Opercularia vaginata</i>				15	0.05	
AS011.08	<i>Persoonia striata</i>	30		0.3	40	1	0.3
AS011.03	<i>Petrophile seminuda</i>	130	1	3	130	1	
	<i>Pimelea imbricata</i>				30	0.1	
	<i>Podotheca angustifolia</i>				10	0.5	
AS014.24	<i>Stylidium dichotomum</i>				5	0.05	
AS011.21	<i>Synaphea-tripartita</i>	15		0.5	15	0.5	
BO001.23	<i>Verticordia brachypoda</i>				40	1	
	<i>Verticordia brownii</i>				50	0.05	
AS008.09	<i>Verticordia chrysantha</i>	30	3		30	10	
AS014.08	<i>Verticordia insignis</i>	50	0.2				
	<i>Verticordia picta</i>				40	0.1	
AS008.11	<i>Xanthorrhoea nana</i>	20	1		20	1	
	<i>Schoenus lanatus</i>						
	<i>Pterosyllis reclusa</i>						
	<i>Drosera zonaria</i>						

Caladenia sp ✓ *Drosera macrantha* ✓ *Schoenus* sp-subflavus ✓
 ✓ *Leucopogon dielsianus* ✓ *Levenhookia* st ✓
Amphipogon strictus ✓ *Thysanotus patersonii* ✓

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only


KN43

BUSHLAND AREA Corrigin^{water}/Flora Reserve SITE NUMBER AS 15
 DATE TRIP 31-8-2000 RECORDERS WM/GK
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude 32 4 13.5 S Longitude 117 50 30.6 E Altitude _____


Reference Map _____

Photograph

Photographer's Name _____

Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.


Slope	<u>flat</u> gentle steep	Aspect	N NE E SE S SW W NW
Surface Soil	<u>sandy loam</u>	Colour	<u>brown</u>
Exposed rock	type _____ % surface _____		
Sub-surface Soil	<u>clay</u>	Colour	_____
Rock	type _____ depth to rock _____		
Drainage	well <u>mod</u> poor depth water _____ cm	Wet	all year winter/spring
Litter	+ wigs, vs stems % cover <u>30/70</u>	Bare Ground	<u>30/50</u> % cover
	Depth <u>2-10</u> cm		

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

	TREES			MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)		10-30			2
DOMINANT SPECIES		Euc. cap. camp			Euc.
				SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	2-10-100		2-10		
DOMINANT SPECIES	Mel. uncinat Ailox. camp		Hak. liss Yast. o. ric		
	GRASSES		HERBS	SEDGES	
				over 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	2-10		30/70		
DOMINANT SPECIES	Neracchre al		Barya sphaer Lom. effusa		

4. VEGETATION CONDITION

Comments

excellent

CORRIGIN RESERVE								
Site No.: 15		Date Assessed			Date Assessed			
Community 2: Wandoo woodland		4-Jun-98			4/11/98			
Coll.No.	ID Name	Ht	% A	% D	Ht	% A	% D	
AS014.05a	<i>Acacia lasiocarpa</i>	20	0.2		20	0.2		
AS015.04	<i>Astroloma epacridis</i>	30	0.5		50	0.1		
	~~<i>Astroloma epacridis</i>~~				50	0.1		
AS011.13	<i>Astroloma serratifolium</i>	60	0.5		60	0.5		
	<i>Austrodanthonia caespitosa</i>				20	0.01		
AS007.11	<i>Austrostipa elegantissima</i>	40	0.1		40	0.1		
	<i>Blennospora drummondii</i>				5	0.5		
AS015.02	<i>Borya sphaerocephala</i>	5	2	0.5	5		10	
~~AS015.21~~	~~<i>Bossiaea peduncularis</i>~~ <i>spinescens</i>				25	0.01		
	<i>Chamaescilla spiralis</i>				15	0.01		
	<i>Dampiera lavandulacea</i>				20	0.01		
AS002.03	<i>Desmocladus asper</i> ms	5	0.1	0.2				
AS015.05	<i>Dodonaea amblyophylla</i>	80	0.1					
AS015.03	<i>Dodonaea caespitosa</i>	30	0.4	0.2	30	0.4	0.2	
	<i>Eucalyptus wandoo</i> <i>capitata</i>	1500	15		1500	15		
	<i>Gastrolobium spinosum</i> <i>tricuspid</i>	70	4	0.5	70	4		
	<i>Hakea lissocarpa</i>	120	4	1	120	5		
AS015.01	<i>Lomandra effusa</i>	20	1		20	1		
	<i>Podolepis lessonii</i>				15		0.1	
	<i>Ptilotus manglesii</i>				5	0.01		
AS015.06	<i>Stenanthemum tridentatum</i>	10	0.1		10	0.1		
	<i>Stipa trichophylla</i>				30	0.5		

KN43

Trachymene cyanop ✓ *Wambsa dioica*
Dichop fimb *lagenifera* *heeg*
Chaemasc corymb *Damp. lavand*
Lepidosp br unoniarum
Vulpia myos ✓ *Caladema dilat*
Helichrysum leucop ✓ *Cornegema vol*
Hydrocotyle ✓ *Pterostylis recurva*
✓ *Eriochilus dilat* ✓ *Thysanotus paterson*
✓ *Neerachne alopec* *Hypochoer glabra*
Daucus gloch *Opercularia vagin*
Calad glava ✓ *Durus (as b/f)*
porrifolia

orange
bark on
slide.

Pterostylis spz
white

ADD
Albacea only
from cover sheet.

CORRIGIN WATER RESERVE

**Plot Locations
Site Parameters
Vegetation Data**

Corrigin reserve problems

13 > incomplete site info
14

MN 29

CLM012															
Corrigin															
Site No.	Date	Veg. Type	Topography	Age since fire	Litter	Outcropping	Aspect	Soils	Pebble						
					Cover	Type	Type	Quant	Slope	Heading	% bg	CSS ratio	Colour	Type	Size
CS 1	04/06/98	1	MIC	>3	75	Lv,Lg>T	nil	nil	nil	NA	7	6:02:02		Quartz,Alluv	<1
2	04/06/98	2	US	>3	40	Lv>T>Lg	nil	nil	1	NW	10	0:02:08	10YR5/6	Quartz,Lat	<1
3	05/06/98	3	MS	>3	35	Lv>T>Lg	nil	nil	0.5	SE	25	0:02:08	10YR5/4	Quartz,Lat	<1
4	04/06/98	4	MS	>3	60	Lv>T>Lg	nil	nil	nil	NA	5	5:01:04	10YR5/4		<10
5	05/06/98	9	MS	>3	90	Lv>T>Lg	nil	nil	nil	NA	5	2:01:07	10YR5/4	Quartz	<0.1
6	04/06/98	6	US	>3	70	Lv>T>Lg	nil	nil	1	W	25	4:02:04		Lat	<1
7	03/06/98	7	US	>3	80	T,Lv,Bark	nil	nil	1	SE	7	0:04:06	10YR5/4	nil	NA
8	03/06/98	8	US	>3	15	Lv,T	nil	nil	0.1	NW	5	0:02:08	10YR7/4	nil	NA
9	04/06/98	5	MS	>3	70	Lv>T>Lg	nil	nil	0.5	SE	20	4:01:05		Lat	<1
10	05/06/98	10	US	>3	5	Lv>T	nil	nil	3	NW	40	0:02:08	10YR5/4	Lat	<10
11	03/06/98	11	US	>3	15	Lv,T	nil	nil	0.5	N	10		10YR6/6	Lat	<1
12	04/06/98	12	US	>3	25	Lv>T	nil	nil	1.5	W	15		10YR6/6	Lat	<1
13	05/06/98	13	US	>3	5	Lv>T	nil	nil	0.5	N	30	0:01:09	10YR5/4	Lat	<10
14	03/06/98	14	MS	>3	20	Lv,T	nil	nil	0.5	S	10	0:02:08	10YR7/4	nil	NA
15	04/06/98	2	US	>3	70	Lv>T>Lg	nil	nil	1	NE	5	0:03:07	10YR4/2	Quartz	<1

50579184 6420358 201
east



CLM012 - Corrigin					
			GPS		
Date	Site	Map Code	UTM	K/J	Locality
4/06/98	~~AS1~~	1	50579146	6420428	Site 75m from creek crossing on bearing 45°, 1.350km W along creekline from bridge (which crosses creek south of fenced dam) to where track crosses creek again.
4/06/98	AS2	2	50579983	6420375	Site 45m from track on bearing 332°, 1.1km along railway access track from E edge of reserve.
5/06/98	~~AS3~~	3	50577149	6420772	Site 50m on 250° of old car wreck, 100m W of track going 275m S from W end of old railway.
4/06/98	~~AS4~~	4	50580486	6420549	Site 35m from railway access track on bearing 318°, 600m along railway access track from edge of reserve (look for flagging tape)
5/06/98	~~AS5~~	9	50577938	6420440	Site 45m W of track, 1.05km SE along track S of old railway (at W edge of reserve).
4/06/98	AS6	6	50580500	6419200	Site 130m into bush on bearing 30°, 1.1km SW along fence (from bottom of small loop) to corner 150mW from corner along fenceline. Note: corner on fenceline appears tighter than on map.
3/06/98	AS7	7	50577170	6420765	Site 30m S of old line (old formation, not cleared strip), 100mE along disused railway line from W boarder (where old line forms corridor heading W) of reserve.
3/06/98	AS8	8	50579107	6422102	Site 25mE of track, 175mS along scenic lookout loop.
4/06/98	AS9	5	50580700	6419300	Site 70m from paddock boundary on bearing 310°, 770m SW around boundary from bottom of small loop.
5/06/98	AS10	10	50579446	6422017	Site 50m on bearing 10° from scenic lookout loop, 1.1km from Hwy.
3/06/98	AS11	11	50578529	6422165	Site 30m S of Hwy, 1.4km E of W edge of reserve along Hwy (to sign on S rd verge - "Airstrip 500m").
4/06/98	AS12	12	50579114	6421880	Site 20m E of track (just S of Nyutsia clump), 450m S of Brookton Hwy on scenic lookout loop.
5/06/98	AS13	13	50581038	6420204	Site 40m on bearing 250° from track side, 375m S of railway (ie. On track to 'Southern loop tracks')
3/06/98	AS14	14	50578750	6421689	Site 20m S of track, 2.375km along track starting at W edge of reserve (across the Hwy from dog cemetery).
4/06/98	~~AS15~~	15	50579254	6419750	Site 55m from track on bearing 285°, 600m E along railway access track (N-side) from W fence corner (which is in bush, not in paddock).

1- 32° 21' 02.8" 117° 50' 29.5"
 2- 32 21 02 117 51 00
 3- 32 20 49.9 117 49 11.5
 4- 32 20 56.3 117 51 19.2
 5- 32 21 0.5 117 49 41.8
 6- 32 21 40.1 117 51 20.2
 7- 32 20 50.1 117 49 12.3
 8- 32 20 06.2 117 50 26
 9- 32 21 36.8 117 51 27.8
 10- 32 20 08.8 117 50 39
 11- 32 20 04.3 117 50 03.9

12- 32 20 13.4 117 50 26.3
 13- 32 21 07.3 117 51 40.5
 14- 32 20 19.7 117 50 12.5
 (15- 32 21 22.5 117 50 32.4)

↑
 ???
 ...

000521






Corrigin Reserves 16196 and 28131

1:10 000

CORRIGIN - BROOKTON ROAD



Corrigin Reserves 16196 and 28131

Railway
Gravel Pit
Vegetation boundary

Site Location



VEGETATION ASSOCIATIONS

WOODLANDS -


1. *Eucalyptus loxophle*
2. *Eucalyptus wandoo*
3. *Eucalyptus salmonip*
4. *Eucalyptus salmonip*
5. *Eucalyptus myriade*
6. *Eucalyptus falcata* F

MALLEES -

7. Mixed Mallee
8. *Eucalyptus albida* (
9. Mallee over Thicket

THICKETS/HEATHS -

10. Laterite Mixed Heath
11. Tamma Thicket
12. Sandplain Heath
13. Low Heath
14. Prostrate *Grevillea*



SCALE 1:10,000

