

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA Boya Quarry Greenmount Hill NP Entrance SITE NUMBER GHNP01


DATE TRIP 17/9/96 RECORDERS AM & ML

DATE TRIP _____ RECORDERS _____

DATE TRIP _____ RECORDERS _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location Coulston Rd

Geographic Location Latitude 31 54 S Longitude 116 03 23 E Altitude 100m (map)
GPS ☒ Accuracy PDOP 6.8
Map Sheet MUNDARENG

Photograph Name _____ Number photo #6 Roll 2

Topographic Position (Circle the correct response)
Upland _____ Lower slope _____
Upper slope _____ Valley _____
Midslope 3 Washline _____

2. SITE DATA Circle the correct response

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil loamy gritty Depth to Rock 0.5 - 1.0m Colour Dk Brown

Exposed Rock type Dolerite % surface cover 5% size range 5 - 20cm


Litter 30 % surface cover Depth (cm) 10 - 20cm

Bare Ground 10 % surface cover

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class		2-10%	10-30%	30-70%	over 70%
TREES					
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)		2-10%	2-10%		
DOMINANT SPECIES		<i>E. calophylla</i> <i>E. wandoo</i>	<i>E. calophylla</i>		
SHRUBS					
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)		2-10%	<i>X. preissii</i> 30-70%	30-70%	30-70%
DOMINANT SPECIES	<i>H.</i>	<i>H. visseriana</i> <i>X. preissii</i> <i>X. preissii</i>	<i>H. visseriana</i> <i>Gnailia pilulifera</i> <i>Acacia pulchella</i>	<i>Arg. calycinus</i> <i>Hib. hypericoides</i> <i>B. Dry. nivera</i>	<i>Dry. nivera</i> <i>Thornasia sp.</i> <i>Narcia capitatum</i>
GRASSES					
	over 0.5m	under 0.5m			
LIFE FORM					
COVER CLASS (%)	30-70%	30-70%			
DOMINANT SPECIES	<i>Stipa sp.</i> <i>Neurana alop.</i>	<i>Chelidanthos sp.</i> <i>Styidium bulbiferum</i> <i>Tetaria</i>			

4. VEGETATION CONDITION

Comments

4 *Briza maxima* present.

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA Greenmant N.P. Adjacent to Belcon SITE NUMER GHNP02


DATE TRIP 12.9.96 RECORDERS Am & LM

DATE TRIP _____ RECORDERS _____

DATE TRIP _____ RECORDERS _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location

Geographic Location Latitude 34 54 33.8 S Longitude 116 03 36.7 E Altitude 230m
GPS ☒ Accuracy ADOP 4.0
Map Sheet MUNDARING

Photograph Name Number

Topographic Position (Circle the correct response)
Upland ☒ Lower slope
Upper slope ☒ Valley
Midslope ☒ Washline

2. SITE DATA Circle the correct response

Slope flat ☒ gentle steep Aspect N NE E SE S SW ☒ NW

Surface Soil loamy gravel Depth to Rock 0-50cm Colour Dark Brown

Exposed Rock type laterite % surface cover 20 size range 1cm - 1.5m

Litter 65 % surface cover Depth (cm) 10-30cm

Bare Ground 10 % surface cover

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA Greenmount Hill Lookout SITE NUMBER GHNP 03


DATE TRIP 18/9/96 RECORDERS AM & ML

DATE TRIP _____ RECORDERS _____

DATE TRIP _____ RECORDERS _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location

Geographic Location Latitude 31 54 30.8 S Longitude 116 03 37.5 E Altitude 220m
GPS ☒ Accuracy PDCP 5.8
Map Sheet MUNDARING

Photograph Name Number 7 N# Box 2

Topographic Position (Circle the correct response)
Upland ☐ Upper slope ☐ Lower slope ☐
Midslope ☐ Valley ☐ Washline ☐

2. SITE DATA Circle the correct response

Slope flat ☐ gentle ☐ steep ☐ Aspect N NE ☐ E ☐ SE ☐ S ☐ SW ☐ W ☐ NW

Surface Soil lateritic gravel Depth to Rock - Colour red - rust

Exposed Rock type laterite % surface cover 30 size range 1-3cm

Litter 20 15 % surface cover Depth (cm) 2-3cm

Bare Ground 5 % surface cover

Adapted from 'Bushland Plant Survey' written by B. Keighery (1994) and published by Wildflower Society of WA (Inc). PO Box 64 Nedlands WA 6008

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

	TREES			MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES					

	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)		2-10%	10-30%	30-70%	30-70%
DOMINANT SPECIES		<i>X. acanthostachya</i>	<i>Santalum</i> <i>A. humilis</i>	<i>A. humilis</i> <i>Halca incanata</i> <i>Hibb. hypericoides</i>	<i>Hibb. hypericoides</i> <i>Hibb. comata</i> <i>A. humilis</i>

	GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	2-10%	10-30%	30-10%		
DOMINANT SPECIES	<i>Newachne alopecuroides</i>	<i>Cenchrus ciliaris</i> <i>Chromolaena odorata</i> <i>Hydrocotyle sp.</i>	<i>Lepidosperma sp.</i> <i>Tetraria octonaria</i>		

4. VEGETATION CONDITION

Comments

5 - No weeds. Tending to (5)

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA Greenmant Hill NP SITE NUMBER GHNP04

DATE TRIP 18.9.96 RECORDERS AM & ML

DATE TRIP _____ RECORDERS _____

DATE TRIP _____ RECORDERS _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location

Geographic Location Latitude 31 54 26.6 S Longitude 116 03 38.3 E Altitude 185m
GPS ☒ Accuracy PDOP 2.8
Map Sheet MUNDARRING

185m Map
(→ 180m)

Photograph Name Number A# 8 Roll 2

Topographic Position (Circle the correct response)
Upland _____ Lower slope _____
Upper slope _____ Valley _____
Midslope 3 Washline _____

2. SITE DATA Circle the correct response

Slope flat gentle steep 2.5 Aspect N NE E SE S SW W NW 1.5

Surface Soil gritty loam Depth to Rock 0-50cm Colour dk. Grey-brown

Exposed Rock type Granite % surface cover 50% size range 2cm - 60cm
+ (laterite)



Litter 1 % surface cover _____ Depth (cm) 10cm

Bare Ground 40% % surface cover _____

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class					
2-10%		10-30%		30-70% over 70%	
TREES					
	over 15m	5-15m	under 5m	MALLEES over 8m	under 8m
LIFE FORM			 		
COVER CLASS (%)					
DOMINANT SPECIES					
SHRUBS					
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	SHRUBS under 0.5m
LIFE FORM	 				
COVER CLASS (%)		10-30% 30-50%		30-10-30%	10-30%
DOMINANT SPECIES		<i>G. erlichsoniana</i>		<i>Tr. y. led. Blum</i> <i>Hib. submarginata</i> <i>Conospermum huegelii</i>	<i>Baeckea carphocerasmae</i> <i>Calystrix sp. (pink)</i> <i>Stylidium bulbiferum</i>
GRASSES		HERBS	SEDGES	SEDGES	
			over 0.5m	under 0.5m	
LIFE FORM	 	 	 	 	
COVER CLASS (%)	10-30	over 70% 10-30	2-10%		
DOMINANT SPECIES	<i>Neurachne alopecuroides</i>	<i>Banksia integrifolia</i> <i>Banksia sphacelata</i>	<i>Lepidobolus sp</i>		

4. VEGETATION CONDITION

Comments

4 1/2

1.5

ADS - invasion of
Urtica !

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

SITE No GHP03

Date 18/9/96

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

✓ BURNED 1991

TREES SHRUBS	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	single	No	FI	ID
Xanthostachya ✓				Labechia punctata			✓	Haemodorum sp. strapleaf ✓	✓			✓
Allocasuarina humilis ✓			✓	Boronia ovata			✓	Tradescantia pilosa ✓	✓			✓
Hibbertia hypericoides ✓			✓	Drosera - sp. - pendulous leaves				Hydrocotyle	✓			✓
Hibbertia commutata ✓			✓	D. micrantha			✓	Haemodorum - strapleaf (multiple)	✓			✓
Xanthalum acuminatum ✓				Drosera - sp. pendulous leaves ?				6-7 leaves in base	✓			✓
Hakea stenocarpa ✓			✓	Isopogon asper ✓			✓	Hypochaeris glabra ✓	✓			
MALLEES				Dryandra nuda ✓			✓	Haemodorum - furled leaves				
Hakea incrassata ✓								Patasoria tough with				
Melaleuca? scabra ✓			✓	GRASSES				occidentalis - ciliate margins				
Protea carphocarpa ✓				Neurachne alopecuroides ✓				P. rudis ✓	✓			
Isopogon asper ✓				Shoenus (also collected in ✓)								
SHRUBS				glossy base site GHP02)								
Mesoclelea tetragona ✓			✓	Plectranche? sp. ✓			WC.					
Nerica dilatata spum ✓			✓					SEDGES				
T. biloba Bilobed leaf pea. no flowers			✓					Lepidospermum sp. (small) terete				sterile stem
Tricoryne elatior - no leaf ✓			✓					tetraria octandra ✓	✓			
Jacksonia sp. - NO leaves			✓					Lepidospermum - terete rough stem				
Trochalea ledifolium								tenui ✓	✓			
Stylidium				HERBS				N. angustatum ✓	✓			
Sphaerolobium sp. (pea)				Conostylis adrostrum				Plect				
Patasoria pygmaea				Drosera micrantha			✓					
Xanthoxia? - Apiaceae				Burchardia coriacea								
Note fruit simple entire leaf			✓	Caesia parviflora								
Unid. Epacrid				Podolpis sp. ✓								
Astroloma?				Chamosila versicolor				ADSALENTS				
Acacia sp. barbinervis ✓			✓	Stylidium brunneum ✓				Calothamnus sanguineus				
Calothamnus sanguineus				Onchus olivaceus				Melaleuca laevis - ADSALENT				
Canyntha sp.				Lamandra pinnata (raised margins)				Petrophile striata				
				Lamandra grey hairy				Dry. nivea				
				L. saicea								
				L. purpuracea								

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

SITE No	CHINP03
Date	

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

Davesia

[illegible]

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIFIC PRESENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No GHNPBS


Record on Sheet

Date 18.9.96

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Xanth. acanthostachya</i> ✓			✓	<i>Haemodorum discolor</i> ✓	✓		✓	<i>Goodenia aff. micrantha</i> ✓		✓	✓
<i>Santalum acuminatum</i> ✓			✓	<i>Haemodorum single leaf</i> ✓			✓	<i>Spargan. bulbifera</i> ✓		✓	✓
<i>Hakea incrassata</i> ✓			✓	<i>H. multiple st. 6-7 leaves in base</i> ✓			✓	<i>Parentucella latifolia</i> ✓		✓	✓
<i>Baeckea camphorosmae</i> ✓	✓		✓	ADS: <i>Petrophile stricta</i> ✓			✓	<i>Boya sphaerocephala</i> ✓			✓
<i>Isopogon asper</i> ✓			✓					<i>Lomandra caespitosa</i> ✓	✓	✓	✓
								<i>Drosera macrantha</i> ✓		✓	✓
								<i>Lomandra sericea</i> ✓	✓		✓
								<i>L. purpurea</i> ✓	✓		✓
MALLEES								<i>Conostylis andersoniana</i> ✓			✓
<i>Leptocarpus biloba</i> ✓	✓	✓	✓	GRASSES				<i>Burchardia longata</i> ✓			✓
<i>Hibbertia commutata</i> ✓	✓		✓	<i>Stipa pycnostachya</i> ✓	✓	✓	✓	<i>Caesia micrantha</i> ✓			✓
<i>Hibbertia hypericoides</i> ✓	✓	✓	✓	<i>Vulpia bromoides</i> ✓		✓	✓	<i>Sonchus oleraceus</i> ✓			✓
<i>Hakea stenocarpa</i> ✓	✓		✓	<i>Stipa elegantissima</i> ✓		✓	✓	<i>Hypochaeris glabra</i> ✓			✓
SHRUBS				<i>Danthania setacea</i> ✓		✓	✓	<i>Mitella sp. indet.</i>			✓
<i>Daviesia polyphylla</i> ✓	✓	✓	✓	<i>Nemachone dasycarpoides</i> ✓			✓	<i>Xanthosia candida</i> ✓			✓
<i>Boerhaavia ovata</i> ✓	✓		✓					<i>Conostylis setosa</i> ?			✓
<i>Sphaerolobium medium</i> ✓	✓		✓								
<i>Astroloma pallidum</i> ✓	✓		✓								
<i>Baeckea camphorosmae</i> ✓	✓		✓								
<i>Allocasuarina humilis</i> ✓	✓		✓	HERBS							
<i>Conospermum huegelii</i> (? label) ✓	✓		✓	<i>Paterosia rudis rudis</i> ✓	✓		✓				
<i>Beaufortia purpuracea</i> ✓	✓		✓	<i>Tricornis alarior</i> ✓	✓	✓	✓				
<i>Jacksonia vestitoides</i> ✓	✓		✓	<i>Chamaecilla corymbosa var. latifolia</i> ✓	✓		✓				
<i>Labechia punctata</i> ✓	✓	✓	✓	<i>Paterosia juncea</i> ✓	✓	✓	✓				
<i>Nemcia spathulata</i> ✓	✓		✓	<i>Oxyrosanthus laxis laxis</i> ✓	✓		✓	SEDGES			
<i>Melaleuca aff. scabra</i> ✓	✓		✓	<i>Podolepis gracilis</i> ✓	✓		✓	<i>Schoenus grammatophyllus</i> ✓	✓	✓	✓
<i>Trupanea ledibulum rostr.</i> ✓	✓		✓	<i>Hydrocotyle callicarpa</i> ✓	✓		✓	<i>Schoenus unispiculatus</i> ✓	✓		✓
<i>Calothamnus sanguineus</i> ✓	✓		✓	<i>Trachymene pilosa</i> ✓	✓		✓	<i>Gahnia aristida</i> ✓	✓	✓	✓
<i>Dry. Androp. lindleyana</i> ✓	✓		✓	<i>Xanthosia ciliatum</i> ✓	✓	✓	✓	<i>Juncus capitatus</i> ✓		✓	✓
				<i>Levenadia pusilla</i> ✓		✓	✓	<i>Mesoleuca tetragona</i> ✓			✓
				<i>Podolepis gracilis</i> ✓		✓	✓	<i>Tetaria odorata</i> ✓			✓
				<i>Cassipoua porifera</i> ✓	✓	✓	✓				
				<i>Stylidium brunonianum</i> ✓	✓	✓	✓	provided for GHNPBS			

in check for GHNPBS



GHNP05? ~~Conospermum huegeli~~ ✓ OK

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No GHNP04

Record on Sheet

Date 18.9.96

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
Davidia <i>Davidia</i> <i>horrida</i> ✓			✓R	Lobelia <i>Lobelia</i> <i>sp.</i> ✓			✓	<i>Rhodanthe</i> <i>corymbosa</i> ✓			✓✓
<i>Grevillea</i> <i>hippocrepifolia</i> ✓			✓R	<i>Chamaecilla</i> <i>corymbosa</i> ✓			✓	<i>Hypochaeris</i> <i>glabra</i> ✓			✓
ADS: <i>Halea</i> <i>auriculata</i> <i>auriculata</i> ✓			✓	<i>Amphipogon</i> <i>capillipes</i> ✓			✓	<i>Levenhookia</i> <i>stipitata</i> ✓			✓R
<i>Aracia</i> <i>ancinophylla</i> <i>ancinophylla</i> ✓			✓R	<i>Conostylis</i> <i>androstenaria</i> ✓			✓	Conospermum <i>Conospermum</i> <i>corymbosa</i> (id) ✓			✓
<i>Hibbertia</i> <i>subvaginata</i> ✓			✓R	<i>Lobelia</i> <i>gibbosa</i> ✓			✓	<i>Ursinia</i> <i>anthemoides</i> ✓			✓
<i>Bredia</i> <i>camphorosmae</i> ✓			✓R					<i>Caesia</i> <i>micrantha</i> ✓			✓R
<i>Verticordia</i> <i>peruviana</i> ✓			✓					<i>Waitzia</i> <i>suaveolens</i> ✓			✓R
<i>Calothamnus</i> <i>quadrifidus</i> ✓			✓R	GRASSES				<i>Tripterococcus</i> <i>humilis</i> ✓			✓
<i>Grevillea</i> <i>endlicheriana</i> ✓			✓R	<i>Aira</i> <i>canopylla</i> ✓			✓✓R	<i>Trachymene</i> <i>caerulea</i> ✓			✓R
<i>Cryptandra</i> <i>nutans</i> ✓			✓R	<i>Amphipogon</i> <i>tubosus</i> ✓			✓	<i>Diuris</i> ? <i>brunnealis</i> ✓			✓
<i>Boronia</i> <i>cymosa</i> ✓			✓R	<i>Stipa</i> <i>compressa</i> ✓			✓	ADS: <i>Diuris</i> ? <i>porrifolia</i> ✓			✓
<i>Jackosia</i> <i>alata</i> ✓			✓R	<i>Amphipogon</i> <i>strictus</i> ✓			✓✓	ADS: <i>Cyanicula</i> <i>gemmata</i> ✓			✓
<i>Grevillea</i> <i>plurifera</i> ✓			✓R	<i>Stipa</i> <i>sp.</i> <i>loet</i> ✓			✓R	<i>Caladenia</i> <i>longicauda</i> <i>longicauda</i> ✓			✓
<i>Persoonia</i> <i>saccata</i> ✓			✓R	<i>Vulpia</i> <i>bromoides</i> ✓			✓✓	<i>Drosera</i> <i>macrantha</i> ✓			✓
Nemcia <i>Nemcia</i> <i>acuta</i> ✓			✓	<i>Neurachne</i> <i>alopecuroides</i> ✓			✓✓	<i>Drosera</i> <i>meriesii</i> ✓			✓R
<i>Verticordia</i> <i>huegeli</i> <i>huegeli</i> ✓			✓R	<i>Briza</i> <i>maxima</i> ✓			✓R	<i>Drosera</i> <i>erythrorhiza</i> ✓			✓
<i>Calyptrix</i> <i>glutinosus</i> ✓			✓R	<i>Penta</i> <i>mixta</i> <i>viridis</i> ✓			✓	<i>Drosera</i> <i>pycnoblasta</i> ✓			✓
<i>Verticordia</i> <i>acerosa</i> <i>acerosa</i> ✓			✓R	HERBS				<i>Burchardia</i> <i>congesta</i> ✓			✓
<i>Tymalium</i> <i>ledibium</i> <i>rosmar.</i> ✓			✓R	<i>Actinotus</i> <i>leucocephalus</i> ✓			✓✓✓R	<i>Gladialis</i> <i>serotophyllacea</i> ✓			✓R
<i>Conospermum</i> <i>huegeli</i> ✓			✓R	<i>Pterochaeta</i> <i>paniculata</i> ✓			✓✓✓R	<i>Caladenia</i> <i>flava</i> ✓			✓
<i>Isopogon</i> <i>dubius</i> ✓			✓R	<i>Boronia</i> <i>sphaerocarpa</i> ✓			✓	<i>Stylidium</i> <i>affine</i> ✓			✓R
<i>Dryandra</i> <i>aurata</i> ✓			✓R	<i>Laxmannia</i> <i>squarrosa</i> ✓			✓✓✓R	<i>Stylidium</i> <i>repens</i> ✓			✓
<i>Melaleuca</i> <i>aff.</i> <i>scabra</i> ✓			✓R	<i>Thysanotus</i> <i>mangleianus</i> ✓			✓✓✓R	<i>Levenhookia</i> <i>pusilla</i> ✓			✓
ADS: <i>Xanthorrhoea</i> <i>preissii</i> ✓			✓R	<i>Lawrencella</i> <i>rosea</i> ✓			✓✓✓R	EDGES			
				<i>Wahlenbergia</i> <i>preissii</i> ✓			✓✓✓R	<i>Lepidobolus</i> <i>preissianus</i> ✓			✓✓✓
				<i>Stylidium?</i> <i>bulbiferum?</i> <i>dichotomus</i> ✓			✓✓✓R	<i>Schoenus</i> <i>granatophyllus</i> ✓			✓R
				<i>Crocodenia</i> <i>aff.</i> <i>micrantha</i> ✓			✓	<i>Schoenus</i> <i>nanus</i> ✓			✓✓✓R
				<i>Sparaxis</i> <i>bulbifera</i> ✓			✓	<i>Mezomacra</i> <i>tetragona</i> (id) ✓			✓
				<i>Hydrocotyle</i> <i>callicarpa</i> ✓			✓	<i>Schoenus</i> <i>subflavus</i> ✓			✓✓
				<i>Conospermum</i> <i>ciliatum</i> (id) ✓			✓	<i>Gahnia</i> <i>aristata</i> (in GHNP03) ✓			✓✓✓
				<i>Stylidium</i> <i>bulbiferum</i> (id) ✓			✓				

5. *dichotomus*

transferred from GHNP04

Thyrses - JFNP 1 climbing

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No GHNPO4
 Date _____

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

wild herb - *Corynephorus*

Hypochaeris glabra

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
				<i>Black-base Schoenus</i>				<i>Calystrix glutinosa?</i>			1
				<i>Myrsine sp</i>				<i>Jacksonia alata</i>			1
				<i>climbing</i>			1	<i>styl. bulbiferum</i>			1
				<i>Stylidium repens</i>				<i>Actinotus sp.</i>			1
				<i>Melotia sp.</i>				<i>Waltzia paniculata</i>			1
MALLEES				<i>Lepidobolus sp</i>				<i>tail wild grass</i>			1
				<i>child-herb</i>				<i>Stylidium affine</i>			1
				GRASSES				<i>Waltzia swedens</i>			1
				<i>prostrata caerulea</i>				<i>Helipterum sp</i>			1
SHRUBS								<i>Aca. camophyllae</i>			1
								<i>Small annual Schoenus</i>			1
								<i>Levenhockia sp. pink</i>			1
								<i>Martia</i>			
								SEDGES			
								<i>Wahlgrenbaggia?</i>			1
				<i>Baeckea camphorosma</i>	1			<i>Briza maxima</i>			1
				<i>Wahlgrenbaggia</i>				<i>Tripterocarpos brunns</i>			1
				HERBS				<i>Larmanina squarrosa</i>			1
				<i>Amphipogon sp.</i>			1	<i>Small purple daisy</i>			
				<i>Amphipogon sp.</i>			1	<i>ADS. (x. preissii)</i>			
								<i>Melaleuca aff. scabra!</i>			

• For the *Crassula* - pedicellate
(small red herb) (flowers not sessile)

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

SITE No *GHNP04*

Date *18.9.96*

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
• <i>Grevillea ptilulifera</i> ✓			<i>h</i>	• <i>Acacia anicorylla</i> ✓			<i>h</i>	• <i>Trachymene pilosa</i> ? - Not Active			
• <i>Grevillea binnatifida</i> ✓				• <i>Persoonia</i> sp- ✓			<i>h</i>	• <i>(Waitzia) sp?</i> (Asteraceae)			<i>h</i>
• <i>Davallia horrida</i> ✓			<i>h</i>	• <i>Drosera</i> sp. <i>Pygmy drosera</i>			<i>h</i>	• <i>Stylidium repens</i>			<i>h</i>
• <i>Caladenia</i> sp spide orchid.				• <i>Centrorhin?</i> - small basal rosette				• <i>Laxmannia squarrosa</i> ?			
				<i>Goodenia</i> aff. <i>micrantha</i> small soft grass							
MALLEES				• <i>Sti. Aristida</i> sp (Aristida)			<i>h</i>	• <i>Arthropodium</i>			
				• <i>Hypochaeris glabra</i> ✓				• <i>Drosera erythrorhiza</i>			
				GRASSES				• <i>Thysanotus Manglesianus</i>			<i>h</i>
• <i>Persoonia</i> sp. ✓				<i>Neurachne abscissa</i> ✓				• <i>Corostalis arborescens</i>			
SHRUBS				• <i>Caesia parviflora</i>			<i>h</i>	• <i>Hydrocotyle</i>			<i>h</i>
• <i>Grevillea erdlicheriana</i> ✓			<i>h</i>	• <i>Drosera Montezii</i>			<i>h</i>	• <i>Aira</i> sp (cariophylla)			<i>h</i>
• <i>Conospermum hueglinii</i> ✓			<i>h</i>	• <i>Burchardia longata</i>				• <i>Wahlenbergia</i>			<i>h</i>
• <i>Trymatum leuifolium</i> ✓			<i>h</i>	• <i>Unia</i> grass - <i>Amphipogon</i> sp			<i>h</i>	SEDGES			
• <i>Burchardia</i> canophylla				• <i>Diuris</i> - sp			<i>h</i>	<i>Lepidobolus</i> sp			<i>h</i>
• <i>Calyx</i> sp (pink) ✓ <i>glutinosum</i>			<i>h</i>	• <i>Trypterococcus</i> sp			<i>h</i>	• <i>Gahnia</i> sp. (sedg)			
• <i>Verticordia hueglinii</i> ✓			<i>h</i>	• <i>Briza maxima</i>			<i>h</i>	<i>Lepidosperma</i> (leaf rough)			
• <i>Cryptantha</i> sp-			<i>h</i>	HERBS				<i>Lepidosperma</i> ? <i>?</i>			
• <i>Hibbertia subvaginata</i> ✓			<i>h</i>	• <i>Gladolus</i> sp ✓				<i>Sesido</i> ? <i>?</i>			
• <i>Boronia</i> sp.			<i>h</i>	• <i>Borja sphaerophylla</i> ✓				i) <i>Schoenus</i> sp? <i>?</i>			<i>h</i>
• <i>Calothamnus quadrifidus</i> ✓			<i>h</i>	• <i>Caladenia flava</i>				• <i>(with p)</i> <i>?</i>			
• <i>Calyx</i> sp (small green) <i>?</i>				• <i>Drosera</i> sp. <i>macrantha</i>				<i>?</i> <i>2 specimens</i>			
↓ <i>Verticordia</i> <i>peruigera</i> <i>?</i>				<i>rhizome 3-4 whorled</i>			<i>h</i>	ii) <i>Schoenus</i> sp <i>latitans</i>			<i>h</i>
↓ <i>Isopogon dubious</i> ✓				<i>Rhodanthe lauracella</i> <i>boxer</i>				<i>Subflavus</i>			
↓ <i>Dryandra armata</i> ✓				• <i>Holopogon</i> <i>corumbosa</i>			<i>h</i>	ADS			
↓ <i>Isolopis</i> sp.			<i>h</i>	• <i>Stylidium bulbiferum</i> (1990) ✓			<i>h</i>	• <i>Verticordia aserosa</i>			<i>h</i>
				• <i>Platysarac</i> sp.				→ <i>needle-like</i> <i>?</i>			
				• <i>Chaenostoma versicula</i>				→ <i>tight inflorescence</i>			
								<i>bracts</i>			

check species -

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No GHNPS1

Record on Sheet

Date 12.9.96

1.12.96 (R)


• Column 1 plant name

• Column 2 plant number

• Column 3 flowering time- TICK if species flowering

• Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Euc. calophylla</i> ✓								<i>Stylidium brunonianum</i> ✓	✓	✓	✓
<i>Euc. wandoo</i> ✓								<i>Arthropodium preissii</i> ✓	✓		✓
								<i>Centaurium erythraea</i> ✓		✓	✓
<i>Grevillea ptilulifera</i> ✓	✓		✓					<i>Burchardia longata</i> ✓		✓	✓
<i>Hibbertia commutata</i> ✓	✓		✓					<i>Thysanotis multiflora</i> ✓		✓	✓
								<i>Lomandra preissii</i> ✓	✓		✓
ADS: <i>Nerica dilatata</i> ✓	✓							<i>Drosera stolonifera</i> ✓	✓		✓
<i>Nerica capitatum</i> ✓	✓	✓	✓					<i>Oxalis perennans</i> ✓	✓		✓
<i>Gompholobium marginatum</i> ✓		✓	✓	GRASSES				<i>Stylidium bulbiferum</i> ✓			✓
<i>Thomasia foliosa</i> ✓	✓	✓	✓	<i>Bira maxima</i> ✓	✓		✓	<i>Trichachne spathulata</i> ✓			✓
<i>Hibbertia hypericoides</i> ✓	✓	✓	✓	<i>Tetrarrhena laevis</i> ✓	✓	✓	✓	<i>Suaeda laxiflora</i> ✓			✓
<i>Olea pavidotata</i> ✓	✓	✓	✓	<i>Stipa pycnostachya</i> ✓	✓	✓	✓	<i>Haemodorum sphenol. indot</i> ✓			✓
ADS: <i>Synaphea spinulosa spinulosa</i> ✓	✓			<i>Stipa elegantissima</i> ✓	✓	✓	✓	<i>Romulea rosea</i> ✓			✓
<i>Grevillea ptilulifera</i> ✓	✓			<i>Dantharia setacea</i> ✓		✓	✓	<i>Stylidium small sp.</i>			
<i>Hemigenia incana</i> ✓	✓		✓	<i>Bira canyophylla</i> ✓			✓	<i>Sonchus olearaceus</i> ✓			✓
<i>Acacia ptelella</i> ✓			✓								
<i>Xanth. preissii</i> ✓			✓								
<i>Macrozamia viedtii</i> ✓			✓	HERBS							
<i>Myrsine liddleana liddleana</i> ✓			✓	<i>Stypandra glauca</i> ✓	✓		✓				
<i>Hakea lissocarpa</i> ✓			✓	<i>Gonocarpus cordiger</i> ✓	✓	✓	✓				
<i>Drosera horrida</i> ✓			✓	<i>Agrostovinum scabrum</i> ✓	✓	✓	✓				
<i>Phyllanthus calycinus</i> ✓			✓	<i>Drosera stolonifera</i> ✓	✓		○				
<i>Hakea undulata</i> ✓			✓	<i>Thysanotis manglianus</i> ✓	✓		○				
<i>Hakea cinacea</i> ✓			✓	<i>Poanthora microphylla</i> ✓	✓		✓	SEDGES			
<i>Xanth. gracilis</i> ✓			✓	<i>Chilanthus austroaustralis</i> ✓	✓		✓	<i>Desmodium aspera</i> ✓	✓	✓	✓
				ADS: <i>Burchardia multiflora</i> ✓	✓		✓	<i>Mesomelaena tetragona</i> ✓	✓	✓	✓
				<i>Caesia micrantha</i> ✓		✓	✓	<i>Tetraria octandra</i> ✓			✓
				<i>Scariosa glandulifera</i> ✓	✓		○				
				<i>Opercularia vaginata</i> ✓	✓		○				
				<i>Spargaxis bulbifera</i> ✓	✓		✓				
				<i>Xanthosia candida</i> ✓	✓		✓				



BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

SITE No GHNP01

Date 17/9/96

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

30% 70%
+ Sedgey
Grassy!
2-10% Briga + Stipa

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>E. calophylla</i> ✓								<i>Xanthosia candida</i>			
<i>E. wardii</i> ✓								<i>Poranthera microphylla</i> am dicot aphoto.			
								? <i>Spargaxis</i> (common weed) not flowering			
								<i>Oxalis</i> sp carrot root. ✓			
MAKES SHRUBS											
<i>Aca. pulchella</i> ✓				GRASSES							
<i>Hibbertia commutata</i> ✓				<i>Stipa</i> sp.							
<i>Hibbertia hypericoides</i> ✓				<i>Stipa elegantissima</i> (canes)							
<i>X. preisi</i> ✓				<i>Stipa maxima</i> ✓							
SHRUBS <i>Hemigera incana</i> ✓				<i>Microloena stygoides</i> / <i>Tetrathena laevis</i> ✓				SEDGES			
<i>Mazodamia talia</i> ✓								<i>Tetraria octandra</i> ✓			
<i>Grevillea pulifera</i> ✓								<i>Mesomelolena tetragona</i> ✓			
<i>Dryandra nivea</i> ✓								<i>Lepidosperma fine Kerete</i> ✓ (scabrid stems)			
<i>Menispermum capitatum</i> (oddium) ✓				HERBS							
<i>Hakea leucocarpa</i> ✓				<i>Chelidonium aust.</i> ✓							
<i>Daviesia horrida</i> ✓				<i>Trichostema spathulata</i>							
<i>Thomsonia</i> sp (white fls)				<i>Souerbaea laxiflora</i> ✓							
<i>Tetania octandra</i> ✓				<i>Ruellia caribaea</i> ✓							
<i>Styphelia glauca</i> ✓				<i>Haemodorum strap leaf.</i> ✓							
<i>Stylidium bulbiferum</i> ✓				<i>Linaria</i>							
<i>Caesia parviflora</i> ✓				<i>Ronula rosea</i> ✓							
<i>Loxocarpus flexuosus</i> ✓				<i>Stylidium brunnian</i> ✓							
<i>Olearia paucidentata</i> ✓				<i>Stylid. bulbiferum.</i> ✓							
<i>Phyllanthus calycinus</i> ✓				<i>Drosera stolonifera.</i>							
<i>Hakea undulata</i> ✓				<i>Lamandra</i> sp.							
<i>Gompholobium marginatum.</i> ✓				<i>Anthropodium capillipes</i>							
<i>Hakea erinacea.</i> ✓				<i>Stylidium</i> sp small sterile							

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No GHNPØ /

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

Date 1-12-96

Rescore

[illegible]

x Bm? *footation* → (3 1/2) 15.

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No *ATINP02*

Record on Sheet

Date *1.12.96*

Reserve

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

Hypochaeris glabra

x *Melotia*??

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
				<i>Neuradine alogocarpoides</i>	1			<i>Stylidium affine</i>			1
				<i>Styl. calcaratum</i> -type				<i>Scaevola phlebopetala</i>			1
				<i>Melotia</i> sp (white)				<i>Stylidium arborescens</i> ?			1
				<i>Stylidium cinnita</i>							
								<i>Hovea chorizemifolia</i>			1
				<i>Acacia</i> sp.				<i>Hypochaeris</i> <i>coriaria</i>			1
MALLEES								<i>Conocarpus cordiger</i>			1
				Tall grass - long leaves				<i>Poa maxima</i>			1
				GRASSES				<i>Arthropodium</i> sp.			1
				<i>Opercularia</i>				<i>Danthoria</i> sp			1
								<i>Poa</i> sp			1
SHRUBS				<i>Scaevola platyphylla</i>				<i>Pindia</i> sp.			1
				<i>S. phlebopetala</i>				<i>Ptilothus manglesianus</i>			1
				(NO CALYX lobes)				SEDGES			
				<i>Olearia paucidentata</i>				<i>Dryopis linearis</i>			1
				<i>Utricia anthemoides</i>				<i>Tetrarhena</i>			1
				<i>Kennedia</i> sp				<i>Tetrarhena linearis</i>			1
								<i>Synedrella</i> sp			1
				HERBS				<i>Caesal micrantha</i>			1
				<i>Labiocera punctata</i>				<i>Tricladia glandulosa</i>			1
				<i>Hovea hispida</i>				Small, white asteraceae herb			1
								<i>Trachymene pilosa</i>			1
								<i>Conostylis setosa</i>			1
								<i>Stipa elegantissima</i>			1
								<i>Myrsine</i> sp - tree leaf			1
								<i>Agrostocrinum scabrum</i>			1
								<i>Drosera laxifolia</i>			1
								<i>Cassytha</i> sp			1
								<i>Lecheaustria biloba</i>			1
								White xroph.			1
								<i>Aira campylocha</i>			
								<i>Lep. angustatum</i>			

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

SITE No GHNP02

Date 17.9.96

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>E. calophylla</i> ✓				<i>Ptilothela strata</i>			✓	<i>Stylidium pulchellum</i>			✓
<i>E. marginata</i> ✓				<i>Gompholobium poly/knightian</i> ?			✓	<i>Microlaena Metardeana</i>			✓
				<i>Heptameria</i> sp.			✓	<i>Hypochaeris glabra</i> ✓			✓
				<i>Alacia? barbinerva</i>			✓	Pea!			
				<i>Opercularia</i> sp. echino			✓	<i>Microlaena? bulbous base</i>			✓
				<i>Grodenia</i> <i>Hirsute leafless subshrub</i>			✓	<i>Drosera pallida</i>			✓
MALLEES				<i>Leucopogon propinquus</i>				<i>Drosera climbing manzerii</i> ?!			
				<i>Namlea dilatata</i> <i>sp. subulm</i>			✓	<i>Stylidium affine type</i>			✓
				GRASSES				<i>Phlox magleri</i>			✓
				<i>Danthonia</i> sp. sterile hairy.			✓	<i>Burchardia caespita</i>			
				<i>Briza maxima</i>			✓	<i>Lomandra line.</i>			✓
SHRUBS				<i>Acacia pulchella</i>			✓	<i>Diurella neovaluta</i>			
<i>Dryandra sessilis</i>								<i>Henredia coccinea</i>			✓
<i>Hakea nuxifolia</i>								SEDGES			
<i>X. presii</i> ✓								<i>Drosera encyrtophila</i>			
<i>Macro reedlie</i> ✓								<i>Olearia paucidentata</i>			✓
<i>Hakea lissu</i> ✓			✓					? <i>Agrostochium</i> sp. / ?			✓
<i>Hibbertia hypericoides</i> ✓				HERBS				<i>Rumex rosea</i>			
<i>Dryandra divisa</i> ✓				<i>Haemodorum strap leaf</i>				<i>Lepidosperma tenue smooth</i>			✓
<i>Xantho. gracilis</i> ✓				<i>Passytha racemosa ribbed fruit.</i>			✓	<i>Lomandra nigricans</i>			✓
<i>Sphaerolobium</i> sp. ✓			✓	<i>Heterococcus</i> ✓			✓	<i>Lepidosperma arcuatum (sax)</i>			✓
<i>Hakea stricta</i> ✓			✓	<i>Anthranthus</i> sp. blue ✓			✓	<i>Heterostylis vittata</i> ?			✓
<i>Calothamnus sanguineus</i> ✓			✓	<i>Trichocline spatulata</i> ✓			✓	<i>Lepidosperma</i> sp. (erect) (ng)			✓
<i>Bossiaea ornata</i> ?? ✓			✓	<i>Xanthia candida</i> ✓			✓	<i>Schwerbiana laxiflora</i>			✓
<i>Hakea amplexicaulis</i> ✓				<i>Stylidium</i> sp. rosette. <i>S. calcantum</i>			✓	<i>Schoenus</i> sp. <i>glory black base</i>			
<i>Hovea chorezemiophila</i> ✓			✓	<i>Sclerola</i> lg blue. -p			✓				
<i>Dampiera linearis</i> ✓			✓	<i>Anthropodium capillipes</i> ✓			✓				
<i>Conostylis retosa</i> ✓			✓	<i>Horsinia anthemoides</i> ✓			✓				
<i>Gracillia mynaphaer</i> ✓			✓	<i>Lomandra</i> plant grey ✓			✓				
<i>Schia pulchella</i> ✓			✓	<i>Cassia paniculata</i> ✓			✓				
<i>Lachenaulia biloba</i> ✓				<i>Chaenostulla corymbosa</i> (real) ✓			✓				

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No GHN002
Date 17.9.96
1.12.96 (R)

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES				SHRUBS (cont.)				HERBS (cont.)			
No	FI	ID		No	FI	ID		No	FI	ID	
			<i>Euc. calophylla</i> ✓				<i>Podochlea angustifolium</i> ✓				<i>Scacola platyphylla</i> ✓
			<i>Euc. marg.</i> ✓				<i>Haemodorum discolor</i> ✓				<i>Tripterococcus brunis</i> ✓
			<i>Bossiaea ciliocarpa</i> (id=v) ✓				<i>Leucopogon prop / Styphelia</i> ✓				<i>Philolus manglesi</i> ✓
			<i>Bossiaea sp. Warona</i> (id=v) ✓				<i>Nemcia delatata spath.</i> ✓				<i>Lenneria prostrata</i> ✓
			<i>Petrophile striata</i> ✓				<i>Ranuncula rosea</i> ✓				<i>Rhodanthe corymbosa</i> ✓
			<i>Bossiaea ornata</i> (Mike) ✓				<i>Gonocarpus cordiger</i> ✓				<i>Isotria hypocrateriformis</i> ✓
							<i>Synaphea sp. Gdet</i> ✓				<i>Wahlenbergia preissii</i> ✓
			<i>Petrophile seminuda</i> ✓				<i>Schoenus grammatophyllus</i> ✓				<i>Stylidium calceolatum</i> ✓
			<i>Hakea stenocarpa</i> ✓				GRASSES				<i>Cassutha racemosa</i> ✓
			<i>Grevillea synaphea</i> ✓				<i>Danthonia sp. indet</i> ✓				<i>Trachymene pilosa</i> ✓
			<i>Sphaerolobium medium</i> ✓				<i>Poa drummondiana</i> ✓				<i>Hyalosperma colula</i> ✓
			<i>Acacia barbinervis</i> ✓				<i>Tetrarrhena laevis</i> ✓				<i>Bartsia trixago</i> ✓
			<i>Leptomeria cunninghamii</i> ✓				<i>Amphipogon turbinata</i> ✓				<i>Ursinia anthemoides</i> ✓
			<i>Hakea ciliocarpa</i> ✓				<i>Briza maxima</i> ✓				<i>Sowerbaea laxiflora</i> ✓
			<i>Gompholobium polytrichum</i> ✓				<i>Danthonia setacea</i> ✓				<i>Arthropodium capillipes</i> ✓
			<i>Acacia pulchella pulchella</i> ✓				<i>Kira campophylla</i> ✓				<i>Lomandra sericea</i> ✓
			<i>Florea hisperma</i> (MAA spec) ✓				<i>Stipa pycnostachya</i> ✓				<i>Caesia micrantha</i> ✓
			<i>Hovea rhodizemifolia</i> ✓				<i>Mitrasacme abopcurioidea</i> ?				<i>Hypochaeris glabra</i> ✓
			<i>Bossiaea gloriata</i> ✓				HERBS				<i>Trichocline spathulata</i> ✓
			<i>Olearia paucidentata</i> ✓				<i>Goodenia caerulea</i> ✓				<i>Cassutha pontifera</i> ✓
			<i>Pimelia ciliata ciliata</i> ✓				<i>Xanthosia candida</i> ✓				<i>Cassutha racemosa</i> ✓
			<i>Daviesia decurrens</i> ✓				<i>Opercularia echinocephala</i> ✓				<i>Pterostylis vittata</i> ✓
			<i>Calamagrostis sanguineus</i> ✓				<i>Dampiera linearis</i> ✓				<i>Thelymitra trinita</i> ✓
			<i>Dryandra sessilis</i> ✓				<i>Conostylis setosa</i> ✓				<i>Stylidium ciliatum</i> ✓
			<i>Hakea ruscifolia</i> ✓				<i>Stylidium amoenum</i> ✓				<i>Lomandra briffani</i> ✓
			<i>Xanth. preissii</i> ✓				<i>Orthocentrus latus latus</i> ✓				<i>Lomandra nigricans</i> ✓
			<i>Macrogamia reedlii</i> ✓				<i>Agrostochinum scabrum</i> ✓				<i>Drosera pallida</i> ✓
			<i>Hillebrandia hyperi</i> ✓				<i>Chamaecilla corymbosa corymbosa</i> ✓				<i>Lomandra caespitosa</i> ✓
			<i>Dryandra Gindley.. Gindley</i> ✓				<i>Thysanotus thysoides</i> ✓				<i>Haemodorum sp. strapleaf</i> ✓
			<i>Xanth. gracilis</i> ✓				<i>Lenneria coccinea - Kessian</i> ✓				<i>Burchardia congesta</i> ✓
			<i>Hakea amplexicaulis</i> ✓				<i>Stylidium affine</i> ✓				<i>Dianella revoluta</i> ✓
			<i>Lechenaultia globa</i> ✓				<i>Stylidium hispidum</i> ✓				<i>Drosera erythrorhiza</i> ✓

Asplenium ~~sp. pulchellum~~

