

~~A~~
B
2.5

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA 39 39 Nair Park **SITE NUMBER** 216201


DATE TRIP 19.9.96 **RECORDERS** AM & ML

DATE TRIP _____ **RECORDERS** _____

DATE TRIP _____ **RECORDERS** _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location the zigzag

Geographic Location **Latitude** 31° 46' 56" S **Longitude** 116° 03' 08" E **Altitude** 180m
GPS ✓ **Accuracy** 4000 2.5
Map Sheet MUNDARING

Photograph **Name** _____ **Number** #10 **Roll #2**

Topographic Position (Circle the correct response)
Upland _____ **Lower slope** _____
Upper slope ✓ **Valley** _____
Midslope _____ **Washline** _____

2. SITE DATA Circle the correct response

Slope flat _____ gentle steep 2.5 **Aspect** N NE E SE S SW W NW

Surface Soil clayey grit **Depth to Rock** 0-1m **Colour** yellow

Exposed Rock type granite **% surface cover** 30 **size range** 2-20cm

Litter 10 **% surface cover** _____ **Depth (cm)** 1-2cm

Bare Ground 20 **% surface cover** _____

Adapted from 'Bushland Plant Survey' written by B. Keighery (1994) and published by Wildflower Society of WA (Inc). PO Box 64 Nedlands WA 6008

Wd track.




180m SE 1st turn

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30-70%	over 70%
-------------	-------	--------	--------	----------

TREES				MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM			 		
COVER CLASS (%)					
DOMINANT SPECIES					

SHRUBS			SHRUBS		
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM	 			 <i>Banksia integrifolia</i>	
COVER CLASS (%)		2-10%		20-70%	>70%
DOMINANT SPECIES		<i>K. acanthostachyus</i>	<i>Acacia pulchella</i>	<i>V. acerata</i>	<i>Dry. vivax</i>
		<i>Davera hirsuta</i>		<i>C. sanguineus</i>	<i>Leucophaea pulcherrima</i>
				<i>G. pilalifera</i>	<i>Tetradlea cinnamomea</i>

GRASSES		HERBS		SEDGES	
				over 0.5m	under 0.5m
LIFE FORM	 	 	 		 
COVER CLASS (%)		10-30%		2-10%	10-30%
DOMINANT SPECIES		<i>Lycopodium sphaerocarpum</i>		<i>Mesochloa</i>	<i>Stylidium ballistiferum</i>
					<i>Stylidium repens</i>

4. VEGETATION CONDITION

Comments

4

1.5

✓

-Not located

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA Zigzag Road **SITE NUMBER** 216302

DATE TRIP 19.9.96 **RECORDERS** AM & ML


DATE TRIP _____ **RECORDERS** _____

DATE TRIP _____ **RECORDERS** _____

1. LOCATION of the QUADRAT

Mauvi woodland slope

Mud Map Draw a sketch of the location of the site below



Road Location

Geographic Location Latitude 31 56 29.5 S Longitude 116 02 53.0 E Altitude —
GPS Accuracy —
Map Sheet MUNDARING

from Map.

Approx

180m

No! Fix!

Photograph Name _____ Number #11 Roll #2

Topographic Position (Circle the correct response)
 Upland _____
Upper slope 5 Lower slope _____
 Midslope _____ Valley _____
 Washline _____

2. SITE DATA Circle the correct response

Slope flat _____ gentle _____ steep 3 **Aspect** N NE 2 E SE S SW W NW

Surface Soil gritty clay **Depth to Rock** 0.5-1m **Colour** Red

Dolerite soils!

Exposed Rock type laterite % surface cover 2% size range 1-5cm

Litter 60 % surface cover **Depth (cm)** 10-30cm

Bare Ground 3 % surface cover

Adapted from 'Bushland Plant Survey' written by B. Keighery (1994) and published by Wildflower Society of WA (Inc). PO Box 64 Nedlands WA 6008

31 56 30
116 31 5



200m E 1st turn

216302 - on 11.9.96
location!

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mulr)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class					
	2-10%	10-30%	30-70%	over 70%	
TREES					
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)		10-30%			
DOMINANT SPECIES		<i>E. calophylla</i>			
SHRUBS					
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)		2-10%		>70%	70%
DOMINANT SPECIES		<i>X. preissii</i> <i>M. reidllii</i> <i>H. evandae</i>		<i>A. humilis</i> <i>Quercus pilulifera</i> <i>A. pulchella</i>	<i>Dy. niv.</i> <i>Leucopogon pulchellus</i> <i>Hibb. hypericoides</i>
GRASSES		HERBS	SEDGES	over 0.5m	
LIFE FORM					
COVER CLASS (%)		2-10%	10-30%		
DOMINANT SPECIES		<i>Stypandria sp.</i> <i>Cassipoua sp.</i>	<i>Tetradlea octandra</i>		

4. VEGETATION CONDITION

Comments

4. (No present weed invasion - escaped fire)
E. calophylla wooded with
aleophyllae w/ story.

15

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA Zigzag NP **SITE NUMBER** 216243


DATE TRIP 19.9.96 **RECORDERS** AM & ML

DATE TRIP _____ **RECORDERS** _____

DATE TRIP _____ **RECORDERS** _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location

Geographic Location Latitude 31 56 31.3 S Longitude 116 02 45.5 E Altitude 170m
GPS ☒ **Accuracy** PDOP 4.4
Map Sheet MUNDARING

Photograph Name _____ Number #12 Roll #2

Topographic Position (Circle the correct response)
 Upland _____ Lower slope _____
 Upper slope _____ Valley _____
Midslope 3 Washline _____

2. SITE DATA Circle the correct response

Slope flat _____ gentle steep 2.5 **Aspect** N NE E SE S SW W NW NNW 8.5

Surface Soil gritty loam **Depth to Rock** 0-50cm **Colour** dk brn dk brown

Exposed Rock type granite % surface cover 25% size range 2cm - 2m

Litter 10 % surface cover _____ **Depth (cm)** 2-5cm

Bare Ground 30 % surface cover _____

Adapted from 'Bushland Plant Survey' written by B. Keighery (1994) and published by Wildflower Society of WA (Inc). PO Box 64 Nedlands WA 6008

c. 300m N 2nd turn.

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA Zigzag NP. SITE NUMBER 21G204

DATE TRIP 19.9.96 RECORDERS AM & ML

DATE TRIP _____ RECORDERS _____

DATE TRIP _____ RECORDERS _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location ZIG ZAG ROAD - Next to Quarry

Geographic Location Latitude 31 56 18.5 S Longitude 116 02 46.1 E Altitude 140m
GPS ☒ Accuracy 4DOP 1.7
Map Sheet MUNDARING

Photograph Name _____ Number #13 Roll 2

Topographic Position (Circle the correct response)
Upland _____ Lower slope _____
Upper slope _____ Valley _____
Midslope 3 Washline _____

2. SITE DATA Circle the correct response

Slope flat _____ gentle 2 steep _____ Aspect N NE E SE S SW W NW 7

Surface Soil clayey loam Depth to Rock >1m Colour Dark Brown

Exposed Rock type dolerite % surface cover >1% size range 20-40cm

Litter 70 % surface cover _____ Depth (cm) 10-30cm

Bare Ground 10 % surface cover _____

Adapted from 'Bushland Plant Survey' written by B. Keighery (1994) and published by Wildflower Society of WA (Inc). PO Box 64 Nedlands WA 6008



3rd bend.


BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

TREES				MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)		10-30%			
DOMINANT SPECIES		<i>P. calophylla</i>			

SHRUBS			SHRUBS		
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)			30-70	30-70	10-30
DOMINANT SPECIES			<i>M. viminalis</i>	<i>H. lissocarpa</i>	<i>Dry. nivea</i>
			<i>X. preissii</i>	<i>X. preissii</i>	<i>Hibb. hypericoides</i>
			<i>H. lissocarpa</i>		
			<i>Acacia pulchella</i>		

GRASSES		HERBS		SEDGES	
				over 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES		<i>By. Mixed</i>			
		<i>herb understorey</i>			

4. VEGETATION CONDITION

Comments 3 frequent fire history abundance of *X. preissii*

3.5

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA 316308 SITE NUMBER 216-2105


DATE TRIP 19.9.96 RECORDERS AM & ML

DATE TRIP _____ RECORDERS _____

DATE TRIP _____ RECORDERS _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location

Geographic Location Latitude 31 56 06.2 S Longitude 116 02 28.3 E Altitude 60m
GPS Accuracy HDOP: 22.8
Map Sheet MUNDARING

31 56 07.2
116 02 28.0
HDOP: 5.1

Photograph Name Number 14 (food bank)

from map 31 56 07.2 116 02 28.7!
better pt!

Topographic Position

Upland
Upper slope
Midslope

Lower slope

Valley
Washline

(Circle the correct response)

- adj creek bed
→ Adjacent to creek

Has the
sedge
creekline
Riparian

2. SITE DATA Circle the correct response

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil Loam Depth to Rock >1m Colour Plc Brown-Black

Exposed Rock type dolerite % surface cover 1% size range 15cm

Litter 80 % surface cover Depth (cm) 20-40cm

Bare Ground / % surface cover)

Adapted from 'Bushland Plant Survey' written by B. Keighery (1994) and published by Wildflower Society of WA (Inc). PO Box 64 Nedlands WA 6008


340m SE
Park Rd, Ridge Hill Intersect
Sky bulb.


BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

TREES				MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)		2-10%	2-10%		
DOMINANT SPECIES		<i>E. calophylla</i>	<i>E. calophylla</i>		

SHRUBS			SHRUBS		
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)		2-10%	10-30%	>70%	>70%
DOMINANT SPECIES		<i>H. bisacca</i>	<i>Acacia pulchella</i>	<i>Calo. quad</i>	<i>Hibb. commutata</i>
		<i>H. lissocarpa</i>	<i>H. evindaea</i> <i>H. lissocarpa</i>	<i>Hypo. angust</i> <i>H. evindaea</i>	<i>Dry. nivea</i> <i>(pro. virginia) Pice</i>

GRASSES		HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)	2-10%	2-10%	30-70%		
DOMINANT SPECIES	<i>Briza maxima</i> <i>stipa sp.</i>	<i>Stypandra glauca</i>	<i>Loxocarya flex.</i>		

4. VEGETATION CONDITION

Comments

4 - *Briza maxima* - Adjacent weeds & grazing history

→ this is disturbance adjacent to plot

2

2 posts missing - prob stolen

photo

fix ✓

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA Zigzag NP. SITE NUMBER 216206


DATE TRIP 23.9.96 RECORDERS AM & ML

DATE TRIP _____ RECORDERS _____

DATE TRIP _____ RECORDERS _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location Williams Rd.

Geographic Location Latitude 31 56 54.3 S Longitude 116 02 53.0 E Altitude 190m
GPS ☒ Accuracy ± 300 Map Sheet MUNDARING 5 SATS
NO FIX NO GPS.

Photograph Name Number 15 Roll # 5

Topographic Position (Circle the correct response)
Upland _____ Lower slope _____
Upper slope 5 Valley _____
Midslope _____ Washline _____

2. SITE DATA Circle the correct response

Slope flat gentle steep 3 Aspect N NE E SE S SW W NW 7

Surface Soil loamy clay with gravel Depth to Rock >1m Colour orange-brown

Exposed Rock type laterite % surface cover >0.5% size range 1-2cm

Litter 70 % surface cover Depth (cm) 10 - 20 cm

Bare Ground 5 % surface cover)

Adapted from 'Bushland Plant Survey' written by B. Keighery (1994) and published by Wildflower Society of WA (Inc). PO Box 64 Nedlands WA 6008

THE CHURCH OF THE HOLY TRINITY

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

4. VEGETATION CONDITION

4

(some Briza. close to road
long term unburnt)

E. wandoo woodland

On upper slopes. Clayey soil. Wet site
↳ well drained

2

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 216201

Record on Sheet

Date 19.9.96

26.11.96 (R)

• Column 1 plant name

• Column 2 plant number

• Column 3 flowering time- TICK if species flowering

• Column 4 identification check

R = also on record

O = Record only

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Stylidium brunonianum</i>	✓		✓	<i>Putanea ericifolia</i>	✓		✓				
				<i>Leucopogon pulchellus</i>	✓		✓				
				<i>Hibbertia hypericoides</i>	✓		✓	<i>Cassipourea aurea</i> ?	✓		
<i>Verticordia alvosa</i>	✓		✓	<i>Hakea incrassata</i>	✓		✓	<i>Cassipourea flava</i> ?	✓		
<i>Dryandra amata</i>	✓		✓	<i>Grevillea bipinnatifida</i>	✓		✓	<i>Pterochaeta paniculata</i>	✓		✓
<i>Xanthorrhoea anathostadya</i>	✓		✓	<i>Baeckea carpholasmiae</i>	✓		✓	<i>Levenhookia pumila</i>	✓		✓
<i>Calothamnus sanguineus</i>	✓		✓	<i>Conostylis anastrostemon</i>	✓		✓	<i>Goodenia aff. micrantha</i>	✓		✓
<i>Beaufortia purpurea</i>	✓		✓	<i>Hakea evinacea</i>	✓		✓	<i>Horrallosciadium homocarpum</i>	✓		✓
<i>Daviesia horrida</i>	✓		✓	GRASSES				<i>Hydrocotyle callicarpa</i>	✓		✓
<i>Dryandra lindleyana</i>	✓		✓	<i>Neurachne alopecuroides</i>	✓		✓	<i>Sonchus oleraceus</i>	✓		✓
<i>Hemigenia incana</i>	✓		✓	<i>Amphipogon debilis</i> (Not <i>Neurachne</i>)	✓		✓	<i>Levenhookia stipitata</i>			R
<i>Chorizema dicksonii</i>	✓		✓	<i>Darwinia setacea</i>	✓		✓	ADS: <i>Stylidium brevicaule</i>	✓		✓
ADS: <i>Melaleuca vachula</i>	✓		✓	<i>Amphipogon stricta</i>	✓		✓	<i>Cassipourea paniciformis</i>	✓		✓
<i>Cryptandra nutans</i>	✓		✓	<i>Amphipogon sp. indet.</i>	✓		✓	<i>Pterostylis sanguineus</i>	✓		✓
<i>Acacia sessilis</i>	✓		✓					<i>Thelymitra sp. indet.</i>	✓		✓
<i>Pimelea imbricata</i> var <i>piligera</i>	✓		✓					<i>Stylidium dichotomum</i>	✓		
<i>Florea pungens</i>	✓		✓	<i>Borja sphaerocephala</i>	✓		✓	(NOT <i>S. brevicaule</i>)			
<i>Xanthoria candida</i>	✓		✓	<i>Caladenia flava</i>	✓		✓	<i>Haemodorum laxum</i>	✓		✓
<i>Andersonia behmanniana</i> (18-9)	✓		✓	HERBS				<i>Drosera menziesii</i>	✓		✓
<i>Melaleuca aff. scabra</i> (18-9)	✓		✓	<i>Trachymene pilosa</i>	✓		✓	<i>Drosera pycnoblada</i>	✓		✓
<i>Monasia glutinosa</i> (18-9)	✓		✓	<i>Stylidium calcaratum</i>	✓		✓	<i>Stylidium hispidum</i> ?	✓		✓
<i>Grevillea pilulifera</i>	✓		✓	<i>Goodenia caerulea</i>	✓		✓	<i>Drosera mylurophila</i>	✓		✓
<i>Darwinia thymoides</i>	✓		✓	<i>Thysanotus manglesianus</i>	✓		✓	ADS: <i>Stylidium bulbiferum</i> ?	✓		✓
<i>Hibbertia aurea</i>	✓		✓	<i>Tripterococcus humilis</i> ?	✓		✓	<i>Chamaecilla var. micrantha</i>	✓		✓
ADS: <i>Andersonia aristata</i>	✓		✓	<i>Stylidium pycnostachyum</i>	✓		✓	<i>Gladiolus ? canyophyllacea</i>	✓		✓
<i>Neromia acuta</i>	✓		✓	<i>Laxmannia squarrosa</i>	✓		✓	SEDGES			
<i>Synaphea acutiloba</i>	✓		✓	<i>Olearia paucidentata</i>	✓		✓	<i>Tetraria capillaris</i>	✓		✓
				<i>Drosera stolonifera</i>	✓		✓	<i>Schoenus grammatophyllus</i>	✓		✓
<i>Melaleuca aff. scabra</i>	✓		✓	<i>Thysanotus spartea</i>	✓		✓	<i>Tetraria octandra</i>	✓		✓
<i>Stenanthemum emarginatum</i>	✓		✓	<i>Opercularia vaginatum</i>	✓		✓	<i>Mesopelania tetragona</i>	✓		✓
<i>Petrophile striata</i>	✓		✓	<i>Stylidium repens</i>	✓		✓				
<i>Acacia pulchella</i>	✓		✓	<i>Burchardia congesta</i>	✓		✓				

ADS: *Stylidium dichotomum**Thelymitra viridis* 19.9.96

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No Z16-201

Record on Sheet

Date 19.9.96

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

small, p

TREES - SHRUBS	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
X. acanthostachya			✓	Dorstenia sp. (pinellodes?)			✓	Caladenia flava			✓
Verticordia acerosa			✓	Hibbertia sp. (large leaf)			✓	Stylidium calcaratum group			✓
Crevillea pilulifera			✓	apices H. aurea				Stylidium brunneum			
Dry. aurata			1					Drosera rotundifolia			✓
Calochortus sanguineus				large Stylidium - sp Styl. pycnost.			✓	Hydrocotyle sp			
Beaufortia purpurea			✓	'large noisy fleshy leaves'				Trachymene alba			✓
MALLEES				Styl. piliferum			✓	Homalium holian			
Homalium incana			✓					Homalium sciadum homalium			✓
Tetraria octandra				GRASSES				Centropogon -> wild grass			✓
Pultinea (large - leaf)				Amphipogon? sp			✓	G. aff. Nicotiana! -> RHINOPOL			✓
Acacia pulchella				Neritochne dioneucoides			✓	Sorbus dieracanth			
SHRUBS								Borja sphaerocarpa			
Leucopogon pulchellus				Leptocarpus Jacksonia? scrubby, } Goodenia				Tetradlea octandra			✓
Dry. nivea			✓	Leptocarpus subshrub UNID. } G. caerulea				SEDGES			
Thunbergia sp.			✓	Drosera erythrorhiza				*Schoenus? sp (erect inflo.)			✓
Hibb. hypericoides			✓					Lepidosperma tenui? - fine, rough bases			
Malacuca? scabra			✓					*Lepidosperma large knot smooth			
Synedrella sp.			✓	HERBS				Tricoryne elatior			
Halimolobos incana				Burchardia umbellata congesta			✓	Lychnis saxifraga			✓
Olearia viridiflora				Haemodorum sp. strap leaf			✓	Pterostylis vittata			✓
Andersonia (leaves - plant)			✓	Opercularia? echinocarpa			✓				
Crevillea pilulifera			✓	Cassytha sp			✓				
Chorizandra dicksonii			✓	Stylidium bulbiferum			✓				
Boerhaavia ramosissima			✓	Styl. repens			✓	Pungent Acaia - noddy indurated			✓
Trichostema sp.				Thelymitra sp.			✓	A. sessilis on fl. parts.			
Corostylis nodosissima				Chaemodora versicolor							
Pimelia sp			✓	Mesembryanthemum tetragona							
Crucifera (shrub)			✓	Gilchristia sp.							
Camphora sp.			✓	Drosera peltata			✓				
Halimolobos incana											
Xanthosia candida			✓								
Flora pungens			✓								

(in fruit)
at fws.Tricoryne-like Dampiera
(G. caerulea)

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 216201

Record on Sheet

Date 26.11.96

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

ADS - Melaleuca
rostrata

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
				Leven. stipitata?				Small pink Levenhodia sp			
								Tricoryne-like Dampiera			
								Acadiolus sp			
								Small, white Rhynchospora			
								Small, stout shrub			
								10cm high			
MALLEES								Waitzia paniculatum			
								Thomasia glutinosa			
				GRASSES				Danthonia sp.			
								Crassodia sp.			
SHRUBS											
								SEDGES			
								Beaufortia purpurea?			
								Petrophile stricta			
								Tricoryne elatior			
				HERBS				dep. angustatum?			
								Amphipogon			
								Tripterococcus			
								Daviesia			
								Daviesia horridula			
								Pinalea ciliatum			
								C. imbricata			

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

SITE No 216202

Date 19.9.96

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
E. calophyllus				Loxocarya flexuosa				Stylidium humilimum			
				Allocasuarina humilis				Caesia pumila			
SHRUBS				Oryzidium (Nemcia) capitatum				Cassytha racemosa			4
Hakea erinacea ✓				Baeckea cantharomero				Glabrous			11
Leucopogon pulcherrimus				• Tripterococcus? - no flus				Haemodorum step leaf			11
X. preissi				• Tymonium ledifolium				Drosera pallida			11
MALLEES								(glab white flw. climbing ground)			
Macaranga reidii								Hydrocotyle			11
Grevillea pilulifera				GRASSES				Vulpia (fine grass - large lemma)			11
Hibb. corniculata				Stipa sp. (collected)				Stylidium affine			11
Hibb. hypericoides				(hair long blades)				Rumex rosea			
SHRUBS				Ara. caricophylla				• Stylidium bulbosum			
Hibb. subvaginata								• Soleris sp.			11
Dry. nivea				• Drosera sp → 3 whaled leaves				SEDGES			
Pateraria occidentalis				Hairy top. blab. base -				• Tetraia octandra			11
Grevillea bipinnatifida				• Amphipogon? → ?				• Schoenus sp (no flus)			11
H. pinnocarpa				• Flusig large seedling?				• Lepidosperma terete → smooth			
H. undulata								tereti?			
H. incanata				HERBS							
Isopogon apper				Stipandra sp. grauca				• Lepidosperma - fine, smooth			
Isopogon dubius				Drosera eichrochiza				• Neuradine alopecuroides terete →			11
Detradia striata				Trif. A pallidum				• Danthonia → hairy ligules ✓			11
Acacia pulchella				Astridonia sp. (white flw)				• Briza maxima			11
Melaleuca aff. scabra				Cheilanthes austrotenuifolia				• Tetraia sp. (small)			
(Alphitonia? quadrifida)				(Goodia baccata - small - laureolata) fleshy							
Dalmanella armata				Burchardia ex. (small - hairy)				tho ADJACENT			
Hyp. angustifolium				coarctata				Hakea myrtoides			
Albizia pumila				Synedra sp? (large)							
B. Xanthoxia cordata				Thysanotus p (small flw. climbing)							
				Tirolia elatior							

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 216202

Record on Sheet

- Column 1 plant name

- Column 2 plant number

• **Column 3** **flowering time-** TICK if species flowering

- **Column 4** **identification** **check**

Date 3-12-76

40 Percs removed

[illegible]

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

SITE No **Z16202 (A)**

Date **19.9.96**

3.12.96 (R)

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

Z16202 (A) = 19.9.96.
Mauvi

TREES				SHRUBS (cont.)				HERBS (cont.)			
No	FI	ID		No	FI	ID		No	FI	ID	
<i>Euc. calophylla</i>	✓		✓	(ADS) <i>Hakea myrtoides</i>	✓		✓	<i>Myrsiphyllum asperagoides</i>	✓	✓	
<i>Dryandra armata</i>	✓		✓					<i>Scaevola calliptera</i>	✓	✓	
<i>Grevillea bipinnatifida</i>	✓	-	✓					<i>Cassutha pinnatifida</i>	✓	✓	
<i>Hakea cinerea</i>	✓	-	✓					<i>Cassutha vacuosa</i>	✓	✓	✓
<i>Leucopogon pulchellus</i>	✓	-	✓					<i>Sonchus oleraceus</i>	✓	✓	
<i>Xanthorrhoea preissii</i>	✓	-	✓					<i>Convolvulus remotus</i>	✓	✓	
<i>Trymalium laevis</i>	✓	-	✓					<i>Haemodorum discolor</i>	✓	✓	✓
<i>Macrorhiza viedlii</i>	✓	-	✓					<i>Sonchus oleraceus</i>	✓	✓	
<i>Hibbertia hypericoides</i>	✓	-	✓	GRASSES				<i>Pterisanthus occidentalis</i>	✓		✓
<i>Hypocalymma angustifolium</i>	✓	-	✓	<i>Danthonia sp. indet</i>	✓	✓	✓	<i>Olearia paucidentata</i>	✓		✓
<i>Nerola acuta</i>	✓	✓	✓	<i>Aira caryophylla</i>	✓	✓	✓	<i>Xanthosia candida</i>	✓		✓
<i>Baedekea camphorosmae</i>	✓	-	✓	<i>Vulpia myrioides</i>	✓	✓	✓	<i>Tripterococcus brunonis</i>	✓		✓ (sterile)
<i>Grevillea pilulifera</i> (Jardling)	✓		✓	<i>Stipa pycnostachya</i>	✓	✓	✓	<i>Drosera erythrorhiza</i>	✓		✓
<i>Chorizanthe dicksonii</i>	✓		✓	<i>Stipa elegantissima</i>	✓	✓	✓	<i>Cassia/bursera leaf?</i>	✓		✓
				<i>Brachypodium distachyon</i>	✓	✓	✓	<i>Stylidium brunonianum</i>	✓		✓
<i>Synaphea acutiloba</i>	✓		✓	<i>Elythia longifolia</i>	✓	✓	✓	<i>Cassia micrantha</i>	✓		✓
<i>Grevillea pilulifera</i>	✓		✓	<i>Microlaena stipoides</i>	✓	✓	✓	<i>Glabrous sp. caryophylla</i>	✓		✓
<i>Nerola capitatum</i>	✓	✓	✓	<i>Biza maxima</i>	✓		✓	<i>Drosera pallida</i>	✓		✓
<i>Hibbertia cuneolata</i>	✓	✓	✓	HERBS				<i>Stylidium affine</i>	✓		✓
<i>Calothamnus quadrifidus</i>	✓	✓	✓	<i>Goodenia caerulea</i>	✓	✓	✓	<i>Romulea rosea</i>	✓		✓
<i>Astroloma pallidum</i>	✓	✓	✓	<i>Gonocarpus cordiger</i>	✓	✓	✓	<i>Styl. bulbiferum</i> (indet)	✓		✓
<i>Hibbertia aurea</i>	✓	✓	✓	<i>Stypantha glauca</i>	✓	✓	✓				
<i>Allocasuarina humilis</i>	✓		✓	<i>Muscivora mangrovia</i>	✓	✓	✓	SEDGES			
<i>Hibbertia subvaginata</i>	✓	-	✓	<i>Cheilanthes austroaustralis</i>	✓	✓	✓	(A) <i>Schoenus grammatophyllus</i>	✓	✓	✓
<i>Dryandra lindleyana</i>	✓	-	✓	<i>Hydrocotyle calicarpa</i>	✓	✓	✓	<i>Schoenus nanus</i>	✓		✓
<i>Hakea lissocarpa</i>	✓	-	✓	<i>Linum trigynum</i>	✓	✓	✓	<i>Demododius aspera</i>	✓		✓
<i>Hakea undulata</i>	✓	-	✓	(ADS) <i>Tripterococcus brunonis</i>	✓	✓	✓	<i>Tetraria octandra</i>	✓		✓
<i>Hakea inammissa</i>	✓	-	✓	(ADS) <i>Stachys monogyna</i>	✓	✓	✓				
<i>Isopogon asper</i>	✓		✓	<i>Scaevola glandulifera</i>	✓	✓	✓				
<i>Isopogon dubius</i>	✓		✓	<i>Drosera macrantha</i>	✓	✓	✓				
<i>Petrophile striata</i>	✓		✓	<i>Tricoryne elatior</i>	✓	✓	✓				
<i>Acacia pulchella</i>	✓		✓	<i>Scaevola pilosa</i>	✓	✓	✓				

glab
while
flws.

216203

19.9.96

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIFIC PRESENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 216203

Record on Sheet

Date 19.9.96

26.11.96 (R)

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Halkea erinacea</i>	✓	—	✓	<i>Actinotus leucocephalus</i>	✓	✓	R	<i>Geoderia fasciculata</i>	✓	✓	✓
<i>Verticordia lunegellii</i>	✓	—	✓	<i>Philodendron declinatus</i>	✓	✓	R	<i>Guinetia arvensis</i>			
<i>Conospermum lunegellii</i>	✓	—	✓	<i>Conostylis angustifolia</i>	✓	✓	R	<i>Thysanotus manglesianus</i>	✓	—	✓
<i>Hypocalymma angustifolium</i>	✓	—	✓	<i>Cassynia pomiformis</i>	✓	✓	✓	<i>Tribouanthus brachypetalus</i>	✓	✓	✓
<i>Petrophile biloba</i>	✓	—	✓	<i>Hacmodorum simplex</i>	✓	✓	✓	<i>Ameganthus bicolor ssp. bicolor</i>	✓	✓	✓
<i>Grevillea erdlicheriana</i>	✓	—	✓	<i>Thelymitra</i> sp.			✓	<i>Lawrencella rosea</i>	✓	✓	✓
<i>Baeckea camphorosmae</i>	✓	—	R	<i>Gladiolus</i> sp. <i>caryophyllacea</i>	✓		✓	<i>Cassynia racemosa</i>	✓	—	✓
<i>Pinetia imbricata</i> var <i>petigera</i>		✓		<i>Cassia micrantha</i>			✓	<i>Cheilanthes austrotenuifolia</i>	✓	—	✓
<i>Acacia pulchella pulchella</i>	✓	✓	✓	GRASSES				<i>Burchardia multiflora</i>	✓	—	✓
<i>Daviesia horrida</i>	✓	✓	✓	<i>Mira caryophyllacea</i>	✓	✓	R	<i>Drosera morrisii</i>	✓	✓	✓
<i>Beaufortia purpurea</i>	✓	✓	✓	<i>Biza</i> sp. <i>maxima</i>	✓	✓	✓	<i>Arthropodium preissii</i>	✓	✓	✓
<i>Thymium ledifolium</i> var <i>romerianifolium</i>	✓	✓	✓	<i>Neurachne alopecuroides</i>	✓	✓	✓	<i>Chamaecrista corymbosa</i>	✓	✓	✓
<i>Opimelea imbricata</i> ssp. <i>piliger</i>	✓	✓	✓	<i>Stipa elegantissima</i>	✓	✓	✓	<i>Lobelia rhytidospema</i>	✓	✓	R
<i>Calothamnus quadrifidus</i>	✓	✓	✓	<i>Vulpia muricoides</i> (NG)	✓	✓	✓	SEDGES			
<i>Synedra acutifolia</i>	✓	✓	✓	<i>Vulpia muricoides</i> (NM)	✓	✓	✓	<i>Schoenus sculptus</i>	✓	✓	✓
<i>Grevillea pillulifera</i>	✓	—	✓	<i>Pentstemonis airoides</i>		✓	✓	<i>Schoenus natus(?)</i>	✓	✓	✓
<i>Gonolobium marginatum</i>	✓	—	✓	<i>Danthonia setacea</i>		✓	✓	<i>Lepidobolus preissii</i>	✓	✓	✓
<i>Halkea undulata</i>	✓	—	✓	<i>Danthonia acerosa</i>		✓	✓	<i>Desmodium aspera</i>	✓	✓	✓
				HERBS				<i>Schoenus subflavus</i>	✓	✓	✓
				<i>Centrolepis ovistata</i>	✓	✓	✓				
				<i>Triglochin centrocarpum</i>	✓	✓	✓				
				<i>Cheilanthes seiberi</i> ssp. <i>seiberi</i>	✓	✓	✓				
				<i>Homalocarpum homalosciadium</i>	✓	✓	✓				
				<i>Quintia uvellii</i>	✓	✓	✓	<i>Drosera macrantha</i>		✓	✓
				<i>Bartsia trixago</i> seabirding	✓	✓	✓	<i>Stypanova glauca</i>	✓	✓	✓
				<i>Podopsis lessonii</i>	✓	✓	✓	<i>Borja sphaerocephala</i>	✓	✓	✓
				<i>Romulea rosea</i>	✓	✓	✓	<i>Stylidium repens</i>	✓	✓	✓
				<i>Ursinia anthemoides</i>	✓	✓	✓	<i>Hypochuris glabra</i>	✓	✓	✓
				<i>Nilotia tenuifolia</i> ssp. <i>tenuifolia</i>	✓	✓	✓	<i>Thryptococcus</i> sp.	✓	✓	✓
				<i>Stylidium petiolare</i>	✓	✓	✓	<i>Stylidium bulbiferum</i>	✓	✓	✓
				<i>Siloxenus multiflorus</i>	✓	✓	✓	<i>Drosera pygmaea</i> restellata	✓	✓	✓
				<i>Hydrocotyle callicarpa</i>	✓	✓	✓				

Cyanicula deformis 19.9.96

Entered as Pygmy Drosera sp. indet.

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 211-203

Record on Sheet

Date 19/9/96

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	SHRUBS	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Hakea elivacea</i>					*Tall, upright → Shrub = <i>Scaevola</i> sp.				<i>Stylidium repens</i>			
<i>Callitriche</i>					<i>Gompholobium magnificum</i>				<i>Hypochaeris glabra</i>			
<i>Verticordia luogii</i>					<i>Thelymitra</i> sp.				<i>Burchardia</i> sp.			
<i>Conospermum huegii</i>					<i>Hakea undulata</i> (seedling)				<i>Tripterosorum</i> sp.			
<i>Hypochoeris glabra</i>					<i>Cladodius</i> sp. - <i>Cladodius</i>				<i>Stylidium bulbiferum</i>			
MALLEES					<i>Quintaria aviculi</i>				<i>Drosera</i> - pygmy (pulchella?)			
<i>Daveya horrida</i>									<i>Pogonolepis</i> sp.			
<i>Petrophile biloba</i>					GRASSES				<i>Centrolepis aristata</i> ?			
<i>Grevillea pallidiflora</i>					<i>Neurachne dipecurioides</i>				<i>Cheilanthes</i> sp. Seibergii			
					<i>Drosera menziesii</i>				(diff. sp.)			
SHRUBS					<i>Thysanotus</i> sp. Clinch				<i>Chickweed</i> (scrub?)			
<i>Beaufortia purpurea</i>					<i>Caesia parviflora</i>				SEDGES			
<i>Calochortus quadrifidus</i>					<i>Piza marina</i>				<i>Lepidobolus</i>			
<i>My Loxocarya flexuosa</i>					UNID Grass (Amphipogon - No Pias)				<i>Schoenus</i> sp. (small)			
<i>Pimelea</i> sp.					<i>Cassylia</i> sp.				<i>Vulpia</i> sp. (tray grass)			
<i>Acacia pulchella</i>					<i>Drosera maculata</i>				<i>Cheilanthes australis</i> folia (check this!)			
<i>Synedra</i> sp.					HERBS				Annual <i>Stylidium</i> 'perpulchrum'			
<i>Grevillea pilulifera</i>					<i>Stypantha glauca</i>				petidare			
<i>Myrica</i>					<i>Angiozanthus manabensis</i> / bicolor				<i>Lsolepis</i> sp.			
					<i>Boraginaceae</i>				<i>Potamois</i> sp.			
					<i>Rumex</i> sp.				<i>Small annual Schoenus</i> (mol bases soft leaves)			
					<i>Urtica dioica</i>				<i>Trifolium leucifolium</i>			
					<i>Tribonanthes</i> - heads				<i>Urtica</i>			
					<i>Haemodorum</i> sp. (small plant)							
					(sessile flower -)							
					<i>Hydrocotyle</i> sp.							
					<i>Rodanthe</i> sp.							
					<i>Rhodosia versicolor</i>							
					<i>Rodanthe</i> sp.							
					<i>Triglochin</i> sp.							

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 21/2/03

Record on Sheet

Date 26.11.96

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES

No FI ID

SHRUBS (cont.)

No FI ID

HERBS (cont.)

No FI ID

MALLEES

GRASSES

SHRUBS

HERBS

Scroph - white

Ptilotus sp (ADS)

No amphipogon sighted

Stylidium repens

Terete-leaved - H. simplex

Haemodorum sp

Amelia striata

Inbriata

dobelia sp (purple)

SEDGES

Lepidosperma sp

Briza maxima

Scaevola fasciculata

Acinosa sp

Haemodorum sp.

Conostylis adrostenon

Stipa sp

Baeckea campochloa

Amelaleuca scabra

Aira caryophyllae

Rescore 216204 + 216207 mixup!

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 216204

Record on Sheet

• Column 1 plant name

Date 19.9.96

20.9.96

• Column 2 plant number

27.11.96 (R)

• Column 3 flowering time- TICK if species flowering

• Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Eucalyptus</i>	✓							<i>Conocarpus cordiger</i>	✓		✓
								<i>Stachytarpheta monogyna</i>	✓		✓
SHRUBS								<i>Diuris</i> ? <i>brunnealis</i>	✓		✓
<i>Xanthorrhoea preissii</i>	✓		✓					<i>Retripterocarpus</i> ?			
<i>Acacia pulchella</i>	✓		✓					<i>Diuris</i> sp. (pallida?)			
<i>Hibbertia communata</i>	✓		✓	<i>Briza maxima</i>	✓		✓	<i>Diuris</i> sp. (growing in sand dunes)			
<i>Halimolobos laevis</i>	✓		✓	<i>Danthonia setacea</i>	✓	✓	✓	<i>Haemodorum</i> sp. (single narrow leaf)	✓		✓
<i>Leucopogon propinquus pulchellus</i>	✓	✓	✓	<i>Vulpia bromoides</i> (me)	✓	✓	✓	<i>Stylidium bulbiferum</i>			✓
<i>Lynxanthus pedifolius</i> var. <i>rostr.</i>	✓	✓	✓	GRASSES				<i>Hypochaeris glabra</i>	✓		✓
<i>Nemcia spatulata</i>	✓	✓	✓	<i>Tetrarrhena laevis</i>	✓	✓	✓				
<i>Grevillea pilulifera</i>	✓	✓	✓	<i>Danthonia</i> sp. <i>indet.</i>	✓		✓	<i>Stylidium brunonianum</i>	✓		✓
<i>Syntherisma acutifolia</i>	✓		✓	<i>Stipa elegantissima</i>	✓	✓	✓	<i>Styl. bulbiferum</i> not	✓		✓
<i>Hibbertia hypericoides</i>	✓	✓	✓	<i>Vulpia muirheadii</i> (wa)	✓	✓	✓				
<i>Macaranga vicellii</i>	✓		✓	<i>Stipa pycnostachya</i>	✓	✓	✓	<i>Crepis foetida</i>	✓	✓	✓
<i>Davallia horrida</i>	✓		✓	<i>Nicholaus stipoides</i>	✓	✓	✓				
<i>Dryandra lindleyana</i>	✓		✓	<i>Dirichletia acuminata</i>	✓	✓	✓				
<i>Hemiglossis incana</i>	✓		✓	<i>Briza minor</i>	✓	✓	✓				
				<i>Avena</i> sp. <i>indet.</i> not	✓	✓	✓				
ADJ: <i>Hypocalymma angustifolium</i>	✓		✓	HERBS							
<i>Lasiacis hubertii</i>	✓		✓	<i>Chaetanthes australis</i>	✓	✓	✓				
				<i>Anagallis arvensis</i>	✓	✓	✓				
<i>Asholoma ciliatum</i> ? (B7)	✓		✓	<i>Euphorbia pepus</i>	✓	✓	✓				
<i>Asholoma palidum</i> ? (B7)	✓		✓	<i>Kennedia stirlingii</i>	✓	✓	✓				
				<i>Oxalis perennans</i>	✓	✓	✓				
				<i>Dichopogon capillipes</i> DET: ✓	✓	✓	✓				
				<i>Linum trigynum</i>	✓	✓	✓	SEDGES			
				<i>Romulea rosea</i>	✓	✓	✓	<i>Schoenus</i> sp. ?	✓		✓
				<i>Dirichletia preissii</i>	✓	✓	✓				
				<i>Styphelia glauca</i>	✓	✓	✓				
				<i>Burchardia longista</i>	✓	✓	✓				
				<i>Stylidium affine</i>	✓	✓	✓				
				<i>Caesia micrantha</i>	✓	✓	✓				

Bar Richardson @ Herb. S.M. @ CALM

"Maria, Nick" <Nick.Maria@redcity.com.au>

INSMTP@CALM.COM.AU:16 Services

Dicho

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No ~~YK1~~ 216204

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

Date 29.11.96

[illegible]

check D. horrida vs D. persici

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 216205

Record on Sheet

- Column 1 plant name

Date 3.12.96

- Column 2 plant number

• **Column 3** **flowering time-** TICK if species flowering

- **Column 4** **identification** **check**

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
								<i>Stipa</i> sp			
								<i>Danthonia</i> sp			
								<i>Briza maxima</i>			
								<i>Avena canophylla</i>			
								<i>Dactylis glomerata</i>			
								big leaf tall grass			
MALLEES								<i>Goodenia caerulea</i>			
				GRASSES				sparse-inflor tall grass			
								<i>Briza minor</i>			
								<i>Grevillea pilulifera</i> ??			
SHRUBS								<i>Opuntia</i> ? (NF)			
								SEDGES			
								<i>Amphipogon</i> ?			
								<i>Grevillea pilulifera</i>			
								Grey-Astroloma //			
				HERBS				<i>Baeckea camphorosma</i> //			
								<i>Styphelia</i> // <i>Leucopogon</i> ? /			

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No Z16205

Record on Sheet

Date 19.9.96

3.12.96(R)

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Eucalyptus</i>	✓		✓					<i>Romulea rosea</i>	✓		✓
								<i>Homeria flaccida</i>	✓		✓
SHRUBS								<i>Haemodorum? laxum</i>	✓	✓	✓
<i>Macropia reedii</i>	✓		✓					<i>Kennedia stirlingii</i>	✓	✓	✓
<i>Hakea dissocarpa</i>	✓		✓					<i>Goodenia caerulea</i>	✓		✓
<i>Hakea erinacea</i>	✓		✓								
<i>Calo. quadri. fidus</i>	✓		✓	<i>Biza nina</i>	✓		R				
<i>Hypocalymman angustifolium</i>	✓	✓	✓	<i>Diphetachne vivida (?)</i>			R				
<i>Acacia pulchella pulchella</i>	✓	✓	✓	GRASSES							
<i>Hibbertia comantata</i>	✓	✓	✓	<i>Danthoria sp.</i>	✓		✓				
<i>Dy. lindleyana lindleyana</i>	✓		✓	<i>Neurachne abeperuroides</i>	✓		✓				
<i>Astroloma sp. pallidum</i>	✓	✓	✓	<i>Stipa pycnostachya</i>	✓	✓	✓				
<i>Hibbertia hypericoides</i>	✓	✓	✓	<i>Danthoria sp. indet</i>	✓		✓				
<i>Hypocalymman angustifolium</i>	✓		✓	<i>Danthoria setacea</i>	✓		✓	SEDGES			
<i>Acacia incrassata</i>	✓	✓	✓	<i>Stemodia australis (ADS)</i>	✓		✓				
<i>Hakea prostrata (ADS?)</i>	✓	✓	✓	<i>Stipa elegantissima</i>	✓		✓				
<i>Baeleia camphorosmae</i>	✓	✓	✓	<i>Briza maxima</i>	✓		✓				
<i>Xanthorrhoea preissii</i>	✓		✓	<i>Aira canyophylla</i>	✓		R				
<i>Petrophile sp. minima</i>	✓	✓	✓	HERBS							
<i>Astroloma ciliatum</i>	✓	✓	✓	<i>Thysanotus sparticus</i>	✓	✓					
<i>Acacia incrassata</i>	✓		✓	<i>Thysanotus mangleyanus/paterstoni</i>	✓	✓					
<i>Daviesia hirsuta</i>	✓		✓	<i>Tritonno elatior</i>	✓	✓	✓				
<i>Grevillea bipinnatifida</i>	✓		✓	<i>Caesia micrantha (Aust. sp.)</i>	✓		✓				
<i>Nemcia capitatum</i>	✓	✓	✓	<i>Drosera menziesii</i>	✓	✓	✓				
<i>Phyllanthus calycinus</i>	✓		✓	<i>Cassytha poriformis</i>	✓	✓	✓				
<i>Grevillea pilulifera</i>	✓		✓	<i>Caladenia macrostylis</i>	✓	✓	✓	SEDGES			
<i>Daviesia preissii (?)</i>			R	<i>Stypandra glauca</i>	✓		✓	<i>Desmodium aspera</i>	✓		✓
<i>Leucopogon papilionus</i>	✓	✓	✓	<i>Burchardia congesta</i>	✓		✓	<i>Mesomelaena tetragona</i>	✓	✓	✓
				<i>Drosera menziesii</i>				<i>Schoenus unispiculatus</i>	✓	✓	✓
				<i>Drosera pallida</i>	✓	✓	✓				
				<i>Stolidium bulbiferum</i>	✓	✓	✓				
				<i>Brya sphaerocephala</i>	✓	✓	✓				

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No ZIGZ05

Record on Sheet

Date 19.9.96

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

Scored late
careful rescore !!!

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>E. calophylla</i> ✓								<i>Kennerleya coccinea</i> ✓			
SHRUBS.											
MALLEES											
				GRASSES							
				<i>Naerachne alopec.</i>							
SHRUBS											
<i>Macrozamia reidii</i> ✓								SEDGES			
<i>Hakea laevis</i> ✓								<i>Laxo flexuosa</i> ✓			
<i>H. erinacea</i> ✓								<i>mesobolaena tetragona</i> ✓ //			
<i>Calo quadrifidus</i> ✓								<i>Stipa</i> sp. ✓ //			
<i>Myrsine angustifolia</i> ✓								<i>Stipa elegantissima</i> (canes)			
<i>Acacia pulchella</i> ✓				HERBS				<i>Lepidosperma teretifera</i> ✓			
<i>Booby's Hypericoides</i> ✓				<i>Syrendra glauca</i> ✓				<i>Neoenus</i> sp. ✓			
<i>Hibb commutata</i> ✓				<i>Burchardia cuneata</i> ✓				<i>Lepidosperma ? angustata</i> ✓			
<i>Doryandra nivea</i> ✓				<i>Passiflora</i> sp. ✓							
<i>Astrodroma</i> sp. ✓				<i>Drosera menziesii</i>							
<i>Baeckera campoch.</i> ✓				<i>Drosera pallida</i> 3 lvs.							
<i>Lathraea pinnatifida</i> ✓				<i>Stylidium bibrachium</i> ✓							
<i>Petrophile</i> sp. yellow				<i>Potamogeton pterocarpus</i> ✓							
<i>Acacia triangularis</i> lvs. ?				<i>Rhynchospora rosea</i> ✓				ADJ <i>Thymela australis</i> ✓			
<i>Daviesia horrida</i> fl. ✓				<i>Caesia parviflora</i> ✓				<i>Hakea prostrata</i> (large leaf form)			
<i>Grevillea bipinnatifida</i> ✓				<i>Homocidus flaccida</i>							
<i>Nemcia capitata</i>				<i>Trochilium platyter</i> ✓							
<i>Phyllanthus calycineus</i> ✓				<i>Caladenia</i> sp.							
				<i>Haemodorum strap.</i> ✓							

56 07.02
02 28.0

HDOP 5.1

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 216206

Record on Sheet

Date 23.9.96

3.12.96 (R)

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Euc. calophylla</i>	✓		✓	<i>Daucus glaucidiatus</i>	✓		✓	<i>Lonandrea rigida</i> ^{2nd micrantha}	✓	✓	R
<i>Euc. wandooi</i>	✓		✓	<i>Strachosia</i> sp.	✓		✓	<i>Agrostocrinum scabrum</i>	✓	✓	R
<i>Xanthorrhoea preissii</i>	✓		✓	<i>Scaevola laxiflora</i>	✓		✓	<i>Stylidium affine</i>	✓	✓	R
SHRUBS				<i>Chaenactis composita</i>	✓		✓	<i>Monadenia bracteosa</i>	✓	✓	R
<i>Halkea lissocarpa</i>	✓		✓	<i>Proserpinaca (50cm high)</i>	✓		✓	<i>Cassipourea glabella</i>	✓	✓	R
<i>Astroloma pallidum</i>	✓	✓	✓	<i>Sonchus oleraceus</i>	✓		✓	<i>Drosera pallida</i>	✓		✓
<i>Acacia pulchella</i>	✓	✓	✓	<i>Dampiera linearis</i>	✓		R	<i>Lagotis linearis</i>	✓		✓
<i>Gompholobium marginatum</i>	✓	✓	✓					<i>Trichostema spatulata</i>	✓		✓
<i>Hibbertia lupuloides</i>	✓	✓	✓	GRASSES				<i>Homolium rosea</i>	✓		✓
<i>Astroloma ciliatum</i>	✓	✓	✓	<i>Danthonia</i> sp.	✓	✓	✓	<i>Shyphandra glauca</i>	✓		✓
<i>Sphaerolobium medium</i>	✓	✓	✓	<i>Tetrarrhena laevis</i>	✓	✓	✓	<i>Phyllanthus manglesii</i>	✓		✓
<i>Thomasia foliosa</i>	✓	✓	✓	<i>Stipa pycnostachya</i>	✓	✓	✓	<i>Haemodorum</i> sp. ^{sterile}	✓		✓
<i>Davea decurrens</i>	✓	✓	✓	<i>Microlaena stipoides</i>	✓	✓	✓	<i>Gladiolus</i> sp. <i>canophylla</i>	✓		✓
<i>Oleandra paucidentata</i>	✓	✓	✓	<i>Danthonia setacea</i>	✓	✓	✓	SEDGES			
<i>Nemica capitata</i>	✓	✓	✓	<i>Poa drummondiana</i>	✓	✓	R	<i>Schoenus unispiculatus</i>	✓		✓
<i>Lynallium pedicellatum</i> var <i>romarinifolium</i>	✓	✓	✓	<i>Nerodine alopecuroides</i>	✓		✓	<i>Desmodium aspera</i>	✓	✓	R
<i>Hibbertia commutata</i>	✓	✓	✓	<i>Poa maxima</i>	✓		✓	<i>Tetraria capillaris</i>	✓		✓
<i>Hortia visperma</i> var <i>visperma</i>	✓	✓	✓	HERBS							
<i>Billardiera drummondii</i> var <i>collina</i>	✓	✓	✓	<i>Cheilanthes austrotenuifolia</i>	✓		✓				
<i>Grevillea pilulifera</i>	✓	✓	✓	<i>Thysanotus manglesianus</i>	✓		✓				
<i>Templetonia biloba</i>	✓	✓	✓	<i>Gonocarpus cordiger</i>	✓	✓	✓				
<i>Boronia ovata</i>	✓	✓	✓	<i>Myrsiphyllum asparagoides</i>	✓		✓				
<i>Gompholobium stultumii</i>	✓	✓	✓	<i>Bartsia nixago</i>	✓	✓	R				
<i>Thomasia foliosa</i>	✓	✓	✓	<i>Burchardia congesta</i>	✓	✓	R				
<i>Daylily lindleyi</i>	✓	✓	✓	<i>Stylidium brunonianum</i>	✓	✓	✓				
<i>Macropia riedlii</i>	✓	✓	✓	<i>Gordonia caerulea</i>	✓	✓	R				
<i>Phyllanthus calycinus</i>	✓	✓	✓	<i>Caesia micrantha</i>	✓	✓	✓				
<i>Grevillea bipinnatifida</i>	✓	✓	✓	<i>Xanthosia candida</i> (? & 7?)	✓	✓	✓				
<i>Labechia punctata</i>	✓	✓	✓	<i>Haemodorum</i> sp. <i>sterile</i>	✓	✓	✓				
<i>Boronia omata</i> (?)	✓	✓	✓	<i>Gordia caerulea</i>	✓	✓	✓				
<i>Leucophaea pinguis</i>	✓	✓	✓	<i>Conostylis setigera setigera</i>	✓	✓	✓				



BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

SITE No 216206

Date 23/9/96

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>E. calophylla</i> ✓			0	<i>Eriostylis setigera</i> ✓			//	<i>Stipandra glauca</i> ✓			//
<i>E. wandoo</i> ✓			0	<i>Drosera pallida</i>				<i>Philatus nanlesianus</i> ✓			
								Shrap leaf <i>Habenaria</i> : large panicle ✓			
SHRUBS								<i>Cassia</i> sp. (glabella) ✓			//
<i>Grev. pilulifera</i> ✓			//					<i>Aladiolus</i> (smooth fruit)			
<i>Acacia pulchella</i> ✓			//					<i>Daucus glaucidiatus</i>			//
MALLEES <i>Thymus lodi</i> ✓			//					<i>Stackhouseia</i> sp.			//
<i>Dry-nivea</i> ✓			//					<i>Snowdaze laxiflora</i>			
removed <i>Hakea erinacea</i>			//	GRASSES				<i>Chaemosilix versicolor</i>			
<i>Hakea lissocarpa</i> ✓			0	<i>Danthonia</i> sp.?			//	<i>Narcissus repens</i> ✓			//
<i>Xan preiss</i> ✓			0	x small <i>Micromela stipoides</i>			//	<i>Prasopachyllum</i> sp - 50cm high			
SHRUBS				bridge creeper <i>Mursidulium asperigoides</i>			//				
<i>Macaranga veidtii</i> ✓			0	<i>Microlema</i> / <i>Tetrachena</i> sp? ✓			//	SEDGES			
<i>Alaria paucidentata</i> ✓			//	<i>Newbouldia alopocarpoides</i> ✓			//	<i>Bepidospermum</i> large terete			
<i>Xanthoxera carlidia</i> ✓			//					smooth			
<i>Horea</i> sp. ✓			//					<i>Lepidosperma</i> sp. fine terete smooth ✓			
<i>Thomaspia foliosa</i> ✓			//	HERBS				(<i>Tetaria mollis</i> ?)			
<i>Burchardia congesta</i>			//	<i>Stylidium buxifolium</i> ✓			//	<i>Cheilanthes australis</i> ✓			//
<i>Dracontolobium</i> sp. ne ✓			//	<i>Lagerflora hweglii</i> ✓			//	<i>Sordus dardekeus</i>			
<i>Thysanotus</i> sp. (climbing)			//	<i>Gonolobus cordiger</i> ✓			//	<i>Loroxia pterosa</i> ✓			//
<i>Hibb. hypericoides</i> ✓			//	<i>S. affine</i> ✓			//	ADS:			
<i>Astroloma pallidum</i> ✓? 0			0	<i>Caesia parviflora</i> ✓			//	• <i>Killardiea</i> sp. 1			
<i>Boronia ovata</i> ✓			//	<i>Grevillea bipinnatifida</i> ✓			//	• <i>Labirhoa punctata</i>			
<i>Liloe comutata</i> ✓			//	<i>Trydine spatulata</i> ✓			//	• <i>Boronia ovata</i>			
<i>Acacia</i> ? - <i>Daviesia dumosa</i>			//	<i>Schoenus</i> sp.			//				
<i>Phy. caliginus</i> ✓			0	<i>Romulea rosea</i> ✓			//				
<i>Gomph. marginatum</i> ✓				<i>Briza maxima</i> ✓							

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 216206

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

Date 3.12.96

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
								Hibbertia hypoleuca			✓
								Adiantum medium			✓
								Astiloma ? ciliatum			✓
								Stylidium affine ? (sterile)			✓
								Stipa sp (sterile)			✓
MALLEES								Amphipogon ? (NF)			✓
								Haemodorum sp (NF)			✓
				GRASSES				Hairy-leaved grass			✓
								Wid. bilobed pod			✓
								(Ternstroemia?)			✓
SHRUBS								Hovea? Labechia			✓
								Tet. capillaris			✓
								SEDGES			✓
								Goodenia ? caerulea			✓
								Dampiera tinctoria			✓
								Grevillea bipinnatifida			✓
								Tetraneura levis			✓
				HERBS				Danthonia sp.			✓
								Burchardia umbellata			✓
								Poa sp.			✓
								Agrostoidium scabrum			✓
								Micropis?			✓
								Lawsonia sp. tall, prostrate (NF)			✓
								White scroph			✓
								Gompholobium sp. Fine-6-leafed leaves			✓
								NO H. erinacea!			✓

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 216207

Record on Sheet

Date 3.12.96

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID
-------	----	----	----

SHRUBS (cont.)

No	FI	ID	HERBS (cont.)
----	----	----	---------------

No	FI	ID
----	----	----

Agropyron cordiger

TR: ~~bonanthos~~ 0

~~the long-term~~
12/13/13 11:13 AM

				<i>Dalmanella pinniculata</i>
--	--	--	--	-------------------------------

flannel flower - *Actinotus* sp.

[illegible]

			640 Scrub s
--	--	--	-------------

Lechenicea (pink)

				Hydrocoble
--	--	--	--	------------

'Small' isolops / Schenck

Comesperma (non-climbing) 1W

Triptobryocanus brunneus

Stipa elegantissima

SEDGES

			Danthonra sp
--	--	--	--------------

			Melaleuca scabra
--	--	--	------------------

			BGA maxima
--	--	--	------------

			Hakeem unchilata (IA)
--	--	--	-----------------------

				4 in seedling
--	--	--	--	---------------

				dep. angustatum
--	--	--	--	-----------------

			White scrub
--	--	--	-------------

				<i>Husinia anthracoides</i>
--	--	--	--	-----------------------------

				Allocas. humilis
--	--	--	--	------------------

			Xan oheisi
--	--	--	------------

Corostylis retosa: sericea

			Small Annual grass
--	--	--	--------------------

				Aira Camponullee
--	--	--	--	------------------

Centaurium pink can be used here

5122 Minn.

5 *Melipsteris cortula*

Leucocercalia

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required

SITE No 21G-207

Record on Sheet

Date 23/9/96

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	SHRUBS	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Crotonella</i> erecta <i>pulchra</i> ✓					<i>Tricoryne elatior</i> ? <i>boderia</i> (any) ✓				<i>Hypochaeris glabra</i> ✓			
<i>Persea biloba</i> ✓					<i>Burchardia congesta</i> ✓				<i>Stylidium bulbiferum</i> ✓			
<i>Isopogon dubious</i> ✓					<i>Thelymitra</i> sp. ✓				<i>Stylidium repens</i> ✓			
<i>Hibb. spicatum</i> (raceme) ✓					<i>Drosera erythrorhiza</i> ✓				<i>Ronulloa nova</i> ✓			
<i>Hakea erinacea</i> ✓					Grass sp. <i>Pentasthizus</i> sp. Min ✓				<i>Cassylia ? volenosa</i> ✓			
<i>Hibb. subinvasa</i> ✓					<i>Avena</i> sp. ✓				<i>Riza maxima</i> (hirsute) ✓			
MALLEES					UNID. <i>Eucalypt</i> seedling (prev. <i>camphor</i>) ✓				<i>Athyrium brunonianum</i> ✓			
<i>Leucopogon pulcherrimus</i> ✓					hairly seedling <i>E. calophylla</i> ✓				<i>Hydrocotyle</i> sp. ✓			
<i>Nemcia dolabrata</i> ✓					GRASSES				<i>Cenchrus</i> sp. (small, coriaceous leaves) ✓			
<i>P. imbricatus</i> <i>Pinilia</i> ? <i>ciliatum</i> ✓					<i>Neurachne alopecuroides</i> ✓				<i>Isoplepis marginata</i> / <i>Schoenus</i> sp. ✓			
<i>Gonocarpus cordiger</i> ✓					<i>Poaa merjesii</i> ✓				<i>Birpa nina</i> ✓			
SHRUBS					<i>Starchowia</i> sp. ✓				<i>Small scop.</i> ✓			
<i>Acacia</i> ? <i>serotina</i> ✓					<i>Amphipogon</i> sp. (no flower) ✓				<i>Waitzia</i> ? sp. (small seedling) ✓			
<i>Melaleuca</i> ? <i>scabra</i> ✓					<i>Aristida</i> ? sp. (small annual grass) ✓				SEDGES			
<i>Synaphozia</i> sp. ✓					<i>Trachy. pilosa</i> ✓				<i>Scirpus</i> small <i>Lepidospermum</i> - <i>terete</i> ✓			
<i>Allozaurina</i> <i>humilis</i> ✓					<i>Homalloscladium homallocarpum</i> ✓				<i>Lepidospermum</i> - large <i>terete</i> smooth ✓			
<i>Calothamnus quad</i> ✓					<i>Pycny Drosera</i> . sp. ✓				<i>Lomandra</i> sp. ✓			
<i>Hypocal. angust.</i> ✓					HERBS				<i>Fire, Flat-leaved</i> - ✓			
<i>Blechno confusum</i> ✓					<i>Borja sphaerophylla</i> ✓				<i>Schoenus</i> sp. - <i>blade/areolatus</i> ✓			
<i>Hakea incrassata</i> ✓					<i>Phacelia</i> <i>heele</i> <i>Orchid</i> - 40-50cm high ✓				<i>leaf bases</i> ✓			
<i>Dy-nivea</i> ✓					(not flow) <i>Phacelia</i> ✓				<i>Haemadonum</i> sp. (strap leaved) ✓			
<i>Gonocarpus cordigera</i> ✓					<i>Stylidium brunonianum</i> ✓				<i>Thymus</i> <i>Trypterococcus</i> sp. ✓			
					<i>Thysanotus</i> sp. (climbing) ✓				ADJ: Hakea undulata ✓			
					<i>Helipterum</i> sp. / <i>Rhodanthe laurifolia</i> ✓				<i>Conostylis setigera</i> ✓			
					<i>Anthropodium capillipes</i> ✓							
					UNID. small dicot. prev. <i>cloned</i> to ✓							
					<i>Centaurium</i> ✓							
					<i>Good. aff. nict</i> ✓							

26-8-82 Wahlupe
BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE

SITE No 216207

Date 23.9.96

3.12.96(2)

Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

Styl bulb ✓
leuc pulc ✓
Synocleus ✓

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Eucalyptus calophylla</i> (seedling) ✓	✓		✓	<i>Prasophyllum</i> (sterile) (40cm) ✓			✓	<i>Galocarpus cordiger</i> ✓	✓	✓	R
(4.6. nanae?) ✓				<i>Hypochaeris glabra</i> ✓			✓	<i>Actinotus leucocephalus</i> ✓	✓	✓	R
<i>Pimelea imbricata</i> var. <i>piligera</i> ✓	✓		✓	<i>Stylidium bulbiferum</i> ✓			R	<i>Burmannia congesta</i> ✓	✓	✓	R
<i>Hakea erinacea</i> ✓			✓	<i>Stylidium repens</i> ✓			R	<i>Ursinia antheroides</i> ✓	✓	✓	R
<i>Isopogon daboies</i> ✓			✓	<i>Neurachne abscissa</i> ✓			R	<i>Goodenia fasciculata</i> ✓	✓	✓	R
<i>Phorophile biloba</i> ✓			✓	<i>Avena</i> sp. (iron 216207) ✓			✓	<i>Tripterococcus brunonis</i> ✓	✓	✓	R
<i>Leucopogon propinquus</i> (06) ✓	✓		✓	<i>Vulpia bromoides</i> (my id) ✓		✓	R	<i>Goodenia caerulea</i> ✓	✓	✓	R
<i>Asphodelus citratus</i> (06) ✓	✓		✓	GRASSES				<i>Thysanotus spartacus</i> ✓	✓	✓	R
<i>Asphodelus palidum</i> (06) ✓	✓		✓	<i>Aira canyophyllacea</i> ✓		✓	R	<i>Caesia micrantha</i> ✓	✓	✓	R
<i>Grevillea pilulifera</i> (id. Name) ✓	✓		✓	<i>Briza minor</i> ✓		✓	R	<i>Tricoryne elatior</i> ✓	✓	✓	R
<i>Daviesia decurrens</i> (06) ✓	✓		✓	<i>Amphipogon striata</i> ✓		✓	✓	<i>Levenhookia stipitata</i> ✓	✓	✓	R
<i>Melaleuca</i> aff. <i>scabra</i> ✓	✓		✓	<i>Stipa compressa</i> ✓		✓	✓	<i>Conosperma calymega</i> ✓	✓	✓	R
<i>Acacia sessilis</i> ✓	✓		✓	<i>Danthonia</i> sp. ✓			✓	<i>Cassia pomiformis</i> ✓	✓	✓	R
<i>Hibbertia spicata</i> sp. <i>spicata</i> ✓	✓		✓	<i>Danthonia setacea</i> ✓		✓	R	<i>Melomita crinita</i> ✓	✓	✓	R
<i>Nemcia spathulata</i> ✓	✓		✓	<i>Stipa pycnostachya</i> ✓		✓	R	<i>Halimolobos discolor</i> ✓	✓	✓	R
<i>Hibbertia subvaginata</i> ✓	✓		✓	<i>Briza maxima</i> ✓		✓	R	<i>Drosera glanduligera</i> ✓	✓	✓	✓
<i>Cenostylis setigera</i> (not 06?) ✓	✓		✓	<i>Stipa elegantissima</i> ✓		✓	R	<i>Cassia pomiformis</i> ✓	✓	✓	R
				HERBS				<i>Lomandra caespitosa</i> ✓	✓	✓	R
<i>Hemigenia incana</i> ✓	✓		R	<i>Stylidium brunonianum</i> ✓		✓	R	<i>Conostylis setosa</i> ✓	✓	✓	R
<i>Leucopogon pulchellus</i> ✓	✓		R	<i>Platochaeta paniculata</i> ✓		✓	R	<i>Lomandra? suaveolens</i> ✓	✓	✓	R
<i>Pimelea imbricata</i> var. <i>piligera</i> ✓	✓		✓	<i>Centropogon drummondiana</i> ✓		✓	✓	<i>Drosera eriantha bulbosa</i> ✓	✓	✓	✓
<i>Synedra acuticarpa</i> (06295) ✓	✓		✓	<i>Trachymene pilosa</i> ✓		✓	R	<i>Drosera morrisii</i> ✓	✓	✓	✓
<i>Allocas. humilis</i> ✓	✓		✓	<i>Homalosciadium homallocarpum</i> ✓		✓	✓	<i>Bonyia sphaerocephala</i> ✓	✓	✓	✓
<i>Calamagrostis quadrifidus</i> ✓	✓		✓	<i>Hydrocotyle callicarpa</i> ✓		✓	R	<i>Arthropodium capillipes</i> (catt) ✓	✓	✓	✓
<i>Hypocalymna angustifolium</i> ✓	✓		✓	<i>Banksia trixago</i> ✓		✓	✓	<i>Foramlea rosea</i> ✓	✓	✓	✓
<i>Baeckea camphorosmae</i> ✓	✓		✓	<i>Lawrencella rosea</i> ✓		✓	R	<i>Arthropodium preissii</i> ✓	✓	✓	✓
<i>Hakea incrassata</i> ✓	✓		✓	<i>Goodenia</i> aff. <i>micrantha</i> day ✓		✓	✓	SEDGES			
<i>Hakea undulata</i> (W) ✓	✓		✓	<i>Thysanotus mangleianus</i> ✓		✓	✓	<i>Schoenus nanus</i> ✓	✓	✓	✓
seedling				<i>Banksia trixago</i> ✓		✓	R	<i>Schoenus grammatophyllus</i> ✓	✓	✓	✓
<i>Xanthorrhoea preissii</i> ✓	✓		R	<i>Centaureum erythraea</i> ✓		✓	R	<i>Dermocladus aspera</i> ✓	✓	✓	✓
				<i>Wahlenbergia preissii</i> ✓		✓	R				

Euc. calophylla!

Hoya hispida (06)
Tet. laevis (06)
can. caesia (06) } doubt! 07!

bulbosa
?!!