

~~CALM LIBRARY ARCHIVE~~
~~NOT FOR LOAN~~

THE LIBRARY 00064
DEPARTMENT OF CONSERVATION
& LAND MANAGEMENT
WESTERN AUSTRALIA

A CHECKLIST OF THE VASCULAR PLANTS OF THE
PORONGURUP RANGE NATIONAL PARK

1988
COMPILATION

G. J. Keighery

| | |
|---|------------|
| WESTERN AUSTRALIAN HERBARIUM LIBRARY | |
| Class No. | KEI (1988) |
| Acc. No. | 607647 |

~~ARCHIVAL~~

581.
9
(9412)
KEI

Notes on the List

The current list is based on two previous lists and fieldwork undertaken in 1986. The first list was prepared by the Botany Department, University of Western Australia in 1970 and listed 221 species, the second by Ian Abbott in 1982 listed 368 species. The current known flora stands at 488 species of vascular plants. The author considers that, except for the small area of mallee on the western margin of the park, the list for other areas is 90% complete. However, this still leaves approximately 50 species to be added, and any new records will be gratefully acknowledged. These can be given to the Ranger-in-Charge, to the South Coast Regional Office or sent to the author at the address below.

The distribution of each species is shown under the major vegetation types encountered within the park; namely Jarrah-Marri forest, Karri forest, Tallerack mallee and open granite slopes.

Despite its' small size and limited range of habitats the flora of the park is rich. The tall granite peaks enable a large number of plants normally found in higher rainfall regions of the south-west to occur here. The Karri-forest itself is an outlier of this vegetation type. Other species at the inland margins of their distributions are Adiantum aethopicum, Xanthorrhoea gracilis, Hakea falcata, Persoonia elliptica, Darwinia citriodora, Thryptomene saxicola, Trachymene anisocarpa and Dampiera hederacea.

A few species are at the south-western margins of their ranges; Calectasia grandiflora and Conospermum dorrenii (this species is largely confined to Stirling Range National Park).

While the plants of the park are largely normal components of the Jarrah, Karri and granite rocks found over southern western Australia, there are some important differences. Many of the normal important understory species of the Karri forest are absent (notably Karri wattle - Acacia pentadenia, Karri Oak - Chorilaena quercifolia and Lasiopetalum floribundum).

Five species are endemic to the Range (Brachysema subcordatum, Billardiera granulata, Hibbertia bracteosa, Apium aff. prostratum and Villarsia calthifolia) largely occurring on the massive granite slopes of the range. Several of these species are given extra protection by being declared rare flora under the CALM Act.

Compiler: Greg Keighery

W.A. Wildlife Research Centre

Department of Conservation and Land Management

P.O. Box 51

WANNEROO W.A. 6065

References

- Abbott, I. (1982). The Vascular Flora of the Porongurup Range, South-Western Australia. Western Australian Herbarium Research Notes 7 : 1-16.
- Botany Department (?Baird, A.M. and Smith, G.G.) (1970). Botany Field Camp Notes 30 pp.

TAXON

JARRAH

KARRI

MALLEE

GRANITE

FERNS

SELAGINELLACEAE

Selaginella gracillima

X

OPHIOGLOSSEACEAE

Ophioglossum coriaceum

X

DENNSTAEDIACEAE

Asplenium adiantoides

X

A. flabellifolium

X

Pteridium esculentum

X

X

LINDSAEACEAE

Lindsaea linearis

X

ADIANTACEAE

Adiantum aethiopicum

X

Anogramma leptophylla

X

Cheilanthes austrotenuifolia

X

X

X

X

MONOCOTYLEDONS

JUNCAGINACEAE

Triglochin centrocarpa

X

POACEAE

Agrostis avenacea

X

*Aira caryophyllea

X

*A. cupiana

X

X

X

*Briza maxima

X

X

*B. minor

X

X

X

*Avena barbata

X

X

*Bromus diandrus

X

X

*B. hordeaceus

X

Danthonia caespitosa

X

X

Deyeauxia quadriseta

X

*Holcus lanatus

X

X

X

*Hordeum leporinum

X

X

TAXON

JARRAH

KARRI

MALLEE

GRANITE

| | | | | |
|--------------------------------|---|--|---|---|
| <i>Microlaena stipoides</i> | x | | | |
| <i>Neurachne alopecuroidea</i> | x | | | |
| * <i>Poa annua</i> | x | | | x |
| <i>p. serpenteum</i> | x | | x | |
| * <i>Sporobolus africanus</i> | | | | x |
| <i>Stipa compressa</i> | x | | | x |
| <i>s. semibarbata</i> | x | | | |
| * <i>Vulpia bromoides</i> | x | | | x |
| * <i>v. myuros</i> | x | | | x |

CYPERACEAE

| | | | | |
|--------------------------------|---|---|--|---|
| <i>Carex appressa</i> | | | | x |
| <i>Cyathochaeta avenacea</i> | x | | | |
| <i>Gahnia trifida</i> | x | | | |
| <i>Isolepis brunonianus</i> | x | | | |
| <i>I. cernuus</i> | x | | | x |
| <i>I. innundatus</i> | x | | | x |
| <i>I. nodosus</i> | x | | | |
| * <i>I. prolifer</i> | | x | | |
| <i>L. angustatum</i> | x | | | |
| <i>L. gladiatum</i> | | x | | x |
| <i>Mesomelaena graciliceps</i> | x | | | |
| <i>M. stygia</i> | x | | | |
| <i>M. tetragona</i> | x | | | |
| <i>Schoenus lanatus</i> | x | | | |
| <i>S. minutulus</i> | | | | x |
| <i>S. nanus</i> | | | | x |
| <i>Tetraria octandra</i> | x | | | x |

ARACEAE

| | | | | |
|----------------------------------|---|---|--|--|
| * <i>Zantedeschia aethiopica</i> | x | x | | |
|----------------------------------|---|---|--|--|

RESTIONACEAE

| | | | | |
|-------------------------------|---|--|--|---|
| <i>Anarthria gracilis</i> | x | | | |
| <i>A. prolifera</i> | x | | | |
| <i>Harperia lateriflora</i> | x | | | |
| <i>Hypolaena exsulca</i> | x | | | |
| <i>Lepyrodia drummondiana</i> | x | | | |
| <i>L. hermaphrodita</i> | x | | | x |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|--------------------------------|--------|-------|--------|---------|
| <i>Loxocarya fasciculata</i> | x | | x | |
| <i>L. pubescens</i> | x | | x | |
| <i>Restio laxus</i> | x | | | |
| CENTROLEPIDACEAE | | | | |
| <i>Aphelia cyperoides</i> | x | | | x |
| <i>A. drummondii</i> | | | | x |
| <i>A. nutans</i> | x | | | |
| <i>Centrolepis aristata</i> | x | | | x |
| <i>C. drummondii</i> | | | | x |
| <i>C. glabra</i> | | | | x |
| <i>C. polygyna</i> | x | | | x |
| <i>C. strigosa</i> | x | | | x |
| PHILYDRACEAE | | | | |
| <i>Philydrella pygmaea</i> | x | | | x |
| JUNCACEAE | | | | |
| <i>Juncus bufonius</i> | x | | | x |
| * <i>J. capitatus</i> | x | | | x |
| <i>J. holoschoenus</i> | x | x | | |
| <i>J. pallidus</i> | x | | | |
| <i>J. pauciflorus</i> | x | x | | |
| <i>Luzula meridionalis</i> | x | | | |
| DASYPOGONACEAE | | | | |
| <i>Calectasia cyanea</i> | x | | | |
| <i>C. grandiflora</i> | x | | | |
| <i>Chamaexeros serra</i> | x | | x | |
| <i>Dasyogon bromeliifolius</i> | x | | | |
| <i>Kingia australis</i> | x | | | |
| <i>Lomandra micrantha</i> | x | | | |
| <i>L. odora</i> | x | | | |
| <i>L. pauciflora</i> | | x | | x |
| <i>L. preissii</i> | x | | | |
| <i>L. purpurea</i> | x | | | |
| <i>L. suaveolens</i> | x | | | |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|---|--------|-------|--------|---------|
| XANTHORRHOEACEAE | | | | |
| <i>Xanthorrhoea gracilis</i> | x | | | x |
| <i>X. platyphylla</i> | x | | x | |
| PHORMIACEAE | | | | |
| <i>Dianella revoluta</i> var. <i>revoluta</i> | x | | | |
| <i>D. revoluta</i> var. <i>brevicaulis</i> | x | | x | |
| ANTHERICACEAE | | | | |
| <i>Agrostocrinum scabrum</i> | x | | | x |
| <i>Arthropodium capillepes</i> | x | | | |
| <i>Borya nitida</i> | | | | x |
| <i>Caesia micrantha</i> | x | | | |
| <i>C. occidentalis</i> | x | | | |
| <i>Chamaescilla corymbosa</i> | x | | | x |
| <i>Johnsonia acaulis</i> | | | x | |
| <i>Laxmannia sessiliflora</i> | x | | | |
| <i>Sowerbaea laxiflora</i> | x | | | |
| <i>Thysanotus multiflorus</i> | x | | | |
| <i>T. multiflorus</i> | x | | | |
| <i>T. patersonii</i> | x | | | |
| <i>Tricoryne humilis</i> | x | | | |
| ASPHODELACEAE | | | | |
| <i>Bulbine semibarbata</i> | | | | x |
| COLCHICACEAE | | | | |
| <i>Burchardia multiflora</i> | | | | x |
| <i>B. umbellata</i> | x | | | |
| <i>Wurmbaea dioica</i> | | | | x |
| HAEMODORACEAE | | | | |
| <i>Anigozanthos bicolor</i> | x | | | |
| <i>Conostylis setigera</i> | x | | | |
| <i>Haemodorum panniculatum</i> | x | | | |
| <i>H. spicatum</i> | x | | | |
| <i>Tribonanthes australis</i> | | | | x |

TAXON

JARRAH

KARRI

MALLEE

GRANITE

HYPOXIDACEAE

Hypoxis glabella x
H. occidentalis x

IRID

Orthrosanthus laxus x
Patersonia occidentalis x
 **Romulea rosea* x
 **Watsonia bulbifera* x

ORCHIDACEAE

Acianthus reniformis x
Caladenia dilatata x
C. flava x
C. longiclavata x
C. huegelii x
C. macrostylis x
C. latifolia x
C. lobata x
C. menziesii
C. nana x
C. patersonii x
C. reptans x
C. sericea x
Corybas dilatatus
Cryptostylis ovata x
Diuris laevis x
D. laxiflora x
D. longifolia x
D. sp. aff. longifolia x
D. setacea x
Drakaea elastica x
D. glyptodon x
Elythranthera brunonis x
E. emarginata x
Eriochilus dilatatus x
E. scaber x
Leporella fimbriata x
Lyperanthus nigricans x

x

x

x

x

x

x

x

x

x

x

x

x

x

x

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|------------------------------|--------|-------|--------|---------|
| <i>L. serratus</i> | x | | | |
| <i>Microtis alba</i> | x | | | |
| <i>M. unifolia</i> | x | | | x |
| * <i>Monadenia bracteata</i> | x | | x | x |
| <i>Prasophyllum brownii</i> | x | | | |
| <i>P. elatum</i> | x | | | |
| <i>P. fimbria</i> | x | | | |
| <i>P. hians</i> | x | | | |
| <i>P. parviflorum</i> | x | | | |
| <i>P. regium</i> | x | | | |
| <i>P. ovale</i> | x | | | |
| <i>Pterostylis barbata</i> | x | | | x |
| <i>P. recurva</i> | x | | | |
| <i>P. nana</i> | | | | x |
| <i>P. aff. nana</i> | | | | x |
| <i>P. vittata</i> | x | | | |
| <i>Thelymitra crinita</i> | x | | | |
| <i>T. fuscolutea</i> | x | | | |
| <i>T. mucida</i> | x | | | |
| <i>T. pauciflora</i> | | x | | x |
| <i>T. nuda</i> | x | x | | |
| <i>T. flexuosa</i> | x | | | |

DICOTYLEDONS

CASUARINACEAE

| | |
|---------------------------------|---|
| <i>Allocasuarina fraseriana</i> | x |
| <i>A. humilis</i> | x |

PROTEACEAE

| | |
|------------------------------|---|
| <i>Banksia gardneri</i> | x |
| <i>B. grandis</i> | x |
| <i>B. littoralis</i> | x |
| <i>B. sphaerocarpa</i> | x |
| <i>Conospermum capitatum</i> | x |
| <i>C. dorrenii</i> | x |
| <i>Dryandra armata</i> | x |
| <i>D. formosa</i> | x |
| <i>D. nivea</i> | x |

TAXON

JARRAH KARRI MALLEE GRANITE

| | | | | |
|--------------------------------|---|---|---|---|
| <i>D. pteridiifolia</i> | X | | | |
| <i>Grevillea brownii</i> | X | | | |
| <i>G. trifida</i> | X | | | |
| <i>G. pulchella</i> | X | | | |
| <i>Hakea amplexicaulis</i> | X | | | |
| <i>H. corymbosa</i> | X | | | |
| <i>H. falcata</i> | X | | | |
| <i>H. prostrata</i> | X | | | |
| <i>H. ruscifolia</i> | X | | | |
| <i>H. trifurcata</i> | X | | | |
| <i>H. undulata</i> | X | | | X |
| <i>H. varia</i> | X | | | X |
| <i>Isopogon attenuatus</i> | X | | | |
| <i>I. formosus</i> | X | | | |
| <i>Persoonia elliptica</i> | X | | | |
| <i>Petrophile diversifolia</i> | X | | | |
| <i>P. longifolia</i> | X | | | |
| <i>P. serruriae</i> | X | | | |
| <i>Synaphaea aff. favosa</i> | X | | | |
| <i>S. reticulata</i> | X | | | |
| <i>Stirlingia tenuifolia</i> | X | | X | |
| SANTALACEAE | | | | |
| <i>Leptomeria pauciflora</i> | X | | | |
| <i>L. squarrulosa</i> | X | | | |
| OLACACEAE | | | | |
| <i>Olax phyllanthii</i> | X | X | | |
| LORANTHACEAE | | | | |
| <i>Ameyema miquellii</i> | X | | | |
| <i>Nuytsia floribunda</i> | X | | | |
| POLYGONACEAE | | | | |
| * <i>Rumex acetosella</i> | X | X | | X |
| AIZOACEAE | | | | |
| <i>Carpobrotus modestus</i> | | | | X |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|--|--------|-------|--------|---------|
| PORTULACACEAE | | | | |
| <i>Calandrinia calyptrata</i> | | | | x |
| <i>C. neesiana</i> | | | | x |
| CARYOPHYLLACEAE | | | | |
| * <i>Cerastium glomeratum</i> | x | x | | x |
| * <i>Petrohagia velutina</i> | x | | | |
| * <i>Sagina apetala</i> | | x | | |
| * <i>Polycarpon tetraphyllum</i> | x | x | | x |
| * <i>Silene gallica</i> | | | | x |
| * <i>Spergularia rubra</i> | | | | x |
| * <i>Stellaria media</i> | x | x | | x |
| RANNUNCULACEAE | | | | |
| <i>Clematis pubescens</i> | x | x | | |
| <i>Rannunculus colonorum</i> | | x | | x |
| LAURACEAE | | | | |
| <i>Cassytha racemosa</i> | x | | | |
| FUMARIACEAE | | | | |
| * <i>Fumaria capreolata</i> | | x | | |
| BRASSICACEAE | | | | |
| * <i>Lepidium bonariensis</i> | | | | |
| DROSERACEAE | | | | |
| <i>Drosera erythrorhiza</i> | x | | | |
| <i>D. glanduligera</i> | x | | | x |
| <i>D. menziesii</i> | x | | | |
| <i>D. pallida</i> | x | | | |
| <i>D. pulchella</i> | x | | | |
| <i>D. subhirtella</i> | x | | | x |
| <i>D. stolonifera</i> | x | | | x |
| CRASSULACEAE | | | | |
| <i>Crassula colorata</i> var. | | | | |
| <i>colorata</i> | x | x | | x |
| <i>C. colorata</i> var. <i>tuberculata</i> | | | x | x |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|---|--------|-------|--------|---------|
| <i>C. decumbens</i> | | | | X |
| <i>C. sieberana</i> ssp. <i>tetramera</i> | | X | | X |
| <i>C. pedicellosa</i> | | | | X |
| <i>C. decumbens</i> | | | | X |
| PITTOSPORACEAE | | | | |
| <i>Billardiera floribunda</i> | X | | | |
| <i>B. granulata</i> | | X | | X |
| <i>B. variifolia</i> | X | | | |
| <i>Sollya heterophylla</i> | X | X | | X |
| ROSACEAE | | | | |
| * <i>Acaena echinata</i> | X | X | | |
| * <i>Prunus</i> sp. | | X | | |
| * <i>Rubus fruticosus</i> | | X | | X |
| MIMOSACEAE | | | | |
| <i>Acacia browniana</i> | X | | | |
| * <i>A. dealbata</i> | X | X | | |
| <i>A. drummondii</i> | X | X | | X |
| <i>A. heteroclita</i> | | | | X |
| <i>A. leioderma</i> | X | | | |
| <i>A. myrtifolia</i> | X | X | | |
| <i>A. pulchella</i> | X | | X | |
| <i>A. urophylla</i> | | X | | |
| <i>Pariserianthes lophantha</i> | | X | | X |
| FABACEAE | | | | |
| <i>Bossiaea linophylla</i> | X | | | |
| <i>B. ornata</i> | X | | | |
| <i>Brachysema subcordatum</i> | | X | | X |
| <i>Chorizema diversifolium</i> | X | | | |
| <i>C. illicifolium</i> | X | X | | |
| <i>C. rhombeum</i> | X | | | |
| * <i>Cytissus proliferus</i> | | X | | |
| <i>Daviesia cordata</i> | X | | | |
| <i>D. decurrens</i> | X | | | |
| <i>D. horrida</i> | X | | | |
| * <i>Dipogon lignosus</i> | X | | | |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|--|--------|-------|--------|---------|
| <i>Eutaxia densiflora</i> | x | | | x |
| <i>E. obovata</i> | | | | |
| <i>Gompholobium knightianum</i> | x | | | |
| <i>G. ovatum</i> | x | | | |
| <i>G. polymorphum</i> | x | | | |
| <i>Hardenbergia comptoniana</i> | x | | | x |
| <i>Hovea chorizemifolia</i> | x | | | |
| <i>H. ellipticum</i> | x | x | | |
| <i>H. trisperma</i> | x | | | |
| <i>Isotropis cuenifolia</i> | x | | | |
| <i>Kennedia coccinea</i> | x | | | x |
| <i>K. microphylla</i> | x | | | |
| * <i>Lablab purpureus</i> | | x | | |
| * <i>Lotus subflorus</i> | x | x | | |
| <i>Mirbelia dilatatum</i> | | x | | |
| <i>Oxylobium lanceolatum</i> | x | x | | |
| * <i>Psoralea pinnata</i> | | x | | |
| <i>Pultenaea ochreatea</i> | x | | | |
| <i>Sphaerolobium alatum</i> | x | | | |
| <i>S. linophyllum</i> | x | | | |
| * <i>Trifolium campestre</i> | x | x | | |
| * <i>T. dubium</i> | | | | x |
| * <i>T. subterraneum</i> | x | | | |
| <i>Viminaria juncea</i> | x | x | | |
| GERANIACEAE | | | | |
| * <i>Erodium cicutarium</i> | x | x | | |
| * <i>Geranium molle</i> | | x | | |
| <i>G. solanderi</i> | | | | x |
| <i>Pelargonium australe</i> | | | | x |
| OXALIDACEAE | | | | |
| <i>Oxalis perennans</i> | x | x | | x |
| RUTACEAE | | | | |
| <i>Boronia crenulata</i> | x | x | | x |
| <i>B. molloyae</i> | | x | | |
| <i>B. ramosa</i> ssp. <i>anethifolia</i> | x | | | |
| <i>B. spathulata</i> | x | | | |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|--------------------------------|--------|-------|--------|---------|
| TREMANDRACEAE | | | | |
| <i>Tetratheca affinis</i> | x | | | |
| <i>T. nuda</i> | | | | |
| <i>Tremandra diffusa</i> | x | | | x |
| <i>T. stelligera</i> | x | | | |
| POLYGALACEAE | | | | |
| <i>Comesperma caly mega</i> | x | | | |
| <i>C. conferta</i> | x | | | |
| EUPHORBIACEAE | | | | |
| <i>Phyllanthus calycinus</i> | x | | | |
| <i>Poranthera microphylla</i> | x | | | |
| <i>Ricinocarpus glaucus</i> | x | | | |
| STACKHOUSIACEAE | | | | |
| <i>Stackhousia muricata</i> | x | | | |
| <i>S. pubescens</i> | x | | | |
| <i>Tripterococcus brunonis</i> | x | | | |
| SAPINDACEAE | | | | |
| <i>Dodonaea oblongifolia</i> | | | | x |
| RHAMNACEAE | | | | |
| <i>Spyridium sp.</i> | | x | | |
| <i>Trymalium floribundum</i> | | x | | |
| MALVACEAE | | | | |
| <i>Sida hookerana</i> | | | | x |
| STERCULIACEAE | | | | |
| <i>Rulingia coryfolia</i> | | | | x |
| <i>Thomasia foliosa</i> | x | | | |
| DILLENACEAE | | | | |
| <i>Hibbertia amplexicaulis</i> | x | | | |
| <i>H. bracteosa</i> | | | | x |
| <i>H. lineata</i> | x | | | |
| <i>H. microphylla</i> | x | | | |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|--------------------------------|--------|-------|--------|---------|
| <i>H. serrata</i> | x | x | | |
| <i>H. pulchra</i> | x | | | |
| CLUSIACEAE | | | | |
| <i>Hypericum gramineum</i> | | | | x |
| VIOLACEAE | | | | |
| <i>Hybanthus floribundus</i> | x | | | |
| THYMELEACEAE | | | | |
| <i>Pimelea ciliata</i> | x | | | |
| <i>P. lehmanniana</i> | x | | | |
| <i>P. suaveolens</i> | | | | x |
| <i>P. sylvestris</i> | x | | | |
| MYRTACEAE | | | | |
| <i>Agonis hypericifolia</i> | x | | | |
| <i>A. linearifolia</i> | | x | | x |
| <i>A. parviceps</i> | x | | | |
| <i>Astartea fascicularis</i> | x | | | |
| <i>Calothamnus lehmannii</i> | x | | | |
| <i>C. rupestris</i> | | | | x |
| <i>Darwinia citrioidora</i> | x | | | |
| <i>D. oederoides</i> | x | | | |
| <i>D. vestita</i> | x | x | | |
| <i>Eucalyptus calophylla</i> | x | x | | |
| <i>E. cornuta</i> | | | | x |
| <i>E. decipiens</i> | x | | | |
| <i>E. diversicolor</i> | | x | | |
| <i>E. marginata</i> | x | | | |
| <i>E. megacarpa</i> | | | | x |
| <i>E. tetragona</i> | | | x | |
| <i>Kunzea recurva</i> | x | | | |
| <i>Melaleuca blaeriaefolia</i> | | | | x |
| <i>M. densa</i> | x | | | x |
| <i>M. depauperata</i> | x | | | |
| <i>M. preissiana</i> | x | | | |
| <i>M. scabra</i> | x | | | |
| <i>M. suberosa</i> | x | | x | |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|------------------------------------|--------|-------|--------|---------|
| <i>M. thymoides</i> | x | | | |
| <i>Thryptomene saxicola</i> | | | | x |
| <i>Verticordia densiflora</i> | x | | | |
| ONAGRACEAE | | | | |
| <i>Epilobium billardierianum</i> | | | | |
| <i>ssp. cinereum</i> | | x | | |
| <i>E. hirtigerum</i> | | x | | |
| HALORAGACEAE | | | | |
| <i>Gonocarpus rudis</i> | | | | x |
| <i>Halorhagis brownii</i> | | x | | x |
| APIACEAE | | | | |
| <i>Apium aff. prostratum</i> | | x | | |
| <i>Centella cordifolia</i> | | x | | |
| <i>Daucus glochidiatus</i> | x | x | | x |
| <i>Homalosciadium homalocarpum</i> | | | | x |
| <i>Hydrocotyle blepharocarpa</i> | | | | x |
| <i>H. callicarpa</i> | x | | | |
| <i>H. diantha</i> | | | | x |
| <i>H. hirta</i> | | x | | |
| <i>Actinotus glomeratus</i> | x | | | |
| <i>Platysace compressa</i> | x | | | x |
| <i>Trachymene anisocarpa</i> | | | | x |
| <i>T. pilosa</i> | x | | | x |
| <i>Xanthosia pusilla</i> | x | | | |
| <i>X. rotundifolia</i> | x | x | | |
| EPACRIDACEAE | | | | |
| <i>Andersonia caerulea</i> | x | | | |
| <i>A. micrantha</i> | x | | | |
| <i>A. sprengelioides</i> | | | | x |
| <i>Astroloma ciliatum</i> | x | | | |
| <i>A. baxteri</i> | x | | | |
| <i>A. pallidum</i> | x | | | |
| <i>A. aff. humifusum</i> | x | | | |
| <i>Leucopogon australis</i> | x | | | |
| <i>L. capittelatus</i> | x | | | |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|---|--------|-------|--------|---------|
| <i>L. carinatus</i> | | | | x |
| <i>L. cymbiformis</i> | x | | | |
| <i>L. oppositifolius</i> | x | | | |
| <i>L. oxycedrus</i> | x | | x | |
| <i>L. pendulus</i> | x | x | | |
| <i>L. propinquus</i> | | | | x |
| <i>L. racemulosus</i> | x | | | |
| <i>L. revolutus</i> | x | x | | |
| <i>L. unilateralis</i> | x | | | |
| <i>L. verticillatus</i> | x | x | | |
| <i>Lysinema ciliatum</i> | x | | | |
| <i>Sphenotoma capitatum</i> | x | | | |
| <i>Styphelia tenuiflora</i> | x | | | |
| PRIMULACEAE | | | | |
| * <i>Anagallis arvensis</i> var. <i>caerulea</i> | x | x | | x |
| LOGANIACEAE | | | | |
| <i>Logania campanulata</i> | x | | | |
| <i>L. serpyllifolia</i> | x | | | |
| <i>Mitrasacme paradoxa</i> | x | | | x |
| GENTIANACEAE | | | | |
| * <i>Centaurium erythraea</i> | x | x | | |
| * <i>Sebaea ovata</i> | | | | x |
| MENYANTHACEAE | | | | |
| <i>Villarsia calthifolia</i> | | x | | x |
| <i>V. parnassifolia</i> | x | | | |
| CONVOLVULACEAE | | | | |
| <i>Dichondra repens</i> | x | x | | |
| LAMIACEAE | | | | |
| * <i>Mentha pulegium</i> | | x | | |
| * <i>Prunella vulgaris</i> | | x | | |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|----------------------------------|--------|-------|--------|---------|
| BORAGINACEAE | | | | |
| * <i>Myosotis sylvatica</i> | | x | | |
| SOLANACEAE | | | | |
| * <i>Solanum nigrum</i> | x | x | | x |
| SCROPHULARIACEAE | | | | |
| * <i>Bellardia trixago</i> | x | x | | x |
| <i>Grattiola peruviana</i> | x | | | |
| * <i>Parentucellia latifolia</i> | | | | x |
| * <i>P. viscosa</i> | x | x | | x |
| * <i>Verbascum virgatum</i> | | x | | |
| <i>Veronica calycina</i> | x | x | | |
| * <i>V. peregrina</i> | | | | x |
| OROBANCHACEAE | | | | |
| <i>Orobanche minor</i> | x | x | x | |
| LENTIBULARIACEAE | | | | |
| <i>Polypomphylx multifida</i> | | | | x |
| <i>P. tenella</i> | | | | x |
| <i>Utricularia menziesii</i> | | | | x |
| MYOPORACEAE | | | | |
| <i>Myoporum tetrandrum</i> | | x | | |
| PLANTAGINACEAE | | | | |
| * <i>Plantago lanceolata</i> | x | x | | x |
| <i>P. debilis</i> | | x | | x |
| RUBIACEAE | | | | |
| * <i>Galium aparine</i> | | | | x |
| * <i>G. divaricatum</i> | x | x | | |
| <i>Opercularia hispidula</i> | | x | | x |
| <i>O. vaginata</i> | x | | | |
| <i>O. volubilis</i> | | x | | x |
| VALERIANACEAE | | | | |
| * <i>Centranthus ruber</i> | | x | | |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|--------------------------------|--------|-------|--------|---------|
| CAMPANULACEAE | | | | |
| <i>Wahlenbergia stricta</i> | x | x | | |
| LOBELIACEAE | | | | |
| <i>Isotoma hypocratiformis</i> | x | | | |
| <i>Lobelia alata</i> | x | x | | |
| <i>L. gibbosa</i> | | x | | |
| <i>L. rhombifolia</i> | x | | | |
| GOODENIACEAE | | | | |
| <i>Dampiera alata</i> | x | | | |
| <i>D. hederaceae</i> | | x | | |
| <i>D. linearis</i> | x | x | | x |
| <i>Goodenia caerulea</i> | x | | | |
| <i>G. filiformis</i> | x | | | |
| <i>G. ?laytoniana</i> | | x | | |
| <i>Lechenaultia formosa</i> | x | | | |
| <i>Scaevola striata</i> | x | x | | x |
| <i>Velleia trinervis</i> | | | | x |
| STYLIDIACEAE | | | | |
| <i>Levenhookia dubia</i> | | | | x |
| <i>L. pusilla</i> | x | | | |
| <i>Stylidium adnatum</i> | x | | | |
| <i>S. amoenum</i> | x | | | |
| <i>S. breviscapum</i> | x | | | |
| <i>S. brunonianum</i> | x | | | |
| <i>S. calcaratum</i> | x | | | x |
| <i>S. corymbosum</i> | x | | | x |
| <i>S. crassifolium</i> | x | | | |
| <i>S. guttatum</i> | | | | x |
| <i>S. junceum</i> | | | x | |
| <i>S. petiolare</i> | | | x | x |
| <i>S. repens</i> | x | | | |
| ASTERACEAE | | | | |
| * <i>Arctotheca calendula</i> | x | | | x |
| <i>Angianthus tenellus</i> | | | | x |
| <i>Brachycome ciliaris</i> | | | | x |

| TAXON | JARRAH | KARRI | MALLEE | GRANITE |
|---------------------------------------|--------|-------|--------|---------|
| * <i>Carduus pycnocephalus</i> | | | | x |
| * <i>Cirsium vulgare</i> | x | x | | |
| * <i>Conyza albida</i> | x | x | | |
| * <i>C. bonariensis</i> | x | x | | x |
| * <i>Cotula turbinata</i> | x | | | x |
| <i>C. cotuloides</i> | | | | x |
| <i>Craspedia pleiocephala</i> | x | | | x |
| * <i>Crepis foetida</i> | | x | | |
| <i>Gnaphalium gymnocephalum</i> | | | | x |
| <i>G. sphaericum</i> | x | | | |
| <i>Helichrysum macranthum</i> | | x | | x |
| <i>H. ramosum</i> | | x | | |
| <i>Helipterum cotula</i> | | | | x |
| * <i>Hypochaeris glabra</i> | x | x | | x |
| <i>Ixiolaena viscosa</i> | x | | | |
| <i>Lagenifera huegelii</i> | x | x | | |
| <i>Millotia myosotidifolia</i> | | | | x |
| <i>M. tenuifolia</i> | x | | | x |
| <i>Olearia ciliaris</i> | x | | | |
| <i>O. paucidentata</i> | | | | x |
| <i>Picris squarrosa</i> | x | x | | x |
| <i>Pithocarpa corymbulosa</i> | x | | | |
| <i>Podolepis gracilis</i> | x | | | |
| <i>P. lessonii</i> | | | | x |
| <i>Podotheca angustifolia</i> | | | x | |
| * <i>Pseudognaphalium luteo-album</i> | x | | | |
| <i>Quinetia urvillei</i> | | | | x |
| <i>Rutidosia multiflora</i> | | | | x |
| <i>Senecio hispidulus</i> | | x | | |
| <i>S. ramosissimus</i> | | x | | |
| <i>Siloxerus humifusus</i> | x | x | | |
| * <i>Sonchus asper</i> | | x | | |
| * <i>S. oleraceus</i> | x | x | | x |
| * <i>Sigesbeckia orientalis</i> | | x | | |
| <i>Trigchocline spathulata</i> | x | | x | |
| * <i>Vellereophyton dealbatum</i> | x | | | |
| <i>Waitzia aurea</i> | x | | | |
| <i>W. paniculata</i> | x | | | |