

0-2105
KEIC1999

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/M	lake	D

FLORA OF LAKE NOWERGUP NATURE RESERVE.

Key

- Column 1** Family group (listed alphabetically)
- Column 2** Plant Taxa (species, sub-species and varieties)
(listed alphabetically in family groups which are also listed alphabetically)
* Weed species
ms manuscript name (shown after the name)
- Column 3&4** Vegetation Unit
Ba =Banksia low woodland
J/M =Jarrah Marri woodland
T = Bushland upland areas dominated by Tuart
Er/M =Wetland mosaic areas dominated by Eucalyptus rudis and Melaleuca spp
Lk = lake bed
D = Disturbed areas

Family group	Plant Taxon	Vegetation Unit					
		Ba	J/M	T	Er/M	Lk	D
Aizoaceae							
	* Carpobrotus aequilaterus				.		
	* Carpobrotus edulis	.					.
	Macarthuria australis	.					
Amaryllidaceae							
	* Narcissus tazetta				.		.
Amaranthaceae							
	Alternanthera nodiflora					.	
	* Amaranthus lividus						.
	Ptilotus manglesii	.	.				
	Ptilotus polystachyus	.	.				
Anthericaceae							
	Arthropodium capillipes		.	.	.		
	Caesia micrantha	.	.	.			
	Caesia occidentalis				.		
	Chamaescilla corymbosa	.	.		.		
	Corynotheca micrantha	.			.		
	Sowerbaea laxiflora		.	.			
	Thysanotus arenarius	.					
	Thysanotus manglesii		.				
	Thysanotus patersonii				.	.	
	Thysanotus multiflorus	.	.				
	Tricoryne elatior	.	.		.		
Apiaceae							
	Apium annuum	.	.	.			

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
	<i>Apium prostratum</i>					.	
	<i>Centella cordifolia</i>				.	.	
	<i>Daucus glochidiatus</i>	.		.	.		
	<i>Eryngium pinnatifidum</i> subsp. <i>pinnatifidum</i>		.	.			
*	<i>Foeniculum vulgare</i>						.
	<i>Homalosciadium homalocarpum</i>		.				
	<i>Hydrocotyle alata</i>	.			.		
	<i>Hydrocotyle diantha</i>			.	.		
	<i>Trachymene coerulea</i>			.			
	<i>Trachymene pilosa</i>		
	<i>Xanthosia huegelii</i>		.				
Araceae							
*	<i>Zantedeschia aethiopica</i>						.
Asclepidaceae							
*	<i>Gomphocarpus fruticosus</i>						.
Asparagaceae							
*	<i>Asparagus asparagoides</i>	.			.		.
Asphodelaceae							
*	<i>Asphodelus fistulosus</i>						.
Asteraceae							
*	<i>Arctotheca calendula</i>
*	<i>Aster subulatus</i>					.	.
	<i>Asteridea pulverulenta</i>			.			
	<i>Brachyscome iberioidifolia</i>		.	.			
*	<i>Carduus pycnocephalus</i>			.	.		.
*	<i>Centaurium melitensis</i>				.		.
*	<i>Cirsium vulgare</i>				.		.
*	<i>Conyza albida</i>				.		.
	<i>Cotula coronopifolia</i>					.	.
*	<i>Cotula turbinata</i>						.
*	<i>Dittrichia graveolens</i>					.	.
*	<i>Hypochaeris glabra</i>
	<i>Ixiolaena viscosa</i>			.			
	<i>Lagenifera huegelii</i>		.	.			
	<i>Millotia myosotidifolia</i>	.	.				
	<i>Myriocephalus helichrysoides</i>		.	.			
	<i>Olearia axillaris</i>			.			
	<i>Osteospermum calendulaceum</i>			.			.
	<i>Ozothamnus cordatus</i>			.			
	<i>Podolepis gracilis</i>			.			
	<i>Podotheca angustifolia</i>	.	.				
	<i>Podotheca chrysantha</i>		.			.	
*	<i>Pseudognaphalium luteoalbum</i>					.	.
	<i>Quinetia urvillei</i>				.	.	
	<i>Rutidosis multiflora</i>				.		
	<i>Senecio glomeratus</i>			.		.	
	<i>Senecio quadridentatus</i>			.	.	.	

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
	<i>Senecio lautus</i>	•				•	
	<i>Siloxerus humifusus</i>			•			
*	<i>Sonchus asper</i>	•		•			•
	<i>Sonchus hydrophilous</i>				•		
*	<i>Sonchus oleraceus</i>	•				•	•
*	<i>Ursinia anthemoides</i>	•			•		•
*	<i>Urospermum picroides</i>	•					
	<i>Waitzia citrina</i>					•	
	<i>Waitzia suaveolens</i>					•	
*	<i>Vellereophyton dealbatum</i>			•			•
Brassicaceae							
*	<i>Brassica tournefortii</i>			•			•
*	<i>Heliophila pusilla</i>	•		•			•
	<i>Menkea australis</i>	•					
*	<i>Raphanus raphanistrum</i>						•
	<i>Stenopetalum gracile</i>	•					
Campanulaceae							
*	<i>Wahlenbergia capensis</i>	•					•
	<i>Wahlenbergia preissii</i>	•	•	•			
Callitrichaceae							
*	<i>Callitriche stagnalis</i>					•	
Caryophyllaceae							
*	<i>Corrigiola littoralis</i>					•	•
*	<i>Cerastium glomeratum</i>	•					•
*	<i>Petrorhagia velutina</i>	•	•				•
*	<i>Silene gallica</i> var. <i>quinquevulnera</i>	•					•
*	<i>Stellaria media</i>	•					•
Casuarinaceae							
	<i>Allocasuarina fraseriana</i>		•				
	<i>Allocasuarina humilis</i>	•	•				
Centrolepidaceae							
	<i>Aphelia cyperoides</i>		•				
	<i>Centrolepis aristata</i>		•	•			
	<i>Centrolepis drummondiana</i>	•					
Chenopodiaceae							
*	<i>Atriplex prostrata</i>					•	
*	<i>Chenopodium macrospermum</i>					•	
*	<i>Chenopodium murale</i>	•		•			•
	<i>Rhagodia baccata</i>			•	•		
Colchicaceae							
	<i>Burchardia congesta</i> (= <i>Burchardia umbellata</i>)	•	•				
	<i>Wurmbea monantha</i>	•		•			

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
Commelinaceae							
	<i>Cartonema philydroides</i>			.			
Crassulaceae							
*	<i>Crassula alata</i>						.
	<i>Crassula colorata</i>	.	.	.			
*	<i>Crassula decumbens</i>	.					.
*	<i>Crassula natans</i>					.	
	<i>Crassula closiana</i>			.	.		
Cyperaceae							
	<i>Baumea articulata</i>					.	
	<i>Baumea juncea</i>				.	.	
	<i>Baumea laxa</i>				.	.	
	<i>Baumea rubiginosa</i>					.	
	<i>Bolboschoenus caldwellii</i>					.	
	<i>Carex preissii</i>			.			
*	<i>Cyperus congestus</i>				.	.	
*	<i>Cyperus eragrostis</i>				.	.	
*	<i>Cyperus tenellus</i>			.	.		
	<i>Isolepis cernua</i>				.		
	<i>Isolepis marginata</i>			.		.	
	<i>Isolepis nodosa</i>	.		.	.		
*	<i>Isolepis prolifera</i>					.	.
	<i>Lepidosperma longitudinale</i>				.	.	
	<i>Lepidosperma squamatum</i>		.	.	.		
	<i>Lepidosperma tenue</i>		.				
	<i>Mesomelaena pseudostygia</i>		
	<i>Schoenus curvifolius</i>		.	.			
	<i>Schoenus efoliatus</i>			.		.	
	<i>Schoenus discifer</i>		.				
	<i>Schoenus grandiflorus</i>	.	.	.			
	<i>Schoenus latitans</i>		.	.			
	<i>Tetraria octandra</i>	.	.				
Dasypogonaceae							
	<i>Calectasia nagarra</i>	.	.				
	<i>Dasypogon bromeliifolius</i>		.				
	<i>Lomandra caespitosa</i>	.	.	.			
	<i>Lomandra maritima</i>			.			
	<i>Lomandra nigricans</i>	.					
	<i>Lomandra suaveolens</i>		.	.			
Dennstaedtiaceae							
	<i>Pteridium esculentum</i>					.	
Dilleniaceae							
	<i>Hibbertia aurea</i>	.					
	<i>Hibbertia hypericoides</i>	.	.	.			
	<i>Hibbertia racemosa</i>			.			
	<i>Hibbertia subvaginata</i>		.				
Droseraceae							

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
	<i>Drosera erythrorhiza</i>	.		.			
	<i>Drosera gigantea</i>			.			
	<i>Drosera glanduligera</i>		.	.			
	<i>Drosera macrantha</i>		.				
	<i>Drosera stolonifera</i>		.	.			
Epacridaceae							
	<i>Andersonia lehmanniana</i>	.					
	<i>Astroloma ciliatum</i>		.	.			
	<i>Astroloma pallidum</i>		.				
	<i>Conostephium pendulum</i>	.	.				
	<i>Conostephium preissii</i>		.	.			
	<i>Leucopogon parviflorus</i>	.	.				
	<i>Leucopogon propinquus</i>		.	.			
	<i>Leucopogon sprengeloides</i>		.				
	<i>Lysinema ciliatum</i>	.					
Euphorbiaceae							
*	<i>Euphorbia peplus</i>	.					.
*	<i>Euphorbia terracina</i>	.					.
	<i>Monotaxis occidentalis</i>		.				
	<i>Phyllanthus calycinus</i>		.	.	.		
	<i>Poranthera microphylla</i>	.	.	.			
Fumariaceae							
*	<i>Fumaria capreolata</i>				.		.
Gentianaceae							
*	<i>Centaurium erythraea</i>			.	.		.
Geraniaceae							
*	<i>Erodium botrys</i>						.
*	<i>Erodium cicutarium</i>			.			.
*	<i>Geranium molle</i>				.		.
	<i>Geranium retrorsum</i>		.	.	.		
*	<i>Pelargonium capitatum</i>	.		.			.
	<i>Pelargonium littorale</i>			.			
Goodeniaceae							
	<i>Dampiera linearis</i>			.			
	<i>Lechenaultia liniaroides</i>				.		
	<i>Scaevola canescens</i>	.					
	<i>Scaevola phlebopetala</i>		.				
	<i>Scaevola repens</i> var <i>repens</i>		.	.			
Gyrostemonaceae							
	<i>Gyrostemon ramulosus</i>			.	.		
Haemodoraceae							
	<i>Anigozanthos humilis</i>	.					
	<i>Anigozanthos manglesii</i>		.				
	<i>Conostylis aculeata</i>	.	.	.			
	<i>Conostylis candicans</i> subsp. <i>calcvola</i>			.			
	<i>Conostylis setigera</i>	.	.	.			

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
	<i>Haemodorum paniculatum</i>		.				
	<i>Haemodorum spicatum</i>	.	.	.			
	<i>Phlebocarya ciliata</i>	.		.			
Haloragaceae							
	<i>Glischrocaryon areum</i>	.					
	<i>Halorhagis brownii</i>					.	
	<i>Myriophyllum crispatum</i>					.	
Hypoxidaceae							
	<i>Hypoxis glabella</i>				.		
Iridaceae							
*	<i>Gladiolus caryophyllaceus</i>
*	<i>Gladiolus undulatus</i>	.					.
	<i>Orthrosanthus laxus</i>		.				
	<i>Patersonia occidentalis</i>		.		.		
*	<i>Romulea flava</i>						.
*	<i>Romulea rosea</i>
*	<i>Sparaxis bulbifera</i>						.
*	<i>Watsonia bulbifera</i>	.					.
Juncaceae							
*	<i>Juncus bufonius</i>			.	.		.
*	<i>Juncus capitatus</i>			.	.		.
*	<i>Juncus kraussii</i>					.	
	<i>Juncus pallidus</i>					.	
	<i>Luzula meridionalis</i>		.	.			
Juncaginaceae							
	<i>Triglochin calcitrapum</i> subsp. <i>recurvum</i>		.				
	<i>Triglochin huegelii</i>					.	
	<i>Triglochin trichophora</i>	.		.			
Lamiaceae							
	<i>Hemiandra pungens</i>			.			
*	<i>Stachys arvensis</i>	.					.
Lauraceae							
	<i>Cassytha pomiformis</i>		.				
	<i>Cassytha racemosa</i>		.		.		
Lemnaceae							
	<i>Lemna disperma</i>					.	
Lobeliaceae							
	<i>Lobelia alata</i>				.		
	<i>Lobelia tenuior</i>	.	.				
*	<i>Monopsis debilis</i>		.	.			
Loganiaceae							
	<i>Phyllangium paradoxum</i>	.	.	.			

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
Loranthaceae							
	<i>Ameyema miquellii</i>		•	•	•		
	<i>Nuytsia floribunda</i>		•	•			
Lythraceae							
	<i>Lythrum hyssopifolia</i>					•	
Malvaceae							
	* <i>Malva parviflora</i>			•	•		
Menyanthaceae							
	<i>Villarsia albiflora</i>					•	
	<i>Villarsia capitata</i>					•	
Mimosaceae							
	<i>Acacia cyclops</i>	•		•	•		
	<i>Acacia</i>		•	•			
	<i>Acacia huegelii</i>	•					
	<i>Acacia pulchella</i> var <i>glaberrima</i>	•	•	•			
	<i>Acacia pulchella</i> var <i>recurva</i>				•		
	<i>Acacia saligna</i>			•	•		
	<i>Acacia willdenowiana</i>		•				
Myoporaceae							
	<i>Myoporum capparoides</i>				•	•	
Myrtaceae							
	<i>Astartea</i> aff <i>fascicularis</i>				•	•	
	<i>Calothamnus quadrifidus</i>		•	•			
	<i>Calothamnus sanguineus</i>	•	•				
	<i>Calytrix flavescens</i>	•					
	<i>Eucalyptus calophylla</i>		•	•			
	<i>Eucalyptus gomphocephala</i>			•			
	<i>Eucalyptus marginata</i>		•				
	<i>Eucalyptus rudis</i> subsp. <i>rudis</i>				•		
	<i>Eucalyptus todtiana</i>	•					
	<i>Leptospermum spinescens</i>	•					
	<i>Melaleuca incana</i>				•		
	<i>Melaleuca preissiana</i>				•		
	<i>Melaleuca raphiophylla</i>				•	•	
	<i>Melaleuca systema</i>	•	•				
	<i>Melaleuca thymoides</i>		•	•			
	<i>Melaleuca viminea</i>				•	•	
Onagaraceae							
	<i>Epilobium billardierianum</i>					•	
	<i>Epilobium hirtigerum</i>					•	
Orchidaceae							
	<i>Caladenia flava</i>	•	•	•			
	<i>Caladenia latifolia</i>	•		•			

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
	<i>Caladenia longicauda</i> subsp. <i>calcigena</i>	•					
	<i>Caladenia</i> ? <i>georgei</i>	•					
	<i>Cyrtostylis huegelii</i>			•			
	<i>Cyanicula deformis</i>		•				
	<i>Cyanicula gemmata</i>		•	•			
	<i>Diuris coymbosa</i>		•				
	<i>Elythranthera brunonis</i>	•	•				
	<i>Eriochilus dilatatus</i>		•	•			
	<i>Leporella fimbriata</i>	•	•				
	<i>Leptoceras menziesii</i>		•				
	<i>Lyperanthus nigricans</i>		•	•			
	<i>Microtis media</i> subsp. <i>media</i>			•	•		
*	<i>Monadenia bracteata</i>	•		•	•		
	<i>Prasophyllum</i> sp		•				
	<i>Prasophyllum parviflorum</i>			•			
	<i>Pterostylis brevisepala</i>			•			
	<i>Pterostylis vittata</i>	•	•				
	<i>Pterostylis recurva</i>		•				
	<i>Thelymitra crinita</i>		•				
Orobanchaceae							
	<i>Orobanche minor</i>	•		•			
Oxalidaceae							
	<i>Oxalis perennans</i>			•			
*	<i>Oxalis pes-caprae</i>	•		•	•		•
*	<i>Oxalis purpurea</i>						•
Papilionaceae							
	<i>Bossiaea eriocarpa</i>	•	•	•			
	<i>Daviesia decurrens</i>	•	•				
	<i>Daviesia</i>						
	<i>Daviesia triflora</i>		•				
	<i>Gompholobium aristatum</i>		•				
	<i>Gompholobium knightianum</i>						
	<i>Gompholobium tomentosum</i>	•	•				
	<i>Hardenbergia comptoniana</i>	•	•	•	•		
	<i>Hovea trisperma</i>	•					
	<i>Isotropis cuenifolia</i>		•				
	<i>Jacksonia calcicola</i>	•		•			
	<i>Jacksonia furcellata</i>		•	•	•		
	<i>Jacksonia sternbergiana</i>			•	•		
	<i>Kennedia prostrata</i>	•	•				
*	<i>Lotus angustissimus</i>			•	•		•
*	<i>Lotus suaevoleus</i>			•	•		•
*	<i>Lupinus consentinii</i>			•	•		•
*	<i>Lupinus angustifolia</i>			•	•		•
*	<i>Medicago polymorpha</i>						•
*	<i>Melilotus indica</i>				•		•
	<i>Nemcia reticulata</i>	•	•				
*	<i>Ornithopus compressus</i>						•
	<i>Sphaerolobium medium</i>		•				

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
*	<i>Trifolium angustifolium</i>						.
*	<i>Trifolium arvense</i>	.					.
*	<i>Trifolium campestre</i>				.		.
*	<i>Trifolium repens</i>					.	.
*	<i>Vicia hirsuta</i>				.		.
*	<i>Vicia sativa</i> subsp. <i>nigra</i>			.			.
Phormiaceae							
	<i>Dianella revoluta</i>		.	.	.		
Phytolaccaceae							
*	<i>Phytolacca octandra</i>				.		.
Poaceae							
	<i>Agrostis avenacea</i>					.	
*	<i>Aira cupaniana</i>
	<i>Amphipogon turbinatus</i>	.	.				
*	<i>Anthoxanthum odoratum</i>		
*	<i>Avena barbata</i>			.	.		.
*	<i>Briza maxima</i>	
*	<i>Briza minor</i>	
*	<i>Bromus catharticus</i>						.
*	<i>Bromus diandrus</i>
*	<i>Cynodon dactylon</i>			.	.		.
	<i>Danthonia occidentalis</i>		.				
	<i>Danthonia setacea</i>		.	.			
	<i>Deyeuxia quadriseta</i>			.		.	
*	<i>Digitaria sanguinalis</i>				.	.	
*	<i>Ehrharta calycina</i>	.	.				.
*	<i>Ehrharta longiflora</i>
*	<i>Eragrostis curvula</i>	.					.
	<i>Hemarthria uncinata</i>					.	
*	<i>Holcus lanatus</i>
*	<i>Hordeum leporinum</i>						.
*	<i>Lagurus ovatus</i>			.	.		.
*	<i>Lolium rigidum</i>			.	.		.
	<i>Microlaena stipoides</i>		.	.			
	<i>Neurachne alopecuroidea</i>	.	.				
*	<i>Paspalum dilatatum</i>				.	.	
*	<i>Paspalum distichum</i>					.	
*	<i>Pennisetum clandestinum</i>					.	.
*	<i>Phalaris paradoxa</i>				.	.	.
*	<i>Poa drummondiana</i>		.				
	<i>Poa porphyroclados</i>			.			
*	<i>Polypogon monspeliensis</i>			.	.	.	
*	<i>Sporobolus indicus</i>				.	.	
*	<i>Stenotaphrum secundatum</i>				.		.
	<i>Stipa compressa</i>		.	.			
	<i>Stipa flavescens</i>		.	.			
	<i>Stipa elegantissima</i>		
*	<i>Vulpia myuros</i>	
Polygalaceae							

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
	<i>Comesperma ?integerrimum</i>			.			
	<i>Comesperma calymega</i>	.	.				
Polygonaceae							
*	<i>Acetosella vulgaris</i>						.
	<i>Muehlenbeckia adpressa</i>		.	.			
*	<i>Rumex crispus</i>			.	.		
*	<i>Rumex pulcher</i>				.		.
Portulacaceae							
	<i>Calandrinia brevipedata</i>	.	.				
	<i>Calandrinia corrigioloides</i>	.	.	.			
	<i>Calandrinia liniflora</i>		.				
Primulaceae							
*	<i>Anagallis arvensis</i>
	<i>Samolus junceus</i>					.	
Proteaceae							
	<i>Adenanthos cygnorum</i>		.				
	<i>Banksia attenuata</i>	.	.				
	<i>Banksia grandis</i>		.	.			
	<i>Banksia littoralis</i>				.		
	<i>Banksia menziesii</i>	.	.				
	<i>Banksia prionotes</i>		.	.			
	<i>Dryandra lindleyana</i>	.	.				
	<i>subsp. lindleyana</i>						
	<i>Dryandra sessilis</i>			.			
	<i>Grevillea vestita</i>			.			
	<i>Hakea costata</i>	.					
	<i>Hakea lissocarpa</i>	.	.	.			
	<i>Hakea prostrata</i>		.	.	.		
	<i>Hakea ruscifolia</i>	.					
	<i>Hakea trifurcata</i>		.	.			
	<i>Hakea varia</i>				.		
	<i>Petrophile brevifolia</i>	.					
	<i>Petrophile macrostachya</i>	.	.				
	<i>Petrophile serruriae</i>	.					
	<i>Petrophile striata</i>			.			
	<i>Stirlingia latifolia</i>	.	.				
	<i>Synaphea spinulosa</i>	.	.				
Ranunculaceae							
	<i>Clematis pubescens</i>			.			
*	<i>Ranunculus muricatus</i>					.	.
Restionaceae							
	<i>Desmocladius asper</i>	.	.				
	<i>Desmocladius flexuosus</i>		.				
	<i>Hypolaena exsulca</i>	.	.				
	<i>Lepyrodia muirii</i>				.	.	
	<i>Lyginia barbata</i>	.	.				
Rhamnaceae							

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
	<i>Spyridium globulosum</i>	•			•		
Rubiaceae							
*	<i>Galium murale</i>				•		
	<i>Opercularia hispidula</i>			•	•		
	<i>Opercularia vaginata</i>	•	•	•			
*	<i>Sherardia arvensis</i>			•			•
Rutaceae							
	<i>Philotheca spicata</i>	•	•				
Santalaceae							
	<i>Exocarpus sparteus</i>			•	•		
Sapindaceae							
	? <i>Diplopeltis huegelii</i>	•					
Scrophulariaceae							
*	<i>Bellardia trixago</i>			•			•
*	<i>Dischisma arenarium</i>	•					•
*	<i>Dischisma capitatum</i>						•
	<i>Gratiola peruviana</i>					•	
*	<i>Parentucellia viscosa</i>				•		•
Solanaceae							
*	<i>Solanum americanum</i>				•	•	
*	<i>Solanum nigrum</i>			•			
	<i>Solanum symonii</i>				•	•	
Stackhousiaceae							
	<i>Stackhousia monogyna</i>	•					
Stylidiaceae							
	<i>Levenhookia pusilla</i>	•	•	•			
	<i>Levenhookia stipitata</i>	•	•				
	<i>Stylidium brunonianum</i>		•				
	<i>Stylidium calcaratum</i>	•	•			•	
	<i>Stylidium piliferum</i>	•	•	•			
	<i>Stylidium repens</i>	•					
	<i>Stylidium schoenoides</i>	•	•				
Thymeleaceae							
	<i>Pimelea argentea</i>			•	•		
Tremandraceae							
	<i>Platytheca galioides</i>					•	
Typhaceae							
	<i>Typha domingensis</i>					•	
*	<i>Typha orientalis</i>					•	
Urticaceae							
	<i>Parietaria debilis</i>			•			

FLORA OF LAKE NOWERGUP NATURE RESERVE . GJ Keighery JULY 2003. Data derived from Keighery 1999 Conservation Status of Vascular Flora of the Southern Swan Coastal Plain

Family group	Plant Taxa	Vegetation Unit					
		B	J/B	T	ER/ M	lake	D
Violaceae							
	<i>Hybanthus calycinus</i>	•	•				
Xanthorrhoeaceae							
	<i>Xanthorrhoea preissii</i>	•	•	•			
Zamiaceae							
	<i>Macrozamia riedlei</i>	•	•	•			