

Quadrat vegetation descriptions

Appendix 2c in A Floristic Survey of the Whicher Scarp

APPENDIX 2c: Quadrat vegetation descriptions

Also available as MS Word: App2cQuadratVeg.doc, disc and printed

Quadrat	Vegetation Description
ACTN01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus haematoxylon</i> Open Forest over <i>Acacia extensa</i> Tall Shrubland over <i>Melaleuca thymoides</i> and <i>Xanthorrhoea preissii</i> Open Heath over <i>Dasypogon bromeliifolius</i> and <i>Adenanthos meisneri</i> Open Low Heath over <i>Anarthria prolifera</i> , <i>Hypolaena exsulca</i> and <i>Cyathochaeta equitans</i> Sedgeland
ACTN02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Hakea amplexicaulis</i> and <i>Acacia extensa</i> Tall Shrubland over <i>Calothamnus sanguineus</i> , <i>Stirlingia latifolia</i> and <i>Podocarpus drouynianus</i> Closed Low Heath over <i>Tetraria octandra</i> , <i>Mesomelaena tetragona</i> and <i>Cyathochaeta equitans</i> Sedgeland
ACTON-1	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over mixed Low Shrubland over mixed Very Open Herbland and <i>Lepidosperma</i> sp. (Eastern terete) (B.J. Keighery and N. Gibson 232) and <i>Tetraria octandra</i> Open Sedgeland
BOYA01	<i>Eucalyptus haematoxylon</i> , <i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Banksia grandis</i> Open Forest over <i>Xylomelum occidentale</i> Open Low Woodland over <i>Daviesia physodes</i> and <i>Podocarpus drouynianus</i> Shrubland over <i>Hibbertia hypericoides</i> , <i>Calothamnus sanguineus</i> and <i>Pityrodia bartlingii</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> and <i>Dasypogon bromeliifolius</i> Very Open Herbland and <i>Mesomelaena tetragona</i> and <i>Tetraria octandra</i> Open Sedgeland
boyan 01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Woodland over <i>Banksia attenuata</i> Low Woodland over <i>Melaleuca thymoides</i> and <i>Jacksonia</i> sp. Whicher (G.J. Keighery 9953) MS Shrubland over <i>Hibbertia hypericoides</i> and <i>Stirlingia latifolia</i> Open Low Heath over <i>Phlebocarya ciliata</i> Herbland
boyan 02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Forest over <i>Eucalyptus haematoxylon</i> and <i>Xylomelum occidentale</i> Open Low Woodland over <i>Xanthorrhoea preissii</i> Open Tall Shrubland over <i>Hakea lissocarpa</i> Open Shrubland over <i>Hibbertia hypericoides</i> , <i>Acacia varia</i> var. <i>varia</i> and <i>Bossiaea</i> sp. Waroona (B.J. Keighery & N. Gibson 229) PN Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland
buffer01	<i>Banksia attenuata</i> Woodland over <i>Melaleuca thymoides</i> , <i>Allocasuarina humilis</i> , <i>Leucopogon</i> spp., <i>Adenanthos meisneri</i> and <i>Stirlingia latifolia</i> Open Low Heath
CAPEL-1	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Acacia extensa</i> Open Shrubland over <i>Hibbertia hypericoides</i> , <i>Xanthorrhoea preissii</i> and <i>Petrophile linearis</i> Low Shrubland over <i>Phlebocarya ciliata</i> Open Herbland and mixed Open Sedgeland
CAPEL-2	<i>Banksia ilicifolia</i> and <i>Banksia attenuata</i> Low Woodland over <i>Melaleuca thymoides</i> and <i>Jacksonia</i> sp. Whicher (G.J. Keighery 9953) MS Open Tall Shrubland over <i>Leucopogon polymorphus</i> Open Shrubland over <i>Leucopogon conostephioides</i> , <i>Eremaea pauciflora</i> var. <i>pauciflora</i> and <i>Calytrix flavescens</i> Low Shrubland over <i>Phlebocarya ciliata</i> Open Herbland
CARB-3	<i>Eucalyptus calophylla</i> Open Woodland over <i>Banksia attenuata</i> , <i>Allocasuarina fraseriana</i> and <i>Agonis flexuosa</i> var. <i>flexuosa</i> Low Woodland over <i>Jacksonia</i> sp. Whicher (G.J. Keighery 9953) MS and <i>Acacia extensa</i> Shrubland over <i>Stirlingia latifolia</i> , <i>Adenanthos meisneri</i> , <i>Melaleuca thymoides</i> and <i>Hibbertia hypericoides</i> Open Low Heath over <i>Phlebocarya ciliata</i> Open Herbland and <i>Lepidosperma squamatum</i> Very Open Sedgeland
CHAM01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> , <i>Eucalyptus calophylla</i> and <i>Allocasuarina fraseriana</i> Open Forest over <i>Persoonia elliptica</i> Open Low Woodland over <i>Hibbertia hypericoides</i> and <i>Acacia pulchella</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland over <i>Tetraria capillaris</i> Sedgeland and <i>Lindsaea linearis</i> Open Fernland
CHAM02	<i>Eucalyptus calophylla</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Forest over <i>Allocasuarina fraseriana</i> and <i>Banksia grandis</i> Open Low Forest over <i>Kingia australis</i> and <i>Xanthorrhoea preissii</i> Tall Shrubland over <i>Xanthorrhoea gracilis</i> and <i>Hibbertia hypericoides</i> Closed Heath over <i>Drosera stolonifera</i> Closed Herbland
CHAM03	<i>Allocasuarina fraseriana</i> Woodland over <i>Banksia attenuata</i> Open Low Forest over <i>Calytrix flavescens</i> Open Low Shrubland
Chid01	<i>Banksia ilicifolia</i> and <i>Banksia attenuata</i> Low Woodland over <i>Verticordia nitens</i> and <i>Melaleuca thymoides</i> Open Heath over <i>Calytrix flavescens</i> , <i>Conostephium pendulum</i> , <i>Conostephium preissii</i> and <i>Calytrix fraseri</i> Open Low Heath over <i>Phlebocarya ciliata</i> and <i>Dasypogon bromeliifolius</i> Open Herbland and <i>Lyginia barbata</i> and <i>Hypolaena exsulca</i> Very Open Sedgeland

Quadrat vegetation descriptions

Appendix 2c in A Floristic Survey of the Whicher Scarp

Quadrat	Vegetation Description
Chid02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Banksia attenuata</i> and <i>Banksia ilicifolia</i> Open Low Woodland over <i>Melaleuca thymoides</i> and <i>Acacia extensa</i> Shrubland over <i>Stirlingia latifolia</i> and <i>Hibbertia hypericoides</i> Open Low Heath over <i>Lyginia barbata</i> Very Open Sedgeland
dard01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Eucalyptus haematoxylon</i> Open Low Woodland over <i>Xanthorrhoea acanthostachya</i> Tall Shrubland over <i>Dryandra armata</i> var. <i>armata</i> and <i>Lambertia multiflora</i> var. <i>darlingensis</i> Open Heath over <i>Patersonia occidentalis</i> and <i>Lomandra</i> spp. Very Open Herbland
dard02	<i>Banksia attenuata</i> Woodland over <i>Acacia pulchella</i> and <i>Kunzea recurva</i> Shrubland over <i>Stirlingia latifolia</i> , <i>Melaleuca systema</i> and <i>Bossiaea eriocarpa</i> Open Low Heath over <i>Dasypogon bromeliifolius</i> and <i>Phlebocarya ciliata</i> Open Herbland and <i>Hypolaena exsulca</i> and <i>Lyginia barbata</i> Very Open Sedgeland
dard03	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Woodland over <i>Eucalyptus haematoxylon</i> Open Low Woodland over <i>Xanthorrhoea acanthostachya</i> and <i>Hakea cyclocarpa</i> Shrubland over <i>Dryandra armata</i> var. <i>armata</i> , <i>Hakea stenocarpa</i> and <i>Calothamnus sanguineus</i> Open Low Heath
DARP01	<i>Eucalyptus calophylla</i> Open Forest over <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Hibbertia hypericoides</i> and <i>Acacia lateriticola</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland and <i>Tetraria octandra</i> and <i>Tetraria capillaris</i> Very Open Sedgeland
DARP02	<i>Eucalyptus calophylla</i> and <i>Eucalyptus haematoxylon</i> Woodland over <i>Xylomelum occidentale</i> and <i>Banksia attenuata</i> Open Low Woodland over <i>Melaleuca thymoides</i> and <i>Hibbertia hypericoides</i> Open Low Heath over <i>Phlebocarya ciliata</i> and <i>Dasypogon bromeliifolius</i> Herbland
DARP03	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Woodland over <i>Eucalyptus haematoxylon</i> , <i>Persoonia longifolia</i> and <i>Banksia grandis</i> Low Woodland over <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Hibbertia hypericoides</i> Low Shrubland over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland
DARP04	<i>Eucalyptus calophylla</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Woodland over <i>Xanthorrhoea preissii</i> Open Tall Shrubland over <i>Hakea amplexicaulis</i> and <i>Hakea lissocarpa</i> Low Shrubland over mixed Open Herbland and mixed Very Open Sedgeland
DARP05	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Eucalyptus calophylla</i> and <i>Persoonia longifolia</i> Low Woodland over <i>Xanthorrhoea preissii</i> and <i>Macrozamia riedlei</i> Open Shrubland over <i>Hakea stenocarpa</i> , <i>Isopogon sphaerocephalus</i> and <i>Bossiaea</i> sp. Waroona (B.J. Keighery & N. Gibson 229) PN Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland
DARP06	<i>Eucalyptus haematoxylon</i> , <i>Banksia grandis</i> , <i>Banksia attenuata</i> and <i>Xylomelum occidentale</i> Low Woodland over <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> , <i>Xanthorrhoea preissii</i> and <i>Xanthorrhoea gracilis</i> Open Low Heath over <i>Phlebocarya ciliata</i> and <i>Dasypogon bromeliifolius</i> Very Open Herbland
DARP07	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Woodland over <i>Banksia attenuata</i> , <i>Xylomelum occidentale</i> and <i>Persoonia longifolia</i> Open Tall Shrubland over <i>Xanthorrhoea preissii</i> , <i>Jacksonia furcellata</i> and <i>Daviesia physodes</i> Open Shrubland over <i>Hibbertia hypericoides</i> , <i>Pimelea rosea</i> subsp. <i>rosea</i> and <i>Petrophile linearis</i> Open Low Heath over <i>Patersonia occidentalis</i> , <i>Lomandra hermaphrodita</i> and <i>Dasypogon bromeliifolius</i> Open Herbland
DARP08	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus haematoxylon</i> Open Low Woodland over <i>Persoonia longifolia</i> and <i>Banksia grandis</i> Open Tall Shrubland over <i>Hakea cyclocarpa</i> and <i>Acacia extensa</i> Open Shrubland over <i>Xanthorrhoea preissii</i> Low Shrubland
DAVE01	<i>Eucalyptus haematoxylon</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Woodland over <i>Banksia grandis</i> and <i>Banksia attenuata</i> Open Low Woodland over <i>Acacia stenoptera</i> Open Tall Shrubland over <i>Hakea ruscifolia</i> , <i>Hakea cyclocarpa</i> and <i>Isopogon sphaerocephalus</i> Open Shrubland over <i>Daviesia nudiflora</i> , <i>Hibbertia hypericoides</i> and <i>Stirlingia latifolia</i> Open Low Heath over <i>Lepidosperma scabrum</i> Very Open Sedgeland
DAVE02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Forest over <i>Xylomelum occidentale</i> Open Low Woodland over <i>Xanthorrhoea preissii</i> , <i>Acacia extensa</i> and <i>Hakea cyclocarpa</i> Shrubland over <i>Daviesia nudiflora</i> , <i>Stirlingia latifolia</i> , <i>Hibbertia hypericoides</i> and <i>Dryandra lindleyana</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> , <i>Drosera erythrorhiza</i> and <i>Stylidium amoenum</i> var. <i>amoenum</i> Very Open Herbland
DAVE03	<i>Banksia grandis</i> and <i>Eucalyptus haematoxylon</i> Low Woodland over <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Pericalymma ellipticum</i> Open Low Heath
DAVE04	<i>Eucalyptus haematoxylon</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Woodland over <i>Xanthorrhoea acanthostachya</i> and <i>Xanthorrhoea preissii</i> Open Scrub over <i>Hakea lissocarpa</i> and <i>Hakea amplexicaulis</i> Shrubland over <i>Hibbertia hypericoides</i> , <i>Leucopogon pulchellus</i> and <i>Bossiaea ornata</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland

Quadrat vegetation descriptions

Appendix 2c in A Floristic Survey of the Whicher Scarp

Quadrat	Vegetation Description
DAVE05	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Eucalyptus haematoxylon</i> Open Low Woodland over <i>Xanthorrhoea preissii</i> and <i>Kingia australis</i> Open Shrubland over mixed Low Shrubland over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland
DAVE06	<i>Xanthorrhoea preissii</i> , <i>Pericalymma ellipticum</i> and <i>Hakea lissocarpa</i> Open Shrubland over <i>Leucopogon capitellatus</i> , <i>Hypocalymma angustifolium</i> and <i>Hibbertia hypericoides</i> Open Low Heath over <i>Neurachne alopecuroidea</i> Open Grassland and <i>Stylidium ciliatum</i> , <i>Drosera marchantii</i> subsp. <i>marchantii</i> and <i>Tripterococcus brunonis</i> Very Open Herbland
davies04	<i>Eucalyptus haematoxylon</i> and <i>Eucalyptus calophylla</i> Woodland over <i>Kunzea recurva</i> and <i>Acacia pulchella</i> Open Heath over * <i>Anthoxanthum odoratum</i> Very Open Grassland over * <i>Parentucellia viscosa</i> , <i>Stylidium calcaratum</i> , <i>Aphelia cyperoides</i> and <i>Centrolepis aristata</i> Open Herbland over <i>Mesomelaena tetragona</i> , <i>Baumea juncea</i> and <i>Lepyrodia macra</i> Closed Sedgeland
GAV01	<i>Allocasuarina fraseriana</i> Open Woodland over mixed Open Low Woodland over <i>Xanthorrhoea preissii</i> Open Heath over <i>Dasypogon hookeri</i> , <i>Hibbertia hypericoides</i> and <i>Dryandra lindleyana</i> Low Shrubland
GAV02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Woodland over <i>Xylomelum occidentale</i> Low Woodland over <i>Acacia extensa</i> Open Tall Shrubland over <i>Isopogon sphaerocephalus</i> Shrubland over <i>Hibbertia hypericoides</i> , <i>Acacia pulchella</i> , <i>Bossiaea</i> sp. Waroona (B.J. Keighery & N. Gibson 229) PN and <i>Dryandra lindleyana</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Open Herbland
GAV03	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Eucalyptus calophylla</i> Open Low Woodland over <i>Kingia australis</i> , <i>Xanthorrhoea preissii</i> and <i>Acacia extensa</i> Open Tall Shrubland over <i>Dasypogon hookeri</i> and <i>Macrozamia riedlei</i> Shrubland over <i>Hibbertia hypericoides</i> , <i>Acacia pulchella</i> var. <i>glaberrima</i> and <i>Calothamnus sanguineus</i> Low Shrubland over <i>Lagenophora huegelii</i> and <i>Patersonia umbrosa</i> var. <i>xanthina</i> Open Herbland
GAV04	<i>Acacia extensa</i> Tall Shrubland over <i>Acacia pulchella</i> and <i>Hakea lissocarpa</i> Shrubland over <i>Hibbertia hypericoides</i> and <i>Calothamnus sanguineus</i> Open Low Shrubland over mixed Very Open Herbland
GAV05	<i>Banksia attenuata</i> Open Low Forest over <i>Stirlingia latifolia</i> , <i>Leucopogon pulchellus</i> and <i>Melaleuca thymoides</i> Open Low Heath
GIBB01	<i>Eucalyptus patens</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Hakea lasianthoides</i> , <i>Viminaria juncea</i> , <i>Hakea linearis</i> and <i>Taxandria linearifolia</i> MS Open Low Woodland over mixed Sedgeland
GIBB02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Banksia grandis</i> Closed Low Forest over <i>Kingia australis</i> and <i>Xanthorrhoea preissii</i> Open Tall Shrubland over <i>Podocarpus drouynianus</i> Open Shrubland over <i>Hibbertia hypericoides</i> , <i>Acacia pulchella</i> and <i>Xanthorrhoea gracilis</i> Low Shrubland over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland and <i>Lepidosperma tenue</i> , <i>Lepidosperma squamatum</i> and <i>Hypolaena exsulca</i> Very Open Sedgeland
GIBB03	<i>Homalospermum firmum</i> , <i>Astartea scoparia</i> and <i>Taxandria fragrans</i> MS Closed Scrub over <i>Taraxis grossa</i> and <i>Baumea rubiginosa</i> Sedgeland
GIBB06	<i>Eucalyptus calophylla</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Forest over <i>Hibbertia hypericoides</i> Open Low Heath over <i>Tetraria octandra</i> and <i>Lepidosperma squamatum</i> Sedgeland
gibson01	<i>Allocasuarina fraseriana</i> , <i>Banksia attenuata</i> , <i>Banksia grandis</i> and <i>Banksia ilicifolia</i> Low Woodland over <i>Melaleuca thymoides</i> , <i>Jacksonia</i> sp. Whicher (G.J. Keighery 9953) MS and <i>Stirlingia latifolia</i> Low Shrubland over <i>Dasypogon bromeliifolius</i> Herbland
gibson02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Allocasuarina fraseriana</i> Open Forest over <i>Eucalyptus haematoxylon</i> Open Low Woodland over <i>Isopogon sphaerocephalus</i> , <i>Hakea amplexicaulis</i> and <i>Acacia extensa</i> Shrubland over <i>Hibbertia hypericoides</i> Low Shrubland over <i>Tricostularia neesii</i> var. <i>neesii</i> and <i>Hypolaena exsulca</i> Very Open Sedgeland
GOOD01	<i>Eucalyptus decipiens</i> Open Woodland over <i>Melaleuca preissiana</i> Open Low Woodland over <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Acacia mooreana</i> , <i>Stirlingia latifolia</i> , <i>Andersonia involucrata</i> and <i>Hypocalymma angustifolium</i> Open Low Heath over <i>Phlebocarya ciliata</i> , <i>Dasypogon bromeliifolius</i> and <i>Stylidium junceum</i> subsp. <i>brevius</i> Closed Herbland and <i>Desmocladius fasciculatus</i> , <i>Lyginia barbata</i> and <i>Leptocarpus tenax</i> Open Sedgeland
GOOD02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Tall Woodland over <i>Eucalyptus calophylla</i> Open Low Woodland over <i>Xanthorrhoea acanthostachya</i> and <i>Acacia extensa</i> Open Tall Shrubland over mixed Open Low Heath over mixed Very Open Herbland and <i>Phlebocarya ciliata</i> Sedgeland and <i>Lindsaea linearis</i> Very Open Fernland

Quadrat vegetation descriptions

Appendix 2c in *A Floristic Survey of the Whicher Scarp*

Quadrat	Vegetation Description
GOOD03	<i>Eucalyptus calophylla</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Tall Forest over <i>Acacia pulchella</i> Open Tall Shrubland over <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Hakea lissocarpa</i> , <i>Hibbertia hypericoides</i> and <i>Astroloma drummondii</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland
GOOD04	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Banksia grandis</i> and <i>Persoonia elliptica</i> Open Low Woodland over <i>Hibbertia hypericoides</i> , <i>Calothamnus sanguineus</i> and <i>Dryandra lindleyana</i> Open Low Heath over <i>Cyathochaeta avenacea</i> Very Open Sedgeland
GOUL01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> , <i>Banksia grandis</i> and <i>Banksia attenuata</i> Open Forest over <i>Petrophile serruriae</i> , <i>Melaleuca thymoides</i> , <i>Dasypogon hookeri</i> and <i>Hakea ruscifolia</i> Open Shrubland over <i>Hibbertia hypericoides</i> , <i>Philotheca spicata</i> , <i>Isopogon sphaerocephalus</i> and <i>Stirlingia latifolia</i> Open Low Heath over <i>Anarthria prolifera</i> , <i>Tetraria octandra</i> and <i>Mesomelaena tetragona</i> Open Sedgeland
GOUL02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Podocarpus drouynianus</i> , <i>Xanthorrhoea preissii</i> and <i>Hakea ruscifolia</i> Open Shrubland over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland and <i>Tetrarrhena laevis</i> Open Sedgeland
GWINDR01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Hibbertia hypericoides</i> and <i>Hypocalymma robustum</i> Open Low Heath over <i>*Hypochaeris glabra</i> and <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland
GWINDR02	<i>Banksia attenuata</i> Low Woodland over <i>Melaleuca thymoides</i> Open Shrubland over <i>Stirlingia latifolia</i> and <i>Hypocalymma robustum</i> Low Shrubland over <i>*Briza maxima</i> Open Grassland and <i>*Hypochaeris glabra</i> Open Herbland
GWINDR03	<i>Xylomelum occidentale</i> Low Woodland over <i>Kunzea glabrescens</i> and <i>Melaleuca thymoides</i> Open Tall Shrubland over <i>Acacia pulchella</i> Open Shrubland over <i>Eremaea pauciflora</i> var. <i>pauciflora</i> , <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> and <i>Dasypogon bromeliifolius</i> Open Low Heath over <i>Phlebocarya ciliata</i> and <i>*Ursinia anthemoides</i> Open Herbland
HAPP01	<i>Eucalyptus haematoxylon</i> Woodland over <i>Banksia grandis</i> Open Low Woodland over <i>Kunzea glabrescens</i> Open Tall Shrubland over <i>Hibbertia hypericoides</i> , <i>Gompholobium confertum</i> , <i>Hakea ruscifolia</i> , <i>Bossiaea pulchella</i> , <i>Stirlingia latifolia</i> and <i>Dryandra lindleyana</i> Open Low Heath over <i>Lomandra sericea</i> and <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland
HAPP02	<i>Nuytsia floribunda</i> and <i>Allocasuarina fraseriana</i> Low Woodland over <i>Stirlingia latifolia</i> and <i>Melaleuca thymoides</i> Shrubland over <i>Leucopogon pulchellus</i> and <i>Hibbertia vaginata</i> Low Shrubland
iron01	<i>Hakea oldfieldii</i> Open Tall Shrubland over <i>Kunzea</i> aff. <i>micrantha</i> Shrubland over mixed Closed Herbland and <i>Loxocarya magna</i> , <i>Desmocladius fasciculatus</i> and <i>Lepidosperma squamatum</i> Closed Sedgeland
iron02	<i>Kunzea</i> aff. <i>micrantha</i> and <i>Pericalymma ellipticum</i> Closed Heath over mixed Open Herbland and <i>Loxocarya magna</i> Very Open Sedgeland
kelly01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus haematoxylon</i> Open Forest over <i>Banksia grandis</i> Low Woodland over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland
kelly02	<i>Allocasuarina fraseriana</i> , <i>Banksia attenuata</i> and <i>Xylomelum occidentale</i> Open Forest over <i>Jacksonia</i> sp. Whicher (G.J. Keighery 9953) MS, <i>Stirlingia latifolia</i> and <i>Adenanthos meisneri</i> Shrubland over <i>Hibbertia hypericoides</i> and <i>Bossiaea eriocarpa</i> Low Shrubland over <i>Phlebocarya ciliata</i> and <i>Patersonia occidentalis</i> Open Herbland and <i>Lyginia barbata</i> , <i>Anarthria prolifera</i> and <i>Hypolaena exsulca</i> Very Open Sedgeland
kemp01	<i>Eucalyptus haematoxylon</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Forest over <i>Banksia grandis</i> Open Low Woodland over <i>Acacia extensa</i> Open Shrubland over <i>Hibbertia hypericoides</i> and <i>Podocarpus drouynianus</i> Low Shrubland over <i>Hypolaena exsulca</i> and <i>Anarthria prolifera</i> Open Sedgeland
KOJE01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Xanthorrhoea gracilis</i> Open Low Heath over <i>Tetrarrhena laevis</i> and <i>*Briza maxima</i> Very Open Grassland and <i>Conostylis aculeata</i> and <i>Stylidium amoenum</i> var. <i>amoenum</i> Very Open Herbland and <i>Tetraria capillaris</i> and <i>Lepidosperma tenue</i> Open Sedgeland
KOJE02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Xanthorrhoea preissii</i> Shrubland over mixed Very Open Herbland and mixed Very Open Sedgeland
KOJE03	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Daviesia cordata</i> Open Shrubland over <i>Xanthorrhoea preissii</i> , <i>Xanthorrhoea gracilis</i> and <i>Acacia lateriticola</i> Open Low Heath over mixed Very Open Herbland and <i>Cyathochaeta avenacea</i> and <i>Tetraria octandra</i> Very Open Sedgeland

Quadrat vegetation descriptions

Appendix 2c in A Floristic Survey of the Whicher Scarp

Quadrat	Vegetation Description
KOJE04	<i>Eucalyptus wandoo</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Xanthorrhoea preissii</i> , <i>Hibbertia hypericoides</i> and <i>Phyllanthus calycinus</i> Open Heath over <i>Microlaena stipoides</i> Very Open Grassland and mixed Open Herbland and <i>Mesomelaena tetragona</i> Very Open Sedgeland
KOJE05	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Eucalyptus haematoxylon</i> Open Low Woodland over <i>Xanthorrhoea acanthostachya</i> and <i>Xanthorrhoea gracilis</i> Shrubland over <i>Lepidosperma gracile</i> and <i>Lepidosperma squamatum</i> Open Sedgeland
KOJE06	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> , <i>Eucalyptus calophylla</i> and <i>Eucalyptus haematoxylon</i> Open Forest over <i>Xanthorrhoea acanthostachya</i> Tall Shrubland over <i>Hibbertia hypericoides</i> and <i>Dryandra lindleyana</i> Low Shrubland over * <i>Hypochaeris glabra</i> , <i>Lomandra purpurea</i> , <i>Scaevola calliptera</i> and <i>Drosera pallida</i> Herbland and <i>Lepidosperma leptostachyum</i> Very Open Sedgeland
KOJE07	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Banksia grandis</i> Low Woodland over <i>Xanthorrhoea acanthostachya</i> Shrubland over <i>Hibbertia hypericoides</i> Closed Low Heath over <i>Pentapeltis peltigera</i> and <i>Phlebocarya ciliata</i> Very Open Herbland and <i>Lepidosperma squamatum</i> and <i>Lepidosperma gracile</i> Open Sedgeland
KOJE08	<i>Eucalyptus calophylla</i> Open Forest over <i>Eucalyptus laeliae</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Low Woodland over <i>Hakea amplexicaulis</i> Open Shrubland over <i>Hibbertia hypericoides</i> , <i>Xanthorrhoea preissii</i> and <i>Dryandra lindleyana</i> Open Low Heath over * <i>Briza maxima</i> and <i>Microlaena stipoides</i> Very Open Grassland
KOJE09	<i>Xanthorrhoea preissii</i> Open Tall Shrubland over <i>Hakea amplexicaulis</i> Open Shrubland over <i>Xanthorrhoea gracilis</i> Low Shrubland over * <i>Briza maxima</i> and <i>Poa homomalla</i> Very Open Grassland and <i>Lomandra pauciflora</i> Open Herbland and <i>Adiantum aethiopicum</i> Open Fernland
KOJE10	<i>Eucalyptus laeliae</i> , <i>Eucalyptus wandoo</i> , <i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Xanthorrhoea preissii</i> Shrubland over * <i>Briza maxima</i> Very Open Grassland and <i>Lagenophora huegelii</i> , * <i>Hypochaeris glabra</i> and <i>Daucus glochidiatus</i> Herbland
MANEA-3	<i>Banksia attenuata</i> and <i>Xylomelum occidentale</i> Open Low Woodland over <i>Jacksonia</i> sp. Whicher (G.J. Keighery 1995) MS Open Shrubland over <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> , <i>Melaleuca thymoides</i> and <i>Xanthorrhoea brunonis</i> Open Low Heath over <i>Phlebocarya ciliata</i> and <i>Dasypogon bromeliifolius</i> Very Open Herbland
MGK03	<i>Banksia attenuata</i> , <i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Xylomelum occidentale</i> Open Low Forest over <i>Melaleuca thymoides</i> and <i>Calytrix angulata</i> Open Low Heath over <i>Austrostipa compressa</i> Very Open Grassland and * <i>Hypochaeris glabra</i> Very Open Herbland and <i>Lyginia barbata</i> Very Open Sedgeland
MGK04	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Woodland over <i>Banksia attenuata</i> Low Woodland over <i>Jacksonia</i> sp. Whicher (G.J. Keighery 1995) MS Open Tall Shrubland over <i>Melaleuca thymoides</i> Open Heath over <i>Leucopogon</i> spp. and <i>Hibbertia hypericoides</i> Low Shrubland over mixed Very Open Grassland and mixed Herbland
Norm02	<i>Eucalyptus marginata</i> subsp. <i>elegantella</i> Low Woodland over <i>Xanthorrhoea acanthostachya</i> and <i>Hakea stenocarpa</i> Shrubland over <i>Grevillea wilsonii</i> , <i>Dryandra kippistiana</i> , <i>Grevillea bipinnatifida</i> subsp. <i>bipinnatifida</i> and <i>Dryandra armata</i> var. <i>armata</i> Low Shrubland over <i>Lepidosperma squamatum</i> and <i>Tetraria octandra</i> Sedgeland
OATES-1	<i>Eucalyptus haematoxylon</i> Open Low Woodland over <i>Jacksonia</i> sp. Whicher (G.J. Keighery 1995) MS Open Tall Shrubland over <i>Hakea ruscifolia</i> Open Shrubland over <i>Melaleuca thymoides</i> and <i>Adenanthos meisneri</i> Low Shrubland
Plant03	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Agonis flexuosa</i> var. <i>flexuosa</i> Woodland over <i>Kunzea glabrescens</i> Open Tall Shrubland over <i>Melaleuca thymoides</i> and <i>Jacksonia</i> sp. Whicher (G.J. Keighery 1995) MS Shrubland over <i>Darwinia oederoides</i> , <i>Leucopogon conostephioides</i> and <i>Xanthorrhoea preissii</i> Low Shrubland over <i>Phlebocarya ciliata</i> , <i>Dasypogon bromeliifolius</i> and <i>Patersonia occidentalis</i> Very Open Herbland and <i>Lyginia barbata</i> Open Sedgeland
R116702	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Woodland over <i>Banksia attenuata</i> Open Low Woodland over <i>Kunzea glabrescens</i> and <i>Jacksonia</i> sp. Whicher (G.J. Keighery 1995) MS Tall Shrubland over <i>Hibbertia hypericoides</i> , <i>Melaleuca thymoides</i> , <i>Leucopogon conostephioides</i> and <i>Allocasuarina humilis</i> Open Low Heath over <i>Patersonia occidentalis</i> and <i>Phlebocarya ciliata</i> Open Herbland
RUAB-1	<i>Banksia attenuata</i> Open Low Forest over <i>Kunzea glabrescens</i> Open Tall Shrubland over <i>Melaleuca thymoides</i> Open Heath over <i>Calytrix flavescens</i> Low Shrubland over <i>Phlebocarya ciliata</i> Open Herbland and <i>Desmocladius flexuosus</i> Open Sedgeland

Quadrat vegetation descriptions

Appendix 2c in *A Floristic Survey of the Whicher Scarp*

Quadrat	Vegetation Description
RUAB-2	<i>Banksia attenuata</i> Open Low Forest over <i>Kunzea glabrescens</i> Tall Shrubland over <i>Melaleuca thymoides</i> Shrubland over mixed Open Low Shrubland over <i>Phlebocarya ciliata</i> Open Herbland and <i>Lyginia barbata</i> Open Sedgeland
SABI01	<i>Eucalyptus haematoxylon</i> , <i>Eucalyptus calophylla</i> , <i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus haematoxylon</i> x <i>calophylla</i> Open Woodland over <i>Hakea amplexicaulis</i> , <i>Dasypogon hookeri</i> and <i>Pericalymma ellipticum</i> Shrubland over <i>Pultenaea drummondii</i> , <i>Thomasia laxiflora</i> , <i>Thomasia grandiflora</i> and <i>Hibbertia hypericoides</i> Open Low Heath over <i>Anarthria prolifera</i> and <i>Tetraria capillaris</i> Very Open Sedgeland
SABI02	<i>Eucalyptus calophylla</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Tall Woodland over <i>Hakea lasianthoides</i> , <i>Mirbelia dilatata</i> and <i>Kingia australis</i> Open Tall Shrubland over <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Chamelaucium erythrochlorum</i> MS, <i>Hypocalymma angustifolium</i> , <i>Hibbertia hypericoides</i> and <i>Darwinia citriodora</i> Open Low Heath
SABI03	<i>Eucalyptus calophylla</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Closed Forest over <i>Mirbelia dilatata</i> Tall Shrubland over <i>Darwinia citriodora</i> , <i>Hovea elliptica</i> and <i>Xanthorrhoea preissii</i> Shrubland over <i>Hibbertia hypericoides</i> and <i>Hypocalymma angustifolium</i> Open Low Shrubland over <i>Microlaena stipoides</i> Very Open Grassland and <i>Drosera stolonifera</i> and <i>Lagenophora huegelii</i> Open Herbland and <i>Pteridium esculentum</i> Very Open Fernland
SABI04	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Woodland over <i>Eucalyptus haematoxylon</i> Low Woodland over <i>Pericalymma ellipticum</i> and <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Andersonia fallax</i> MS and <i>Hibbertia hypericoides</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland and <i>Lepidosperma squamatum</i> Very Open Sedgeland
SABI05	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Tall Forest over <i>Lambertia rariflora</i> and <i>Trymalium floribundum</i> subsp. <i>trifidum</i> Open Scrub over <i>Macrozamia riedlei</i> , <i>Podocarpus drouynianus</i> and <i>Hovea elliptica</i> Shrubland over <i>Darwinia citriodora</i> Low Shrubland over <i>Tetrarrhena laevis</i> Very Open Grassland and <i>Loxocarya cinerea</i> and <i>Tetraria capillaris</i> Sedgeland
SABI06	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Daviesia cordata</i> , <i>Grevillea trifida</i> and <i>Hakea falcata</i> Open Heath over <i>Hibbertia hypericoides</i> , <i>Hypocalymma angustifolium</i> , <i>Bossiaea ornata</i> and <i>Darwinia citriodora</i> Closed Low Heath over <i>Loxocarya cinerea</i> Very Open Sedgeland
SABI07	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Allocasuarina fraseriana</i> Woodland over <i>Banksia attenuata</i> , <i>Banksia grandis</i> and <i>Eucalyptus haematoxylon</i> Open Low Woodland over <i>Podocarpus drouynianus</i> and <i>Adenanthos obovatus</i> Shrubland over mixed Open Low Shrubland over <i>Dasypogon bromeliifolius</i> and <i>Phlebocarya ciliata</i> Very Open Herbland
SABI08	<i>Eucalyptus haematoxylon</i> Open Woodland over <i>Banksia attenuata</i> , <i>Banksia grandis</i> and <i>Nuytsia floribunda</i> Open Low Woodland over <i>Melaleuca thymoides</i> , <i>Adenanthos meisneri</i> , <i>Adenanthos obovatus</i> and <i>Stirlingia latifolia</i> Open Shrubland over <i>Adenanthos barbiger</i> , <i>Podocarpus drouynianus</i> , <i>Leucopogon glabellus</i> and <i>Leucopogon</i> sp. Whicher Range (G.J. Keighery 11763) PN Open Low Shrubland
SABI09	<i>Eucalyptus haematoxylon</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Low Woodland over <i>Xanthorrhoea preissii</i> and <i>Melaleuca thymoides</i> Open Shrubland over <i>Calothamnus sanguineus</i> , <i>Stirlingia latifolia</i> , <i>Leucopogon glabellus</i> and <i>Andersonia sprengelioides</i> Open Low Heath over <i>Cyathochaeta equitans</i> Very Open Grassland and <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland and <i>Anarthria scabra</i> , <i>Hypolaena exsulca</i> and <i>Anarthria prolifera</i> Open Sedgeland
SABI10	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus haematoxylon</i> Open Forest over <i>Xylomelum occidentale</i> and <i>Banksia grandis</i> Low Woodland over <i>Kingia australis</i> Open Tall Shrubland over <i>Xanthorrhoea preissii</i> , <i>Xanthorrhoea acanthostachya</i> and <i>Lambertia multiflora</i> var. <i>darlingensis</i> Open Heath over <i>Hibbertia hypericoides</i> and <i>Calothamnus sanguineus</i> Open Low Heath over mixed Very Open Herbland and mixed Very Open Sedgeland
SABI11	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Eucalyptus haematoxylon</i> and <i>Banksia grandis</i> Open Low Forest over <i>Lambertia multiflora</i> var. <i>darlingensis</i> , <i>Xanthorrhoea preissii</i> and <i>Hakea cyclocarpa</i> Shrubland over <i>Hibbertia hypericoides</i> Low Shrubland over <i>Burchardia congesta</i> and <i>Drosera marchantii</i> subsp. <i>marchantii</i> Very Open Herbland and <i>Tetraria capillaris</i> Sedgeland and <i>Lindsaea linearis</i> Open Fernland
SABI12	<i>Banksia attenuata</i> and <i>Eucalyptus haematoxylon</i> Open Low Forest over <i>Melaleuca thymoides</i> and <i>Podocarpus drouynianus</i> Open Heath over <i>Hibbertia hypericoides</i> and <i>Adenanthos meisneri</i> Low Shrubland over <i>Anarthria prolifera</i> and <i>Hypolaena exsulca</i> Open Sedgeland

Quadrat vegetation descriptions

Appendix 2c in A Floristic Survey of the Whicher Scarp

Quadrat	Vegetation Description
smith01	<i>Hakea oldfieldii</i> and <i>Dryandra squarrosa</i> subsp. <i>argillacea</i> Tall Shrubland over <i>Pericalymma ellipticum</i> Open Heath over mixed Very Open Herbland and <i>Loxocarya magna</i> and <i>Caustis dioica</i> Sedgeland
smith02	<i>Eucalyptus calophylla</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Forest over <i>Acacia extensa</i> and <i>Kingia australis</i> Open Tall Shrubland over <i>Hibbertia hypericoides</i> Low Shrubland over <i>Mesomelaena tetragona</i> Open Sedgeland
smith03	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus haematoxylon</i> Woodland over <i>Banksia grandis</i> Open Low Woodland over <i>Hakea cyclocarpa</i> , <i>Kingia australis</i> and <i>Hakea amplexicaulis</i> Open Tall Shrubland over <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Hibbertia hypericoides</i> , <i>Stirlingia latifolia</i> and <i>Dasypogon hookeri</i> Open Low Heath over <i>Dasypogon bromeliifolius</i> and <i>Lomandra sonderi</i> Open Herbland and <i>Tricostularia neesii</i> var. <i>neesii</i> , <i>Tetraria octandra</i> and <i>Mesomelaena tetragona</i> Very Open Sedgeland
smith04	<i>Dryandra nivea</i> subsp. <i>uliginosa</i> Tall Shrubland over <i>Kunzea</i> aff. <i>micrantha</i> , <i>Pericalymma ellipticum</i> and <i>Pultenaea reticulata</i> Open Heath over <i>Caustis dioica</i> , <i>Lepidosperma squamatum</i> and <i>Loxocarya magna</i> Open Sedgeland
TAYL01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Dasypogon hookeri</i> , <i>Xanthorrhoea preissii</i> , <i>Taxandria parviceps</i> MS and <i>Kingia australis</i> Open Scrub over <i>Adenanthos barbigier</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Open Herbland and <i>Mesomelaena tetragona</i> , <i>Mesomelaena graciliceps</i> , <i>Tetraria octandra</i> and <i>Tetraria capillaris</i> Sedgeland and <i>Pteridium esculentum</i> Very Open Fernland
TREE01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Allocasuarina fraseriana</i> and <i>Banksia grandis</i> Low Woodland over <i>Persoonia longifolia</i> and <i>Hakea amplexicaulis</i> Open Tall Shrubland over <i>Xanthorrhoea gracilis</i> , <i>Isopogon sphaerocephalus</i> , <i>Daviesia preissii</i> and <i>Hibbertia hypericoides</i> Open Low Heath over <i>Tetraria capillaris</i> Open Sedgeland
TREE02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Forest over <i>Dasypogon hookeri</i> , <i>Podocarpus drouynianus</i> and <i>Kingia australis</i> Open Shrubland over <i>Xanthorrhoea gracilis</i> , <i>Synaphea whicherensis</i> , <i>Bossiaea ornata</i> and <i>Hibbertia hypericoides</i> Low Shrubland over <i>Lomandra sonderi</i> , <i>Pentapeltis peltigera</i> and <i>Patersonia umbrosa</i> var. <i>xanthina</i> Very Open Herbland and <i>Loxocarya cinerea</i> and <i>Mesomelaena tetragona</i> Open Sedgeland
TREE03	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Eucalyptus haematoxylon</i> Low Woodland over <i>Hakea cyclocarpa</i> , <i>Hakea amplexicaulis</i> , <i>Bossiaea ornata</i> and <i>Kingia australis</i> Shrubland over <i>Banksia sphaerocarpa</i> var. <i>sphaerocarpa</i> , <i>Calothamnus sanguineus</i> and <i>Hibbertia hypericoides</i> Open Low Heath
TREE04	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> , <i>Banksia grandis</i> and <i>Eucalyptus haematoxylon</i> Low Woodland over <i>Kingia australis</i> , <i>Petrophile serruriae</i> and <i>Dasypogon hookeri</i> Shrubland over <i>Daviesia elongata</i> subsp. <i>elongata</i> and <i>Dryandra lindleyana</i> Open Low Shrubland over mixed Open Sedgeland
UCL01	<i>Eucalyptus haematoxylon</i> Low Woodland over <i>Xanthorrhoea preissii</i> Open Shrubland over <i>Calothamnus sanguineus</i> , <i>Pericalymma ellipticum</i> , <i>Acacia pulchella</i> var. <i>pulchella</i> and <i>Bossiaea pulchella</i> Low Shrubland over <i>Phlebocarya ciliata</i> Very Open Herbland and <i>Loxocarya cinerea</i> Very Open Sedgeland
UCL02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> , <i>Eucalyptus haematoxylon</i> and <i>Nuytsia floribunda</i> Open Low Woodland over <i>Dasypogon hookeri</i> and <i>Taxandria linearifolia</i> MS Open Scrub over <i>Kingia australis</i> and <i>Xanthorrhoea preissii</i> Open Heath over <i>Calothamnus sanguineus</i> and <i>Hibbertia hypericoides</i> Low Shrubland over <i>Mesomelaena tetragona</i> Open Sedgeland and <i>Lindsaea linearis</i> Open Fernland
UCL03	<i>Eucalyptus haematoxylon</i> Woodland over <i>Xylomelum occidentale</i> Open Low Woodland over <i>Xanthorrhoea preissii</i> Tall Shrubland over <i>Melaleuca thymoides</i> and <i>Podocarpus drouynianus</i> Shrubland over <i>Hibbertia hypericoides</i> Open Low Heath over <i>Lindsaea linearis</i> Very Open Fernland
UCL04	<i>Eucalyptus calophylla</i> Woodland over <i>Banksia littoralis</i> Open Low Woodland over <i>Taxandria linearifolia</i> MS Open Scrub over <i>Cyathochaeta avenacea</i> Very Open Sedgeland and <i>Pteridium esculentum</i> Very Open Fernland
UCL05	<i>Eucalyptus haematoxylon</i> x <i>calophylla</i> , <i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Low Woodland over <i>Dasypogon hookeri</i> Open Tall Shrubland over <i>Xanthorrhoea preissii</i> Open Shrubland over mixed Low Shrubland over mixed Sedgeland

Quadrat vegetation descriptions

Appendix 2c in *A Floristic Survey of the Whicher Scarp*

Quadrat	Vegetation Description
UCL06	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Woodland over <i>Banksia attenuata</i> , <i>Banksia grandis</i> and <i>Xylomelum occidentale</i> Open Low Forest over <i>Daviesia physodes</i> and <i>Melaleuca thymoides</i> Open Tall Shrubland over <i>Hibbertia hypericoides</i> , <i>Hypocalymma angustifolium</i> and <i>Dasypogon bromeliifolius</i> Open Low Heath
WH01	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Taxandria linearifolia</i> MS, <i>Acacia extensa</i> and <i>Astartea scoparia</i> Open Scrub over <i>Xanthorrhoea preissii</i> Low Shrubland over <i>Mesomelaena tetragona</i> , <i>Desmocladius fasciculatus</i> , <i>Hypolaena exsulca</i> and <i>Lepidosperma squamatum</i> Closed Sedgeland
WH02	<i>Eucalyptus haematoxylon</i> and <i>Nuytsia floribunda</i> Low Woodland over <i>Kunzea rostrata</i> , <i>Pericalymma ellipticum</i> and <i>Allocasuarina humilis</i> Open Heath over <i>Calothamnus sanguineus</i> and <i>Dasypogon hookeri</i> Open Low Heath over <i>Mesomelaena tetragona</i> Sedgeland
WH03	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Kingia australis</i> , <i>Xanthorrhoea preissii</i> and <i>Hibbertia cunninghamii</i> Open Scrub over <i>Calothamnus sanguineus</i> , <i>Hibbertia hypericoides</i> and <i>Hypocalymma robustum</i> Closed Low Heath over <i>Mesomelaena tetragona</i> Sedgeland
WH04	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Eucalyptus haematoxylon</i> and <i>Banksia attenuata</i> Open Low Forest over <i>Xanthorrhoea preissii</i> , <i>Melaleuca thymoides</i> and <i>Pultenaea reticulata</i> Open Heath over mixed Closed Low Heath
WH05	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> Woodland over <i>Eucalyptus haematoxylon</i> , <i>Allocasuarina fraseriana</i> and <i>Banksia grandis</i> Open Low Forest over <i>Gompholobium villosum</i> , <i>Pericalymma ellipticum</i> and <i>Hypocalymma robustum</i> Open Heath over <i>Hibbertia hypericoides</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> and <i>Dasypogon bromeliifolius</i> Very Open Herbland
WH06	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Banksia grandis</i> Woodland over <i>Eucalyptus haematoxylon</i> , <i>Xylomelum occidentale</i> and <i>Banksia attenuata</i> Low Woodland over <i>Melaleuca thymoides</i> , <i>Podocarpus drouynianus</i> and <i>Persoonia elliptica</i> Closed Heath over <i>Caustis</i> sp. Boyanup (G.S. McCutcheon 1706) PN Sedgeland
wicher01	<i>Eucalyptus calophylla</i> and <i>Eucalyptus marginata</i> subsp. <i>marginata</i> Open Forest over <i>Eucalyptus haematoxylon</i> Open Low Woodland over <i>Xanthorrhoea preissii</i> Tall Shrubland over <i>Hibbertia hypericoides</i> Open Low Heath over <i>Patersonia umbrosa</i> var. <i>xanthina</i> Open Herbland and <i>Lepidosperma squamatum</i> and <i>Anarthria prolifera</i> Open Sedgeland
will01	<i>Pericalymma ellipticum</i> and <i>Regelia ciliata</i> Open Heath over <i>Caustis dioica</i> Sedgeland
will02	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Jacksonia</i> sp. Whicher (G.J. Keighery 9953) MS, <i>Persoonia longifolia</i> and <i>Banksia grandis</i> Low Woodland over <i>Melaleuca thymoides</i> , <i>Pultenaea ochreatea</i> and <i>Adenanthos meisneri</i> Open Shrubland over <i>Hypolaena exsulca</i> Very Open Sedgeland
will03	<i>Hakea oldfieldii</i> and <i>Regelia ciliata</i> Tall Shrubland over <i>Dryandra nivea</i> subsp. <i>uliginosa</i> and <i>Verticordia plumosa</i> Low Shrubland over <i>Chordifex serialis</i> MS Open Sedgeland
will04	<i>Eucalyptus haematoxylon</i> Woodland over <i>Nuytsia floribunda</i> Open Low Woodland over <i>Pericalymma ellipticum</i> and <i>Dasypogon hookeri</i> Shrubland over <i>Bossiaea pulchella</i> , <i>Calothamnus sanguineus</i> and <i>Hibbertia hypericoides</i> Low Shrubland over <i>Mesomelaena tetragona</i> Very Open Sedgeland
WONN-1	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> and <i>Eucalyptus calophylla</i> Open Forest over <i>Banksia grandis</i> and <i>Xylomelum occidentale</i> Low Woodland over <i>Xanthorrhoea preissii</i> and <i>Dasypogon hookeri</i> Open Heath over <i>Bossiaea pulchella</i> and <i>Hibbertia hypericoides</i> Low Shrubland over <i>Hypolaena exsulca</i> Open Sedgeland
WONN-2	<i>Eucalyptus haematoxylon</i> , <i>Banksia grandis</i> and <i>Xylomelum occidentale</i> Open Low Woodland over <i>Xanthorrhoea preissii</i> and <i>Dasypogon hookeri</i> Tall Shrubland over mixed Shrubland over <i>Hibbertia hypericoides</i> and <i>Calothamnus sanguineus</i> Open Low Heath over <i>Anarthria prolifera</i> Sedgeland
WONN-4	<i>Calothamnus</i> sp. Whicher (B.J. Keighery & N. Gibson 230) PN Shrubland over <i>Kunzea</i> aff. <i>micrantha</i> Open Low Shrubland over <i>Loxocarya magna</i> Sedgeland
WONN-5	<i>Viminaria juncea</i> Open Tall Shrubland over <i>Hakea sulcata</i> and <i>Pericalymma ellipticum</i> Closed Heath over mixed Very Open Herbland and <i>Tremulina tremula</i> Sedgeland
WONN-6	<i>Viminaria juncea</i> and <i>Dryandra squarrosa</i> subsp. <i>argillacea</i> Open Tall Shrubland over <i>Dryandra nivea</i> subsp. <i>uliginosa</i> , <i>Pericalymma ellipticum</i> and <i>Chamelaucium roycei</i> MS Open Heath over mixed Very Open Herbland and <i>Tremulina tremula</i> and <i>Loxocarya magna</i> Sedgeland
YIRON-1	<i>Hakea oldfieldii</i> Open Tall Shrubland over <i>Kunzea</i> aff. <i>micrantha</i> and <i>Pericalymma ellipticum</i> Open Heath over <i>Loxocarya magna</i> , <i>Chordifex serialis</i> MS and <i>Caustis dioica</i> Sedgeland

Quadrat vegetation descriptions

Appendix 2c in *A Floristic Survey of the Whicher Scarp*

Quadrat	Vegetation Description
YIRON-2	<i>Pericalymma ellipticum</i> Open Heath over <i>Andersonia ferricola</i> MS Open Low Shrubland over <i>Stylidium megacarpum</i> and <i>Stylidium repens</i> Very Open Herbland and <i>Chordifex serialis</i> MS, <i>Tremulina tremula</i> and <i>Hypolaena exsulca</i> Sedgeland