

Finalist indexes, received
6/2/2014 and printed (+ send
to C.I.)
on 17/2/2014
J.

Grant Pearson's Field Notebooks

(INDEX)

Box 1:

1. 02-10-76
2. 10-76 09-77
3. 02-77 1980
4. 1977
5. 2-11-77 to 17-01-78
6. 01-78 11-78
7. 03-78 09-78
8. 06-78 07-78
9. 10-78 03-79
10. 26-11-78 06-12-78
11. 17-12-78 02-79
12. 03-79
13. 04-79 06-79
14. 07-79 11-79
15. 07-79 04-80
16. 08-79 10-79
17. 09-79
18. 10-79 11-79
19. 12-79
20. 1979
21. 05-80 08-80
22. 09-80 02-81

23. 10-80
24. 06-81 10-94
25. 08-81
26. 10-81 02-83
27. 12-81 1982
28. 1982
29. 03-82 09-84
30. 09-82 10-84

Box 2:

31. 03-83 03-85
32. 09-83
33. 12-83
34. 08-85 11-85
35. 1986 1987
36. 06-86 11-90
37. 1987
38. 06-87 11-91
39. 07-87 06-88
40. 09-87 09-88
41. 10-87 01-88
42. 03-88 02-89

43. 07-88 to 09-88
03-89

44. 06-89 08-89

45. 10-89 01-90

46. 03-90 04-90

47. 08-90 09-92

48. 11-90 01-91

49. 05-91 11-91

50. 11-91 to 11-94

51. 03-92 07-92

52. 11-92

06-93 to 08-93

53. 03-93 04-93

54. 16-09-93 19-09-93

55. 22-09-94 02-06-95

56. 09-06-95

66. 09-04-97

67. 06-97 02-98

68. 08-97 10-97

69. 03-98 06-98

70. 06-98 26-03-99

71. 11-09-98 27-05-99

72. 01-07-99 10-07-99

73. 04-10-99 11-05-00

74. 20-05-00 to 15-06-00

75. 08-00 12-00

76. 09-00 10-00

77. 03-01

78. 03-01 to 11-01

79. 07-01 to 12-01

80. 09-02

81. 03-04 to 06-04

82. 28-04-05 12-05

83. 09-06

Box3:

57. 15-03-95 11-04-95

58. 24-04-95 to 05-11-95

59. 13-10-95 29-12-95

60. 08-11-95 to 14-02-96

61. 01-12-95 to 30-04-96

62. 16-05-96 to 18-12-96

63. 31-07-96 25-07-97

64. 13-08-96 20-09-96

65. 04-10-96 to 04-11-97

07-87

06-88

39

ollins NOTEBOOK

1347 FAINT

39

07-30 Take off

Site 119 Lowenstein
 119 8 x 8 framed wheel
 will change the layer to Self
 has changing mes type.
 Not a drainage area but drain
 ponds across for fish

186. Semi-insulated in under

07-30 Take/060

Sitta 1.0. Loren 500
 117 B & D drained: what
 will change the layer to Self
 the changing the type.
 Not a drainage area but drain
 ponds occurs for fish

100. Semi-installed in under

②

Don't see
1st time
small
afternoon

③

Wounded like
Deck Survey
11/4/87.


5. 1500
few ducks seen. for
edge
Dry at 900
0-20 h20

Post	80	
Post	40	
W009.	2	
SL.	3	Healthy
	on ahead	flw off

Whistling.
Comm SR
No Blops

Finish 1635

④



⑤

Eggs 15.4.87

c730

D: 1.04

Wt 7.5

Sugar

123

Shel.

2500.500

Gyph

100.

100.40.1200

Bost

20

Bufo

70

Muscl.

1

Gank

2

WFlon

6

Parkin

1

One. Pelican

1

~~Whist. Kite~~

1

Blue Lagoon

Bost 23.

F. 0940

Sown 40

Shel 2000

all the to Fow
and appearance

⑥

Progress taken today
are weak not actually
doing work ?
Sitting in tree
& observed heavily

Whisper high O'head
among Shels.
usually



BS170 Egun

⑦

BS172 B.S. Res. = 22 km

More 90 kms.

Replace / Clean filters fuel
Balance front wheels on
vehicle
Fix Transmission
Fix Battery. R.H.S.

⑧

Leave Womans at 0700 ⑨

Doug Watkins at 0740

Jerry Davis at 0830

Murdoch all day

Leave at 1700.

Dod at 1745

(10)



Winnand Lake

1520 Lake is high.

DZ 0.94

Light breeze wind 0

6.49⁰⁰

(11)

15-7-87

Sot 35 10 60

~~600~~ 12 200

Coyote 5 600

Shel.

Dust 9

Bart.

Shaw 14 300

Grebe 3 100

Pond 8 400

Siver 1.1

Water 1.9.

Mud 1

105

212

605

9

314

103


408

2

10

1768

(10)



Wampanoag Lake
 1420 Lake is high.
 DZ 0.94
 Light breeze wind 0

6.49⁰⁰ (11)

18-7-87

Cat 35.10 60

~~100~~ 12 200~~100~~ 5 600

9th.

Dust 9

Dust.

Shov 14 300

Gybe 3 100

Pied 8 400

Saver 1.1

W/W 1.9.

Muss 1

105

212

605

9

314

103

408

2

10

1768

(12)

Airst. +20. 1.15

at 10 w. Pained Shov.
 + Red + Robb feeding
 birds actually on water surface.
 Pairs do Robb + Shov in
 timber on West side.
 No Duck Birds
 no predators
 water level high.

8.7

(13)

Eggs

10/2

S 0830

30-4 4/100

light gen. Wind C

Shel. 40.20

Gyfl. 30.30 + 150

Shen 3.80

Sig 1

Dew 2

Reed. 50

Cook 30

W. P. H. 2

W. Grebe. 9

7.7

Longer

Resting Adult

moved from tree to tree.

1 old ♀ shel at Blue lag.
 flying OW. Slow low.
 Tired moulting dirty

3 Shel only on Bl. lag.

14




1050
0630

15

Behind up cut side
sending timber
with skill - no sign
of movement.

14



1050
0830

15

rhind wh cut side
sawing timber
had still - no sign
of movement.

(16)

D. Pearson

May 1966

Society & Dept of Womans.

Let vol. 115

Bought food 12.00

Shirt 3.00

+ Linen 2.00

= 11.00

Kazank - Pic. shirt

Deduce after 2.80

13.80

(17)

1640

14.7.87

1 km SW of south boundary of study area.
Said from dam. on west side $D = ca .5m$ $hH = 7.78$

Not needed.

Clear exposed the animal mass.

(16)

D. Purson

May 1966

Schinty & Dept of Womanel

Let alc. 11.15

Night food 12.00

Shut 3.00

1 kilo 2.00

= \$11.00

Koyan - Pic. shut

Dollars after \$2.80

13.80

(17)

1640

14.7.87

1km SW of South boundary of study area.
Swell from SW. on west side.

D = ca .5m

HH = 7.78

Not reached.

Clear exposed the animal mass.

(18)

3/ 15/7/87
 SHOCK Lake. 0730
 D = 3.1.
 pH 7.44

moss 1

4

320 27768 Grass Patch

15/7/87 0930 - 1015

D = 0.01

pH 5.5

hor antennia 3 small 2 green
 ostracoda 3 sp.

(19)

5/ 15/7/87 1100 - 1110
 27985 Trundle
 D = 0.12
 pH 5.51

hor antennia numerous
 ostracod small red
 large.

worm oligochaete
 Gyle 40

1 32776 1220 - 1300

pH 6.5

D = 0.11

paradenia numerous
 ostracod

KAMBALON

lake left

Sewage Farm

Bulls

corixids chironomid
 red.

pH 5.?

pH 8.02

(18)

3/ 15/7/87
SHORE Lake. 0730

D = 3.1.

pH 7.44

muso 1

4/

26 27768 Grass Patch

15/7/87 0930 -1015

D = 0.01

pH 5.5

hor antenna 3 annis 1/2 grown

ostracoda 3 sp.

(19)

3/ 15/7/87 1100 - 1110

27985 Truslowe

D = 0.12

pH 5.51

hor antenna numerous

ostracod small red

large.

worm oligochaete

Gyle 40

1 32776 1220 - 1320

pH 6.5

D = 0.11

paratenia numerous

ostracod

Kambala

lake Lefroy

Sewage Farm

Bulls Corvid's

red.

pH 5.?

pH 8.02

chironomid

(20)

15/7/87.

at Kalyanin Exchange Hotel
Dinner 10.00
Beds at Hotel

16/7/87

at 0530

at 0615 Chupatt 55.00

at King of West

(21)

16/7/87

King of the West Lake
22 Km NH Kat. megies
Road.
4.5 km East.

lily extensive ~ 5 km x 1.5 km



Depth < 1.2 m.

edge to 0.15 m of H₂O

Swamp at depth 5m to

edge in clear water.

sandy substrate & in bushes
submerged lilies clear & full edge.

(22)

34

Ballard.

16/7/07

Do. mark in patch
Eastern edge.

low surface like edge
to with like where boundary
may take place.

(23)

16/7/07

Can grass grow.

channel leading out of scrub
(into)?

Brown water fresh.

pH 8.98.

Orebanda Dam site

10.8 km S of Orebanda
on Coogardie Rd.

Chironomus corixid


D = 8 m.

Roads Lagoon 16/7/07

D = 6.1 m

7) Cooly

24



25

B. rakes
Shuck ABS.
D. ft

Shark ABS.

D, ff-


When Black

Exhaust Week

Electrostatic

7.1 Cooley

(24)



(25)

B. pakes

Shack ABS.

P. H.

When Blacks

Ex last week

Electrol fuel

Partial ~~continuation~~ of ~~collected~~
 observations of the
 development of an aquatic
 macrophyte at Corrotoche Lake

Revised note to Jim re
 MRC worksheet
 Shady to include
 contract from Adrian Puder.

(28)

35 Nests
3 x 3 eggs
32 x 2 eggs

11/5/88

(29)

170 02853 - 900 3.8.87

02853 to 02881 29 Birds
Birds Bred

Robert Collins DWO
Ray Smith DWO
Kathy Cooke ADFO
Dr Stuart Halse
C. BB

Left Peter with 02882 to
02900 19.

I will complete schedule
v send to Peter
Peter to send on to
Kerr base.

(30)

Val Milne
Museum.
accommodation
~~180~~ 6 2300

11
150
15
15
15
15
15
210
55
55
55
11320

(31)

3-557.
M.H. Her
Mark Horien
DeH 10-13.

Tadpole's
ostracod large plankton
pH 6-20.

Stinking Kenge. St.
1 km NW of St. Borden
pH 5-64.

9/16/0 1545

(32)

10, D 51-P20
P

(33)

2 650.13 Croodgen
4 My

Tues 11.
Nissan Patrol

Tyres
Flat Battery
Back window Hinge Replaces

for Wed.

(34)

(35)

Pelicans Pond Pt.
#103 13.7
Loach Site #1 1.4
Site 2
Drain

36

37

0900 AK

Ok to WFL head vehicle
don't take + on to Puyones

(38)

Site 1. old tin runnels
Dunes with cut grass + some?

Site 2 AS for #1

Site 3 AS for #1

Site 4 AS for #1

Site 5 Yards

old tin runnels + dunes
hill depression

Site 6

low BTI

No treatment of Puyones

(39)

Site 8 Geograph take.
Flooded Sampire dense shrubs

Acantopneustes

Drainage may not be effective
AS already flooding + predator
access has not behind N's Mos.
Bulbo schomaeus intrusion

Aerial BTI

or

Drainage - biologically different

also

To

take is higher estrothric
Blue green scum

(40)

Mahoney Digression

Geography

Goodman Delta

~~9~~ ~~the~~ 62

flooded Reels 10-14 on
scale pamprothomness

(41)

Reasonable level of
control is 80%
D but will increase no of
springs to 15-20 / year

Wamras 84 1930

(42)

(43)

Tag 0800

116 Empire Ave
nr Warehouse

Apr 0930

Unit 21 Lindley St

(44)

Tues. 25
0845 to Winkley Downs.

Spoonbills roosting in trees
regularly at # 62

10

(45)

10 Site 88 25/8/87

1023 Notes 25-29
significant breeding site

Close to home 50 m.

Sohn. - Rummels.

BTI no

Boweds Max 1 hour inside
20 weeks

at least 6 heard BTI

Rummels for provide access to
roads for Rummels

GRTE 1

Gay H. 3

PABO 3

Singl 1

Shel. 2

Buss 4

(246)

96 11

15-19.

Winter to early spring
cut effects?

Sampling time

Seasonal flaking not connected

BTI

2-3 Mites in winter
low density breeding

(47)

12 # 91.

Minimal drainage

Winter breeding

rainfall

BTI treatment. Said

Surges of breeding with
rainfall

Wheel. Ruts filled with high density
larvae. Rides Comptosynchus

(48)

89 251857. 13
 wet for effects cut.
 and DTE
 minimal drainage & amount
 developed by standing water
 till first frost with
 close proximity to canal.

(49)

14 # 90
 fine and a red soil
 dark pebbles & res.
 rate high

(50)

15 67
Small pool
no action

(51)

(16)

Site # 92

significant severe mos.
juv. pebbles

Fresh. *Heliothylis*

Aerial BT I in

under 1x or 2x

Pygmaea Area High Cont = 3
W/B = 2

(17)

Site 68

Treat once in winter with

BT I. Aerial

mark a sedge:

(52)

18

Site 95

high mos. prob - summer
aerial B.T.I.

25/8/8 1410
Site 58
Coconut
High cons. value.

1. build mold drain
 2. determine mos. area
- general idea that mos.
is high in summer
Oct. 30-34
+ extensive area makes it a
significant problem.
Rec. Aerial B.T.I.

1976 first recorded *Modiolus* bloom
aerial mosquito control

(20)

25.8.87.

(53)

*57

aerial B.T.I. Pools
wading bird habitat.
Weed control for channels
difficult

21

Site 107

Man made wetland
inadequate drainage from
Hornets Pool
Fill or drain

22

#94

shallow pool winter 4-9 wks
canning style drain

(54)

23

51

Expansive flats. Pools

Semphine pools.

BTI cost very high

other

Chambs from near

& radiating from back

to drain semphine pools

BTI to large char

pool.

Harding Chambs of

recessing. Refer to

Quinn Lodge estate
via.

(55)

24

52

1630

largely disturbed Semphine

hatch. Area.

across to fill & level

drain to river.

25

#

~~53~~

large area of Semphine

& mudflat. Barraghu.

Drains work as Carving

Backhoe.

Subject to Pinner controls.

Very difficult to decide other

given expansion area

effect of drains

control of Barraghu.

(56)

(57)



26/8/87.

0800

Site b3 chimneys
Drainage
and BTI

Is land by construction
of of channel and
perimeter of moat to
exclude people.
Boat traffic.

Hard fill which tracks.

Direction to Tony after
Talks with Jim

(58)

Site 64

Santhia nest M. C. L.
direction down. Being
spring would dry and
out causing damage to
eggs.

Other - BTI.

(59)

#

65

5 h + santhia
open

No action until results
of tunnel tests at Pt
Douro have been determined.
may be winter breeder,
V. 50.

~~if~~ direction is not a
problem. BTI.

#

66

High max. in
santhia with tidal access
Fresh pools very low
lots predators.
BTI.

(60)

#97 Saltmarsh near
Mankush Bridge
disturbed
channelise back hole
central drain retain
Sediment herbaceous enhance


(61)

24/8/87

103. foot swamp near school.
& inter veg. some weeds
good education

chain Hard BTI

Site 45 Cysegreek Rth.



Revised BTI

& hand dug channels
once channels are installed check &
monitor.

(62)

100 26/11/61
large pool flooded
with high salt sides

Pool should be BTI treated
pool wants to drain to river

74 adjacent to salt near
bridge

Can pull close
Shower drain to water
dry in summer

(63)

85 25-29 July

Salt marsh clay for
connected to river

option fill pits
at level + allow
proper drainage & access
people usage high.

Russell 2/6
4505844
Cahoon Rd

(64)

Steve Parker

Cislin 10

Coopex Dust

10 g/kg Permethrin 25:75
ratio to Cislin
lowest mammal. tox.

Coopex.

Residual insecticide
very safe,
very potent.

Cislin 10

10 g/kg Deltamethrin
10x Permethrin

1000 x natural pyrethrin

75 ml/5L, or 150 ml/5L.

(65)

for fleas cockroaches use
high rate.

Shedding & maintenance
use low rate.

Deltamethrin very sunlight
tolerant.

has evaporated present on
outside of ~~or~~ than
inside.

No visible deposit
Residual

Stable in water but will
settle.

Safety LD 50 10000 mg/kg.

(66)

Fly control

Very performance on surfaces

Foliage

Mounds of manure.

Propoxur	5
Pyrethroids	1000

(67)

Reslin Pyrethroids

in 10 mls	1000 Cu m
out 100 mls	/ ha. water
200 mls	/ ha. oil

20 mls / 1000 sq² m flies (flies)

Dilute with water
Diesel
Kero

Use lake water

Midge

Wor

Flies

Moths.

Sand

(68)

larvicide increases rate
of resistance.

toxic to fish
not on water

Tenelphor 10%.

No resistance developed

(69)

Teknar.

PTI
Stores

crystalline endotoxin
delta endotoxin

Was lower
Not Midges

larvae. 4th instar have
stopped feeding

Nb -

0.6 - 1.2 l/ha fresh

1.2 - 2.4 l/ha Selin

2.4 l/ha Polluted.

(70)

Permethrin
Pyrethroid
Tinder boxes,
Termites

(71)

Bromakil
Retail Pack.
throw sachet.

Toxicity B

Single dose kill
in 25gm throw packs
or

Wax Block to
kill R. rattus.

(72)

(73)

CO₂ attractant

Small preference

Some sp very specific for smell

Some attract more mos than others.

A Vigilox salt marsh mosquito
300-500 /trch. Derby

	RRV	not some av. MVE
Epidemic	poly arthritis	RRV
Australia	Encephalitis	MVE
	↓	
	Kunjin virus	
Dist	Carnarvon North	
	$\frac{1}{500}$ - $\frac{1}{3000}$	

74

National Disease Control Program
is about to be abolished

Monday

Identify pest → control?
extent of breeding control?
Dynamics of Breeding Synchrony
→ control

- 1-3 evaluation of Problem
- 4 Effectiveness of control
- 5 Records for future ref.

adult activity	e vs / Co2	trial
Lowest Breeding	Quot.	+ - normal
	Quot	✓ - differs or certain

Comments

75

(76)

20.5.82

Prob. Barlow. First Spec. Road Res Council

First Spec. Road Res Council

Levy given 0.5%

Govt to match 1 for 1 to 1%

\$116 m. = 1.16 million
available

Research & Development

① Investigate evaluate

② double 5yr plan.

Chemicals 244,000
Private Research 402,000

(77)

established - industry bodies 1 for 1

emerging - No industry bodies find
some matching dollars
don't insist on matching

infant - No body. No export no
matching dollars.

stimulate industry with no.
requirement for matching dollars

G/P 3.5 Bill


Funds 4 million

= 0.11%

78

Dev structure.

Select 5,6 specialist crops + diversify
in time



Many crop simultaneously developed
↓ ↓ ↓ ↓ ↓ ↓

79

Select group Crops

Gross
Ranksies 1 Proteas
K Ps
Verticordia

but
flowering
Post Harvest.

wild cereal

Helichrysum chondatum
Antennaria Pigeonberry

National Body

Gen applications Capensis

Genotype v confidential industry relation
first use of info. clothes
with national funding.

(80)

Peter Hyland
Julia Pegrum.

36-87 4.1 mill 840 Ton

we appear to have peaked why
↓

what are the most significant
problem causes the fall off in growth

Area under cultivation 1127 ha

(800 bP) 50 species
(250 bP) 55% cultivated
45% Bush Picked.

42/ha

20 kg
4500 kg/ha

202/ha. 200000 €/ha.

(81)

	Cult	Bush
Waxes 500-600 ha	87	
KP 100-150	81	
Bark 50-80	74	
Verte. 15-20		
others.		
Dryas	55	
Titre	10	
Polioleum	0	
Stinging	0	
herbaceous	0	
Coniferous	0	

Setback costs

12000-20000/ha

oil costs 30€/bush

Reins 60€/bush

Nett 10-15000/ha

(82)

KP Harvesting 5¢/stem
10-15000 /ha of cost
margin 5¢/stem

Net 8000 /ha.

Barksias

(83)

Overseas demand. - what is not being
exploited by other countries
How do the season variations
effect our economies
How

Jimmy Mussen AF/27.

Subst 16-20 Billion / year '84
FOA = 5 Billion
1985 23 Billion
7 Billion

90% of flower consumption is in North Korea.

(84)

~~100%~~

Native - most producers
15% of world native supply.
what is the potential to expand

SE Africa - 30% Same reason.

Can Export of New Seed?

Transfer of genetic material
demand in dried market for small flour

Cal was 1st seed was our was

(85)

Develop \$C.

Mesh: cornstarch
weed meal

40% produced of market requirements

Central Statistical Base to show
needs

(86)

Dennis Redick
New products / markets
Export
Cut flowers foliage
National priorities

Narrow range vs. diverse range
genotype - breeding
entrepreneurial money
not encouraged

Genetic Research

(87)

Genetic Research

Polyploids

Chromosomes No further report from ASH's
but probably sector encouragement.

Polyploids. P.?

Aug. Private sector encouragement.

Rhizome splitting
Flowering time
Breeding
Response to chemicals

(88)

Vert. No Progn
Selection needed
breeding program
Colors, varieties
edaphic conditions

~~Blondifordia~~

Blondifordia

Exidia

Helicomyces

Rebs lishes

Chionthus

} Pinned on
their own
menes

(89)

Log movements

(90)

Summary.

Freight Problem persist in
December for flowers. Avoid

Nov - Dec.

July - Nov. OK.

Early Spring

Ar

B.R.

Post Harvest

Disinfestation Post Harvest

Transport Sea Freight

Physiology

S

(91)

Re: Sea Lft.

grow resilient plants

very transportable

eg. foliage Silver Red

Laurel

avoid African daisies.

stick to New foliage

eg. Pulverbenta.

Wax - perhaps.

(92)

Chris Sheldao
Priorities II. development funds

Communities

Veracruzian funds - Bob H.
Cham. funding

(93)

MC in 0930
ant 0940
0818 0940
1005 0934
1014
1215
12/ 0934
1114
0730
7-30

1031 in with MC
1114

(94)

21/5/88

NW inlet

- 1600 1 Boob feeding (pecking + wading) on
somphine island opposite first gate
1 GtE resting on island
13 WtW in trees on edge of road
5 Ape in bay near somphine
Proceeding with Co to GtH.

- 1630 Proceeded South to Second gate.
Walked to point - raining heavily
returned to car on to Bws + Side
walked to captives. - Nothing

- 1700 To Side East Side. 5 PaBol.
flushed from pool. Spoke to Mrs. Williams
& tenant in shack. Permission to shoot
on Pool. All Sunday.

- 1830 to town Dinner & changed
gear notes. Bed.

2200

(95)

22/5/88

Depth at Gauge. 22/5/88 0.88

Blunders. 0715.

- 2 PaBol flushed from channel. (runnel)
4 PaBol flushed from Mangrove Channel
1 shot = 0.

Little Grass Birds flushed through marsh
drowning in full. & estuary level high.

Heath - dry not flooded.

Pool in centre full.

- 2 PaBol in East end of channel
collected 1.

- #(1) PaBol. ♂ overset. - almost empty stomach
933 and - in Formalin
near Pt. Pteron Pt.

- # 2 Eastern Coots feeding/probing in
somphine island on NE side of
band pool.
♀

(94)

21/5/88

NW inlet

- 1600 1 Boast feeding (pecking + wading) on
Sampshire island opposite first gate
1 GtE resting on island
13 w-b-w in trees on edge of road
5 APl in bay near Sampshire
Proceeding with Ca 20 GtH.

1620 Proceeded South to second gate.
Walked to point - morning heavily
returned to car on to Boast & Sika
walked to caplens. - Nothing

1700 To Sika East Side. 5 PaBol.
flushed from pool Spoke to Mrs Williams
& fence in check. Permission to shoot
on Port. Am Sunday.

1830 to taxi Dinner & cleaned
gun notes. Bed.

2200

(95)

22/5/88

Depth at Gauge 22/5/88 0.88

Blunders. 0715.

2 PaBol flushed from channel. (remot)
4 PaBol flushed from Mangrove channel
1 Shot = 0.

Little Grass Birds flushed through marsh
drains full. & estuary level high.

Marsh - dry not flooded.

Boat in centre full.

2 PaBol in last end of channel
collected 1.

#(1) PaBol ♂ outside. - almost empty stomach
933 and - in formation.

0830 on to ~~Port~~ Port. Port. Pt.

2 Eastern Curlew feeding probing in
Sampshire island on NE side of
beard post.
♀

(96)

#2 wt 885 gms
 ♀ not advanced.
 Molt O¹⁰
 Culmen 210 ~~mm~~ mm
 Tarsus 93
 Wing ~~323~~ 323 mm

One bird probing on sump
 in bed two birds observed feeding
 flushed from one adjacent
 collected one (#2) &
 preserved. Nothing in oesoph.
 shell like material in gizz.
 Bust 5 feeding in pool
 west of Burial

(97)

0935 Nelson Point pools and river system
 tide is flooding into channel.
 very few birds - sump is flooded
 to tree line

WFWN foraging in flooded sump
 GYE " " "
 Shet. upending in centre of pool.

1030 Pt Duero

#3 Bar tailed Godwit
 wt. 310
 Cul. 104
 T. 57.9
 ♀
 M. O¹⁰

Gizzard
 oesoph. - very little

(96)

#2 wt 885 gms
 ♀ not advanced.
 Molt $\odot^{10}$
 Culmen 210 ~~mm~~ mm
 Tarsus 93
 Wing ~~323~~ 323 mm

One bird probing on mangrove
 in low two birds advanced ~~feeding~~
 flushed from once adjacent
 collected one (#2) &
 preserved. Nothing in oesoph.
 shell like material in gizz.
 Bust 5 feeding in pool
 west of Band!

(97)

0935 Pelican Point pools and river system
 tide is flooding into channel.
 very few birds - mangrove is flooded
 to tree line

WFM foraging in flooded mangrove
 GKE " " "
 Shal. upending in centre of pool.

1030 Pt Duvo

#3 Bar tailed Godwit
 wt. 310
 Cul. 104
 T. 57.9
 ♀
 $\odot^{10}$

Gizz. - very little
 oesoph. - very little

(98)

#4 B.T.G.

wt 305

♀

T 59.5

Cul. 109.7

Tov.

W. 0'10

Gizzard

Oesoph. - nil

#5

B.T.G.

wt 285

Cul. 109.5

T. 58.1

W. 5' 03

♀

infected with tape worm

(99)

Stopped at hole on way in Nothing
Drove to end of track walked over
somewhat checker channels flooded
fish present. No Mos. larvae.

Many bit & bit grass but using
somewhat very some approachable.
sit on top of bushes & observe.

Saw 1 Godwit feeding actively
walking & pecking in flooded
somewhat at edge of island on
N H side

Grat Eg. feeding also on island
Shot 1 got 3.

all ♀ all right young birds

(98)

#4 B.T.G.

wt 305

♀

T 59.5

Cul. 109.7

Tuv.

W. 0.10

Gizzard

Oesoph. - 2.1

#5

B.T.G.

wt 285

Cul. 109.5

T. 58.1

W. 5.03

♀

infected with tape worm

(99)

Stopped at hole on way in. Nothing
Drove to end of track walked over
sophistic channels flooded
fish present. No mos. larvae.
Many hibet & lit grass. Not using
anything very tame approachable.
sit on top of beeches & observe.

Saw 1 Goshawk feeding actively
walking & pecking in flooded
sophistic at edge of island on
N K side

Got Egg. feeding also on island

Shot 1 go 3.

all ♀ all right young birds

(100)

22/5/88 1130
 East side site
 Shel. 2.

1145 NW Inlet
 4 Gt E feeding (bark) in
 flooded Sargassum at littoral.
 38 WFTN feeding in Sargassum off
 first gate.

5 YB Seabird standing in
 shallow pool in Sargassum
 80 bird feeding in and
 around Sargassum & pools.
 2 pairs Sh. in Sargassum
 10 A Pel resting in Sargassum
 30 PAB in Sargassum
 9 WFTN feeding in Sargassum.

(101)

Letchworth 22/6/88
 Depth at Australind = 0.62
 15 Sams Caim & out Blacks
 120 blunders.

Fish present in isolated pools
 in edge of marsh (1 dam)
 No mos larvae
 Fish (Gobies?) in big pool.
 2 LAB flushed from wet channel.
 W/bird usage Very low.
 Several L. Grass birds in heath

Proton River 1240
 2 Gt Egrets.
 Puffin on bank in grass.
 Duck.
 LBC.
 Marsh flooded through drains.

(100)

22/5/88 1130
East Side site
Shel. 2.

1145 NW Inlet

4 Gt E feeding (hunting) in
flooded scrubland at N. end.

38 WPHN feeding in scrubland at
first gate.

5 YB Shearwater standing in
shallow pool in scrubland.

80 WPHN feeding in and
around scrubland & pools.

2 pairs Sh. in scrubland resting.

10 A. Pel resting in scrubland.

30 P. B. in scrubland.

9 WPHN feeding in scrubland.

(101)

22/6/88

Depth at. Australind = 0.62
To Sans calm & out Blacks
1210 blunders.

Fish present in isolated pools
in centre of marsh (drains)

No moss larvae.

Fish (Cyprids?) in big pool.

2 L. B. flushed from wet channel.

W/ bird usage Very low.

Several L. Grass birds in heath

Proton River 1240

2 Gt Egrets.

1 White on bank in grass.

Bank

WBC.

Marsh flooded through drains.

(102)

Adrian H. 1255 22/6/82

Mud to East of old road.

1000. feeding (dabbling) in flooded Sump 0940

2 bit Egret hunting in mud

1 Sh. Gull - defensive

1 wren.

2000. in pond.

2 Shad.

7.06 Rel. Pt Sump

Sample from Rel. Pt channel opposite site 103.

Depth 0.5 m. Max Pool 1.2 m

PH = 7.06

(103)

23/6/82

Blunders

Pool from Murch area.

Mud flooded. Channels running strongly. No Was.

0830 Puckoon River Mouth.

2000. dabbling in pool in Sump.

2 Swan & 4 Shad. visiting edge of Sump
collected, 1 Shad.

1 wren caught from flooded Sump

1015 Pt Sump. 2 Grey Teal.
1 Shad.

1 Gull Egg. hunting in Sump

1 Shad.

Sump flooded No Was.

Depth of Murch 0.76 0955

Station 1255 22/6/78

Marsh to East of old road.

1000. feeding (dabbling) in flooded Samphire 0940

2 bit Eggs hunting in marsh

1 Sh. Grouse - defecates

1 wren

2000. in pool

2 Sh. G.

7.06 Rel. Pt Samphire

Sample from Rel. Pt Channel opposite site 103.

Depth 0.5 m. max pool 1.2 m

PH = 7.06

23/6/78

Blindes

Lead from Marsh area

marsh flooded channels running strongly. No Ws.

0830 Location River Mouth

2000. dabbling in pool in Samphire

2 Sh. G. & 1 Sh. G. making a deep scratch
collected, 1000.

1 wren caught from flooded Samphire

1015 Pt Barrow. 2 Grey Teal.
1000.

1 Grey Eg. hunting in Samphire

1500.

Samphire flooded No Ws.

Depth at Northland 0.76 0955

104

Scenic Dr.

Sandwich Flooded

2 gray teal

2 sh.

1 Redd

105

108

18000 R
18000 Costa

55000 land
2000 11114
200 1600 mod.
4.85
0.125 19.
332.5 19 in

30 mod/ha
48120 plants

FRIDAY

109

1 acre.
10 600 / acre
300
13.0 models

2000 in

4332 Dr flr

909 Drh
624 L-hr
300 WC

448 32 43.

110

386 3462
Brain Jack-
50.

12000

1000

mt

15000

Weggs

~~10000~~

fact

~~10000~~

fact

1500

fact

500

Phone

2000

fuel

1000

Maintenance

40500

12500 Paws
x 1.5

18750

\$ 2.16

111

112

200
900
100
60

620
500
x 8
14000

900
500
450
10
20

\$480