


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA CLACKLINE SITE NUMBER CLAK 8
 DATE TRIP 7/9/97 RECORDERS Wendy Porter, Brian Mayle, Logan Anderson, Jani Wendler
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST Ann Guinness

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location Clackline Road - Hoddywell Rd corner
10 km from Eadie road junction

Geographic Location Latitude 31° 38' 38" S Longitude 116° 28' 66" E Altitude 726 (±43)

Reference Map

Photograph P Photographer's Name AGG Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep **Aspect** N NE E SE S SW W NW

Surface Soil sandy loam **Colour** Grey Brown
Exposed rock type % surface

Sub-surface Soil sandy loam **Colour** Yellow
Rock type depth to rock

Drainage well mod poor depth water cm **Wet** all year winter/spring

Litter 70% % cover **Bare Ground** <2% % cover
 Depth 1-2cm cm

BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only


From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.


3. VEGETATION STRUCTURE AND COVER

For each layer **record** - appropriate **life form**, **cover class** (see below), and **dominant species** in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

	TREES			MALLEES	
	over 30m	10 - 30m	under 10m	over 8m	under 8m
LIFE FORM			 		
COVER CLASS (%)		>70%			
DOMINANT SPECIES		<i>Euc. calophylla</i>			

	SHRUBS over 2m	2m - 1m	SHRUBS under 1m
LIFE FORM			 2m 1m
COVER CLASS (%)		<10%	~30% (+)
DOMINANT SPECIES		<i>Xanthorrhoea preplexii</i>	<i>Bossiaea encaspa.</i> <i>Acacia pulchella.</i>

	GRASSES	HERBS	SEDGES	OTHER
LIFE FORM				
COVER CLASS (%)	<5%	<10%	10-30%	
DOMINANT SPECIES	Bruce	Kennedia		

4. VEGETATION CONDITION

VEGETATION CONDITION		
1	'PRISTINE'	COMMENTS
2	EXCELLENT	Old soil disturbance & mounding. Some weeds but not dominating. Lot of track activity near by
3	VERY GOOD ✓	
4	GOOD	
5	DEGRADED	

ADACANT

Bredtia argentea (artid leaf)

Athanas cynorum subsp *cynorum* ✓

Isotropis cuneifolia ✓

Hakea trifurcata

Grevillea vestita ✓

Drosera haerantha ssp *macrantha* ✓

Vetelia venerea reinwardtii (#) ✓

? *Hibbertia* (6. fl. leaf) BRECKEN CAMPHOROSMAE ✓

Hibbertia hypericoides (H) ✓

Leptospermum euboeum ✓

Chorizema dicksonii ✓

Daviesia decurrens ✓

✓ *Poa dummiandiana*

✓ *Acacia spiranthe*

Fraxanthus mangleii

Trifolium sp. (Nov)

Nemcia capitata ✓

ROADSIDE

✓ *Genista linifolia* (broom) ✓

(bright yellow fls)