


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA MERREDIN PIONEER CEMETERY SITE NUMBER MERR 3
 DATE TRIP 20-9-97 RECORDERS A.B. TS H.A. B.P. P.C. M.B. G.T. J.M.C.
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST ANN GUNNESS

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.



Road Location COHN ST.

Geographic Location Latitude 31.29.36 S Longitude 118.16.09 E Altitude

Reference Map


22

05

Photograph Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep

Aspect N NE E SE S SW W NW

Surface Soil LOAMY SAND / LATERITE PEBBLES.

Colour BROWN.

Exposed rock type

% surface

Sub-surface Soil

Colour

Rock type

depth to rock

Drainage well mod poor depth water

cm

Wet all year

winter/spring

Litter 5 % cover

Bare Ground 40-50 %cover

Depth 1 cm


BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only


From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2 - 10 %	10 - 30 %	30 - 70 %	over 70 %
-------------	----------	-----------	-----------	-----------

	TREES			MALLEES	
	over 30m	10 - 30m	under 10m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)					< 5%
DOMINANT SPECIES					EUC. SP. 1.

	SHRUBS		SHRUBS
	over 2m	2m - 1m	under 1m
LIFE FORM			
COVER CLASS (%)	< 5%	10% - 15%	10%
DOMINANT SPECIES	ACACIA SP. 2.	GREV. PARADOXA. PERSOONIA " DIDYMOBOTAN. " APICILLOBA.	BAECKEA, VERTICORDIA LEUCOPOGON PSTROLOMA

	GRASSES	HERBS	SEDGES	OTHER
LIFE FORM				
COVER CLASS (%)	30-40%	< 2%	< 5%	
DOMINANT SPECIES	AMPHIPOGON. ?Ecdiocholea.	WAITZIA		

4. VEGETATION CONDITION

1 'PRISTINE'		COMMENTS NO WEED INVASION. (1 OR 2 FREESIAS)
2 EXCELLENT		
3 VERY GOOD	✓	
4 GOOD		
5 DEGRADED		

ly

5. SPECIES PRESCENCE

Label each plant

plant's name or working name if required

Record on Sheet

SITE No MERR 3.

Date 20-9-97

- Column 1 plant name.

- Column 2 plant number

B. Keighery (1994)

TICK if species flowering

Wildflower Socie

identification check

[illegible]

opp = Euc. rigidula.