


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Naball in g Bessell-Browne ^{- Wendy Peter} SITE NUMBER NABA 03
 DATE TRIP 4/10/97 RECORDERS HB, STAN, DOB, WENDI, NEIL
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude 33 28.115 S Longitude 117 30.341 E Altitude _____

Reference Map _____

Photograph Photographer's Name N G St Neil Gibson Photo No NG 31

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil SAND Colour ORANGE-BROWN
 Exposed rock type _____ % surface _____

Sub-surface Soil SAND Colour _____
 Rock type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter Depth 30 % cover 10-20
 Bare Ground 10-20 %cover

BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only


From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008


3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class	2-10%	10-30%	30 - 70%	over 70%
-------------	-------	--------	----------	----------

	TREES			MALLEES	
	over 30m	10 - 30m	under 10m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)		10-30	2-10		
DOMINANT SPECIES		<i>E. longioris</i> <i>E. wandoo</i> <i>E. 10 x 16 life.</i>	<i>A. huegel</i>		

	SHRUBS <i>A. huegeliana</i> over 2m	2m - 1m	SHRUBS under 1m
LIFE FORM			
COVER CLASS (%)		2-10	
DOMINANT SPECIES		<i>Acacia senilis</i>	

	GRASSES	HERBS	SEDGES / RUSSIA	OTHER
LIFE FORM				1m
COVER CLASS (%)	2-10	30-70		
DOMINANT SPECIES	<i>Neurolepis alp.</i> <i>Stipa sp.</i>	<i>Brachypodium sp.</i> <i>Watzia nemoralis</i> <i>Potentilla anserina</i>	<i>Lepidolobos dracophylus</i> <i>Loxoloma alpinum</i>	

4. VEGETATION CONDITION

QUALITY RATION		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	✓
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

Some tree fell and regenerating from to \$two.

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant
Record on Sheet

Date 4/10/97

5
6
7
8
9
10
11

Column 1	plant	name
Column 2	plant	number

- Column 2 plant number

- Column 3: flowering time

- Column 4 • identification check

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]