


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA LANDSELL SITE NUMBER POP 19
 DATE TRIP 22/9/96 RECORDERS ROBIN GAY MARY ANNEMIERE
 DATE TRIP _____ RECORDERS JEFF DIANE
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude 32° 40' 88" S Longitude 117° 08' 84" E Altitude _____
 Reference Map

Photograph Photographer's Name ANNE Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil clay-loam Colour dark brown to light grey
 Exposed rock type NIL % surface _____

Sub-surface Soil clay loam Colour same
 Rock type NIL depth to rock _____

Drainage well mod poor depth water 1.0 cm Wet all year winter/spring

Litter 30-70 % cover (low) Bare Ground _____
 Depth 2 mm % cover 30-70 (low)




BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2-10%	10-30%	30-70%	over 70%
-------------	-------	--------	--------	----------

	TREES			MALLEES	
	over 30m	10-30m	under 10m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)	NIL	NIL	—	NIL	NIL
DOMINANT SPECIES			acacia acuminata (only a few small) stump		
	SHRUBS over 2m		2m - 1m	SHRUBS under 1m	
LIFE FORM					
COVER CLASS (%)	NIL		NIL	one only	
DOMINANT SPECIES					
	GRASSES	HERBS	SEDGES	OTHER	
LIFE FORM					
COVER CLASS (%)	2-10	10-30	30-70		
DOMINANT SPECIES					

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS Natural except for a few introduced weeds.
2	EXCELLENT	✓	
3	VERY GOOD		
4	GOOD		
5	DEGRADED		

5. SPECIES PRESCENCE

Label each plant

Record on Sheet

SITE No DOPO 19

Date 03/06/2017

start @ 54

- Column 1 plant name.

- Column 2 plant number

- Column 3 flowering time

- Column 4 identification check

plant's name or working name if required

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Acacia acuminata</i>	28	✓		<i>Notanthonia setacea</i>	54	✓		<i>Sowerbaea latiflora</i>	33	✓	
<i>Allocasuarina huegeliana</i>	50	✓		<i>Artropodium preissii</i>	NS			<i>Leptocarpus menziesii</i> habitat	34	✓	
				<i>Phylotis mangleyi</i>	NS			<i>* Fast weed - Hypochaeris glabra</i>	35	✓	
				<i>Neurachne calopogonoides</i>	NS			<i>Utricularia multifida</i> = 46	36	✓	
				<i>Velleia cynopeltamica</i>	NS			<i>* Baya - Scirp. picea</i>	37	✓	
				<i>Poa leptophylla</i>	56	✓		<i>Amorpha canescens</i>	38	✓	
MALLEES				<i>Trachypogon centrocarpa</i>	NS			<i>Phyllocladus pyramidalis</i> = 43	39	✓	
								<i>Hypochaeris glabra</i>	41	✓	
				GRASSES				<i>Bromus sp. drummondii</i>	42	✓	
				<i>* Ara carophyllaceae</i>	1			<i>Phyllocladus pyramidalis</i> (= 39)	43	✓	
				<i>* Bromus minor</i>	2			<i>* spec. = 59?</i>	44	✓	
				<i>* Briza maxima</i>	3			<i>Silene multiflora</i>	45	✓	
11		✓		<i>* Briza maxima</i>	4			<i>Utricularia multifida</i> = 36	46	✓	
				<i>* Briza maxima</i>	5			SEDGES			
				<i>* Briza maxima</i>	6			<i>* Cyperus tenuis</i>	7	✓	
		✓		<i>* grass. ? sp. Vulpagurus</i>	19			<i>Schizanthus plumosus</i>	8	✓	
				<i>* grass. ? sp. Isoplepis sp.</i>	20			<i>Leptocarpus longistylis</i>	9	✓	
NS		✓		<i>* Briza maxima</i>	40			<i>Chorizanthe erodii</i>	10	✓	
NS		✓		<i>* Briza maxima</i>	40			<i>Trichostema calceolae</i> ssp. incurvum	12	✓	
61		✓		HERBS				<i>res. sp. Meibomia coarctata</i> ?	13	✓	
NS		✓		<i>* Thysanotus patersonii</i>	16	✓		<i>Isoplepis setiformis</i>	14	✓	
				<i>* Velleia cynopeltamica</i>	17	✓		<i>Sedge ? sp. grass. multifida</i>	15	✓	
				<i>Blennospora drummondii</i>	18	✓		<i>Leptocarpus sp.</i>	30	✓	
47		✓		<i>Thelypodium antenifera</i>	21	✓		<i>Schizanthus sp. C. nobilis</i> var. <i>varia</i>	19	✓	
				<i>Caesia affinis</i>	22	✓		<i>Drosera peltata</i>	15	✓	
				<i>Cratogeomys ovale</i>	23	✓		<i>Goodenia microantha</i>	15	✓	
48		✓		<i>Diuris laxiflora</i>	24	✓		<i>Hypochaeris glabra</i>	55	✓	
49		✓		<i>Drosera menziesii</i>	25	✓		<i>Blennospora drummondii</i>	NS	✓	
				<i>Drosera menziesii</i>	26	✓		<i>Isoplepis setiformis</i> = 14	52	✓	
51		✓		<i>Caladenia uliginosa</i> ssp. <i>cardiacas</i>	27	✓		<i>* Trifolium alabum</i>	NS	✓	
52		✓		<i>Trigonostemon longipetalus</i>	29	✓		<i>Podolepis gracilis</i>	59	✓	
53		✓		<i>* Tribolium dubium</i>	31	✓		<i>Leptocarpus simplex</i>	60	✓	
				<i>Isoplepis sp. (menziesii)</i>	32	✓		<i>Styidium roseo-album</i>	61	✓	
				<i>Gnaphalium drummondii</i>	57	✓					