


**BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only**

BUSHLAND AREA Lansall's farm Popanyinning SITE NUMBER POP 9  
 DATE TRIP 21/9/96 RECORDERS M.P., R.A., JM, N.C.  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST C.T.

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

**1. LOCATION of the QUADRAT**

Mud Map Draw a sketch of the location of the site below.




**Road Location**

Geographic Location Latitude 32° 40' 48.7" S Longitude 117° 08' 28" E Altitude \_\_\_\_\_  
 Reference Map \_\_\_\_\_

Photograph Photographer's Name \_\_\_\_\_ Photo No \_\_\_\_\_

Topographic position Circle position of site on the transect (alter the transect if necessary)



**2. SITE DATA** Circle the correct response.

Slope ☒ flat ☐ gentle ☐ steep Aspect ☐ N ☐ NE ☐ E ☐ SE ☐ S ☐ SW ☐ W ☐ NW

Surface Soil brown clay Colour brown  
 Exposed rock type % surface \_\_\_\_\_

Sub-surface Soil clay Colour brown  
 Rock type depth to rock \_\_\_\_\_

Drainage well mod poor depth water at soil surface cm ☒ Wet ☐ all year ☒ winter/spring

Litter 10-30 % cover \_\_\_\_\_  
 Depth < 1 cm Bare Ground < 2 % cover



# BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

## 3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class      2-10%      10-30%      30-70%      over 70%

|                  | TREES    |        |           | MALLEES               |          |
|------------------|----------|--------|-----------|-----------------------|----------|
|                  | over 30m | 10-30m | under 10m | over 8m               | under 8m |
| LIFE FORM        |          |        |           |                       |          |
| COVER CLASS (%)  |          |        |           | 2-10%                 |          |
| DOMINANT SPECIES |          |        |           | Mallee < 8m<br>Wandoo |          |

|                  | SHRUBS over 2m  | SHRUBS 2m - 1m | SHRUBS under 1m |
|------------------|-----------------|----------------|-----------------|
| LIFE FORM        |                 |                |                 |
| COVER CLASS (%)  | 30-70%          |                |                 |
| DOMINANT SPECIES | Call phoeniceus |                |                 |

|                  | GRASSES                          | HERBS | SEDGES                                                      | OTHER |
|------------------|----------------------------------|-------|-------------------------------------------------------------|-------|
| LIFE FORM        |                                  |       |                                                             |       |
| COVER CLASS (%)  |                                  | < 2%  | over 70%                                                    |       |
| DOMINANT SPECIES | Tribonanthes<br>Drosera<br>Rumex |       | Chouzenbra<br>Small fern sedge<br>Isoplepis<br>Pycnos kelus |       |

## 4. VEGETATION CONDITION

|   |            | COMMENTS                           |
|---|------------|------------------------------------|
| 1 | 'PRISTINE' |                                    |
| 2 | EXCELLENT  |                                    |
| 3 | VERY GOOD  |                                    |
| 4 | GOOD       | Dead trees - salt?                 |
| 5 | DEGRADED   | Guildford grass<br>Sedge - mallee? |



## 5. SPECIES PRESCENCE

SITE No 2009  
Date 21/09/96  
13/11/06 22→

Label each plant  
Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time
- Column 4 identification

plant's name or working name if required

From 'Bushland Plant Survey' written by  
B. Keighery (1994) and published by the  
Wildflower Society of WA (Inc.), PO Box  
64 Nedlands WA 6008.

[illegible]

(*Anthropodium capillipes* = 7 15A. ✓)  
\* *Cotula bipinnata* 12a. ✓