


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA MERREDIN SNELL ST RESERVE **SITE NUMBER** SNELL 2
DATE TRIP 20-9-97 **RECORDERS** Elaine VanZwom, Sean McFarlane, Ann Holmes
DATE TRIP _____ **RECORDERS** Stan Webster, Barbara Payne
DATE TRIP _____ **RECORDERS** _____
BOTANIST Ann Guinness

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location SNELL ST.

Geographic Location Latitude _____ S Longitude _____ E Altitude _____

Reference Map

Photograph _____ Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat ☒ gentle steep **Aspect** N NE E SE S SW W ☒ NW

Surface Soil LOAM, IRONSTONE PEBBLES SCATTERED **Colour** BROWN

Exposed rock _____ type _____ % surface

Sub-surface Soil _____ **Colour** _____

Rock _____ type _____ depth to rock _____

Drainage well ☒ mod ☐ poor depth water _____ cm **Wet** all year winter/spring

Litter _____ 10-20 % cover
 Depth 0-1 cm

Bare Ground 30-40% cover


BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class	2 - 10 %	10 - 30 %	30 - 70 %	over 70 %
-------------	----------	-----------	-----------	-----------

	TREES			MALLEES	
	over 30m	10 - 30m	under 10m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES					
	SHRUBS		SHRUBS		
	over 2m	2m - 1m	under 1m		
LIFE FORM					
COVER CLASS (%)	APPROX 10%	30 - 40%	HIBBERTIA UNGINATA		
DOMINANT SPECIES	CASURINA SPI	CASURINA CAMPESTROUS	DODONAEA		
	ACACIA ACUMINATA	HAKEA	CRYPTANDRA		
	LONGISPINA	ASTRALOMA SERRATA			
	GRASSES	HERBS	SEDGES	OTHER	
LIFE FORM					
COVER CLASS (%)	22%	5-10%	10%		
DOMINANT SPECIES	NEURACHNE	DROSERA	SEDGE SP		
		BORJA			

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	
3	VERY GOOD	✓
4	GOOD	
5	DEGRADED	

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

[illegible]

Label each plate
Record on Sheet

SITE No SNZLL 2

Date 20-9-97

• Column 1 plant name.

• Column 2 plant number

• Column 3 flowering time- TICK if species 'flowering

- Column 4 identification check

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]