


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA MERREDIN SNELL ST RESERVE SITE NUMBER SNELL S.
 DATE TRIP 20/9/97 RECORDERS Stan, Ann, Barbara, Anne, Tracy
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST Ann Guinnes, Stan

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location Coast St / Snell

Geographic Location Latitude _____ S Longitude _____ E Altitude _____

Reference Map

Photograph Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep **Aspect** N NE E SE S SW W NW

Surface Soil Loam (with sand) with scattered quartz **Colour** Brown
Exposed rock type _____ % surface _____

Sub-surface Soil _____ **Colour** _____
Rock type _____ depth to rock _____

Drainage well mod poor depth water _____ cm **Wet** all year winter/spring

Litter 20-30 % cover _____ **Bare Ground** 30-40% %cover _____
 Depth _____ cm

with small branches.

BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

	TREES			MALLEES	
	over 30m	10-30m	under 10m	over 8m	under 8m
LIFE FORM			 		
COVER CLASS (%)			20+%		
DOMINANT SPECIES			Callitris		
	SHRUBS		SHRUBS		
	over 2m	2m-1m	under 1m		
LIFE FORM	  	  	   		
COVER CLASS (%)	2-10%	2-10%	2-10%		
DOMINANT SPECIES	Casuarina (tree) Melaleuca uncinata		Melaleuca radula Acacia Emula		
			Hibbertia uncinata Astragalus		
	GRASSES	HERBS	SEDGES	OTHER	
LIFE FORM	 	   	  		
COVER CLASS (%)	<2%	2-10%	2-10%		
DOMINANT SPECIES		Drosera Conostylis	Species A = Spontochloa		

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	
3	VERY GOOD	✓
4	GOOD	
5	DEGRADED	

Lots of litter about.
Veg in ok state.

5. SPECIES PRESCENCE

Label each plant
Record on Sheet

SITE No SW 2115

Date 20/9/07.

- Column 1 plant name-
- Column 2 plant number
- Column 3 flowering time
- Column 4 identification

• Column 3 flowering time- TICK if species flowering

- Column 4 identification check

plant's name or working name if required

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

[illegible]

* *Arctostaphylos calendula*.

* *Avesa barbator*

VULPIA MYRUS