

To G. R. D. ~~Bernard~~
Reith

24 July 06

NHM
DF232/121
444-446

My dear Dr. Thomas

444-6

I have just finished
packing the things I got on Bernier
island - I will write to you soon
know not best to exhibit the
ly. but it was easier to come back
the way you go this - most probably -
as I shall have to send the to
Bernier and the first - The island is
quite small & sandy & covered for
the most part with scrubby, wet low
scrub - very like the mainland
I am sending you a list of the
peculiarities in birds - The two wallabies
and Bettongia occurred on the island
In the case of *Pagurus bipinnatus* I have
never seen my animal & not taken

C12009

natives (considering the small amount of dark h.
gray) in such numbers - It has also
been a particularly dry season and the
herbs very thin - The food was evidently the p.
mainstain for them all and feed well down, as
was by about in all directions, the islands
would seem that they have no natural
enemies on these islands and the deer a
large herd would be easily kept the ^{as it has of droppings a number like} land
island will carry no more ^{a large deer} & so
won't be plentiful - The island they
are likely to be a rare recent emigration
with the mainland the Barren island I do
for instance as to me the kids I see
here go before in the San Joaquin. As a
deer here at all different, I believe and
Barren island will be the most northern) far
range to on the tree kids - 276

2 Duke Harby and Dore's island are
also said to swarm with voleabies.
3 The distribution of mammals in
this part of the country is very curious.
Indeed, as with all their collections on the
islands off the coast - the on the
mainland they are entirely absent.
There are a good many natives around
~~the & see~~ here and they all tell me there are
indeed no voleabies of any kind. Whether
they were ever here and have been
recently killed by dogs or other means
I do not know - to me it would
seem not a rare southern species.
It has extended up to the island which
(between) around Camaroon was in the desert
northern) fauna area - which has receded
to the coast. It only ^{south} I
have heard of.

for a yet bed & from and here
is evidence - although I often dream
about him, we don't see -
The Point Museum has a very old Dr.
I. Remond's boy specimen for Helen
May (Berkham). The Doctor left me
that there is a badger there but
we know it's smaller so I'd say
probably gets more fleshed out than
the badgers should I find on Bernice
Island will probably be this kind, I do
a lot of hunting in his type a lot of
it - for him yet so far there is
one seen on the island - today after a
few of hours' sleep - he had
spine cuts there - and on a small
island like Bernice it's been perhaps
killing them out - he at one time

during this trip I mean by 2
Centaur - You are correct that so
I will kept it on Disk Hastings island
a somewhat round there.

As regards the weather being on the
islands & not on the coast. I have
seen 20 to 30 general paths here
but I would say a valley on the
coast south of Broome ^{and it is an eating and living place} the Jampters
archipelago is said to run with the
(not hardly I conspicuous) or back
up to broken - the main land from
Geraldton seen then been found
south of Roebuck bay. At the
same time it is funny that we find
so few sand dunes on Broome island
& Jasper archipelago which has
similar keys with nothing like it.

For a year last & this year I am
in Ecuador - although I expect there
will continue to be some
of Peint Grises here by Dr.
P. R. Bowditch beginning from October
1st (December). The Leader will be
not more than a badger size but
by far a Kinkajou - so that it
will get more plentiful parts than
the badger should I find a Brownie
there will probably be this kind, I have
a lot of tracks in my traps a sign of
it - but don't yet see one - there is
one seen on the island - likely after a
flock of sheep to sleep - he has
fine ears like a fox - and on a small
island like Brownie they have probably
killed him at a time or some time

Key Dugong - and now back to island
trip (for kayakers). till my return from
yester
day we go on to get to Rockham &
so - Lammin and back in a circle to
the ocean. The Northern railway - I wrote to
yesterday at Boston, by the last mail - the
- of getting mail service is very irregular in the
way so you often get my letters will be
in it a long time ready your - mail back
If you
are back no body regularly at the post
office & I have run out of stamp labels.
as the climate up here at this time of
year is spent not a too bit
out of doors. Too hot a relaxing in 100 degrees
sun and degree & I expect this will be
and I a nice trip this of the weather.
I had
- hope there will be more time available
3 p.m. in getting from place to place -

*Very much obliged
Your Obedient Servt*

For so far - and I have now been
in Echizen - although I expect there
is no specimen in the collection
the Peist Museum has a very old Speci-
men of *Pteropeltis boyacensis* from Selen-
tan (Benton). The writer tells me
that this is a bivalve shell from
by far on the mainland - so had it
fully got its present form from
the bivalve shell I find on Bernia
Island will probably be this kind, I have
a lot of tracks in my bog a fit of
it - but have yet got none. There is
one species on the island - long after
hours of about 60 degrees - I had
five sets these - and on a small
island like Bernia they have perhaps
kicked them out - but at some time

Tanandu - Bermudian Id.

18 *Lagocheirus bimaculatus*

8 *Lagocheirus fasciatus*

9 *Bellapiscis lesueuri*

5 *Vesperugo* sp.

6 *Inus altivelinus*

4 *Inus niger cultratus*.

8 *Lagocheirus fasciatus*

3 *Lagocheirus bimaculatus* } In short
} relatives

3 *Bellapiscis lesueuri* (1 sp. umbra).

14 odd sharks.

1 *Diphyurus delphinus?* (shark)

1 *Percis tayrona* (shark).

1 *Inus (altivelinus - ?)* (shark)

1 sp. of *Syngnathus biocellatus* and 3 *Percis*
lesueuri

Boggy Banks of the

- 9 Calamandrinia crenatifolia
3 Malurus amabilis
3 Zosterops galii
2 Ptilotis sonora
8 Hirundo intermedia
2 Anthus australis
5 Haemadipsa venusta
4 " longirostris
1 Pelecyphora australis
1 Chlidonias dominicanus
3 Oenanthia interpres
3 Laniarius ruficeps
3 Agelaius rufocapillus
4 Dromicoptera secca
3 Hirundo ferruginea
4 Larus novaehollandiae
2 Falco sparverius
2 Plectrocanthus varians
2 Pandion haliaetus

1 sp. of Calamandrinia sent to
Prof. Chapman
- Glossy Starling (black) black
Hobart the egg white
Pandion from another (white)*