


LIBRARY

Department of Biodiversity,
Conservation and Attractions

This PDF has been created for digital preservation. It may be used for research but is not suitable for other purposes. It may be superseded by a more current version or just be out-of-date and have no relevance to current situations.

To assist us in maintaining low as possible prices,
we request trays be returned to the point of delivery.

Thank you.



Guidelines for tree establishment

- Select the correct species for your area and soil type. If in doubt, consult CALM's Tree Growers Information Kit.
- Control rabbits early in the season.
- Fence out the planting site prior to planting.
- Rip and, if necessary, mound the site well in advance of planting.
- Ensure good weed control using either chemical or mechanical means. If using chemical, incorporate a residual into the mix.
- Plant at the optimal time for the site, ie high sandy sites early wet low lying sites late.
- Make sure the seedling is planted to the correct depth and is well heeled in.
- Always transport plants in covered vehicles to prevent wind damage to the seedlings.
- Keep seedlings damp at all times prior to planting.

ORDER FOR SEEDLINGS (pots & trays)

Narrogin Nursery
To: THE DISTRICT MANAGER
DEPARTMENT OF CALM
POST OFFICE BOX 100
NARROGIN 6312
Ph.(08) 9881 1113
9881 1696
Fax(08) 9881 4831
9881 1645

Manjimup Nursery
To: MANJIMUP NURSERY
BURNSIDE ROAD,
WEST MANJIMUP 6258
Ph.(08) 9772 1377
Fax(08) 9772 1211

SALT TOLERANT SPECIES


Acacia saligna
Casuarina obesa
Eucalyptus camaldulensis subsp. cinera
E. diptera
E. eremophila
E. famelica
E. flocktoniae
E. halophila
E. kondininensis
E. loxophleba
E. microcarpa
E. occidentalis
E. platypus var. heterophylla
E. sargentii
E. spathulata
Melaleuca acuminata
M. cuticularis
M. hamulosa
M. halmaturorum subsp cymbifolia
M. thyoides
M. uncinata
M. viminea

As the degree of salt tolerance varies amongst these species, consult the Dept. of C. A. L. M. staff for advice for your particular management requirement.

SEEDLING PRICES FOR 1998

NARROGIN PLANT NURSERY

SEEDLINGS
Price \$1.25/pot



These are young seedlings raised in individual root trainer pots 12cm deep.

64 CELL KWIK POTTED SEEDLINGS
Price \$25.00/tray

10,000 price \$17.40/tray
Minimum 60 seedlings per tray.



The above prices include delivery within the NARROGIN DELIVERY AREA.
(see map of area over).

MANJIMUP NURSERY



Softwood Seedlings

Plant Category	<9,999	10,000-99,999	100,000-999,999	>1,000,000
Open rooted seedling	\$0.23	\$0.20	\$0.185	\$0.165
Open rooted cutting	\$0.23	\$0.20	\$0.185	\$0.165
Containerised seedling	\$0.29	\$0.252	\$0.225	\$0.205
Containerised cutting	\$0.29	\$0.252	\$0.225	\$0.205

Hardwood Seedlings

10 000-99 999	Price \$252.00/1000
100 000-999 999	Price \$225.00/1000
1 000 000 plus	Price \$205.00/1000
Penalties charged on trays not returned	

WESTERN BLUE GUM
Limited availability restricted to 10% of
Tasmania Blue Gum orders \$280/1,000

PRICES DO NOT INCLUDE TRANSPORT

CONDITIONS OF SALE NARROGIN NURSERY ONLY

1. The distribution season commences 1st May and closes on August 31st.
2. Orders should be placed as early as possible, preferably prior to December each year.
3. A deposit of 33 1/3% is payable to the Department of Conservation and Land Management upon the acceptance of each order.
4. The balance of payment is payable upon delivery of the order.
5. If at the time of despatch an order cannot be filled with the precise number of species ordered, then substitution with alternative species will occur in consultation with the customer.
6. Where possible, orders will be grouped in customer lots and delivered to Shire offices or other locations as arranged.
7. Orders from outside the Narrogin delivery area must be either:
 - * Collected from the Nursery.
 - * Collected from a delivery point within the despatch area.
 - * Delivered by courier "customer collect".
8. Place your order by filling out the "Order for Trees" form attached to this price list and mail to Narrogin Plant Nursery, P.O. Box 100, Narrogin 6312.

MANJIMUP NURSERY

1. As per items 1, 2, 3 and 4 above.
2. Minimum containerised hardwood seedling order is 10,000 seedlings.
3. Minimum pine seedling order is 1,000 seedlings.
4. All orders to be collected from Manjimup Nursery, Burnside Road, West Manjimup.
5. Place your order by phoning the Nursery on (08) 9772 1377 or fax on (08) 9772 1211.



Department of
Conservation and Land Management

TREE NURSERY PRICE LIST 1998

PLEASE NOTE:
THESE PRICES ARE SUBJECT
TO PRICE INCREASE NEXT YEAR

Trees for Timber
Production, Shade
Shelter and
Conservation

Distribution Season
May 1 — August 31

DEPT. OF CONSERVATION & LAND MANAGEMENT

ORDER FOR TREES

Box 100, Narrogin 6312.
Phone: (08) 9881 1113

Company

Name

Address.....

.....

Telephone Fax

DATE.....	
COLLECT	DELIVER

[illegible]

COST trees @

trays @

..... trays @

Total Price Quoted:\$

Cheque to be forwarded YES/NO

Species	Common Name	Species	Common Name	Species	Common Name	Species	Common Name	Species	Common Name
<i>Acacia</i>		<i>Callitris</i>		* <i>densa</i>	Dense Mallee	[*] <i>nutans</i>	Red Flowered Moort	<i>Leptospermum</i>	
[*] <i>acuminata</i>	Raspberry Jam Wattle	[] <i>preisii</i>	Cypress Pine	[*] <i>diptera</i>	Two Winged Gimlet	* <i>occidentalis</i>	Flat Topped Yate	* <i>erubescens</i>	Tea Tree
[] <i>aneura</i>	Mulga Wattle			* <i>diversicolor</i>	Karri	* <i>patens</i>	W.A. Blackbutt		
[] <i>celastrifolia</i>	Glowing Wattle	<i>Calothamnus</i>		* <i>drummondii</i>	Drummond's Gum	* <i>phaenophylla</i>	Mallee White Gum	<i>Melaleuca</i>	
[] <i>collectoides</i>	Wait-A-While Wattle	[*] <i>quadrifidus</i>	Common Net Bush	[*] <i>dundasii</i>	Dundas Blackbutt	* <i>pileata</i>	Capped Mallee	* <i>acuminata</i>	Broom Bush
* <i>cyclops</i>	W.A. Coastal Wattle	[*] <i>rupestris</i>	Mouse Ears	* <i>ebbanoensis</i>	Sandplain Mallee	[*] <i>platypus</i> var. <i>heterophylla</i>	Coastal Moort	* <i>brevifolia</i>	
[] <i>hemiteles</i>	Tan Wattle	[*] <i>sanguineus</i>	Blood Red Net Bush	[*] <i>eremophila</i>	Tall Sand Mallee	[*] <i>platypus</i> var. <i>platypus</i>	Moort	* <i>cardiophylla</i>	Umbrella Bush
[*] <i>merrallii</i>	Merrall's Wattle			[] <i>erythrandra</i>	Rosebud Gum	* <i>pluricaulis</i>	Blue Leaved Mallee	* <i>cuticularis</i>	Salt Water Paperbark
[*] <i>microbotrya</i>	Manna Wattle	<i>Casuarina</i>		[*] <i>erythrocorys</i>	Red Cap Gum	[] <i>preissiana</i>	Bell Fruited Mallee	[] <i>diosmifolia</i>	Green Honey Myrtle
[] <i>prainii</i>		* <i>obesa</i>	Swamp Oak	[*] <i>erythronema</i>	Red Flowered Mallee	* <i>robusta</i>	Swamp Mahogany	[] <i>elliptica</i>	Granite Honey Myrtle
[] <i>redolens</i>	Vanilla Wattle			* <i>famelica</i>	Salt Mallee	* <i>rudis</i>	W.A. Flooded Gum	[] <i>fulgens</i>	Scarlet Honey Myrtle
* <i>saligna</i>	Golden Wreath Wattle	<i>Corymbia</i>		[] <i>flocktoniae</i>	Merrit	* <i>salicola</i>	Salt Gum	* <i>halmaturorum</i>	
		* <i>calophylla</i>	Marri	[*] <i>formanii</i>	Forman's Mallee	* <i>saligna</i>	Sydney Blue Gum	subsp <i>cymbifolia</i>	Swamp Paperbark
<i>Actinostrobus</i>		[] <i>calophylla</i> var. <i>rosea</i>	Pink-flowered Marri	[*] <i>forrestiana</i>	Fuchsia Gum	[*] <i>salmonophloia</i>	Salmon Gum	[*] <i>hamulosa</i>	Broom Bush Honey Myrtle
[] <i>arenarius</i>	Sandplain Cypress	[*] <i>citriodora</i>	Lemon Scented Gum	* <i>gardneri</i>	Blue Mallet	[*] <i>salubris</i>	Gimlet	[] <i>hypericifolia</i>	Hillock Bush
[] <i>pyramidalis</i>	Swamp Cypress	[*] <i>ficifolia</i>	Red Flowering Gum	[*] <i>globulus</i>	Tasmanian Blue Gum	* <i>sargentii</i>	Salt River Gum	[] <i>incana</i>	Grey Honey Myrtle
		* <i>maculata</i>	Spotted Gum	* <i>gomphocephala</i>	Tuart	[*] <i>sideroxylon</i>	Pink Flowered Ironbark	* <i>lateriflora</i>	Oblong Leaf Honey Myrtle
<i>Agonis</i>		<i>Dryandra</i>		* <i>grandis</i>	Rose Gum	* <i>spathulata</i>	Swamp Mallet	[] <i>laterita</i>	Robyn Red Breast Myrtle
[*] <i>flexuosa</i>	W.A. Peppermint	[] <i>carduacea</i>	Pingle	[] <i>griffithsii</i>	Griffith's Grey Gum	[*] <i>stoatei</i>	Scarlet Pear Gum	[*] <i>nesophylla</i>	Western Tea Myrtle
		[] <i>nobilis</i>	Golden Dryandra	* <i>halophila</i>	Salt Lake Mallee	[*] <i>stricklandii</i>	Strickland's Gum	* <i>pauperiflora</i>	Small Flowered Honey Myrtle
<i>Allocasuarina</i>		[] <i>proteoides</i>	King Dryandra	* <i>horistes</i>	Oil Mallee	* <i>talyuberlup</i>		* <i>pentagona</i>	Prickly Leaf Honey Myrtle
[] <i>acutivalvis</i>		[] <i>sessilis</i>	Parrot Bush	* <i>hypochlamydea</i>	Rough Barked Mallee	[*] <i>torquata</i>	Coral Gum	* <i>pungens</i>	Needle Leaf Honey Myrtle
[] <i>campestris</i>	Tammar She-oak			* <i>incrassata</i>	Lerp Mallee	[*] <i>torwood</i>	E. <i>torquata</i> x E. <i>woodwardii</i>	* <i>raphiophylla</i>	Swamp Paperback
[*] <i>huegeliana</i>	Rock She-oak	<i>Eucalyptus</i>		* <i>kochii</i> subsp. <i>kochii</i>	Oil Mallee	[] <i>transcontinentalis</i>	Red Wood	* <i>scabra</i>	Rough Honey Myrtle
[*] <i>humilis</i>	Dwarf She-oak	* <i>accedens</i>	Powderbark Wandoo	* <i>kochii</i> subsp. <i>plenissima</i>	Watheroo Mallee	* <i>uncinata</i>	Hook Leaf Mallee	* <i>spicigera</i>	
[] <i>pinaster</i>	Compass Bush	* <i>albida</i>	White Leaved Mallee	* <i>kondininensis</i>	Stocking Gum	* <i>viminalis</i>	Manna Gum	* <i>thyoides</i>	Scale Leaf Honey Myrtle
		* <i>annulata</i>	Open Fruited Mallee	* <i>kruseana</i>	Bookleaf Mallee	* <i>wandoo</i>	Wandoo	* <i>uncinata</i>	Broombush
<i>Banksia</i>		* <i>argyphaea</i>	Silver Mallet	* <i>laeliae</i>	Darling Range Ghost Gum	[] <i>websteriana</i>	Webster's Mallee	* <i>viminea</i>	White Flowered Honey Myrtle
[] <i>attenuata</i>	Slender Banksia	* <i>astringens</i>	Brown Mallet	* <i>lanepolei</i>	Lane-Poole Gum	[] <i>woodwardii</i>	Lemon Flowered Gum		
[] <i>baueri</i>	Woolly Banksia	* <i>bicostata</i>	Victorian Blue Gum	[*] <i>lansdowneana</i>		* <i>yilgarnensis</i>	Yorrel	[] <i>wilsonii</i>	Wilson's Honey Myrtle
[] <i>baxteri</i>	Bird Nest Banksia	* <i>botryoides</i>	Southern Mahogany	subsp. <i>albo purpurea</i>	Purple Flowered Gum				
[] <i>coccinea</i>	Scarlet Banksia	[*] <i>brockwayi</i>	Dundas Mahogany	* <i>lehmannii</i>	Bushy Yate	<i>Hakea</i>			
[] <i>hookeriana</i>	Hooker's Banksia	[*] <i>burdettiana</i>	Burdett Gum	* <i>leptopoda</i>	Tammin Mallee	[] <i>baxteri</i>	Southern Fan Leaf	<i>Pinus</i>	
[] <i>menziesii</i>	Menzies Banksia	* <i>burracoppinensis</i>	Burracoppin Mallee	[*] <i>leucoxylon</i> subsp. <i>megalocarpa</i>	Large Fruited Yellow Gum	[] <i>bucculenta</i>	Red Pokers	[] <i>halepensis</i>	Allepo Pine
[] <i>prionotes</i>	Acorn Banksia	[] <i>caesia</i> subsp <i>caesia</i>	Gungurru	[*] <i>leucoxylon</i> ssp <i>leucoxylon</i>	Pink Flowered Yellow Gum	[] <i>francisiana</i>		[] <i>pinea</i>	Stone Pine
[] <i>speciosa</i>	Showy Banksia	[] <i>caesia</i> subsp <i>magna</i>	Silver Princess	* <i>longicornis</i>	Red Morrel	[*] <i>laurina</i>	Pin Cushion Hakea		