

LIBRARY


Department of Biodiversity,
Conservation and Attractions

This PDF has been created for digital preservation. It may be used for research but is not suitable for other purposes. It may be superseded by a more current version or just be out-of-date and have no relevance to current situations.



Forests Department

TREES FOR SHADE, SHELTER AND CONSERVATION



HAMEL, NARROGIN,
WANNEROO and NANNUP
NURSERIES

**PRICE LIST FOR
1983**

Conditions of Sale

1. The distribution season commences 1st May and closes on 31st August (pines 31 July).
2. Orders received prior to commencement of season will be despatched during May unless a despatch date is nominated.
3. Orders received during nursery season will be despatched within 14 days of receipt of order.
4. Plants are sold on the understanding that they are not to be offered for resale.
5. No trees will be despatched to applicants within the city or suburban areas or to any destination outside Western Australia.
6. Orders for the supply of 10 or more trees will be forwarded to nominated sidings by road or rail transport without an additional charge for freight. Orders for less than 10 trees will not be accepted.
7. Trees are despatched from the nursery well packed, in good order and condition. Thereafter they travel at the consignee's risk and the Forests Department will not accept any further responsibility.
8. Substitutes will be made for trees not available at time of despatch unless the order is clearly marked otherwise.
9. The nursery reserves the right to supply a lesser number of trees than were ordered when the accompanying remittance is insufficient to cover the full value of the order.
10. A remittance made payable to the Forests Department must accompany each order for trees. Postage stamps will not be accepted.

Advice to Clients

1. Clients requiring large numbers of trees are requested to place order by 30 September of the year prior to planting to enable adequate stocks to be produced.
2. Clients are requested to use the order form supplied with the price list when such is available.
3. All communications should be addressed to:
For plants in 10cm pots or jiffy pots
Forests Department Nursery, HAMEL or NARROGIN
For pines (open rooted)
Forests Department Nursery,
NANNUP - P. radiata only
WANNEROO - P. pinaster & P. radiata and other
available species
4. Trading Hours:
8.30-12.00 1.00-4.30 Monday to Friday.



PRICE LIST 1983

PLANTING STOCK AVAILABLE HAMEL & NARROGIN NURSERIES

Potted Stock

These are young trees raised in individual containers; usually 10cm deep plastic pots.

Advanced Stock

Some species available. Please apply to nurseries for current list. This stock must be collected at the nursery, or railed at customer's expense. Prices on application.

Jiffy Pot Stock

Seedlings raised in peat jiffy pots (approx. 25 seedlings per tray).

Please note that although all species are available as seedling stock in individual containers, only certain species, as indicated on the species list by an asterisk (*), are also available in jiffy pots.

Pines (in bundles)

See also 'Advice to Clients' 3.

Pinus radiata, Pinus pinaster, other available species.

Pine seedlings are not available for sale after 31 July each year.

Prices for 1983

Potted stock \$1.00 per tree
Jiffy pot stock \$10.00 per tray
Pines in bundles:
Less than 1000: \$9.00 per 1000
\$42.50 per 1000
Pines in pots \$1.00 per tree

CUSTOMER'S COPY – Please retain for your records.

| Botanical Name | Common Name | Botanical Name | Common Name |
|-----------------------------------|--------------------------|--------------------------------------|------------------------------|
| <i>Acacia acuminata</i> | Raspberry Jam | <i>brockwayi</i> N | Dundas Mahogany |
| <i>baileyana</i> | Cootamundra Wattle | <i>burdettiana</i> H | Burdett Gum |
| <i>cyclops</i> H | | <i>caesia</i> (large flowers) | “Silver Princess” |
| <i>dealbata</i> | Silver Wattle | <i>caesia</i> (small flowers) | Gunguru |
| <i>decurrens</i> | Black Wattle | <i>calophylla</i> | Marri |
| <i>elata</i> H | Cedar Wattle | <i>calophylla</i> var <i>rosea</i> | Pink-flowered Marri |
| <i>longifolia</i> H | Sydney Golden Wattle | <i>camaldulensis</i> | River Gum |
| <i>melanoxydon</i> H | Blackwood | <i>campaspe</i> | Silver-topped Gimlet |
| <i>microbotrya</i> | Manna Wattle | <i>cinerea</i> H | Argyle Apple |
| <i>pendula</i> | Weeping Myall | <i>citriodora</i> | Lemon-scented Gum |
| <i>poladyriifolia</i> | Queensland Silver Wattle | <i>cladocalyx</i> | Sugar Gum |
| <i>pycnantha</i> | Golden Wattle | <i>cladocalyx</i> var <i>nana</i> | Dwarf Sugar Gum |
| <i>saligna</i> H | Western or Golden Wattle | <i>conferruminata</i> | Bald Island Marlock |
| <i>Agathis robusta</i> H | Queensland Kauri | (formerly <i>E. lehmannii</i>) | |
| <i>Agonis flexuosa</i> H | W.A. Peppermint | <i>cordieri</i> H | Mealy Bundy |
| <i>Angophora lanceolatus</i> H | Smooth-barked Apple | <i>comuta</i> H | Yate |
| <i>Araucaria heterophylla</i> H | Norfolk Island Pine | <i>crebra</i> | Narrow-leafed Ironbark |
| <i>Brachychiton acerifolium</i> H | Hillawarra Flame Tree | <i>crucis</i> | Silver Mallee |
| <i>diversifolium</i> H | Kurrajong | <i>diptera</i> | Two-winged Gimlet |
| <i>gregorii</i> H | Desert Kurrajong | <i>diversicolor</i> H | Karri |
| <i>Callistemon citrinus</i> | Red Bottlebrush | <i>doratoxylon</i> H | Bell Gum or Spearwood Mallee |
| <i>phoeniceus</i> | Lesser Bottlebrush | <i>drummondii</i> H | Drummond's Gum |
| <i>rigidus</i> | Stiff-leaved Bottlebrush | <i>dundasii</i> | Dundas Blackbutt |
| <i>salignus</i> H | White Bottlebrush | <i>ebbanoensis</i> N | Sandplain Mallee |
| <i>speciosus</i> H | Albany Bottlebrush | <i>eremophila</i> | Goldfields Sand Mallee |
| <i>viminalis</i> | Weeping Bottlebrush | <i>erythrocoris</i> | Illyarrie |
| <i>Callitris calcarata</i> H | Black Cypress Pine | <i>erythronema</i> | Red-flowered Mallee |
| <i>columellaris</i> | White Cypress Pine | <i>ewartiana</i> N | Ewart's Mallee |
| <i>preissii</i> H | Rottneest Island Pine | <i>ficifolia</i> | Red-flowering Gum |
| <i>Casuarina cristata</i> | Black Oak | <i>flocktoniae</i> N | Merrit |
| <i>decaisneana</i> H | Desert Oak | <i>forrestiana</i> | Fuchsia Mallee |
| <i>equisetifolia</i> H | Horse-tail Tree | <i>gardneri</i> | Blue Mallett |
| <i>heugeliana</i> H | Rock Oak | * <i>globulus</i> | Tasmanian Blue Gum |
| <i>obesa</i> | Swamp Oak | * <i>gomphocephala</i> | Tuart |
| <i>stricta</i> H | Drooping Oak | <i>gracilis</i> | Snap and Rattle |
| <i>Ceratonia siliqua</i> | Carob Bean | <i>kochii</i> | Watheroo Mallee |
| <i>Cupressus arizonica</i> | Arizona Cypress | <i>kondininensis</i> | Kondinin Blackbutt |
| <i>torulosa</i> H | Bhutan Cypress | <i>kruseana</i> N | Book-leaf Mallee |
| <i>Cytisus proliferus</i> H | Tree Lucerne | <i>laeliae</i> H | Darling Range Ghost Gum |
| <i>Erythrina indica</i> H | Coral Tree | <i>lane-poolei</i> H | Salmon-bark Wandoo |
| <i>Eucalyptus accedens</i> | Powderbark Wandoo | <i>lansdowneana</i> H | Crimson Mallee Box |
| <i>angulosa</i> | Ridge-fruited Mallee | * <i>lehmannii</i> | Dwarf Bald Island Marlock |
| <i>annulata</i> H | Open-fruited Mallee | * <i>leucoxydon</i> var <i>rosea</i> | Pink-flowered Yellow Gum |
| <i>astringens</i> | Brown Mallet | <i>leucoxydon</i> var | |
| <i>bicostata</i> | Eurabbie | <i>macrocarpa</i> H | |
| <i>botryoides</i> | Bangalay | <i>longicornis</i> | Red Morrel |

| Botanical Name | Common Name | Botanical Name | Common Name |
|--|------------------------------------|-------------------------------------|-------------------------|
| <i>N*loxophleba macrandra</i> H | York Gum | <i>multilineata</i> | Grass-leaf Hakea |
| <i>macrocarpa</i> | Long-flowered Marlock | <i>Harpephyllum caffrum</i> H | Kaffir Plum |
| <i>H*maculata marginata</i> H | Mottlecah | <i>Hymenosporum flavum</i> H | Native Frangipani |
| <i>H*melliodora</i> | Spotted Gum | <i>Jacaranda acutifolia</i> H | Jacaranda |
| <i>H*microcorys</i> H | Jarrah | <i>Kunzea baxteri</i> | Baxter's Kunzea |
| <i>H*muelleriana</i> H | Yellow Box | <i>Lagunaria patersonii</i> H | Norfolk Island Hibiscus |
| <i>nicholii</i> | Yellow String Bark | <i>Leptospermum laevigatum</i> H | Victorian Ti-tree |
| <i>H*nutans</i> | Nicholl's Willow-leafed Peppermint | <i>Liquidamber styraciflua</i> H | Liquidamber |
| <i>*occidentalis</i> | Red-flowered Moort | <i>H*Melaleuca armillaris</i> | Bracelet Honey Myrtle |
| <i>oleosa</i> var <i>oleosa</i> | Flat-topped Yate | <i>cuticularis</i> | Salt Water Paperback |
| <i>patens</i> H | Giant Mallee | <i>hamulosa</i> | |
| <i>N*platypus</i> | W.A. Blackbutt (Yarri) Moort | <i>lanceolata</i> | Rottnest Island Ti-tree |
| <i>*platypus</i> var <i>heterophylla</i> | | <i>H*leucadendron nesophila</i> H | Cadjeput |
| <i>preissiana</i> | Coastal Moort | <i>Pinus canariensis</i> H | Western Tea Myrtle |
| <i>pterocarpa</i> N | Bell-fruited Mallee | <i>halepensis</i> | Canary Islands Pine |
| <i>pyriformis</i> | Pear-fruited Mallee | <i>pinaster</i> H | Aleppo Pine |
| <i>redunca</i> | Black Marlock | <i>pinea</i> | Maritime Pine |
| <i>*resinifera</i> H | Red Mahogany | <i>radiata</i> H | Stone Pine |
| <i>rhodantha</i> | | <i>Pittosporum phillyraeoides</i> H | Monterey Pine |
| <i>H*robusta</i> | Rose Mallee | <i>Plantanus orientalis</i> H | Weeping pittosporum |
| <i>H*rudis</i> | Swamp Mahogany | <i>Podocarpus elata</i> H | Plane Tree |
| <i>H*saligna</i> H | Flooded Gum | <i>Quercus lusitanica</i> H | Illawarra Plum |
| <i>N*salmonophloia</i> | Sydney Blue Gum | <i>palustris</i> H | Portugese Oak |
| <i>N*salubris</i> | Salmon Gum | <i>robur</i> H | Pin Oak |
| <i>*sargentii</i> | Gimlet | <i>suber</i> H | English Oak |
| <i>sepulcralis</i> | Salt River Gum | <i>Salix babylonica</i> H | Cork Oak |
| <i>sideroxylon</i> var <i>rosea</i> | Weeping Gum | <i>Schinus molle</i> H | Weeping Willow |
| <i>H*spathulata</i> | Pink-flowering Mugga Ironbark | <i>terebinthifolius</i> H | Pepper Tree |
| <i>stoatei</i> | Swamp Mallet | <i>Tamarix aphylla</i> | Japanese Pepper Tree |
| <i>stricklandii</i> | Scarlet Pear Gum | <i>Tristania conferta</i> H | Tamarix |
| <i>todtiana</i> | Strickland's Gum | <i>Virgilia orobodies</i> H | Brush Box |
| <i>*torquata</i> | Prickly Bark or Coastal Blackbutt | | Cape Virgilia |
| <i>N*torwood</i> | Coral Gum | | |
| <i>*wandoo</i> | | | |
| <i>wandoo</i> (inland) | Wandoo | | |
| <i>woodwardii</i> | Wandoo | | |
| <i>youngiana</i> H | Lemon-flowered gum | | |
| <i>Ficus macrophylla</i> H | Large-fruited Mallee | | |
| <i>Grevillea banksii fosteri</i> H | Moreton Bay Fig | | |
| <i>robusta</i> H | Red Bank's Grevillea | | |
| <i>Hakea bucculenta laurina</i> | Silky Oak | | |
| | Red Pokers | | |
| | Pincushion Hakea | | |

KEY TO PLANTS AVAILABLE:—

Potted stock: After botanical name—H = Hamel only
—N = Narrogin only

Jiffy pot stock: * before botanical name means available
N* Narrogin only
H* Hamel only
