

# LIBRARY

Department of Biodiversity,  
Conservation and Attractions

This PDF has been created for digital preservation. It may be used for research but is not suitable for other purposes. It may be superseded by a more current version or just be out-of-date and have no relevance to current situations.

# VOLUME TABLE

# KARRI



1976

VOLUME TABLE — KARRI 1976

Volumes underbark in cubic metres

Also use for the Tingles

D.B.H. O.B. cm	Bole height in metres											Bole height in metres									Nominal stump metres	D.B.H. O.B. cm	
	1	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	35	40	45	50			
10	0.00	0.00	0.01	0.01	0.01	0.02	0.03	0.04	0.05	0.05	0.06											0.25	10
12	0.00	0.00	0.01	0.01	0.02	0.03	0.05	0.06	0.07	0.08	0.09											0.25	12
14	0.01	0.01	0.02	0.02	0.03	0.05	0.07	0.08	0.09	0.11	0.12											0.25	14
16	0.01	0.02	0.03	0.04	0.05	0.07	0.09	0.11	0.12	0.14	0.16											0.25	16
18	0.01	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.21											0.25	18
20	0.01	0.03	0.05	0.08	0.11	0.13	0.16	0.18	0.21	0.23	0.26											0.30	20
22	0.02	0.04	0.07	0.10	0.14	0.17	0.20	0.23	0.26	0.30	0.33											0.30	22
24	0.02	0.06	0.09	0.13	0.17	0.21	0.25	0.28	0.32	0.37	0.41											0.30	24
26	0.03	0.08	0.12	0.17	0.21	0.26	0.30	0.34	0.39	0.44	0.49											0.30	26
28	0.04	0.11	0.16	0.21	0.26	0.31	0.36	0.41	0.46	0.52	0.57											0.30	28
30	0.0	0.1	0.2	0.3	0.3	0.4	0.4	0.5	0.5	0.6	0.6											0.35	30
32	0.1	0.2	0.2	0.3	0.4	0.4	0.5	0.5	0.6	0.7	0.7											0.35	32
34	0.1	0.2	0.2	0.3	0.4	0.5	0.5	0.6	0.7	0.7	0.8											0.35	34
36	0.1	0.2	0.3	0.4	0.4	0.5	0.6	0.7	0.7	0.8	0.9											0.35	36
38	0.1	0.2	0.3	0.4	0.5	0.6	0.6	0.7	0.8	0.9	1.0											0.35	38
40	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0	1.0											0.40	40
42	0.1	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0	1.0	1.1											0.40	42
44	0.1	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0	1.1	1.2											0.40	44
46	0.1	0.3	0.4	0.6	0.7	0.7	0.9	1.0	1.1	1.2	1.3											0.40	46
48	0.1	0.3	0.5	0.6	0.7	0.8	0.9	1.0	1.1	1.3	1.4											0.40	48
50	0.1	0.3	0.5	0.6	0.7	0.8	1.0	1.1	1.2	1.4	1.6											0.45	50
52	0.2	0.3	0.5	0.6	0.7	0.8	1.0	1.1	1.3	1.5	1.7											0.45	52
54	0.2	0.3	0.5	0.7	0.8	0.9	1.1	1.2	1.4	1.6	1.9											0.45	54
56	0.2	0.4	0.6	0.7	0.8	0.9	1.1	1.3	1.5	1.8	2.1											0.45	56
58	0.2	0.4	0.6	0.8	0.9	1.0	1.2	1.4	1.6	2.0	2.3											0.45	58
60	0.2	0.4	0.6	0.8	0.9	1.1	1.3	1.5	1.8	2.2	2.6											0.50	60
62	0.2	0.5	0.7	0.9	1.0	1.2	1.4	1.6	2.0	2.4	2.8											0.50	62
64	0.2	0.5	0.7	0.9	1.1	1.3	1.5	1.8	2.2	2.6	3.0											0.50	64
66	0.3	0.5	0.8	1.0	1.2	1.4	1.6	2.0	2.3	2.8	3.2											0.50	66
68	0.3	0.6	0.9	1.1	1.3	1.5	1.8	2.1	2.5	3.0	3.5											0.50	68
70	0.3	0.6	0.9	1.2	1.4	1.6	1.9	2.3	2.7	3.2	3.8											0.55	70
72	0.3	0.7	1.0	1.2	1.5	1.8	2.1	2.5	3.0	3.5	4.1											0.55	72
74	0.3	0.7	1.0	1.3	1.6	1.9	2.2	2.7	3.2	3.8	4.3											0.55	74
76	0.3	0.8	1.1	1.4	1.7	2.0	2.4	2.9	3.5	4.1	4.6											0.55	76
78	0.3	0.8	1.1	1.5	1.8	2.2	2.6	3.1	3.7	4.3	4.9											0.55	78
80	0.3	0.8	1.2	1.6	1.9	2.3	2.8	3.3	3.9	4.6	5.2											0.55	80
82	0.3	0.9	1.3	1.7	2.0	2.5	3.0	3.5	4.1	4.8	5.4											0.55	82
84	0.4	0.9	1.4	1.8	2.2	2.6	3.1	3.7	4.3	5.0	5.7											0.55	84
86	0.4	0.9	1.4	1.9	2.3	2.8	3.3	3.8	4.5	5.3	6.0											0.55	86
88	0.4	0.9	1.5	2.0	2.5	2.9	3.4	4.0	4.7	5.5	6.3											0.55	88
90	0.4	0.9	1.6	2.1	2.6	3.1	3.6	4.2	5.0	5.8	6.5											0.60	90
92	0.4	1.0	1.7	2.2	2.7	3.3	3.8	4.5	5.3	6.1	6.8											0.60	92
94	0.4	1.0	1.8	2.3	2.9	3.4	4.0	4.7	5.6	6.4	7.1											0.60	94
96	0.4	1.0	1.9	2.5	3.0	3.6	4.3	5.0	5.9	6.7	7.5											0.60	96
98	0.4	1.0	1.9	2.6	3.2	3.8	4.5	5.2	6.1	6.9	7.8											0.60	98
100	0.4	1.1	2.0	2.7	3.3	4.0	4.7	5.5	6.3	7.2	8.1											0.60	100
102	0.5	1.1	2.1	2.8	3.4	4.2	4.9	5.7	6.6	7.6	8.5											0.60	102
104	0.5	1.1	2.3	2.9	3.6	4.4	5.1	6.0	7.0	8.0	8.9											0.60	104
106	0.5	1.2	2.4	3.1	3.7	4.5	5.3	6.2	7.2	8.3	9.3											0.60	106
108	0.5	1.2	2.5	3.2	3.9	4.6	5.5	6.5	7.5	8.6	9.6											0.60	108
D.B.H. O.B.	1	2	4	6	8	10	12	14	16	18	20											Nominal stump	D.B.H. O.B.
	22	24	26	28	30	35	40	45	50														
	0.7	0.7	0.8	0.9	0.9																		
	0.8	0.8	0.9	1.0	1.0																		
	0.9	0.9	1.0	1.1	1.1																		
	0.9	1.0	1.1	1.2	1.2																		
	1.0	1.1	1.2	1.3	1.4																		
	1.1	1.2	1.3	1.4	1.5																		
	1.2	1.4	1.4	1.5	1.7																		
	1.4	1.5	1.6	1.7	1.9																		
	1.5	1.6	1.8	1.9	2.1																		
	1.6	1.8	2.0	2.2	2.4																		
	1.7	2.0	2.2	2.5	2.7	3.4	4.0	4.7	5.4														
	1.9	2.2	2.5	2.8	3.0	3.7	4.4	5.1	5.8														
	2.1	2.5	2.8	3.1	3.3	4.1	4.8	5.5	6.3														
	2.4	2.7	3.1	3.4	3.6	4.4	5.2	6.0	6.8														
	2.6	3.0	3.4	3.7	4.0	4.8	5.6	6.4	7.2														
	2.9	3.3	3.7	4.0	4.4	5.2	6.0	6.9	7.7														
	3.1	3.5	4.0	4.4	4.7	5.6	6.4	7.3	8.2														
	3.4	3.8	4.3	4.7	5.0	6.0	6.9	7.8	8.7														
	3.6	4.1	4.6	5.0	5.3	6.3	7.3	8.3	9.2														
	3.9	4.4	4.9	5.3	5.7	6.7	7.7	8.8	9.8														
	4.2	4.7	5.2	5.7	6.1	7.2	8.2	9.3	10.4														
	4.6	5.1	5.6	6.1	6.5	7.7	8.8	9.9	11.1														
	4.9	5.4	5.9	6.4	6.9	8.1	9.3	10.5	11.8														
	5.2	5.7	6.3	6.8	7.3	8.6	9.8	11.2	12.5														
	5.5	6.1	6.6	7.2	7.7	9.0	10.3	11.8	13.2														
	5.8	6.4	7.0	7.6	8.2	9.5	10.9	12.4	13.8														
	6.1	6.7	7.3	7.9	8.6	10.0	11.5	13.0	14.5														
	6.4	7.0	7.7	8.3	8.9	10.5	12.1	13.7	15.3														
	6.7	7.3	8.0	8.6	9.3	11.0	12.7	14.4</															



VOLUME TABLE — KARRI 1976

Volumes underbark in cubic metres

Also use for the Tingles

D.B.H. O.B. cm	Bole height in metres										
	1	2	4	6	8	10	12	14	16	18	20
110	0.5	1.3	2.6	3.3	4.0	4.8	5.7	6.7	7.8	8.9	9.9
112	0.5	1.3	2.7	3.4	4.2	5.0	5.9	7.0	8.1	9.2	10.3
114	0.5	1.4	2.7	3.5	4.4	5.2	6.1	7.2	8.4	9.6	10.7
116	0.6	1.4	2.8	3.7	4.6	5.5	6.4	7.5	8.7	10.0	11.2
118	0.6	1.5	2.9	3.8	4.7	5.7	6.7	7.8	9.1	10.3	11.6
120	0.6	1.6	3.0	4.0	4.9	5.9	7.0	8.2	9.5	10.7	12.0
122	0.7	1.6	3.1	4.1	5.1	6.1	7.2	8.5	9.8	11.1	12.4
124	0.7	1.7	3.2	4.3	5.3	6.3	7.4	8.8	10.1	11.5	12.8
126	0.7	1.8	3.3	4.4	5.5	6.5	7.7	9.1	10.4	11.8	13.2
128	0.7	1.8	3.5	4.6	5.7	6.8	8.0	9.4	10.8	12.2	13.7
130	0.8	1.9	3.6	4.7	5.9	7.0	8.3	9.7	11.1	12.6	14.1
132	0.8	1.9	3.7	4.9	6.1	7.2	8.6	10.0	11.5	13.1	14.6
134	0.8	2.0	3.8	5.0	6.2	7.4	8.8	10.3	11.8	13.4	15.0
136	0.8	2.1	3.9	5.2	6.4	7.6	9.0	10.6	12.2	13.8	15.4
138	0.8	2.1	4.0	5.3	6.6	7.8	9.3	10.9	12.6	14.3	15.9
140	0.9	2.2	4.2	5.5	6.8	8.1	9.6	11.3	13.1	14.8	16.5
142	0.9	2.2	4.3	5.6	6.9	8.3	9.9	11.6	13.4	15.1	16.9
144	0.9	2.2	4.4	5.8	7.1	8.6	10.2	11.9	13.7	15.5	17.3
146	0.9	2.3	4.5	5.9	7.4	8.9	10.5	12.3	14.1	15.9	17.8
148	1.0	2.3	4.6	6.1	7.7	9.2	10.9	12.7	14.6	16.4	18.3
150	1.0	2.3	4.7	6.3	7.9	9.5	11.2	13.1	15.1	16.9	18.8
152	1.0	2.4	4.9	6.5	8.1	9.8	11.6	13.5	15.5	17.5	19.4
154	1.0	2.4	5.0	6.7	8.3	10.0	11.8	13.8	15.9	17.9	19.8
156	1.1	2.5	5.1	6.9	8.5	10.2	12.1	14.2	16.3	18.4	20.3
158	1.1	2.5	5.2	7.0	8.7	10.5	12.4	14.6	16.7	18.9	20.8
160	1.1	2.6	5.4	7.2	8.9	10.8	12.8	15.0	17.2	19.4	21.4
162	1.1	2.6	5.5	7.4	9.1	11.1	13.1	15.4	17.6	19.8	21.9
164	1.2	2.7	5.7	7.6	9.4	11.4	13.5	15.8	18.1	20.3	22.4
166	1.2	2.8	5.8	7.8	9.6	11.6	13.7	16.1	18.4	20.7	22.8
168	1.2	2.8	6.0	8.0	9.9	11.9	13.9	16.4	18.8	21.1	23.3
170	1.2	2.9	6.1	8.2	10.1	12.1	14.2	16.7	19.2	21.5	23.8
172	1.3	3.0	6.3	8.4	10.3	12.4	14.6	17.1	19.6	22.0	24.3
174	1.3	3.1	6.4	8.6	10.5	12.6	14.9	17.4	20.0	22.4	24.7
176	1.3	3.2	6.5	8.8	10.7	12.9	15.2	17.8	20.4	22.9	25.1
178	1.4	3.3	6.6	8.9	10.9	13.2	15.6	18.2	20.9	23.4	25.7
180	1.4	3.4	6.8	9.1	11.1	13.5	16.0	18.7	21.3	23.9	26.3
182	1.4	3.4	6.9	9.2	11.3	13.8	16.3	19.0	21.7	24.3	26.8
184	1.5	3.5	7.0	9.4	11.6	14.1	16.6	19.3	22.1	24.7	27.3
186	1.5	3.6	7.1	9.6	11.9	14.3	16.9	19.7	22.5	25.2	27.8
188	1.5	3.7	7.3	9.8	12.2	14.6	17.2	20.1	23.0	25.7	28.4
190	1.6	3.8	7.4	10.0	12.4	14.9	17.5	20.4	23.3	26.1	28.9
192	1.6	3.8	7.6	10.2	12.6	15.2	17.9	20.8	23.7	26.6	29.5
194	1.7	3.9	7.7	10.4	12.8	15.5	18.2	21.1	24.1	27.0	30.0
196	1.7	4.0	7.9	10.6	13.1	15.8	18.6	21.5	24.5	27.5	30.6
198	1.7	4.1	8.0	10.7	13.3	16.0	18.9	21.8	24.9	28.0	31.2
200	1.8	4.2	8.2	10.9	13.6	16.3	19.2	22.1	25.3	28.5	31.8
D.B.H. O.B. cm	Bole height in metres										
	1	2	4	6	8	10	12	14	16	18	20

D.B.H. O.B. cm	Bole height in metres										Nominal stump metres	D.B.H. O.B. cm
	22	24	26	28	30	35	40	45	50			
110	11.1	12.2	13.3	14.3	15.5	18.2	20.6	23.4	26.5	0.60	110	
112	11.5	12.6	13.7	14.8	16.0	18.8	21.3	24.1	27.2	0.60	112	
114	12.0	13.1	14.2	15.4	16.6	19.5	22.0	24.9	27.9	0.60	114	
116	12.5	13.6	14.8	16.0	17.2	20.2	22.8	25.7	28.7	0.60	116	
118	12.9	14.1	15.3	16.5	17.8	20.8	23.6	26.5	29.7	0.60	118	
120	13.3	14.6	15.9	17.0	18.4	21.4	24.4	27.3	30.7	0.65	120	
122	13.7	15.0	16.3	17.5	18.8	22.0	25.1	28.1	31.6	0.65	122	
124	14.1	15.4	16.7	18.1	19.4	22.6	25.8	28.9	32.4	0.65	124	
126	14.6	16.0	17.3	18.7	20.0	23.3	26.5	29.8	33.2	0.65	126	
128	15.2	16.6	18.0	19.3	20.7	24.0	27.3	30.7	34.1	0.65	128	
130	15.6	17.1	18.5	19.9	21.3	24.7	28.0	31.6	35.1	0.65	130	
132	16.1	17.6	19.0	20.4	21.9	25.4	28.8	32.5	36.1	0.65	132	
134	16.5	18.1	19.5	21.0	22.5	26.1	29.6	33.3	37.1	0.65	134	
136	17.0	18.6	20.1	21.6	23.1	26.8	30.4	34.2	38.1	0.65	136	
138	17.4	19.2	20.7	22.2	23.8	27.6	31.2	35.1	39.1	0.65	138	
140	18.1	19.8	21.4	22.9	24.5	28.5	32.1	36.0	40.0	0.70	140	
142	18.5	20.3	21.9	23.5	25.2	29.2	32.9	36.9	40.9	0.70	142	
144	19.0	20.8	22.5	24.2	25.9	30.0	33.8	37.8	41.9	0.70	144	
146	19.5	21.3	23.0	24.8	26.5	30.7	34.6	38.7	42.9	0.70	146	
148	20.1	21.9	23.6	25.5	27.1	31.4	35.5	39.6	43.8	0.70	148	
150	20.7	22.5	24.3	26.1	27.8	32.2	36.5	40.5	44.7	0.70	150	
152	21.3	23.1	25.0	26.8	28.6	33.1	37.4	41.4	45.6	0.70	152	
154	21.7	23.6	25.5	27.4	29.2	33.9	38.3	42.4	46.5	0.70	154	
156	22.2	24.2	26.1	28.0	29.9	34.7	39.2	43.3	47.4	0.70	156	
158	22.7	24.9	26.7	28.7	30.6	35.5	40.1	44.3	48.3	0.70	158	
160	23.3	25.4	27.3	29.5	31.3	36.3	41.0	45.3	49.3	0.70	160	
162	23.8	26.0	27.9	30.1	32.0	37.0	41.9	46.2	50.3	0.70	162	
164	24.4	26.5	28.6	30.8	32.7	37.8	42.8	47.1	51.3	0.70	164	
166	25.0	27.1	29.1	31.3	33.4	38.6	43.6	48.0	52.3	0.70	166	
168	25.6	27.8	29.7	31.9	34.1	39.4	44.4	48.9	53.4	0.70	168	
170	26.0	28.3	30.4	32.6	34.8	40.2	45.3	49.9	54.4	0.70	170	
172	26.5	28.8	31.1	33.3	35.6	41.1	46.3	51.0	55.5	0.70	172	
174	27.0	29.3	31.7	34.0	36.3	41.8	47.2	52.0	56.6	0.70	174	
176	27.6	29.9	32.3	34.7	37.1	42.6	48.1	53.0	57.7	0.70	176	
178	28.2	30.5	32.9	35.3	37.7	43.3	48.9	53.9	58.8	0.70	178	
180	28.8	31.2	33.6	36.0	38.4	44.1	49.7	54.9	60.0	0.70	180	
182	29.3	31.8	34.3	36.8	39.2	45.1	50.7	56.0	61.2	0.70	182	
184	29.9	32.5	35.0	37.6	40.1	46.1	51.7	57.1	62.4	0.70	184	
186	30.5	33.1	35.6	38.3	40.8	46.8	52.6	58.1	63.6	0.70	186	
188	31.1	33.7	36.3	39.0	41.5	47.5	53.6	59.1	64.8	0.70	188	
190	31.7	34.3	37.0	39.7	42.2	48.4	54.4	60.2	66.0	0.70	190	
192	32.3	35.0	37.7	40.4	43.0	49.3	55.3	61.3	67.3	0.70	192	
194	32.9	35.6	38.3	41.1	43.7	50.0	56.2	62.3	68.5	0.70	194	
196	33.5	36.2	39.0	41.8	44.5	50.8	57.2	63.4	69.8	0.70	196	
198	34.0	36.8	39.6	42.5	45.2	51.6	58.1	64.6	71.0	0.70	198	
200	34.6	37.4	40.3	43.2	45.9	52.6	59.1	65.7	72.2	0.75	200	
D.B.H. O.B. cm	Bole height in metres										Nominal stump metres	D.B.H. O.B. cm
	22	24	26	28	30	35	40	45	50			



VOLUME TABLE — KARRI 1976

Volumes underbark in cubic metres

Also use for the Tingles

D.B.H. O.B. cm	Bole height in metres										
	1	2	4	6	8	10	12	14	16	18	20
202	1.8	4.3	8.4	11.1	13.9	16.6	19.5	22.5	25.8	29.0	32.3
204	1.8	4.3	8.6	11.4	14.2	17.0	19.9	23.0	26.3	29.6	32.9
206	1.9	4.4	8.7	11.6	14.4	17.3	20.2	23.3	26.7	30.1	33.4
208	1.9	4.4	8.9	11.8	14.7	17.6	20.5	23.7	27.1	30.7	34.0
210	2.0	4.5	9.0	12.0	14.9	17.8	20.8	24.0	27.5	31.1	34.5
212	2.0	4.6	9.2	12.3	15.1	18.1	21.1	24.4	27.9	31.6	35.1
214	2.0	4.7	9.4	12.5	15.4	18.4	21.5	24.8	28.3	32.1	35.7
216	2.1	4.8	9.5	12.7	15.7	18.3	21.9	25.2	28.8	32.7	36.3
218	2.1	4.8	9.7	12.9	15.9	19.0	22.2	25.6	29.3	33.2	36.9
220	2.2	4.9	9.9	13.1	16.2	19.3	22.5	26.1	29.8	33.8	37.5
222	2.2	5.0	10.0	13.3	16.5	19.7	22.9	26.5	30.3	34.4	38.1
224	2.2	5.1	10.2	13.6	16.8	20.1	23.3	27.0	30.9	35.0	38.7
226	2.3	5.1	10.3	13.8	17.0	20.3	23.7	27.4	31.4	35.5	39.3
228	2.3	5.2	10.5	14.0	17.3	20.6	24.0	27.8	32.0	36.1	40.0
230	2.4	5.3	10.6	14.2	17.6	20.9	24.4	28.3	32.5	36.7	40.6
232	2.4	5.4	10.8	14.5	17.9	21.3	24.9	28.8	33.1	37.4	41.3
234	2.4	5.4	11.0	14.6	18.1	21.6	25.3	29.2	33.6	37.9	41.9
236	2.5	5.5	11.2	14.8	18.3	22.0	25.7	29.6	34.1	38.3	42.4
238	2.5	5.6	11.3	15.0	18.5	22.2	26.0	29.9	34.4	39.7	42.8
240	2.6	5.7	11.5	15.2	18.8	22.5	26.3	30.2	34.8	39.2	43.2
242	2.6	5.8	11.7	15.3	19.0	22.7	26.5	30.6	35.1	39.5	43.6
244	2.6	5.8	11.8	15.5	19.2	23.0	26.8	31.0	35.5	39.9	44.0
246	2.7	5.9	12.0	15.7	19.4	23.3	27.1	31.3	35.9	40.3	44.4
248	2.7	6.0	12.1	15.9	19.6	23.6	27.5	31.6	36.3	40.8	44.8
250	2.8	6.1	12.2	16.1	19.9	23.9	27.8	32.0	36.7	41.2	45.2
252	2.8	6.1	12.4	16.3	20.2	24.2	28.2	32.5	37.1	41.6	45.7
254	2.8	6.2	12.5	16.5	20.5	24.5	28.6	32.9	37.4	42.0	46.2
256	2.9	6.3	12.7	16.7	20.7	24.8	29.0	33.3	37.8	42.4	46.7
258	2.9	6.4	12.9	16.9	20.9	25.0	29.2	33.6	38.1	42.8	47.1
260	3.0	6.5	13.0	17.1	21.2	25.2	29.5	34.0	38.5	43.2	47.6
262	3.0	6.5	13.1	17.3	21.4	25.5	29.7	34.2	38.8	43.5	47.9
264	3.0	6.6	13.3	17.5	21.6	25.8	30.0	34.5	39.1	43.8	48.3
266	3.1	6.7	13.4	17.7	21.8	26.0	30.2	34.8	39.4	44.1	48.7
268	3.1	6.8	13.6	17.9	22.1	26.3	30.5	35.1	39.8	44.5	49.1
270	3.2	6.9	13.7	18.1	22.3	26.5	30.8	35.4	40.2	44.8	49.5
272	3.2	6.9	13.9	18.3	22.5	26.8	31.2	35.8	40.6	45.2	49.9
274	3.2	7.0	14.1	18.5	22.7	27.1	31.5	36.2	41.0	45.6	50.3
276	3.3	7.1	14.3	18.7	23.0	27.4	31.8	36.6	41.4	46.1	50.7
278	3.3	7.2	14.4	18.8	23.2	27.7	32.1	36.9	41.8	46.5	51.2
280	3.4	7.3	14.6	19.0	23.5	28.0	32.5	37.3	42.2	47.0	51.7
282	3.4	7.3	14.7	19.2	23.7	28.3	32.8	37.6	42.5	47.4	52.1
284	3.4	7.4	14.9	19.4	23.9	28.6	33.2	38.0	42.9	47.8	52.5
286	3.5	7.5	15.0	19.5	24.1	28.8	33.5	38.3	43.2	48.2	52.9
288	3.5	7.6	15.2	19.7	24.3	29.1	33.8	38.7	43.6	48.6	53.4
290	3.6	7.7	15.3	19.9	24.5	29.3	34.1	39.1	44.0	49.0	53.8
292	3.6	7.7	15.4	20.1	24.7	29.5	34.4	39.5	44.5	49.5	54.2
294	3.6	7.8	15.5	20.2	24.9	29.7	34.7	39.8	44.8	49.9	54.6
296	3.7	7.9	15.7	20.4	25.1	30.0	35.1	40.2	45.1	50.2	55.0
298	3.7	8.0	15.8	20.5	25.3	30.2	35.4	40.6	45.5	50.7	55.4
300	3.8	8.1	16.0	20.7	25.5	30.5	35.8	41.0	46.0	51.1	55.9

D.B.H. O.B. cm	Bole height in metres										Nominal stump metres	D.B.H. O.B. cm
	22	24	26	28	30	35	40	45	50			
35.3	38.1	41.0	43.9	46.7	53.5	60.1	66.8	73.4	0.75	202		
36.0	38.9	41.7	44.7	47.5	54.4	61.1	68.0	74.7	0.75	204		
36.5	39.5	42.4	45.4	48.2	55.3	62.1	69.1	76.0	0.75	206		
37.1	40.1	43.1	46.1	49.0	56.2	63.2	70.3	77.3	0.75	208		
37.7	40.8	43.8	46.9	49.8	57.1	64.2	71.5	78.6	0.75	210		
38.4	41.5	44.5	47.6	50.6	58.0	65.3	72.8	80.0	0.75	212		
39.0	42.2	45.2	48.4	51.4	58.9	66.3	73.9	81.3	0.75	214		
39.7	42.9	45.9	49.1	52.2	59.8	67.4	75.1	82.7	0.75	216		
40.3	43.5	46.6	49.9	53.0	60.7	68.5	76.4	84.0	0.75	218		
40.9	44.2	47.3	50.7	53.8	61.7	69.7	77.7	85.4	0.75	220		
41.5	44.9	48.1	51.5	54.6	62.6	70.7	78.9	86.8	0.75	222		
42.2	45.6	48.9	52.3	55.4	63.6	71.8	80.1	88.2	0.75	224		
42.9	46.2	49.6	53.1	56.2	64.6	72.9	81.3	89.6	0.75	226		
43.6	46.9	50.3	53.9	57.0	65.5	73.8	82.5	91.0	0.75	228		
44.2	47.6	51.1	54.7	57.8	66.5	74.9	83.7	92.3	0.75	230		
44.9	48.3	51.9	55.6	58.6	67.4	76.0	84.9	93.6	0.75	232		
45.4	48.9	52.5	56.2	59.4	68.2	76.9	86.0	94.9	0.75	234		
45.9	49.4	53.1	56.8	60.1	69.0	77.9	87.0	95.9	0.75	236		
46.4	49.9	53.7	57.4	60.8	69.7	78.7	87.9	96.8	0.75	238		
46.8	50.5	54.3	58.0	61.5	70.4	79.5	88.7	97.6	0.75	240		
47.3	51.0	54.9	58.6	62.1	71.1	80.2	89.4	98.4	0.75	242		
47.8	51.6	55.5	59.2	62.6	71.8	80.9	90.1	99.2	0.75	244		
48.3	52.2	55.9	59.7	63.2	72.4	81.5	90.8	99.9	0.75	246		
48.8	52.8	56.6	60.3	63.8	73.1	82.3	91.5	100.6	0.75	248		
49.3	53.3	57.3	60.9	64.4	73.7	82.9	92.2	101.4	0.75	250		
49.8	53.8	57.9	61.5	65.0	74.4	83.6	93.0	102.3	0.75	252		
50.3	54.3	58.4	62.1	65.6	75.0	84.3	93.8	103.2	0.75	254		
50.8	54.8	58.9	62.8	66.2	75.7	85.0	94.7	104.1	0.75	256		
51.3	55.3	59.4	63.4	66.9	76.4	85.7	95.5	105.0	0.75	258		
51.8	55.9	60.0	64.0	67.6	77.1	86.4	96.3	105.9	0.75	260		
52.2	56.3	60.5	64.4	68.1	77.7	87.2	97.0	106.7	0.75	262		
52.6	56.8	61.1	65.1	68.7	78.4	88.0	97.8	107.5	0.75	264		
53.0	57.3	61.6	65.6	69.3	79.0	88.8	98.5	108.3	0.75	266		
53.4	57.8	62.1	66.2	69.8	79.7	89.5	99.3	109.1	0.75	268		
53.8	58.2	62.6	66.7	70.4	80.3	90.2	100.0	109.9	0.75	270		
54.3	58.7	63.1	67.2	71.1	81.0	91.0	100.8	110.8	0.75	272		
54.7	59.1	63.5	67.7	71.6	81.6	91.7	101.6	111.6	0.75	274		
55.1	59.6	64.0	68.2	72.2	82.3	92.4	102.5	112.5	0.75	276		
55.6	60.1	64.4	68.7	72.7	82.9	93.1	103.3	113.3	0.75	278		
56.1	60.6	64.9	69.2	73.3	83.6	93.8	104.1	114.2	0.75	280		
56.5	61.0	65.4	69.7	73.8	84.3	94.6	104.9	115.0	0.75	282		
57.0	61.4	65.9	70.2	74.4	85.0	95.4	105.8	115.8	0.75	284		
57.4	61.8	66.4	70.7	74.9	85.6	96.1	106.7	116.8	0.75	286		
57.9	62.3	66.9	71.2	75.4	86.2	96.9	107.6	117.7	0.75	288		
58.3	62.7	67.3	71.7	75.9	86.8	97.6	108.5	118.6	0.75	290		
58.8	63.2	67.7	72.2	76.5	87.4	98.4	109.4	119.5	0.75	292		
59.2	63.6	68.1	72.7	77.0	88.1	99.1	110.3	120.5	0.75	294		
59.6	64.1	68.6	73.2	77.6	88.8	99.9	111.1	121.5	0.75	296		
60.0	64.6	69.0	73.7	78.1	89.4	100.6	111.9	122.6	0.75	298		
60.4	65.0	69.5	74.2	78.7	90.1	101.4	112.8	123.7	0.75	300		

D.B.H. O.B.	1	2	4	6	8	10	12	14	16	18	20
----------------	---	---	---	---	---	----	----	----	----	----	----

Nominal stump	D.B.H. O.B.
------------------	----------------

## HOW TO USE THIS TABLE

Note that this table contains an allowance for the volume of the stump height nominated, so that all volumes are "above the stump".

1. When the bottom of the log is approximately at nominal stump height:
  - 1.1. Measure D.B.H.O.B. to nearest centimetre.
  - 1.2. Estimate bole height from ground to top of log and read volume from the table.
2. When the bottom of the log is above nominal stump height:
  - 2.1. Measure D.B.H.O.B. to nearest centimetre.
  - 2.2. Estimate bole height from ground to top of log and read volume.
  - 2.3. Estimate bole height from ground to bottom of log and read volume.
  - 2.4. Subtract volume 2.3 from volume 2.2.
3. Interpolate volumes carefully when heights or diameters are in between those shown in the table. For consistency when the volume is between an even and uneven volume use the even figure.
4. For trees too large for these tables, extrapolate carefully.

D.B.H.O.B. = Diameter breast height over bark

## GIRTH-DIAMETER CONVERSION TABLE

It is Forests Department policy to measure in diameter rather than girth. This table is provided for the rare occasions when an officer has a length tape only.

Girth cm	Diameter cm	Girth cm	Diameter cm	Girth cm	Diameter cm
1	0.3	10	3.2	100	31.8
2	0.6	20	6.4	200	63.7
3	1.0	30	9.5	300	95.5
4	1.3	40	12.7	400	127.3
5	1.6	50	15.9	500	159.2
6	1.9	60	19.1	600	191.0
7	2.2	70	22.3	700	222.8
8	2.5	80	25.5	800	254.6
9	2.9	90	28.6	900	286.5
				1000	318.3

Conversion factor: 1 cm girth = 0.31831 cm diameter