

LIBRARY

Department of Biodiversity,
Conservation and Attractions

This PDF has been created for digital preservation. It may be used for research but is not suitable for other purposes. It may be superseded by a more current version or just be out-of-date and have no relevance to current situations.

SEEDLING PRICES FOR 1998

NARROGIN PLANT NURSERY

SEEDLINGS

Price \$1.25/pot



These are young seedlings raised in individual root trainer pots 12cm deep.

64 CELL KWIK POTTED SEEDLINGS

Price \$25.00/tray

Minimum 60 seedlings per tray. Discount off seedling price for orders over 10,000 seedlings.



The above prices include delivery within the NARROGIN DELIVERY AREA. (see map of area over).

MANJIMUP NURSERY



Softwood Seedlings

Plant Category	<9,999	10,000-99,999	100,000-999,999	>1,000,000
Open rooted seedling	\$0.23	\$0.20	\$0.185	\$0.165
Open rooted cutting	\$0.23	\$0.20	\$0.185	\$0.165
Containerised seedling	\$0.29	\$0.252	\$0.225	\$0.205
Containerised cutting	\$0.29	\$0.252	\$0.225	\$0.205

Hardwood Seedlings

10 000-99 999	Price \$252.00/1000
100 000-999 999	Price \$225.00/1000
1 000 000 plus	Price \$205.00/1000
Penalties charged on trays not returned	

WESTERN BLUE GUM
Limited availability restricted to 10% of
Tasmania Blue Gum orders \$280/1,000

PRICES DO NOT INCLUDE TRANSPORT

CONDITIONS OF SALE NARROGIN NURSERY ONLY

1. The distribution season commences 1st May and closes on August 31st.
2. Orders should be placed as early as possible, preferably prior to December each year.
3. A deposit of 33 1/3% is payable to the Department of Conservation and Land Management upon the acceptance of each order.
4. The balance of payment is payable upon delivery of the order.
5. Payment may be made by cheque or bankcard.
6. If at the time of despatch an order cannot be filled with the precise number of species ordered, then substitution with alternative species will occur in consultation with the customer.
7. Where possible, orders will be grouped in customer lots and delivered to Shire offices or other locations as arranged.
8. Orders from outside the Narrogin delivery area must be either:
 - * Collected from the Nursery.
 - * Collected from a delivery point within the despatch area.
 - * Delivered by courier "customer collect".
9. Place your order by filling out the "Order for Trees" form attached to this price list and mail to *Narrogin Plant Nursery, P.O. Box 100, Narrogin 6312*.

MANJIMUP NURSERY

1. As per items 1, 2, 3 and 4 above.
2. Minimum containerised hardwood seedling order is 10,000 seedlings.
3. Minimum pine seedling order is 1,000 seedlings.
4. All orders to be collected from Manjimup Nursery, Burnside Road, West Manjimup.
5. Place your order by phoning the Nursery on (08) 9772 1377 or fax on (08) 9772 1211.



Department of
Conservation and Land Management

TREE NURSERY PRICE LIST 1999

*Trees for Timber
Production, Shade
Shelter and
Conservation*

*Distribution Season
May 1 — August 31*

Company.....

Name

Address

Telephone Fax

DATE _____

COLLECT	DELIVER

[illegible]

COST **trees (a**

trays @

trays @

Total Price Quoted: _____ \$


Cheque to be forwarded YES/NO

Species	Common Name	Species	Common Name
[] Available in pots		<i>Callistemon</i>	
[*] Available in pots and trays		[*] <i>citrinus</i>	Crimson Bottlebrush
* Available in trays		[*] <i>phoeniceus</i>	Lesser Bottlebrush
		[*] <i>rigidus</i>	Stiff Leaved Bottlebrush
		[*] <i>salignus</i>	Willow Bottlebrush
		[] <i>glauca</i>	Albany Bottlebrush
		[*] <i>viminalis</i>	Weeping Bottlebrush
<i>Acacia</i>		<i>Callitris</i>	
[*] <i>acuminata</i>	Raspberry Jam Wattle	[] <i>prestii</i>	Cypress Pine
[] <i>aneura</i>	Mulga Wattle		
[] <i>ceastrifolia</i>	Glowing Wattle	<i>Calothamnus</i>	
[] <i>collectoides</i>	Wait-A-While Wattle	[*] <i>quadridens</i>	Common Net Bush
* <i>cyclops</i>	W.A. Coastal Wattle	[*] <i>rupestris</i>	Mouse Ears
[] <i>hemiteles</i>	Tan Wattle	[*] <i>sanguineus</i>	Blood Red Net Bush
[*] <i>merrallii</i>	Merrall's Wattle		
[*] <i>microbotrya</i>	Manna Wattle	<i>Casuarina</i>	
[] <i>prainii</i>		* <i>obesa</i>	Swamp Oak
[] <i>redolens</i>	Vanilla Wattle		
* <i>saligna</i>	Golden Wreath Wattle	<i>Corymbia</i>	
<i>Actinostrobus</i>		* <i>calophylla</i>	Marri
[] <i>arenarius</i>	Sandplain Cypress	[] <i>calophylla</i> var. <i>rosea</i>	Pink-flowered Marri
[] <i>pyramidalis</i>	Swamp Cypress	[*] <i>citriodora</i>	Lemon Scented Gum
		[*] <i>ficifolia</i>	Red Flowering Gum
<i>Agonis</i>		* <i>maculata</i>	Spotted Gum
[*] <i>flexuosa</i>	W.A. Peppermint	<i>Dryandra</i>	
<i>Allocasuarina</i>		[] <i>carduacea</i>	Pingle
[] <i>acutivalvis</i>		[] <i>nobilis</i>	Golden Dryandra
[] <i>campestris</i>	Tammar She-oak	[] <i>proteoides</i>	King Dryandra
[*] <i>huegeliana</i>	Rock She-oak	[] <i>sessilis</i>	Parrot Bush
[*] <i>humilis</i>	Dwarf She-oak		
[] <i>pinaster</i>	Compass Bush	<i>Eucalyptus</i>	
<i>Banksia</i>		* <i>accedens</i>	Powderbark Wandoo
[] <i>attenuata</i>	Slender Banksia	* <i>albida</i>	White Leaved Mallee
[] <i>baueri</i>	Woolly Banksia	* <i>annulata</i>	Open Fruited Mallee
[] <i>baxteri</i>	Bird Nest Banksia	* <i>argyphaea</i>	Silver Mallet
[] <i>coccinea</i>	Scarlet Banksia	* <i>astringens</i>	Brown Mallet
[] <i>hookeriana</i>	Hooker's Banksia	* <i>bicostata</i>	Victorian Blue Gum
[] <i>menziesii</i>	Menzies Banksia	* <i>botryoides</i>	Southern Mahogany
[] <i>prionotes</i>	Acorn Banksia	[*] <i>brockwayi</i>	Dundas Mahogany
[] <i>speciosa</i>	Showy Banksia	[*] <i>burdettiana</i>	Burdett Gum
[] <i>sphaerocarpa</i>	Round Fruited Banksia	* <i>burracoppinensis</i>	Burracoppin Mallee
[] <i>violacea</i>	Voilet Banksia	[] <i>caesia</i> subsp <i>caesia</i>	Gungurru
<i>Brachychiton</i>		[] <i>caesia</i> subsp <i>magna</i>	Silver Princess
[] <i>gregorii</i>	W.A. Kurrajong	[*] <i>camaldulensis</i>	River Gum
		* <i>camaldulensis</i> subsp. <i>cinera</i>	River Red Gum
		[*] <i>campaspe</i>	Silver Gimlet
		* <i>capillosa</i>	Inland Wandoo

Species	Common Name	Species	Common Name	Species	Common Name
* <i>cladocalyx</i>	Sugar Gum	[*] <i>macrocarpa</i>	Mottlecah	<i>Kunzea</i>	
* <i>cladacaylx var nana</i>	Dwarf Sugar Gum	* <i>marginata</i>	Jarrah	[*] <i>baxteri</i>	Baxter's Kunzea
[] <i>clelandii</i>	Cleland's Blackbutt	* <i>megacornuta</i>	Warty Yate	[] <i>ericifolia</i>	Heath Kunzea
* <i>clivicola</i>	Green Mallet	[] <i>melanoxylon</i>	Black Morrel	[] <i>pulchella</i>	Granite Kunzea
* <i>conferruminata</i>	Bald Island Marlock	[*] <i>melliodora</i>	Yellow Box	[] <i>recurva</i>	Pink Flowered Kunzea
* <i>cornuta</i>	Yate	* <i>microcarpa</i>	Grey Box		
* <i>creba</i>	Narrow Leafed Ironbark	* <i>myriadena</i>	Snap and Rattle	<i>Leptospermum</i>	
[*] <i>crucis</i>	Silver Mallee	[*] <i>nicholii</i>	Narrow Leaf Peppermint	* <i>erubescens</i>	Tea Tree
* <i>densa</i>	Dense Mallee	[*] <i>nutans</i>	Red Flowered Moort		
[*] <i>diptera</i>	Two Winged Gimlet	* <i>occidentalis</i>	Flat Topped Yate	<i>Melaleuca</i>	
* <i>diversicolor</i>	Karri	* <i>patens</i>	W.A. Blackbutt	* <i>acuminata</i>	Broom Bush
* <i>drummondii</i>	Drummond's Gum	* <i>phaenophylla</i>	Mallee White Gum	* <i>brevifolia</i>	
[*] <i>dundasii</i>	Dundas Blackbutt	* <i>pileata</i>	Capped Mallee	* <i>cardiophylla</i>	Umbrella Bush
* <i>ebbanoensis</i>	Sandplain Mallee	[*] <i>platypus var. heterophylla</i>	Coastal Moort	* <i>cuticularis</i>	Salt Water Paperbark
[*] <i>eremophila</i>	Tall Sand Mallee	[*] <i>platypus var. platypus</i>	Moort	[] <i>diosmifolia</i>	Green Honey Myrtle
[] <i>erythrandra</i>	Rosebud Gum	* <i>pluricaulis</i>	Blue Leaved Mallee	[] <i>elliptica</i>	Granite Honey Myrtle
[*] <i>erythrocorys</i>	Red Cap Gum	[] <i>preissiana</i>	Bell Fruited Mallee	[] <i>fulgens</i>	Scarlet Honey Myrtle
[*] <i>erythronema</i>	Red Flowered Mallee	* <i>robusta</i>	Swamp Mahogany	* <i>halmaturorum</i>	
* <i>famelica</i>	Salt Mallee	* <i>rudis</i>	W.A. Flooded Gum	<i>subsp cymbifolia</i>	Swamp Paperbark
[] <i>flocktoniae</i>	Merrit	* <i>salicola</i>	Salt Gum	[*] <i>hamulosa</i>	Broom Bush Honey Myrtle
[*] <i>formanii</i>	Forman's Mallee	* <i>saligna</i>	Sydney Blue Gum	[] <i>hypericifolia</i>	Hillock Bush
[*] <i>forrestiana</i>	Fuchsia Gum	[*] <i>salmonophloia</i>	Salmon Gum	[] <i>incana</i>	Grey Honey Myrtle
* <i>gardneri</i>	Blue Mallet	[*] <i>salubris</i>	Gimlet	* <i>lateriflora</i>	Oblong Leaf Honey Myrtle
[*] <i>globulus</i>	Tasmanian Blue Gum	* <i>sargentii</i>	Salt River Gum	[] <i>laterita</i>	Robyn Red Breast Myrtle
* <i>gomphocephala</i>	Tuart	[*] <i>sideroxylon</i>	Pink Flowered Ironbark	[*] <i>nesophylla</i>	Western Tea Myrtle
* <i>grandis</i>	Rose Gum	* <i>spathulata</i>	Swamp Mallet	* <i>pauperiflora</i>	Small Flowered Honey Myrtle
[] <i>griffithsii</i>	Griffith's Grey Gum	[*] <i>stoatei</i>	Scarlet Pear Gum		
* <i>halophila</i>	Salt Lake Mallee	[*] <i>stricklandii</i>	Strickland's Gum	* <i>pentagona</i>	Prickly Leaf Honey Myrtle
* <i>horistes</i>	Oil Mallee	* <i>talyuberlup</i>		* <i>pungens</i>	Needle Leaf Honey Myrtle
* <i>hypochlamydea</i>	Rough Barked Mallee	[*] <i>torquata</i>	Coral Gum	* <i>raphiophylla</i>	Swamp Paperback
* <i>incrassata</i>	Lerp Mallee	[*] <i>torwood</i>	E. torquata x E. woodwardii	[] <i>scabra</i>	Rough Honey Myrtle
* <i>kochii subsp. kochii</i>	Oil Mallee	[] <i>transcontinentalis</i>	Red Wood	* <i>spicigera</i>	
* <i>kochii subsp. plenissima</i>	Watheroo Mallee	* <i>uncinata</i>	Hook Leaf Mallee	* <i>thyoides</i>	Scale Leaf Honey Myrtle
* <i>kondininensis</i>	Stocking Gum	* <i>viminalis</i>	Manna Gum	* <i>uncinata</i>	Broombush
[*] <i>kruseana</i>	Bookleaf Mallee	* <i>wandoo</i>	Wandoo	* <i>viminea</i>	White Flowered Honey Myrtle
* <i>laeliae</i>	Darling Range Ghost Gum	[] <i>websteriana</i>	Webster's Mallee		
* <i>lanepolei</i>	Lane-Poole Gum	[] <i>woodwardii</i>	Lemon Flowered Gum	[] <i>wilsonii</i>	Wilson's Honey Myrtle
[*] <i>lansdowneana</i>		* <i>yilgarnensis</i>	Yorrel		
<i>subsp. albopurpurea</i>	Purple Flowered Gum			<i>Pinus</i>	
* <i>lehmannii</i>	Bushy Yate	<i>Hakea</i>		[] <i>halepensis</i>	Allepo Pine
* <i>leptopoda</i>	Tammin Mallee	[] <i>baxteri</i>	Southern Fan Leaf	[] <i>pinex</i>	Stone Pine
[*] <i>leucoxylon subsp.</i>		[] <i>bucculenta</i>	Red Pokers		
<i>megacarpa</i>	Large Fruited Yellow Gum	[] <i>francisiana</i>		<i>Pittosporum</i>	
[*] <i>leucoxylon ssp leucoxylon</i>	Pink Flowered Yellow Gum	[*] <i>laurina</i>	Pin Cushion Hakea	[] <i>phylliraeiodes</i>	Native Apricot
* <i>longicornis</i>	Red Morrel	[*] <i>lissocarpha</i>	Needle Bush		
* <i>loxophleba</i>	York Gum	[] <i>multilineata</i>	Grass Leafed Hakea	<i>Santalum</i>	
* <i>loxophleba subsp.</i>		[*] <i>petiolaris</i>	Sea Urchin Hakea	[] <i>spicatum</i>	Sandalwood
<i>lissophloia</i>	Smooth Barked York Gum	[] <i>preissii</i>	Needle Tree		
* <i>macrandra</i>	Long Flowered Marlock	[] <i>undulata</i>	Wavy Leafed Hakea		

*To assist us in maintaining low as possible prices,
we request trays be returned to the point of delivery.*

Thank you.



DESPATCH AREA NARROGIN PLANT NURSERY

Guidelines for tree establishment

- Select the correct species for your area and soil type. If in doubt, consult CALM's Tree Growers Information Kit.
- Control rabbits early in the season.
- Fence out the planting site prior to planting.
- Rip and, if necessary, mound the site well in advance of planting.
- Ensure good weed control using either chemical or mechanical means. If using chemical, incorporate a residual into the mix.
- Plant at the optimal time for the site, ie high sandy sites early wet low lying sites late.
- Make sure the seedling is planted to the correct depth and is well heeled in.
- Always transport plants in covered vehicles to prevent wind damage to the seedlings.
- Keep seedlings damp at all times prior to planting.

ORDER FOR SEEDLINGS (pots & trays)

Narrogin Nursery

To: THE DISTRICT MANAGER
DEPARTMENT OF CALM
POST OFFICE BOX 100
NARROGIN 6312
Ph.(08) 9881 1113
9881 1696
Fax(08)9881 4831
9881 1645

Manjimup Nursery

To: MANJIMUP NURSERY
BURNSIDE ROAD,
WEST MANJIMUP 6258
Ph.(08) 9772 1377
Fax(08)9772 1211

SALT TOLERANT SPECIES

Acacia saligna
Casuarina obesa
Eucalyptus camaldulensis subsp. cinera
E. diptera
E. eremophila
E. famelica
E. flocktoniae
E. halophila
E. kondininensis
E. loxophleba
E. microcarpa
E. occidentalis
E. platypus var. heterophylla
E. sargentii
E. spathulata
Melaleuca acuminata
M. cuticularis
M. hamulosa
M. halmaturorum subsp cymbifolia
M. thyoides
M. uncinata
M.viminea

As the degree of salt tolerance varies amongst these species, consult the Dept. of C. A. L. M. staff for advice for your particular management requirement.