

LIBRARY

Department of Biodiversity,
Conservation and Attractions

This PDF has been created for digital preservation. It may be used for research but is not suitable for other purposes. It may be superseded by a more current version or just be out-of-date and have no relevance to current situations.


PAM04172



LIST OF PLANTS

KALBARRI NATIONAL PARK

WANPARA
412



Lamb's Poison · *Isotropis cuneifolia* · *Grevillea dielsiana*

FLORA LIST FOR THE KALBARRI NATIONAL PARK

Compiled by A.C. Burns

x Indicates no voucher specimen collected

- | | | | |
|--|---|---|--|
| Acacia andrewsii W.V. Fitzg. | Casuarina campestris Diels | Guichenotia macrantha Turcz. | Petrophile brevifolia Lindl. |
| " aff. brachystachya Benth. | x " humilis Otto & Diels | x Gyrostemon ramulosus Desf. | " conifera Meisn. |
| " erinacea Benth. | Chamelaucium uncinatum Schau. | Hakea pycnoneura Meisn. | " ericifolia R. Br. |
| " genistoides (F. Muell.) Benth. | Commersonia gaudichaudii J. Gray | Halgania sericiflora Benth. | " macrostachya R. Br. |
| " lasiocalyx C. Andrews | Conospermum acerosum Lindl. | Helipterum davenportii F. Muell. | " sp. |
| x " ligulata Cunn. ex Benth. | " stoechadis Endl. | " manglesii (Lindl.) Benth. | Phymatocarpus porphyrocephalus F. Muell. |
| " restiacea Benth. | " triplinervium R. Br. | " maryonii S. Moore | Pileanthus filifolius Meisn. |
| x " rostellifera Benth. | Conostylis aculeata R. Br. | Hemiandra leiantha Benth. | " peduncularis Endl. |
| " sclerosperma F. Muell. | " stylidioides F. Muell. | Hemigenia macrantha F. Muell. | Pimelea argentea R. Br. |
| " signata F. Muell. | " teretifolia J.W. Green. | Hibbertia acerosa (R. Br.) Benth. | " floribunda Meisn. |
| x " spatulata (F. Muell.) Benth. | Cryptandra glabriflora Benth. | " conspicua (Drum. ex Harv.) Gilg. | " nervosa (Walp.) Meisn. |
| Actinostrobos arenarius C.A. Gardn. | Cyclosorus gongylodes (Schkuhr) Link | Hibiscus drummondii Turcz. | Pityrodia atriplicina (F. Muell.) Benth. |
| Actinotus leucocephalus Benth. | Cyperus vaginatus R. Br. | " trionum Linn. | " hemigenioides (F. Muell.) Benth. |
| Adenanthos cygnorum Diels | Dampiera altissima (F. Muell.) Benth. | Indigofera australis Willd. | " oldfieldii (F. Muell.) Benth. |
| Alyogyne hakeifolia (Giord.) Alef. | " spicigera Benth. | Isopogon divergens R. Br. | " petrophiloides (F. Muell.) Benth. |
| Anigozanthos humilis Lindl. | Darwinia oldfieldii Benth. | Isotoma hypocrateriformis (R. Br.) Druce | Plectrachne danthonioides (F. Muell.) C.E. Hubb. |
| " manglesii D. Don. | " pauciflora Benth. | Jacksonia aff. hakeoides Meisn. | Pleurosorus rutifolius (R. Br.) Fee |
| Anthocercis genistoides Miers | " virescens (Meisn.) Benth. | " cupulifera Meisn. | Psilotum nudum (L.) Griseb. |
| " racemosa F. Muell. | Daviesia hakeoides Meisn. | Keraudrenia hermanniifolia J. Gay | Ptilotus gaudichaudii (Steud.) J.M. Black |
| Aotus phyllicoides (F. Muell.) Benth. | Dianella revoluta R. Br. | Labichea lanceolata Benth. | " grandiflorus F. Muell. |
| Astroloma serratifolium (DC.) Druce | Dicrastylis parvifolia F. Muell. | Lachnostachys eriobotrya (F. Muell.) Druce | " macrocephalus (R. Br.) Poir. |
| Baeckea crispiflora F. Muell. | Diplolaena dampieri Desf. | Lasiopetalum aff. angustifolium W.V. Fitzg. | " obovatus (Gaud.) F. Muell.) |
| " grandiflora Benth. | Diplopeltis huegelii Endl. | Lechenaultia formosa var. chlorantha (F. Muell.) Krause | Rulingia densiflora (Turcz.) Benth. |
| Banksia attenuata R. Br. | Dodonaea inaequifolia Turcz. | Lysinema ciliatum R. Br. | Santalum spicatum (R. Br.) DC. |
| " menziesii R. Br. | Dryandra aff. armata R. Br. | Melaleuca calothamnoides F. Muell. | Scaevola glandulifera DC. |
| x " prionotes Lindl. | " aff. cirsioides Meisn. | " cardiophylla F. Muell. var. longistaminea F. Muell. | " longifolia de Vriese |
| " sceptrum Meisn. | " sessilis (Knight) Domin | " cordata Benth. | " phlebopetata F. Muell. |
| " aff. sphaerocarpa R. Br. | x Ecdeiocolea monostachya F. Muell. | " depressa Diels | Schoenia cassiniana (Gaud.) Steetz |
| x " victoriae Meisn. | Eremophila oldfieldii F. Muell. | " eleutherostachya F. Muell. | Schoenus asperocarpus F. Muell. |
| Beaufortia squarrosa Schau. | " serrulata (A. Cunn.) Druce. | " fulgens R. Br. | Scholtzia capitata F. Muell. |
| Billardiera ringens (F. Muell.) E.M. Bennett | x Eucalyptus dongarraensis Maiden & Blakely | " megacephala F. Muell. | " spatulata Benth. |
| Bonamia rosea (F. Muell.) Hall.f. | " loxophleba Benth. | " nematophylla F. Muell. | " uberiflora F. Muell. |
| Boronia cymosa Endl. | " oldfieldii F. Muell. | " radula Lindl. | Solanum oldfieldii F. Muell. |
| Borya nitida Labill. | " camaldulensis Dehn. | " seriata Lindl. | Spinifex longifolius R. Br. |
| Bossiaea biloba Benth. | Exocarpos sparteus R. Br. | " triphylla Lindl. | Stackhousia dielsii Pampanini |
| Brachysema tomentosum Benth. | Geleznowia verrucosa Turcz. | x " uncinata R. Br. | x Stirlingia latifolia (R. Br.) Steud. |
| Brunonia australis Sm. | Glichrocaryon roei Endl. | " urceolaris F. Muell. ex Benth. | Stylidium brunonianum Benth. |
| Burchardia umbellata R. Br. | Grevillea annulifera F. Muell. | Micromyrtus peltigera S. Moore | Synaphea aff. polymorpha R. Br. |
| Caladenia patersonii R. Br. | " biformis Meisn. | " racemosa (F. Muell.) Benth. | Tetradlea confertifolia Steetz |
| Calectasia cyanea R. Br. | " brachystachya Meisn. | " rosea (E. Pritz.) S. Moore | Thryptomene denticulata (F. Muell.) Benth. |
| Callitris canescens (Parl.) S.T. Blake | " eriostachya Lindl. | Mirbelia ramulosa (Benth.) C.A. Gardn. | " racemulosa Turcz. |
| Calocephalus francisii (F. Muell.) Benth. | " leucopteris Meisn. | " sp. | Thysanotus arenarius N.H. Brittan |
| Calothamnus blepharospermus F. Muell. | " petrophiloides Meisn. | Nuytsia floribunda (Labill.) R. Br. | " dichotomus (Labill.) R. Br. |
| " chrysantherus F. Muell. | " pinaster Meisn. | Olearia axillaris (DC.) Benth. | " multiflorus R. Br. |
| " homalophyllus F. Muell. | " trachythea F. Muell. | " homolepis F. Muell. | Verticordia chrysostachys Meisn. |
| Calytrix brevifolia Meisn. | | Oxylobium capitatum Benth. | " monadelpha Turcz. |
| " oldfieldii Benth. | | " linearifolium (Don) Domin | " oculata Meisn. |
| " strigosa A. Cunn. | | Patersonia occidentalis R. Br. | " picta Endl. |
| " tenuifolia Meisn. | | " rudis Endl. | " polytricha Benth. |
| | | Persoonia acicularis F. Muell. | " stelluligera Meisn. |
| | | " angustiflora Benth. | |
| | | " sulcata Meisn. | x Xanthorrhoea preissii Endl. |
| | | | x Xylomelum angustifolium Kipp. |