## DUCK BAND RECOVERIES

Since the opening of the duck shooting season the recovery of bands has increased to 332. Of these, 198 were from black duck and 116 from grey teal. This represents a recovery of 7.08% of the total number of birds, 4608, banded to date.

An unusual recording was of a black duck bearing band no. 1044. This bird was banded in June, 1952, at Queen's Gardens and was recaptured there in February, 1958, suffering from botulism. The duck duly recovered and was released again last month with the band, which was in good condition, still attached.

Band	BANDING		RECOVERY		Distance	
No.	Date	Place	Date	Place	<u> </u>	Lown
			Maned Goos	е	The circuit of the characteristic of the circuit of	K.
6200	29/11/56	20 mls S.E. of Nyabing	22/12/57	Junction of Williams and Hotham Rivers	128	miles
6196	28/11/56	do.	Late December 1957	27 miles N.W. of Kojonup	90	11
6197	29/11/56	do.	January 5 or 6, 1958	Rosa Brook	185	11
	Mountain Duck					
6370	17/1/57	Yathroo Station	11/1/58	Moora	20	11
27 × 12 ±100	e appropriate propriate pr	and the second s	Grey Teal	in the state of th		
4372	7/11/57	Dowerin	24/12/57	3½ miles W. of Boyanup	175	11

Band	BAN	BANDING RECOVERY		Distance	
No.	Date	Place	Date	Place	Flown
	The state of the s	Grey I	Grey Teal (Contd.)		
4380	8/11/57	Koom- berkine	29/12/57	7 mls S. of Wagin	147 miles
4287	28/3/57	Karrinyup Lake	23/12/57	Gundaring	140 "
3058	24/11/54	Lake Mears	5/1/58	Dumbleyung Lake	75 "
3079	27/11/54	do.	28/12/57	28 miles E. of Tambellup	130 "
4454	17/11/57	Dowerin	29/12/57	Dowerin	
4405	14/11/57	do.	do.	do.	
4398	13/11/57	do.	do.	do.	
43.83	9/11/57	Koom- berkine	19/1/58	Koom- berkine	
3982	28/3/56	Wardering Lake	31/12/57	Brunswick Junction	83 11
4148	4/12/56	Gundaring Lake	5/1/58	10 miles N.E. of	
	Section of the sectio	LIARC		Kojonup	30 "
4311	1/4/57	Karrinyup Lake	8/2/58	Lake Clifton	65 "
1416	5/2/53	Wardering Lake	20/1/58	Trapped at Karrinyup	(Re-banded with band no, 4528)
3843	24/3/56	do.	15/2/58	Lake Charling, Wagin	5 miles
Edin ph. C. (200) control weights	Afficiency and an artist value of	manufit (Egypte), and	ne and propagation of	**************************************	

Band	BAND	ING	RECOVERY		Distance Flown	
No.	Date	Place	Date Place			
4254	9/3/57	Wardering Lake	17/1/58	Teal Lake, near Lake Clifton	100 miles	
4427	16/11/57	Dowerin	5/1/58	Dowerin		
4446	17/11/57	do.	do.	do.		
4049	12/4/56	Yathroo Station	do.	do.	90 miles	
4340	5/11/57	Koom- berkine	2/2/58	do.	8 11	
(D		The second	Allada da sasa	70 7 0 -111		

(Due to lack of space in this issue, black duck recoveries are not listed. They will be published next month)

Since our report in Vol. VI, No. 9, September, 1957, issue of this Bulletin, 15 ducks banded in other States have been recovered in Western Australia. These include two grey teal, one banded at Darwin and recovered at Lake Muir, near Manjimup, and another banded at Lara in Victoria, and recovered near Wagin. The interstate recoveries lead us to suppose that there is a massive movement of grey teal throughout Australia and that the majority migrate to this State via the northern regions. A west-east movement along the southern coast is also probable.