

# NUYTSIA

WESTERN AUSTRALIA'S JOURNAL OF SYSTEMATIC BOTANY

ISSN 0085-4417



Macfarlane, T.D. and Williams, A.R.  
*Agrostis castellana* (Poaceae)  
mis-identified as *A. capillaris* var.  
*aristata* in Western Australia

*Nuytsia* 16(2): 472 (2007)

All enquiries and manuscripts should be directed to:

The Editor – *NUYTSIA*  
Western Australian Herbarium  
Dept of Environment and Conservation  
Locked Bag 104 Bentley Delivery Centre  
Western Australia 6983  
AUSTRALIA

Telephone: +61 8 9334 0500  
Facsimile: +61 8 9334 0515  
Email: [nuytsia@dec.wa.gov.au](mailto:nuytsia@dec.wa.gov.au)  
Web: [science.dec.wa.gov.au/nuytsia/](http://science.dec.wa.gov.au/nuytsia/)



Department of  
Environment and Conservation  
Western Australian Herbarium



## ***Agrostis castellana* (Poaceae) mis-identified as *A. capillaris* var. *aristata* in Western Australia**

In the process of assisting with the updating of *Western Weeds: a Guide to the Weeds of Western Australia* (Hussey & Keighery 1997) we became aware that Batson (1998) had identified *Agrostis castellana* Bois. et Reuter as the dominant species in ‘bent grass’ pastures in South-eastern Australia, which had previously been reported as being dominated by *A. capillaris* L. (syn. *A. tenuis* Sibth.).

In the Census of Western Australian Plants – FloraBase (Western Australian Herbarium 2006), *A. capillaris* var. *capillaris* and *A. capillaris* var. *aristata* (Parn.) Druce were listed as occurring in Western Australia, and under the same names were treated by Hussey *et al.* (1997) and described and keyed out by Wheeler *et al.* (2002). Upon examination, the PERTH collections of *A. capillaris* var. *aristata* were all found to fit the description of *A. castellana* as given in Batson (1998).

The Census has therefore been updated and now lists *A. capillaris* and *A. castellana* as introduced weeds in Western Australia (Western Australian Herbarium 2006).

## **References**

- Batson, M.G. (1998). *Agrostis castellana* (Poaceae), dominant *Agrostis* species, found in Bent Grass pastures in South-eastern Australia. *Australian Journal of Botany* 46: 697–705.
- Hussey, B.M.J. & Keighery, G.J. (1997). “Western Weeds : a Guide to the Weeds of Western Australia.” (Plant Protection Society of Western Australia: Victoria Park.)
- Western Australian Herbarium (1998–present). FloraBase — The Western Australian Flora. Department of Environment and Conservation. <http://florabase.dec.wa.gov.au/>
- Wheeler, J.R., Marchant, N.G. & Lewington, M.A. (2002). “Flora of the South West, Bunbury, Augusta, Denmark.” (Australian Biological Resources Study: Canberra and Department of Conservation and Land Management: Bentley.)

## **T.D. Macfarlane and A.R. Williams**

Western Australian Herbarium  
Department of Environment and Conservation  
Locked Bag 104, Bentley Delivery Centre, Western Australia 6983