



1JW192



Xylomelum occidentale R.Br.



SEED GERMINATION RECORDS

OF

WESTERN AUSTRALIAN PLANTS

Compiled by

W. H. KULLMANN

KINGS PARK RESEARCH NOTES—NUMBER 7



SEED GERMINATION RECORDS
OF
WESTERN AUSTRALIAN PLANTS

Compiled by

W. H. KULLMANN



KINGS PARK AND BOTANIC GARDEN

WEST PERTH

WESTERN AUSTRALIA 6005

SEED GERMINATION RECORDS
OF
WESTERN AUSTRALIAN PLANTS

Compiled
by

W. H. Kullmann

Following the decision to establish the Western Australian Botanic Garden in Kings Park, a programme of propagating native plants was initiated in order to bring as many species as possible of the Western Australian flora into cultivation. In the course of this work records were kept of seed germination commencing in 1962, when Mr. E. Wittwer was the Nurseryman until he was appointed Superintendent in 1970, when he was succeeded as Nurseryman by Mr. W. H. Kullmann.

In the following list of more than 2000 species, representative of about 370 genera, a summary of the germination records for each species is given by entries in four columns, A,B,C and D.

- A. The number of samples of seed for which germination was recorded. Samples for which there was no germination at all have been excluded.
- B. The minimum period in days from sowing the seed to the first emergence of seedlings.
- C. The maximum period in days from sowing to first emergence.
- D. The average period in days from sowing to first emergence for all samples (A).

Hard coated seeds were treated with hot water before sowing to promote germination. The names of the genera whose seeds were so treated are marked with an asterix* in the following table. Otherwise no special treatments such as stratification were given. In most cases the seeds were sown in autumn, the main sowing season for native plants in Perth, according to normal nursery procedures, ie. in boxes or small containers under cover.

These records have been collected over a period of nearly twenty years. Some of the variation in time to emerge is probably due to variations in weather conditions, especially temperature at the time of sowing, from year to year. Nevertheless this climatic component of the variation is probably relatively small compared with the effect of the vitality of the different samples of seed. The vitality of the seed may be affected by conditions at harvest and by the period stored, sometimes several years, before sowing.

It is not practicable to pursue the causes of variation in time to emerge further in a summary such as this. Percentage germination is not summarised or discussed here. Indeed it has not been possible to record percentage germination for many of these sowings under ordinary nursery conditions, either the seed was too fine to count, or more often the labour was not available to count individual seedlings. Those cases in which such studies have been made may be reported elsewhere, although as a general rule high percentage germination is usually associated with a relatively short period to emerge and the converse.

The practical objective of this summary of germination records is to enable growers to plan nursery operations. In particular to help them to estimate when it will no longer be worthwhile to retain seed sowings, because germination is no longer likely to occur or that any resultant seedlings will be unthrifty due to poor vitality.

Plant nomenclature follows for the greater part that in the Second Edition (1970) of A Descriptive Catalogue of West Australian Plants edited by J.S. Beard and published by the Society for Growing Australian Plants. Subsequent revisions of generic names are given in parenthesis.

The compiler acknowledges gratefully the assistance of the staff in the nursery of Kings Park and Botanic Garden, who have made the day to day observation and entered the original records from which this summary has been prepared. Thanks are due to Mrs. M. Phatouros for typing the master for printing.

| | A | B | C | D |
|--------------------------|----|----|----|----|
| <i>Abutilon</i> | | | | |
| <i>exonemum</i> | 6 | 9 | 50 | 22 |
| <i>fraseri</i> | 9 | 7 | 40 | 17 |
| <i>geranioides</i> | 1 | | | 20 |
| <i>leucopetalum</i> | 3 | 21 | 37 | 30 |
| <i>oxycarpum</i> | 4 | 12 | 64 | 43 |
| <i>Acacia*</i> | | | | |
| <i>acuminata</i> | 7 | 6 | 13 | 10 |
| <i>aestivalvis</i> | 2 | 18 | 22 | 20 |
| <i>alata</i> | 13 | 16 | 32 | 21 |
| <i>anaticeps</i> | 4 | 12 | 21 | 6 |
| <i>ancistrocarpa</i> | 3 | 7 | 13 | 11 |
| <i>aneura</i> | 13 | 6 | 38 | 12 |
| " var. <i>latifolia</i> | 4 | 7 | 14 | 10 |
| <i>aphylla</i> | 5 | 10 | 16 | 13 |
| <i>arida</i> | 2 | 12 | 13 | 12 |
| <i>armata</i> | 5 | 10 | 13 | 11 |
| <i>biflora</i> | 4 | 18 | 21 | 19 |
| <i>bivenosa</i> | 6 | 7 | 17 | 11 |
| <i>blakelyi</i> | 7 | 6 | 13 | 9 |
| <i>brachystachya</i> | 3 | 10 | 14 | 12 |
| <i>browniana</i> | 5 | 20 | 30 | 24 |
| <i>burkittii</i> | 5 | 8 | 13 | 11 |
| <i>cedroides</i> | 6 | 19 | 29 | 24 |
| <i>ceastrifolia</i> | 9 | 11 | 27 | 21 |
| <i>cibaria</i> | 4 | 9 | 20 | 13 |
| <i>citrinoviridis</i> | 1 | | | 11 |
| <i>congesta</i> | 1 | | | 17 |
| <i>collina</i> | 1 | | | 13 |
| <i>coolgardiensis</i> | 4 | 14 | 28 | 20 |
| <i>coriacea</i> | 5 | 11 | 36 | 18 |
| <i>craspedocarpa</i> | 6 | 6 | 17 | 10 |
| <i>crassiuscula</i> | 1 | | | 45 |
| <i>cupularis</i> | 4 | 11 | 20 | 16 |
| <i>cyclops</i> | 8 | 13 | 42 | 19 |
| <i>daviesioides</i> | 2 | 15 | 26 | 20 |
| <i>delibrata</i> | 2 | 11 | 21 | 16 |
| <i>dempsteri</i> | 1 | | | 13 |
| <i>denticulosa</i> | 2 | | | 12 |
| <i>dentifera</i> | 7 | 14 | 19 | 16 |
| <i>dictyophleba</i> | 3 | 10 | 19 | 14 |
| <i>divergens</i> | 2 | | | 19 |
| <i>drewiana</i> | 3 | 21 | 33 | 25 |
| <i>drummondii</i> | 18 | 16 | 42 | 24 |
| "var. <i>candolleana</i> | 4 | 14 | 18 | 16 |
| "var. <i>major</i> | 10 | 12 | 27 | 21 |
| "ssp. <i>elegans</i> | 5 | 18 | 22 | 20 |
| "ssp. <i>revoluta</i> | 8 | 15 | 30 | 20 |
| <i>dunnii</i> | 8 | 7 | 28 | 19 |
| <i>ephedroides</i> | 4 | 9 | 15 | 12 |
| <i>eremaea</i> | 6 | 7 | 16 | 11 |
| <i>ericifolia</i> | 4 | 11 | 17 | 13 |
| <i>exocarpoides</i> | 1 | | | 8 |
| <i>extensa</i> | 4 | 12 | 18 | 14 |
| <i>farnesiana</i> | 7 | 7 | 21 | 14 |
| <i>fauntleroyi</i> | 3 | 8 | 11 | 10 |

| | A | B | C | D |
|-------------------------|----|----|----|----|
| <i>Acacia*</i> | | | | |
| <i>filifolia</i> | 12 | 10 | 36 | 14 |
| <i>fragilis</i> | 8 | 11 | 27 | 17 |
| <i>glaucoptera</i> | 10 | 12 | 44 | 18 |
| <i>glutinosissima</i> | 4 | 13 | 36 | 20 |
| <i>gonophylla</i> | 8 | 10 | 19 | 12 |
| <i>graffiana</i> | 2 | 19 | 22 | 20 |
| <i>grasbyi</i> | 8 | 6 | 33 | 13 |
| <i>gregorii</i> | 3 | 7 | 15 | 11 |
| <i>harveyi</i> | 3 | 13 | 27 | 20 |
| <i>heteroclita</i> | 1 | | | 11 |
| <i>hilliana</i> | 3 | 7 | 16 | 12 |
| <i>holosericea</i> | 9 | 7 | 16 | 12 |
| <i>horridula</i> | 10 | 15 | 28 | 21 |
| <i>huegelii</i> | 2 | 21 | 27 | 24 |
| <i>idiomorpha</i> | 7 | 8 | 19 | 12 |
| <i>impresa</i> | 1 | | | 14 |
| <i>incurva</i> | 2 | | | 13 |
| <i>inophloia</i> | 12 | 11 | 23 | 15 |
| <i>insolita</i> | 4 | 13 | 32 | 24 |
| <i>jibberdingensis</i> | 9 | 11 | 22 | 14 |
| <i>kempeana</i> | 2 | 8 | 13 | 11 |
| <i>lanuginosa</i> | 16 | 10 | 33 | 12 |
| <i>latipes</i> | 3 | 7 | 12 | 10 |
| <i>lasiocalyx</i> | 6 | 7 | 21 | 12 |
| <i>lasiocarpa</i> | 5 | 12 | 27 | 18 |
| <i>lateriticola</i> | 1 | | | 11 |
| <i>leptocarpa</i> | 3 | 8 | 10 | 9 |
| <i>leptoneura</i> | 5 | 10 | 14 | 12 |
| <i>leptopetala</i> | 5 | 8 | 15 | 12 |
| <i>leptospermoides</i> | 4 | 10 | 13 | 11 |
| <i>ligustrina</i> | 9 | 8 | 20 | 15 |
| <i>linophylla</i> | 2 | | | 20 |
| <i>littorea</i> | 4 | 15 | 25 | 19 |
| <i>longiphyllodinea</i> | 3 | 10 | 14 | 12 |
| <i>longispinea</i> | 2 | 11 | 17 | 14 |
| <i>loxophylla</i> | 1 | | | 13 |
| <i>lycopodifolia</i> | 5 | 9 | 23 | 15 |
| <i>maitlandii</i> | 2 | 5 | 8 | 6 |
| <i>meisneri</i> | 8 | 10 | 25 | 17 |
| <i>merinthophora</i> | 5 | 10 | 13 | 11 |
| <i>merralii</i> | 5 | 15 | 24 | 20 |
| <i>microbotrya</i> | 10 | 14 | 38 | 23 |
| <i>monticola</i> | 2 | 8 | 14 | 11 |
| <i>mooreana</i> | 2 | 28 | 38 | 33 |
| <i>multispicata</i> | 14 | 7 | 26 | 16 |
| <i>murrayana</i> | 1 | | | 12 |
| <i>myrtifolia</i> | 12 | 12 | 28 | 20 |
| <i>nervosa</i> | 1 | | | 27 |
| <i>neurophylla</i> | 6 | 10 | 18 | 14 |
| <i>nigricans</i> | 1 | | | 14 |
| <i>nitidula</i> | 3 | 12 | 21 | 16 |
| <i>numerosa</i> | 1 | | | 27 |
| <i>oncinophylla</i> | 3 | 10 | 11 | 10 |
| <i>orthocarpa</i> | 1 | | | 17 |
| <i>oswaldii</i> | 4 | 10 | 25 | 15 |

| | A | B | C | D | | A | B | C | D |
|-----------------|----|----|----|----|----------------|----|----|-----|-----|
| Acacia* | | | | | Agonis | | | | |
| oxyclada | 1 | | | 8 | hypericifolia | 11 | 27 | 44 | 32 |
| pentadenia | 5 | 22 | 47 | 32 | juniperina | 10 | 15 | 38 | 26 |
| plectocarpa | 1 | | | 34 | linearifolia | 7 | 13 | 45 | 26 |
| plicata | 2 | 19 | 22 | 20 | marginata | 7 | 13 | 35 | 23 |
| pulchella | 11 | 12 | 47 | 38 | obtusissima | 10 | 19 | 49 | 31 |
| pyrifolia | 9 | 5 | 16 | 9 | spathulata | 7 | 20 | 49 | 34 |
| quadrinarginea | 2 | 8 | 12 | 10 | Agrostocrinum | | | | |
| quadrisulcata | 4 | 10 | 18 | 14 | scabrum | 7 | 20 | 72 | 47 |
| restiacea | 5 | 7 | 22 | 15 | Aizoon | | | | |
| rossei | 19 | 7 | 29 | 14 | glabrum | 12 | 9 | 33 | 15 |
| rostellifera | 11 | 7 | 13 | 10 | quadrifidum | 6 | 13 | 49 | 30 |
| salicina | 6 | 10 | 26 | 16 | Albizzia* | | | | |
| saligna | 11 | 6 | 18 | 11 | lebbek | 6 | 7 | 31 | 13 |
| scleroperma | 2 | 9 | 11 | 10 | lophantha | 5 | 11 | 22 | 14 |
| scirpifolia | 4 | 6 | 83 | 29 | Alternanthera | | | | |
| sedifolia | 3 | 28 | 31 | 29 | nodiflora | 9 | 13 | 50 | 25 |
| sessilisipica | 1 | | | 17 | Alyogyne | | | | |
| shuttleworthii | 6 | 7 | 14 | 12 | cuneiformis | 5 | 10 | 22 | 16 |
| sibirica | 1 | | | 10 | hakeifolia | 13 | 13 | 39 | 22 |
| signata | 6 | 10 | 17 | 13 | Alyxia | | | | |
| spathulifolia | 12 | 6 | 13 | 10 | buxifolia | 4 | 51 | 90 | 67 |
| steedmanii | 3 | 14 | 26 | 19 | Andersonia | | | | |
| stenoptera | 6 | 14 | 26 | 21 | aristata | 3 | 61 | 112 | 87 |
| subcaerulea | 8 | 10 | 16 | 12 | axilliflora | 2 | 17 | 56 | 37 |
| subflexuosa | 2 | | | 9 | caerulea | 3 | 34 | 111 | 73 |
| subglauca | 2 | 15 | 26 | 21 | lehmanniana | 1 | | | 117 |
| subtessaragona | 1 | | | 7 | sprengelioides | 7 | 35 | 93 | 62 |
| sulcata | 4 | 10 | 17 | 14 | Angianthus | | | | |
| tenuissima | 2 | 8 | 19 | 13 | acrohyalinus | 7 | 7 | 19 | 13 |
| teretifolia | 3 | 28 | 47 | 38 | burkittii | 1 | | | 21 |
| tetragonophylla | 4 | 6 | 26 | 14 | connatus | 3 | 5 | 14 | 10 |
| truncata | 11 | 11 | 31 | 21 | drummondii | 4 | 8 | 20 | 14 |
| tumida | 4 | 7 | 16 | 12 | humifusus | 8 | 11 | 21 | 16 |
| umbellata | 2 | 9 | 10 | 9 | lanigerus | 3 | 10 | 13 | 11 |
| urophylla | 10 | 18 | 31 | 24 | plumiger | 3 | 8 | 21 | 16 |
| wanyu | 2 | 5 | 14 | 10 | pusillus | 5 | 10 | 28 | 19 |
| willdenowiana | 1 | | | 25 | strictus | 4 | 6 | 21 | 13 |
| xiphophylla | 2 | 5 | 7 | 6 | tomentosus | 6 | 10 | 16 | 13 |
| Acanthocarpus | | | | | Anigozanthos | | | | |
| preissii | 5 | 10 | 76 | 46 | bicolor | 19 | 11 | 47 | 28 |
| Actinodium | | | | | flavidus | 25 | 15 | 48 | 30 |
| cunninghamii | 7 | 49 | 93 | 73 | gabrielae | 2 | 36 | 53 | 44 |
| Actinostrobos | | | | | humilis | 25 | 20 | 50 | 30 |
| acuminatus | 11 | 18 | 56 | 37 | manglesii | 39 | 8 | 36 | 26 |
| arenarius | 8 | 20 | 28 | 23 | preissii | 15 | 20 | 60 | 37 |
| pyramidalis | 8 | 17 | 28 | 22 | pulcherrimus | 25 | 20 | 48 | 30 |
| Actinotus | | | | | rufus | 24 | 20 | 81 | 38 |
| leucocephalus | 17 | 18 | 51 | 31 | viridus | 27 | 11 | 55 | 26 |
| Adansonia | | | | | Anisomeles | | | | |
| gregorii | 5 | 13 | 51 | 24 | salviaefolia | 7 | 9 | 42 | 28 |
| Adriana | | | | | Anthobolus | | | | |
| quadripartita | 1 | | | 55 | exocarpoides | 1 | | | 65 |
| Agonis | | | | | foveolatus | 1 | | | 46 |
| flexuosa | 9 | 15 | 35 | 22 | Anthoceris | | | | |
| floribunda | 4 | 12 | 14 | 13 | littorea | 5 | 20 | 38 | 24 |
| grandiflora | 8 | 20 | 53 | 32 | | | | | |

| | A | B | C | D | | A | B | C | D |
|---------------------------|---|----|----|----|--------------------|----|----|-----|----|
| Anthoceris | | | | | Baeckea | | | | |
| viscosa | 7 | 20 | 60 | 34 | latens | 2 | 17 | 30 | 24 |
| Anthotium | | | | | leptospermoides | 1 | | | 60 |
| rubriflorum | 3 | 25 | 32 | 28 | pachyphylla | 2 | 45 | 66 | 56 |
| Anthotroche | | | | | robusta | 5 | 34 | 73 | 55 |
| blackii | 1 | | | 37 | staminosa | 1 | | | 45 |
| walcottii | 5 | 29 | 49 | 30 | stowardii | 23 | 39 | 57 | 47 |
| Aotus | | | | | subcuneata | 9 | 18 | 48 | 31 |
| ericoides | 8 | 14 | 25 | 20 | tenuifolia | 3 | 68 | 71 | 69 |
| passerinoides | 2 | 24 | 25 | 24 | tenuiramea | 3 | 45 | 56 | 50 |
| phylicoides | 1 | | | 14 | uncinella | 1 | | | 57 |
| tietkinsii | 7 | 10 | 27 | 19 | Balaustion | | | | |
| villosa | 1 | | | 25 | microphyllum | 2 | 45 | 61 | 53 |
| Aphanopetalum | | | | | pulcherrimum | 1 | | | 70 |
| clematideum | 5 | 21 | 31 | 28 | Banksia | | | | |
| Arnocrinum | | | | | ashbyi | 15 | 16 | 39 | 29 |
| preissii | 2 | 43 | 84 | 63 | attenuata | 13 | 25 | 36 | 30 |
| Arthropodium | | | | | audax | 18 | 21 | 46 | 37 |
| capillipes | 7 | 19 | 76 | 39 | baueri | 13 | 27 | 49 | 34 |
| preissii | 5 | 23 | 35 | 29 | baxteri | 15 | 26 | 42 | 29 |
| Arthrocnemum (Halosarcia) | | | | | benthamiana | 20 | 26 | 42 | 33 |
| halocnemoides | 1 | | | 55 | burdettii | 20 | 20 | 42 | 32 |
| Astartea | | | | | brownii | 15 | 20 | 50 | 30 |
| ambigua | 6 | 17 | 62 | 34 | caleyi | 16 | 28 | 45 | 40 |
| fascicularis | 6 | 26 | 91 | 42 | candolleana | 11 | 22 | 35 | 30 |
| Astroloma | | | | | coccinea | 22 | 12 | 48 | 35 |
| baxteri | 2 | 51 | 78 | 65 | dentata | 4 | 32 | 40 | 35 |
| ciliatum | 9 | 36 | 95 | 60 | dryandroides | 16 | 31 | 50 | 38 |
| epacridis | 1 | | | 90 | elderana | 16 | 31 | 42 | 36 |
| macrocalyx | 1 | | | 69 | elegans | 2 | 41 | 48 | 45 |
| microcalyx | 1 | | | 69 | goodii | 6 | 30 | 56 | 40 |
| microdonta | 1 | | | 69 | grandis | 14 | 23 | 42 | 33 |
| serratifolium | 1 | | | 69 | hookerana | 20 | 23 | 36 | 27 |
| xerophyllum | 1 | | | 80 | ilicifolia | 11 | 22 | 41 | 33 |
| Athrixia | | | | | laevigata | 11 | 39 | 92 | 46 |
| athrxioides | 3 | 6 | 20 | 15 | laricina | 17 | 26 | 36 | 32 |
| chaetopoda | 5 | 14 | 37 | 20 | lemanniana | 12 | 27 | 43 | 35 |
| nivea | 2 | 16 | 19 | 17 | lindleyana | 12 | 25 | 39 | 29 |
| pulverulenta | 5 | 12 | 20 | 16 | littoralis | 7 | 20 | 36 | 28 |
| Atriplex | | | | | lullfitzii | 9 | 42 | 102 | 47 |
| cinerea | 2 | 11 | 26 | 15 | media | 15 | 28 | 46 | 34 |
| crassipes | 1 | | | 21 | meisneri | 15 | 28 | 39 | 32 |
| inflata | 9 | 5 | 16 | 10 | menziesii | 8 | 26 | 40 | 32 |
| isatidea | 7 | 9 | 28 | 18 | nutans | 17 | 27 | 54 | 36 |
| nummularia | 7 | 6 | 35 | 15 | occidentalis | 13 | 21 | 36 | 28 |
| paludosa | 6 | 5 | 15 | 9 | petiolaris | 11 | 30 | 45 | 36 |
| pumilio | 2 | 9 | 12 | 9 | pilostylis | 11 | 22 | 36 | 30 |
| spongiosa | 7 | 3 | 15 | 8 | praemorsa | 8 | 30 | 49 | 40 |
| semilunaris | 2 | 7 | 19 | 13 | prionotes | 14 | 23 | 35 | 29 |
| Atylosia | | | | | prostrata | 10 | 33 | 64 | 44 |
| cinerea | 6 | 8 | 25 | 15 | pulchella | 15 | 27 | 41 | 32 |
| Baeckea | | | | | quercifolia | 13 | 25 | 40 | 33 |
| behrii | 1 | | | 59 | "var. integrifolia | 4 | 35 | 42 | 36 |
| camphorosmae | 2 | 52 | 62 | 57 | repens | 15 | 29 | 56 | 42 |
| crispiflora | 2 | 20 | 34 | 27 | solandri | 18 | 36 | 71 | 51 |
| elderana | 1 | | | 71 | sceptrum | 11 | 27 | 39 | 32 |
| grandiflora | 1 | | | 54 | speciosa | 13 | 27 | 41 | 31 |

| | A | B | C | D |
|-----------------------------|----|----|----|----|
| Banksia | | | | |
| sphaerocarpa | 14 | 23 | 48 | 33 |
| " var. major | 5 | 20 | 31 | 25 |
| tricuspis | 15 | 18 | 57 | 30 |
| verticillata | 9 | 20 | 39 | 29 |
| victoriae | 13 | 21 | 42 | 29 |
| violacea | 17 | 22 | 50 | 37 |
| Bassia (Sclerolaena) | | | | |
| bicornis | 2 | 28 | 51 | 39 |
| gardneri | 2 | | | 13 |
| hostilis | 1 | | | 62 |
| microcarpa | 2 | 21 | 73 | 47 |
| sclerolaenoides | 4 | 14 | 44 | 27 |
| uniflora | 1 | | | 24 |
| Bauhinia* | | | | |
| cunninghamii | 2 | 15 | 27 | 21 |
| Beaufortia | | | | |
| bracteosa | 6 | 16 | 50 | 28 |
| decussata | 6 | 30 | 48 | 41 |
| elegans | 18 | 13 | 36 | 23 |
| eriocephala | 9 | 19 | 50 | 28 |
| heterophylla | 7 | 15 | 49 | 35 |
| incana | 7 | 16 | 45 | 30 |
| interstans | 13 | 16 | 51 | 28 |
| macrostemon | 12 | 15 | 45 | 28 |
| incana | 3 | 26 | 34 | 30 |
| micrantha | 5 | 27 | 50 | 37 |
| orbifolia | 11 | 19 | 48 | 27 |
| purpurea | 11 | 15 | 35 | 23 |
| schaueri | 10 | 17 | 48 | 28 |
| sparsa | 16 | 7 | 64 | 26 |
| squarrosa | 17 | 10 | 53 | 21 |
| Bellida | | | | |
| graminea | 12 | 5 | 33 | 13 |
| Beyeria | | | | |
| drummondii | 2 | 26 | 35 | 30 |
| leschenaultii | 2 | 26 | 40 | 33 |
| viscosa | 5 | 28 | 90 | 50 |
| Billardiera | | | | |
| bicolor | | | | |
| " var. lineata | 3 | 37 | 54 | 46 |
| coeruleo-punctatus | 4 | 28 | 45 | 36 |
| erubescens | 3 | 19 | 28 | 25 |
| floribunda | 3 | 58 | 97 | 82 |
| latifolia | 1 | | | 90 |
| ringens | 3 | 24 | 36 | 29 |
| variifolia | 5 | 44 | 90 | 64 |
| Blancoa | | | | |
| canescens | 6 | 37 | 70 | 56 |
| Boerhavia | | | | |
| repandra | 8 | 9 | 35 | 15 |
| Bonamia | | | | |
| rosea | 8 | 8 | 28 | 16 |
| Boronia | | | | |
| alata | 6 | 49 | 67 | 56 |
| crenulata | 1 | | | 28 |
| cymosa | 4 | 28 | 81 | 47 |

| | A | B | C | D |
|---------------------|----|----|-----|----|
| Boronia | | | | |
| defoliata | 1 | | | 95 |
| denticulata | 11 | 27 | 93 | 40 |
| elatior | 2 | 31 | 39 | 35 |
| fastigiata | 3 | 33 | 78 | 55 |
| gracilipes | 1 | | | 32 |
| heterophylla | 6 | 29 | 46 | 38 |
| lanuginosa | 1 | | | 46 |
| megastigma | 13 | 26 | 95 | 48 |
| molloyae | 2 | 26 | 62 | 44 |
| pulchella | 1 | | | 83 |
| purdieana | 13 | 31 | 93 | 46 |
| ramosa | 1 | | | 78 |
| scabra | 2 | 30 | 50 | 40 |
| spatulata | 4 | 35 | 92 | 56 |
| " var. elatior | 2 | 35 | 49 | 42 |
| thymifolia | 2 | 34 | 48 | 41 |
| viminea | 9 | 26 | 91 | 45 |
| Borya | | | | |
| nitida | 5 | 26 | 63 | 39 |
| Bossiaea* | | | | |
| aquifolium | 13 | 23 | 46 | 34 |
| biloba | 11 | 16 | 58 | 26 |
| dentata | 4 | 44 | 53 | 48 |
| disticha | 13 | 14 | 41 | 21 |
| eriocarpa | 17 | 14 | 56 | 25 |
| linophylla | 12 | 17 | 40 | 26 |
| ornata | 12 | 16 | 39 | 28 |
| pulchella | 10 | 24 | 33 | 29 |
| walkeri | 9 | 15 | 41 | 25 |
| Brachychiton | | | | |
| australe | 2 | | | 16 |
| gregorii | 8 | 19 | 51 | 33 |
| viscidulum | 1 | | | 35 |
| Brachycome | | | | |
| bellidioides | 1 | | | 8 |
| cheilocarpa | 6 | 6 | 8 | 7 |
| ciliaris | 8 | 4 | 16 | 10 |
| ciliocarpa | 8 | 8 | 45 | 20 |
| iberidifolia | 16 | 3 | 13 | 7 |
| latisquamea | 12 | 6 | 56 | 14 |
| lineariloba | 4 | 4 | 8 | 7 |
| Brachysema* | | | | |
| aphyllum | 15 | 9 | 30 | 15 |
| bracteolosum | 1 | | | 17 |
| chambersii | 8 | 9 | 20 | 16 |
| daviesioides | 2 | 26 | 132 | 79 |
| lanceolatum | 12 | 15 | 75 | 31 |
| latifolium | 3 | 26 | 27 | 26 |
| praemorsum | 1 | | | 41 |
| Brunonia | | | | |
| australis | 21 | 12 | 118 | 27 |
| Buchanania | | | | |
| latifolia | 1 | | | 32 |
| Bulbinopsis | | | | |
| semibarbata | 5 | 14 | 30 | 24 |

| | A | B | C | D | | A | B | C | D |
|------------------|----|----|----|----|-------------------|----|----|-----|----|
| Burchardia | | | | | Calothamnus | | | | |
| multiflora | 3 | 36 | 61 | 48 | rupestris | 8 | 11 | 20 | 15 |
| umbellata | 7 | 24 | 71 | 41 | sanguineus | 12 | 11 | 22 | 16 |
| Bursaria | | | | | torulosus | 3 | 14 | 16 | 15 |
| spinosa | 4 | 27 | 37 | 31 | "var. leptophylla | 5 | 13 | 26 | 17 |
| Burtonia* | | | | | validus | 7 | 13 | 31 | 20 |
| conferta | 3 | 22 | 55 | 34 | villosus | 3 | 11 | 14 | 12 |
| polyzyga | 6 | 8 | 25 | 15 | Calotis | | | | |
| scabra | 17 | 14 | 55 | 28 | hispidula | 3 | 7 | 9 | 8 |
| villosa | 4 | 18 | 22 | 20 | multicaulis | 2 | 8 | 13 | 11 |
| viscida | 1 | | | 30 | Calycopeplus | | | | |
| Byblis | | | | | helmsii | 10 | 16 | 46 | 32 |
| gigantea | 6 | 25 | 45 | 35 | Calytrix | | | | |
| liniflora | 1 | | | 30 | angulata | 9 | 29 | 59 | 39 |
| Caesia | | | | | asperula | 1 | | | 67 |
| parviflora | 2 | 44 | 56 | 50 | aurea | 9 | 32 | 74 | 55 |
| Calandrina | | | | | brachyphylla | 9 | 17 | 73 | 35 |
| balonensis | 2 | 25 | 35 | 30 | brevifolia | 6 | 26 | 35 | 30 |
| crethae | 1 | | | 35 | depressa | 3 | 35 | 78 | 54 |
| lehmannii | 5 | 8 | 28 | 17 | empetroides | 3 | 33 | 51 | 40 |
| liniflora | 5 | 12 | 33 | 22 | flavescens | 7 | 44 | 96 | 66 |
| polyandra | 8 | 9 | 48 | 21 | fraseri | 9 | 34 | 73 | 51 |
| Calectasia | | | | | glutinosa | 2 | 35 | 57 | 46 |
| cyanea | 2 | 46 | 49 | 48 | gracilis | 2 | 44 | 53 | 49 |
| Callistemon | | | | | longiflora | 2 | 54 | 105 | 79 |
| phoeniceus | 17 | 16 | 34 | 22 | microphylla | 1 | | | 57 |
| speciosus | 9 | 14 | 34 | 22 | stipulosa | 2 | 41 | 42 | 41 |
| Callitris | | | | | strigosa | 5 | 27 | 56 | 39 |
| canescens | 2 | 25 | 44 | 35 | tenuifolia | 3 | 44 | 74 | 64 |
| columellaris | 7 | 19 | 34 | 23 | tetragona | 12 | 28 | 73 | 40 |
| drummondii | 5 | 23 | 96 | 42 | Canavalia* | | | | |
| huegelii | 1 | | | 35 | ensiformis | 4 | 8 | 74 | 25 |
| preissii | 9 | 23 | 35 | 29 | rosea | 2 | 10 | 12 | 11 |
| " ssp. verrucosa | 2 | 28 | 32 | 30 | Capparis | | | | |
| roei | 12 | 20 | 70 | 30 | spinosa | 1 | | | 40 |
| Calocephalus | | | | | umbonata | 1 | | | 33 |
| francisii | 5 | 6 | 40 | 19 | Cardiospermum | | | | |
| knappii | 4 | 6 | 16 | 14 | halicacabum | 10 | 8 | 33 | 15 |
| multiflorus | 5 | 8 | 31 | 14 | Cartonema | | | | |
| priceanus | 4 | 4 | 16 | 9 | philydroides | 6 | 14 | 46 | 29 |
| Calothamnus | | | | | Cassia* | | | | |
| affinis | 1 | | | 58 | artemisioides | 12 | 9 | 46 | 16 |
| asper | 7 | 11 | 33 | 19 | australis | 3 | 8 | 39 | 23 |
| blepharospermus | 12 | 12 | 27 | 17 | chatelainiana | 9 | 8 | 50 | 22 |
| chrysantherus | 12 | 11 | 42 | 22 | desolata | 10 | 7 | 35 | 18 |
| gilesii | 6 | 11 | 22 | 17 | glutinosa | 2 | | | 16 |
| gracilis | 6 | 19 | 50 | 30 | hamersleyensis | 4 | 13 | 32 | 18 |
| homalophyllus | 8 | 10 | 35 | 18 | helmsii | 3 | 9 | 20 | 16 |
| lateralis | 7 | 12 | 22 | 16 | iversennii | 1 | | | 14 |
| lehmannii | 1 | | | 13 | luerssenii | 10 | 4 | 20 | 11 |
| longissimus | 3 | 11 | 15 | 14 | nemophila | 10 | 7 | 46 | 18 |
| oldfieldii | 8 | 11 | 33 | 19 | "var. platypoda | 1 | | | 14 |
| pachystachyus | 7 | 13 | 23 | 16 | notabilis | 7 | 6 | 11 | 9 |
| pinifolius | 8 | 14 | 39 | 25 | occidentalis | 1 | | | 16 |
| planifolius | 8 | 13 | 30 | 21 | oligoclada | 3 | 16 | 21 | 19 |
| preissii | 1 | | | 18 | oligophylla | 5 | 9 | 34 | 18 |
| quadrifidus | 12 | 13 | 22 | 17 | phyllodinea | 5 | 9 | 14 | 11 |

| | A | B | C | D | | A | B | C | D |
|--------------------------|----|----|-----|-----|------------------------|----|----|-----|----|
| Cassia* | | | | | Chorizema* | | | | |
| <i>planitiicola</i> | 3 | 9 | 19 | 16 | <i>aciculare</i> | 1 | | | 23 |
| <i>pleurocarpa</i> | 19 | 6 | 19 | 11 | <i>cordatum</i> | 20 | 18 | 40 | 25 |
| <i>pruinosa</i> | 11 | 4 | 35 | 12 | <i>dicksonii</i> | 16 | 12 | 27 | 20 |
| <i>sturtii</i> | 9 | 8 | 55 | 19 | <i>diversifolium</i> | 14 | 17 | 58 | 27 |
| <i>surratensis</i> | 1 | | | 27 | <i>ericifolium</i> | 2 | 14 | 15 | 15 |
| <i>venusta</i> | 4 | 6 | 16 | 10 | <i>glycinifolium</i> | 1 | | | 31 |
| <i>timoriensis</i> | 1 | | | 12 | <i>ilicifolium</i> | 17 | 16 | 48 | 21 |
| Casuarina | | | | | <i>rhombeum</i> | 1 | | | 23 |
| <i>acuaria</i> | 4 | 18 | 42 | 29 | <i>uncinatum</i> | 1 | | | 65 |
| <i>acutivalvis</i> | 4 | 14 | 25 | 18 | Chrysogonum | | | | |
| <i>baxteriana</i> | 2 | 18 | 21 | 20 | <i>trichodesmoides</i> | 6 | 10 | 33 | 15 |
| <i>campestris</i> | 6 | 14 | 26 | 15 | Clematicissus | | | | |
| " <i>ssp. tessellata</i> | 2 | 17 | 18 | 17 | <i>angustissima</i> | 3 | 30 | 46 | 38 |
| <i>corniculata</i> | 11 | 16 | 25 | 20 | Clematis | | | | |
| <i>cristata</i> | 6 | 11 | 22 | 18 | <i>microphylla</i> | 8 | 21 | 80 | 47 |
| <i>decaisneana</i> | 9 | 14 | 40 | 24 | <i>pubescens</i> | 9 | 28 | 61 | 44 |
| <i>decussata</i> | 10 | 20 | 63 | 37 | Cleome | | | | |
| <i>dielsiana</i> | 2 | 11 | 15 | 13 | <i>tetrandra</i> | 1 | | | 48 |
| <i>drummondiana</i> | 3 | 18 | 28 | 22 | <i>uncifera</i> | 1 | | | 11 |
| <i>fraseriana</i> | 9 | 20 | 27 | 23 | <i>viscosa</i> | 11 | 15 | 49 | 26 |
| <i>grevilleoides</i> | 3 | 24 | 28 | 26 | Clerodendron | | | | |
| <i>helmsii</i> | 3 | 16 | 25 | 20 | <i>floribundum</i> | 1 | | | 44 |
| <i>huegeliana</i> | 3 | 14 | 21 | 17 | <i>lanceolatum</i> | 2 | 35 | 63 | 46 |
| <i>humilis</i> | 8 | 14 | 23 | 17 | <i>tomentosum</i> | 1 | | | 29 |
| <i>lehmanniana</i> | 1 | | | 18 | Clianthus* | | | | |
| <i>microstachya</i> | 5 | 21 | 26 | 23 | <i>formosus</i> | 14 | 4 | 27 | 13 |
| <i>obesa</i> | 3 | 17 | 23 | 21 | Cochlospermum | | | | |
| <i>pinaster</i> | 13 | 20 | 42 | 29 | <i>heteroneurum</i> | 1 | | | 62 |
| <i>ramosissima</i> | 3 | 20 | 26 | 23 | Codonocarpus | | | | |
| <i>scleroclada</i> | 2 | 22 | 23 | 22 | <i>cotinifolius</i> | 4 | 31 | 84 | 58 |
| <i>thuyoides</i> | 11 | 14 | 42 | 25 | Comesperma | | | | |
| <i>trichodon</i> | 3 | 18 | 25 | 22 | <i>confertum</i> | 2 | 31 | 49 | 40 |
| Centipeda | | | | | <i>virgatum</i> | 1 | | | 53 |
| <i>minima</i> | 5 | 8 | 37 | 23 | <i>volubile</i> | 1 | | | 57 |
| Cephalipterum | | | | | Commersonia | | | | |
| <i>drummondii</i> | 13 | 6 | 26 | 13 | <i>gaudichaudii</i> | 4 | 20 | 25 | 23 |
| Cephalotus | | | | | Conospermum | | | | |
| <i>follicularis</i> | 2 | 73 | 90 | 81 | <i>acerosum</i> | 2 | 35 | 44 | 40 |
| Chamaescilla | | | | | <i>amoenum</i> | 6 | 21 | 42 | 30 |
| <i>corymbosa</i> | 2 | 29 | 106 | 67 | <i>bracteosum</i> | 1 | | | 68 |
| <i>spiralis</i> | 1 | | | 62 | <i>brownii</i> | 4 | 34 | 110 | 64 |
| Chamelaucium | | | | | <i>caeruleum</i> | 2 | 38 | 40 | 39 |
| <i>axillare</i> | 1 | | | 70 | <i>crassinervium</i> | 9 | 23 | 53 | 37 |
| <i>ciliatum</i> | 3 | 50 | 78 | 61 | <i>densiflorum</i> | 1 | | | 61 |
| <i>megalopetalum</i> | 1 | | | 111 | <i>distichum</i> | 8 | 19 | 66 | 35 |
| <i>uncinatum</i> | 4 | 34 | 51 | 39 | <i>flexuosum</i> | 2 | 28 | 35 | 32 |
| Cheiranthra | | | | | <i>glumaceum</i> | 8 | 31 | 56 | 40 |
| <i>filifolia</i> | 4 | 32 | 49 | 41 | <i>huegelii</i> | 2 | 9 | 42 | 26 |
| Chenopodium | | | | | <i>incurvum</i> | 10 | 19 | 58 | 31 |
| <i>inflatum</i> | 2 | 20 | 27 | 23 | <i>nervosum</i> | 1 | | | 73 |
| <i>rhadinostachyum</i> | 6 | 14 | 39 | 24 | <i>polycephalum</i> | 1 | | | 36 |
| Choretrum | | | | | <i>stoechadis</i> | 18 | 17 | 41 | 25 |
| <i>glomeratum</i> | 1 | | | 54 | <i>teretifolium</i> | 1 | | | 53 |
| Chorilaena | | | | | <i>triplinervium</i> | 18 | 17 | 28 | 21 |
| <i>hirsuta</i> | 2 | 54 | 55 | 54 | Conostylis | | | | |
| <i>quercifolia</i> | 2 | 96 | 103 | 93 | <i>aculeata</i> | 16 | 23 | 57 | 28 |

| | A | B | C | D | | A | B | C | D |
|------------------|----|----|-----|-----|----------------|----|----|----|----|
| Conostylis | | | | | Darwinia | | | | |
| aculeata | | | | | carnea | 1 | | | 77 |
| " var. bracteata | 4 | 23 | 29 | 26 | citriodora | 6 | 21 | 67 | 43 |
| " ssp. preissii | 10 | 23 | 36 | 28 | diosmoides | 4 | 27 | 50 | 39 |
| candicans | 10 | 14 | 36 | 31 | helichrysoides | 1 | | | 43 |
| serrulata | 1 | | | 45 | macrostegia | 1 | | | 8 |
| setigera | 6 | 22 | 56 | 31 | neildiana | 7 | 35 | 96 | 63 |
| setosa | 11 | 28 | 70 | 45 | oldfieldii | 7 | 34 | 48 | 41 |
| stylidioides | 6 | 20 | 32 | 26 | purpurea | 2 | 24 | 50 | 37 |
| Conothammus | | | | | rhadinophylla | 4 | 22 | 89 | 53 |
| trinervis | 9 | 16 | 30 | 23 | thymoides | 2 | 34 | 53 | 44 |
| Convolvulus | | | | | virescens | 1 | | | 47 |
| erubescens | 8 | 7 | 18 | 11 | Dasyogon | | | | |
| Cooperhookia | | | | | bromeliifolius | 1 | | | 88 |
| polygalacea | 2 | 46 | 90 | 68 | Datura | | | | |
| strophiolata | 2 | 36 | 90 | 62 | leichhardtii | 4 | 15 | 55 | 37 |
| Corchorus | | | | | Daucus | | | | |
| walcottii | 4 | 16 | 48 | 32 | glochidiatus | 1 | | | 19 |
| Cosmelia | | | | | Daviesia* | | | | |
| rubra | 4 | 21 | 44 | 35 | alternifolia | 1 | | | 96 |
| Cotula | | | | | brevifolia | 2 | 22 | 29 | 26 |
| coronopifolia | 5 | 4 | 11 | 8 | chordophylla | 4 | 15 | 24 | 19 |
| cotuloides | 7 | 4 | 12 | 8 | cordata | 20 | 17 | 85 | 31 |
| Craspedia | | | | | daphnoides | 3 | 48 | 53 | 50 |
| glauca | 4 | 11 | 19 | 13 | divaricata | 3 | 14 | 35 | 22 |
| Crassula | | | | | epiphylla | 6 | 19 | 28 | 23 |
| colorata | 1 | | | 14 | flexuosa | 1 | | | 26 |
| Cratystylis | | | | | horrida | 8 | 14 | 25 | 21 |
| subspinescans | 1 | | | 18 | nudiflora | 6 | 16 | 35 | 24 |
| Crotalaria* | | | | | pachyphylla | 3 | 25 | 30 | 28 |
| crassipes | 13 | 6 | 16 | 11 | pectinata | 1 | | | 25 |
| crispata | 2 | 7 | 15 | 11 | polyphylla | 3 | 26 | 29 | 27 |
| cunninghamii | 15 | 6 | 20 | 11 | preissii | 8 | 14 | 34 | 20 |
| dissitiflora | 1 | | | 7 | quadrilatera | 1 | | | 16 |
| novae-hollandiae | 8 | 6 | 36 | 13 | striata | 1 | | | 35 |
| retusa | 13 | 6 | 14 | 10 | Decazesia | | | | |
| verrucosa | 9 | 7 | 18 | 13 | hecatcephala | 3 | 18 | 21 | 20 |
| Crowea | | | | | Dianella | | | | |
| angustifolia | 6 | 57 | 90 | 77 | coerulea | 1 | | | 82 |
| Cryptandra | | | | | revoluta | 3 | 38 | 48 | 43 |
| arbutiflora | 2 | 18 | 26 | 22 | Dicrastylis | | | | |
| Cucumis | | | | | fulva | 4 | 53 | 85 | 64 |
| trigonis | 2 | 50 | 63 | 57 | parvifolia | 1 | | | 28 |
| Cyanostegia | | | | | Dillwynia | | | | |
| angustifolia | 3 | 13 | 122 | 64 | cinerascens | 1 | | | 40 |
| lanceolata | 1 | | | 58 | dillwynioides | 6 | 12 | 22 | 18 |
| Cymbopogon | | | | | Dioscorea | | | | |
| procerus | 7 | 8 | 21 | 11 | hastifolia | 6 | 14 | 48 | 35 |
| Cynanchum | | | | | Diplolaena | | | | |
| floribundum | 7 | 19 | 42 | 31 | angustifolia | 13 | 28 | 50 | 36 |
| Dampiera | | | | | dampieri | 1 | | | 33 |
| dielsii | 1 | | | 39 | grandiflora | 7 | 20 | 38 | 30 |
| eriocephala | 3 | 42 | 111 | 65 | microcephala | 5 | 29 | 50 | 37 |
| humilis | 1 | | | 48 | Diplopeltis | | | | |
| spicigera | 2 | 82 | 123 | 103 | eriocarpa | 10 | 8 | 23 | 14 |
| wellsiana | 8 | 16 | 73 | 46 | huegelii | 15 | 9 | 24 | 14 |
| | | | | | petiolaris | 3 | 11 | 14 | 13 |

| | A | B | C | D | | A | B | C | D |
|----------------|----|----|----|----|------------------|----|----|-----|----|
| Diplopeltis | | | | | Dryandra | | | | |
| stuartii | 5 | 13 | 64 | 28 | obtusa | 11 | 27 | 52 | 43 |
| Disphyma | | | | | patens | 10 | 23 | 117 | 37 |
| clavellatum | 7 | 8 | 15 | 11 | plumosa | 12 | 27 | 42 | 35 |
| Dodonaea | | | | | polycephala | 17 | 18 | 71 | 32 |
| adenophora | 1 | | | 12 | praemorsa | 16 | 28 | 47 | 37 |
| aptera | 6 | 14 | 37 | 22 | preissii | 2 | 49 | 58 | 54 |
| attenuata | 6 | 8 | 28 | 15 | proteoides | 12 | 32 | 59 | 43 |
| boroniaefolia | 7 | 12 | 44 | 20 | pteridifolia | 17 | 31 | 66 | 40 |
| ceratocarpa | 6 | 18 | 59 | 32 | quercifolia | 17 | 30 | 47 | 37 |
| concinna | 1 | | | 40 | runcinata | 5 | 30 | 63 | 45 |
| divaricata | 1 | | | 13 | seneciifolia | 3 | 32 | 52 | 44 |
| filifolia | 1 | | | 19 | serra | 4 | 54 | 75 | 63 |
| hackettiana | 2 | 13 | 17 | 15 | serratuloides | 2 | 31 | 33 | 32 |
| inaequifolia | 13 | 11 | 22 | 14 | sessilis | 2 | 30 | 42 | 36 |
| lanceolata | 1 | | | 28 | shuttleworthiana | 7 | 27 | 47 | 37 |
| lobulata | 7 | 10 | 42 | 18 | speciosa | 8 | 28 | 38 | 31 |
| microzyga | 3 | 9 | 40 | 28 | stupposa | 3 | 32 | 55 | 42 |
| oxyptera | 5 | 13 | 19 | 16 | subpinatifida | 1 | | | 36 |
| pachyneura | 2 | 13 | 22 | 18 | subulata | 1 | | | 45 |
| peduncularis | 3 | 15 | 26 | 20 | tenuifolia | 4 | 35 | 46 | 39 |
| petiolaris | 11 | 11 | 29 | 21 | vestita | 2 | 41 | 53 | 47 |
| physocarpa | 3 | 10 | 40 | 22 | Duboisia | | | | |
| pinifolia | 6 | 19 | 39 | 32 | hopwoodii | 1 | | | 73 |
| ptarmicifolia | 7 | 13 | 22 | 17 | Emblingia | | | | |
| stenozyga | 4 | 14 | 40 | 23 | calceoliflora | 1 | | | 22 |
| viscosa | 4 | 15 | 21 | 17 | Enchylaena | | | | |
| Drosera | | | | | tomentosa | 2 | 11 | 53 | 32 |
| gigantea | 3 | 52 | 62 | 57 | Eragrostis | | | | |
| heterophylla | 2 | 47 | 48 | 47 | clarkeyi | 1 | | | 27 |
| macrantha | 3 | 51 | 78 | 62 | dielsii | 5 | 28 | 55 | 37 |
| menziesii | 2 | 35 | 56 | 45 | Eremaea | | | | |
| stolonifera | 1 | | | 62 | acutifolia | 1 | | | 19 |
| Dryandra | | | | | beaufortioides | 13 | 14 | 53 | 21 |
| arborea | 8 | 22 | 28 | 26 | ebracteata | 16 | 12 | 28 | 17 |
| arctotidis | 3 | 19 | 45 | 32 | fimbriata | 15 | 10 | 37 | 21 |
| armata | 3 | 30 | 41 | 36 | pauciflora | 16 | 14 | 50 | 22 |
| baxteri | 5 | 21 | 39 | 32 | purpurea | 1 | | | 20 |
| bipinnatifida | 2 | 29 | 56 | 43 | rosea | 6 | 15 | 46 | 24 |
| calophylla | 18 | 32 | 62 | 39 | violacea | 23 | 10 | 27 | 18 |
| carduacea | 10 | 24 | 75 | 37 | Eremophila | | | | |
| carlinoides | 9 | 25 | 54 | 40 | alternifolia | 2 | 36 | 38 | 37 |
| cirsioides | 7 | 32 | 70 | 59 | bignoniiflora | 5 | 18 | 38 | 30 |
| conferta | 1 | | | 44 | clarkei | 1 | | | 59 |
| cuneata | 9 | 28 | 56 | 43 | cuneifolia | 7 | 18 | 50 | 31 |
| cynaroides | 1 | | | 41 | decipiens | 3 | 38 | 50 | 43 |
| erythrocephala | 7 | 38 | 49 | 43 | denticulata | 3 | 39 | 48 | 44 |
| falcata | 10 | 31 | 45 | 37 | duttonii | 1 | | | 22 |
| ferruginea | 2 | 31 | 52 | 42 | exilifolia | 2 | 18 | 34 | 26 |
| foliosissima | 11 | 42 | 63 | 52 | freelingii | 3 | 22 | 35 | 30 |
| formosa | 20 | 24 | 59 | 41 | georgei | 1 | | | 32 |
| fraseri | 11 | 22 | 47 | 30 | glabra | 2 | 38 | 50 | 44 |
| hewardiana | 6 | 27 | 38 | 31 | granitica | 1 | | | 27 |
| mucronulata | 13 | 30 | 47 | 37 | hastieana | 4 | 18 | 29 | 24 |
| nana | 2 | 30 | 34 | 32 | hughesii | 1 | | | 17 |
| nivea | 3 | 28 | 56 | 43 | latrobei | 1 | | | 27 |
| nobilis | 23 | 23 | 70 | 33 | leucophylla | 8 | 18 | 44 | 28 |

| | A | B | C | D | | A | B | C | D |
|-------------------------|----|----|----|----|---------------------------|----|----|----|----|
| <i>Eremophila</i> | | | | | <i>Eucalyptus</i> | | | | |
| <i>macmillaniana</i> | 3 | 22 | 50 | 36 | <i>coronata</i> | 4 | 16 | 29 | 24 |
| <i>maculata</i> | 2 | 38 | 50 | 44 | <i>corrugata</i> | 7 | 11 | 25 | 18 |
| <i>maitlandii</i> | 11 | 18 | 38 | 28 | <i>crucis</i> | 7 | 12 | 47 | 24 |
| <i>margarethæ</i> | 4 | 19 | 25 | 23 | <i>cylindriflora</i> | 1 | | | 15 |
| <i>miniata</i> | 1 | | | 37 | <i>cylindrocarpa</i> | 2 | | | 15 |
| <i>oldfieldii</i> | 2 | 25 | 46 | 36 | <i>decipiens</i> | 4 | 11 | 22 | 17 |
| <i>pantoni</i> | 4 | 27 | 39 | 33 | <i>decurva</i> | 3 | 15 | 22 | 19 |
| <i>punicea</i> | 6 | 14 | 52 | 27 | <i>desmondensis</i> | 9 | 10 | 22 | 17 |
| <i>scoparia</i> | 1 | | | 15 | <i>dichromophloia</i> | 2 | 11 | 21 | 16 |
| <i>serrulata</i> | 4 | 16 | 38 | 25 | <i>diptera</i> | 5 | 12 | 46 | 26 |
| <i>spectabilis</i> | 1 | | | 40 | <i>diversicolor</i> | 7 | 8 | 22 | 17 |
| <i>viscida</i> | 3 | 42 | 48 | 45 | <i>diversifolia</i> | 2 | 17 | 21 | 19 |
| <i>Erichsenia</i> | | | | | <i>dongarraensis</i> | 4 | 15 | 21 | 19 |
| <i>uncinata</i> | 2 | 17 | 25 | 21 | <i>doratoxylon</i> | 5 | 11 | 19 | 15 |
| <i>Eriostemon</i> | | | | | <i>drummondii</i> | 8 | 8 | 21 | 15 |
| <i>brucei</i> | 1 | | | 39 | <i>dumosa</i> | 1 | | | 25 |
| <i>glaber</i> | 4 | 35 | 74 | 57 | <i>dundasii</i> | 5 | 13 | 29 | 22 |
| <i>nodiflorus</i> | 4 | 35 | 63 | 51 | <i>ebbanoensis</i> | 3 | 8 | 25 | 17 |
| <i>sericus</i> | 1 | | | 32 | <i>eremophila</i> | 10 | 11 | 24 | 18 |
| <i>spicatus</i> | 9 | 27 | 56 | 37 | "var. <i>stenantha</i> | 4 | 17 | 24 | 20 |
| <i>thryptomenoides</i> | 1 | | | 34 | <i>erythrandra</i> (hyb.) | 3 | 13 | 31 | 19 |
| <i>Erodiophyllum</i> | | | | | <i>erythrocorys</i> | 14 | 7 | 20 | 13 |
| <i>elderi</i> | 1 | | | 36 | <i>erythronema</i> | 9 | 13 | 31 | 20 |
| <i>Eryngium</i> | | | | | <i>eudesmioides</i> | 3 | 12 | 25 | 18 |
| <i>pinnatifidum</i> | 7 | 19 | 28 | 23 | <i>ewartiana</i> | 1 | | | 22 |
| <i>Erythrina</i> * | | | | | <i>falcata</i> | 2 | 11 | 20 | 16 |
| <i>verspertilio</i> | 5 | 7 | 15 | 12 | <i>ficifolia</i> | 11 | 6 | 24 | 18 |
| <i>Erythrophleum</i> | | | | | <i>flocktoniae</i> | 3 | 25 | 27 | 26 |
| <i>chlorostachys</i> | 6 | 10 | 26 | 21 | <i>foecunda</i> | 2 | 21 | 26 | 24 |
| <i>Eucalyptus</i> | | | | | <i>formanii</i> | 7 | 14 | 27 | 19 |
| <i>albida</i> | 1 | | | 10 | <i>forrestiana</i> | 11 | 14 | 31 | 22 |
| <i>angulosa</i> | 6 | 11 | 23 | 19 | <i>gamophylla</i> | 3 | 16 | 21 | 18 |
| <i>angustissima</i> | 4 | 12 | 25 | 18 | <i>gardneri</i> | 10 | 9 | 28 | 18 |
| <i>annulata</i> | 2 | 12 | 13 | 12 | <i>gomphocephala</i> | 11 | 8 | 21 | 15 |
| <i>argillacea</i> | 2 | | | 11 | "var. <i>rhodoxylon</i> | 10 | 8 | 20 | 15 |
| <i>astringens</i> | 3 | 15 | 23 | 19 | <i>goniantha</i> | 2 | 10 | 20 | 15 |
| <i>beardiana</i> | 1 | | | 26 | <i>gongylocarpa</i> | 1 | | | 9 |
| <i>brevifolia</i> | 2 | 12 | 18 | 15 | <i>gracilis</i> | 3 | 12 | 25 | 20 |
| <i>brockwayi</i> | 5 | 12 | 23 | 17 | <i>griffithsii</i> | 1 | | | 22 |
| <i>buprestium</i> | 3 | 18 | 27 | 21 | <i>grossa</i> | 5 | 14 | 27 | 21 |
| <i>burdettiana</i> | 9 | 12 | 22 | 17 | <i>guilfoylei</i> | 3 | 19 | 20 | 19 |
| <i>burracoppinensis</i> | 6 | 10 | 23 | 16 | <i>haematoxylon</i> | 6 | 12 | 28 | 18 |
| <i>caesia</i> | 20 | 8 | 20 | 13 | <i>houseana</i> | 3 | 16 | 27 | 20 |
| <i>calophylla</i> | 15 | 6 | 21 | 14 | <i>incrassata</i> | 1 | | | 11 |
| "var. <i>rosea</i> | 3 | 8 | 17 | 14 | <i>jacksonii</i> | 2 | 14 | 21 | 18 |
| <i>calycogona</i> | 1 | | | 25 | <i>jucunda</i> | 2 | 16 | 17 | 17 |
| <i>camaldulensis</i> | 6 | 9 | 20 | 16 | <i>jutsonii</i> | 1 | | | 21 |
| <i>campaspe</i> | 4 | 12 | 29 | 20 | <i>kingsmillii</i> | 10 | 8 | 25 | 15 |
| <i>carnabyi</i> | 5 | 8 | 21 | 13 | <i>kochii</i> | 2 | 22 | 29 | 25 |
| <i>carnei</i> | 2 | 17 | 22 | 20 | <i>kondininensis</i> | 1 | | | 22 |
| <i>celastroides</i> | 2 | 12 | 17 | 15 | <i>kruseana</i> | 11 | 10 | 25 | 15 |
| <i>celandii</i> | 1 | | | 13 | <i>laeliae</i> | 1 | | | 22 |
| <i>conglobata</i> | 4 | 9 | 25 | 18 | <i>lane-poolei</i> | 5 | 12 | 20 | 17 |
| <i>concinna</i> | 1 | | | 12 | <i>lehmannii</i> | 7 | 12 | 29 | 20 |
| <i>cooperana</i> | 7 | 9 | 20 | 16 | <i>leptophylla</i> | 1 | | | 22 |
| <i>cornuta</i> | 1 | | | 11 | <i>leptopoda</i> | 4 | 11 | 21 | 15 |

| | A | B | C | D |
|---------------------|----|----|----|----|
| Eucalyptus | | | | |
| longicornis | 1 | | | 22 |
| loxophleba | 3 | 11 | 29 | 18 |
| " ssp. gratiae | 1 | | | 17 |
| lucasii | 1 | | | 15 |
| macrandra | 8 | 12 | 21 | 17 |
| macrocarpa | 14 | 9 | 21 | 16 |
| marginata | 9 | 11 | 29 | 18 |
| megacarpa | 3 | 18 | 19 | 19 |
| megacornuta | 6 | 16 | 20 | 18 |
| melanoxydon | 1 | | | 6 |
| micranthera | 1 | | | 17 |
| microtheca | 3 | 16 | 21 | 19 |
| miniata | 3 | 12 | 24 | 19 |
| nutans | 8 | 11 | 20 | 16 |
| occidentalis | 1 | | | 15 |
| oldfieldii | 2 | 19 | 22 | 21 |
| oleosa | 2 | 15 | 29 | 22 |
| " var. longicornis | 1 | | | 23 |
| oraria | 4 | 10 | 31 | 20 |
| orbifolia | 6 | 12 | 27 | 18 |
| pachyloma | 4 | 14 | 25 | 19 |
| patens | 2 | 14 | 23 | 19 |
| pendens | 7 | 12 | 29 | 19 |
| phoenicea | 2 | 6 | 13 | 10 |
| pileata | 1 | | | 22 |
| platypus | 6 | 13 | 30 | 22 |
| " var. heterophylla | 5 | 18 | 31 | 21 |
| preissiana | 6 | 20 | 28 | 23 |
| prominens | 2 | 13 | 19 | 16 |
| ptychocarpa | 3 | 18 | 19 | 19 |
| pyriformis | 17 | 8 | 25 | 15 |
| " var. elongata | 2 | 14 | 18 | 16 |
| redunca | 1 | | | 13 |
| rhodantha | 6 | 13 | 27 | 18 |
| rigidula | 1 | | | 11 |
| roycei | 7 | 12 | 20 | 16 |
| rudis | 2 | 9 | 11 | 10 |
| salmonophloia | 3 | 15 | 25 | 20 |
| salubris | 3 | 19 | 24 | 21 |
| sargentii | 2 | | | 15 |
| scyphocalyx | 2 | 18 | 25 | 22 |
| sepulcralis | 8 | 15 | 30 | 21 |
| setosa | 4 | 14 | 21 | 19 |
| socialis | 1 | | | 15 |
| spathulata | 3 | 20 | 23 | 21 |
| staeri | 2 | 17 | 18 | 18 |
| steadmanii | 3 | 16 | 28 | 20 |
| stoatei | 3 | 21 | 24 | 23 |
| stowardii | 7 | 8 | 20 | 15 |
| stricklandii | 3 | 19 | 27 | 23 |
| terminalis | 1 | | | 12 |
| tetragona | 10 | 8 | 24 | 15 |
| tetraptera | 10 | 13 | 24 | 18 |
| todtiana | 10 | 12 | 29 | 20 |
| torquata | 9 | 11 | 20 | 15 |
| torwood | 1 | | | 16 |

| | A | B | C | D |
|---------------------|----|----|-----|----|
| Eucalyptus | | | | |
| transcontinentalis | 2 | 16 | 23 | 20 |
| wandoo | 3 | 14 | 27 | 22 |
| websterana | 7 | 17 | 32 | 20 |
| woodwardii | 5 | 14 | 24 | 19 |
| youngiana | 5 | 15 | 23 | 19 |
| zygophylla | 2 | 15 | 21 | 18 |
| Euchilopsis | | | | |
| linearis | 4 | 17 | 56 | 29 |
| Euphorbia | | | | |
| australis | 4 | 14 | 55 | 36 |
| boophthona | 6 | 14 | 37 | 20 |
| Euphrasia | | | | |
| scabra | 5 | 25 | 44 | 33 |
| Exocarpus | | | | |
| sparteus | 6 | 63 | 149 | 95 |
| Ficus | | | | |
| platypoda | 1 | | | 66 |
| Flaveria | | | | |
| australasica | 6 | 6 | 14 | 9 |
| Frankenia | | | | |
| pauciflora | 1 | | | 17 |
| Gastrolobium* | | | | |
| bilobum | 3 | 19 | 30 | 23 |
| callistachys | 12 | 11 | 24 | 18 |
| calycinum | 7 | 12 | 33 | 19 |
| crassifolium | 1 | | | 26 |
| epacridioides | 3 | 16 | 20 | 18 |
| laytonii | 7 | 12 | 38 | 21 |
| microcarpum | 4 | 13 | 24 | 18 |
| oxylobioides | 1 | | | 20 |
| polystachyum | 8 | 13 | 28 | 12 |
| spathulatum | 6 | 12 | 20 | 15 |
| stenophyllum | 8 | 13 | 21 | 17 |
| spinosum | 14 | 13 | 31 | 23 |
| villosum | 14 | 15 | 33 | 22 |
| Geleznovia | | | | |
| (calycina)verrucosa | 6 | 29 | 61 | 45 |
| verrucosa | 12 | 24 | 52 | 39 |
| Gilruthia | | | | |
| osbornii | 4 | 14 | 27 | 19 |
| Glycine* | | | | |
| clandestina | 8 | 7 | 38 | 14 |
| tabacina | 5 | 6 | 12 | 9 |
| Glycyrrhiza | | | | |
| acanthocarpa | 1 | | | 15 |
| Gnaphalium | | | | |
| luteoalbum | 7 | 11 | 19 | 15 |
| Gnaphalodes | | | | |
| uliginosum | 6 | 12 | 38 | 15 |
| Glishrocaryon | | | | |
| aureum | 8 | 26 | 61 | 32 |
| Gnephosis | | | | |
| macrocephala | 3 | 5 | 11 | 8 |
| skirrophora | 3 | 4 | 9 | 7 |
| Gompholobium* | | | | |
| aristatum | 1 | | | 17 |

| | A | B | C | D |
|----------------------|----|----|-----|----|
| Gompholobium* | | | | |
| baxteri | 1 | | | 72 |
| knightianum | 8 | 19 | 27 | 19 |
| marginatum | 17 | 14 | 38 | 22 |
| ovatum | 1 | | | 13 |
| polymorphum | 3 | 25 | 38 | 30 |
| preissii | 1 | | | 34 |
| shuttleworthii | 4 | 19 | 49 | 29 |
| tomentosum | 13 | 12 | 53 | 23 |
| venustum | 3 | 12 | 42 | 29 |
| Gomphrena | | | | |
| affinis | 4 | 7 | 25 | 13 |
| brachystylis | 1 | | | 29 |
| canescens | 16 | 8 | 49 | 19 |
| cunninghamii | 7 | 8 | 40 | 22 |
| flaccida | 2 | 14 | 16 | 15 |
| Goodenia | | | | |
| azurea | 1 | | | 47 |
| berardiana | 10 | 7 | 21 | 14 |
| caerulea | 13 | 19 | 73 | 43 |
| concinna | 1 | | | 63 |
| eatoniana | 3 | 25 | 35 | 30 |
| filiformis | 9 | 10 | 17 | 16 |
| hassallii | 4 | 25 | 129 | 73 |
| heterochila | | | | |
| " var. racemosa | 5 | 19 | 27 | 23 |
| lasiophylla | 5 | 20 | 55 | 32 |
| linifolia | 6 | 18 | 55 | 36 |
| pinifolia | 7 | 26 | 73 | 48 |
| pinnatifida | 5 | 9 | 18 | 12 |
| scapigera | 12 | 19 | 67 | 42 |
| sericostachya | 4 | 21 | 48 | 34 |
| stapfiana | 8 | 23 | 45 | 33 |
| tenuiloba | 2 | 51 | 56 | 54 |
| trichophylla | 1 | | | 13 |
| vilmoriniae | 2 | 19 | 20 | 20 |
| viscida | 4 | 17 | 23 | 20 |
| watsonii | 6 | 32 | 85 | 65 |
| Goodia* | | | | |
| lotifolia | 11 | 17 | 69 | 27 |
| Gossypium | | | | |
| australe | 10 | 13 | 51 | 24 |
| robinsonii | 12 | 7 | 52 | 18 |
| stuartianum | 7 | 12 | 28 | 17 |
| Grevillea | | | | |
| acrobotrya | 5 | 26 | 47 | 34 |
| amplexans | 9 | 17 | 47 | 27 |
| angulata | 1 | | | 36 |
| annulifera | 18 | 20 | 58 | 29 |
| apiciloba | 5 | 25 | 46 | 35 |
| argyrophylla | 9 | 17 | 47 | 21 |
| armigera | 8 | 20 | 59 | 34 |
| asparagoides | 7 | 25 | 67 | 42 |
| banksii | 1 | | | 44 |
| biformis | 3 | 26 | 49 | 37 |
| bipinnatifida | 15 | 18 | 56 | 34 |
| biternata | 8 | 21 | 72 | 30 |

| | A | B | C | D |
|------------------|----|----|-----|----|
| Grevillea | | | | |
| brachystachya | 1 | | | 16 |
| bracteosa | 9 | 27 | 61 | 39 |
| candelabroides | 12 | 17 | 55 | 27 |
| candicans | 10 | 23 | 69 | 39 |
| concinna | 1 | | | 57 |
| commutata | 4 | 18 | 48 | 27 |
| costata | 4 | 18 | 47 | 27 |
| crithmifolia | 11 | 13 | 46 | 23 |
| deflexa | 5 | 20 | 47 | 28 |
| didymobotrya | 7 | 28 | 74 | 39 |
| dielsiana | 13 | 20 | 73 | 33 |
| diversifolia | 1 | | | 32 |
| drummondii | 7 | 41 | 59 | 48 |
| dryandroides | 1 | | | 33 |
| endlicherana | 12 | 25 | 50 | 30 |
| erectiloba | 1 | | | 25 |
| eriobotrya | 2 | 24 | 29 | 27 |
| eristachya | 17 | 20 | 72 | 33 |
| eryngioides | 13 | 24 | 78 | 40 |
| excelsior | 22 | 18 | 73 | 56 |
| fasciculata | 4 | 32 | 51 | 44 |
| glabrata | 5 | 23 | 46 | 35 |
| globosa | 3 | 40 | 54 | 47 |
| gordoniana | 10 | 12 | 51 | 25 |
| hookerana | 8 | 19 | 71 | 45 |
| incrassata | 1 | | | 40 |
| insignis | 6 | 40 | 152 | 74 |
| intricata | 3 | 18 | 50 | 29 |
| jamesoniana | 1 | | | 30 |
| juncifolia | 7 | 28 | 60 | 42 |
| leptobotrya | 1 | | | 69 |
| leucopteris | 12 | 16 | 56 | 30 |
| macrostylis | 6 | 25 | 69 | 46 |
| manglesiodes | 1 | | | 52 |
| monticola | 4 | 40 | 57 | 49 |
| nana | 17 | 29 | 104 | 44 |
| nematophylla | 7 | 28 | 71 | 44 |
| nudiflora | 1 | | | 43 |
| ninghanensis | 1 | | | 40 |
| obliquistigma | 12 | 21 | 64 | 34 |
| obtusifolia | 1 | | | 19 |
| occidentalis | 1 | | | 42 |
| paniculata | 4 | 28 | 47 | 36 |
| paradoxa | 7 | 35 | 57 | 48 |
| patentiloba | 2 | 36 | 57 | 47 |
| petrophiloides | 22 | 26 | 60 | 44 |
| pilulifera | 10 | 21 | 51 | 34 |
| pityophylla | 2 | 34 | 45 | 40 |
| plurijuga | 4 | 31 | 43 | 38 |
| polybotrya | 9 | 21 | 76 | 32 |
| pterosperma | 13 | 16 | 40 | 27 |
| pyramidalis | 6 | 16 | 50 | 29 |
| pulchella | 2 | 62 | 93 | 77 |
| quercifolia | 4 | 30 | 53 | 39 |
| refracta | 2 | 29 | 37 | 33 |
| rogersoniana | 3 | 24 | 33 | 28 |

| | A | B | C | D |
|------------------|----|----|-----|----|
| Grevillea | | | | |
| rudis | 8 | 21 | 40 | 29 |
| shuttleworthiana | 5 | 27 | 38 | 32 |
| stenobotrya | 11 | 10 | 31 | 22 |
| stenophylla | 1 | | | 29 |
| synapheae | 14 | 21 | 39 | 33 |
| tenuiflora | 7 | 26 | 51 | 34 |
| tenuiloba | 2 | 39 | 49 | 44 |
| teretifolia | 9 | 19 | 38 | 25 |
| thelemanniana | 2 | 19 | 26 | 23 |
| thyrsoides | 2 | 18 | 106 | 62 |
| trachythea | 6 | 16 | 29 | 21 |
| tridentifera | 5 | 28 | 39 | 32 |
| triloba | 2 | 16 | 30 | 23 |
| tripartita | 4 | 31 | 56 | 35 |
| variifolia | 1 | | | 26 |
| vestita | 6 | 22 | 31 | 26 |
| wickhamii | 11 | 18 | 60 | 30 |
| wilsonii | 6 | 21 | 94 | 59 |
| Guichenotia | | | | |
| ledifolia | 4 | 26 | 50 | 34 |
| macrantha | 9 | 13 | 31 | 25 |
| Gyrocarpus | | | | |
| americanus | 1 | | | 34 |
| Gyrostemon | | | | |
| ramulosus | 13 | 15 | 50 | 28 |
| Haemodorum | | | | |
| paniculatum | 6 | 26 | 95 | 46 |
| simplex | 8 | 11 | 55 | 37 |
| simulans | 8 | 29 | 57 | 38 |
| spicatum | 11 | 26 | 77 | 45 |
| Hakea | | | | |
| adnata | 8 | 16 | 30 | 22 |
| ambigua | 3 | 26 | 50 | 38 |
| amplexicaulis | 5 | 28 | 43 | 36 |
| arborescens | 1 | | | 21 |
| arida | 1 | | | 27 |
| auriculata | 6 | 20 | 30 | 27 |
| baxteri | 7 | 18 | 41 | 29 |
| brachyptera | 4 | 24 | 36 | 30 |
| brookeana | 3 | 22 | 30 | 25 |
| bucculenta | 24 | 15 | 37 | 22 |
| candolleana | 4 | 23 | 30 | 25 |
| ceratophylla | 5 | 21 | 30 | 28 |
| cinerea | 8 | 21 | 34 | 28 |
| circumalata | 7 | 21 | 34 | 26 |
| clavata | 1 | | | 25 |
| commutata | 3 | 19 | 28 | 25 |
| conchifolia | 14 | 23 | 40 | 28 |
| corymbosa | 5 | 25 | 40 | 31 |
| costata | 12 | 21 | 34 | 26 |
| crassifolia | 13 | 22 | 41 | 29 |
| cristata | 2 | 20 | 24 | 22 |
| cucullata | 9 | 21 | 41 | 31 |
| cyclocarpa | 11 | 22 | 39 | 29 |
| elliptica | 6 | 21 | 46 | 33 |
| erinaceae | 3 | 19 | 31 | 27 |

| | A | B | C | D |
|----------------|----|----|----|----|
| Hakea | | | | |
| falcata | 11 | 20 | 33 | 28 |
| ferruginea | 10 | 26 | 57 | 35 |
| flabellifolia | 8 | 23 | 30 | 26 |
| florida | 4 | 35 | 38 | 36 |
| francisciana | 1 | | | 28 |
| gilbertii | 5 | 23 | 30 | 26 |
| hookerana | 4 | 23 | 37 | 31 |
| incrassata | 7 | 19 | 31 | 26 |
| invaginata | 7 | 16 | 33 | 22 |
| kippistiana | 1 | | | 29 |
| lasiantha | 3 | 30 | 33 | 32 |
| laurina | 17 | 17 | 36 | 26 |
| lehmanniana | 13 | 25 | 51 | 37 |
| lissocarpha | 7 | 26 | 35 | 29 |
| lorea | 3 | 15 | 16 | 16 |
| marginata | 5 | 26 | 40 | 30 |
| megalosperma | 10 | 16 | 97 | 37 |
| meissnerana | 3 | 27 | 35 | 31 |
| minyma | 14 | 16 | 28 | 20 |
| multilineata | 27 | 16 | 33 | 26 |
| "var. graminea | 2 | 21 | 23 | 22 |
| "var. typica | 1 | | | 30 |
| myrtoides | 12 | 20 | 38 | 26 |
| neurophylla | 4 | 22 | 61 | 37 |
| nitida | 8 | 21 | 34 | 28 |
| obliqua | 7 | 16 | 47 | 25 |
| obtusa | 5 | 28 | 47 | 37 |
| oldfieldii | 1 | | | 19 |
| oleifolia | 10 | 23 | 36 | 28 |
| orthorrhyncha | 13 | 15 | 48 | 22 |
| pandanicarpa | 5 | 24 | 29 | 27 |
| petiolaris | 12 | 16 | 23 | 20 |
| platysperma | 11 | 16 | 30 | 23 |
| preissii | 1 | | | 25 |
| prostrata | 8 | 21 | 37 | 27 |
| pycnoneura | 12 | 14 | 36 | 21 |
| rhombalis | 3 | 16 | 20 | 18 |
| roei | 8 | 18 | 50 | 29 |
| ruscifolia | 10 | 19 | 32 | 25 |
| scoparia | 10 | 20 | 29 | 25 |
| smilacifolia | 6 | 21 | 33 | 27 |
| stenocarpa | 3 | 8 | 26 | 18 |
| stenophylla | 2 | | | 19 |
| strumosa | 4 | 20 | 34 | 29 |
| suaveolens | 10 | 26 | 40 | 30 |
| suberea | 3 | 15 | 21 | 19 |
| subsulcata | 6 | 17 | 35 | 26 |
| sulcata | 10 | 18 | 29 | 23 |
| trifurcata | 4 | 20 | 25 | 22 |
| undulata | 9 | 20 | 40 | 28 |
| varia | 5 | 28 | 41 | 35 |
| verrucosa | 5 | 24 | 29 | 26 |
| victoriae | 18 | 25 | 45 | 33 |
| Halgania | | | | |
| gustafsenii | 3 | 7 | 23 | 12 |
| lavandulacea | 1 | | | 50 |

| | A | B | C | D | | A | B | C | D |
|----------------------|----|----|----|----|-------------------------|----|----|-----|-----|
| <i>Haloragis</i> | | | | | <i>Hemigenia</i> | | | | |
| <i>gossei</i> | 5 | 17 | 36 | 25 | <i>incana</i> | 2 | 29 | 31 | 30 |
| <i>trichostachya</i> | 1 | | | 15 | <i>macrantha</i> | 1 | | | 153 |
| <i>trigonocarpa</i> | 3 | 14 | 21 | 17 | <i>westringioides</i> | 4 | 34 | 85 | 59 |
| <i>Hannafordia</i> | | | | | <i>Heterodendron</i> | | | | |
| <i>bissillii</i> | 1 | | | 30 | <i>oleifolium</i> | 3 | 30 | 42 | 35 |
| <i>quadrivalvis</i> | 6 | 23 | 92 | 43 | <i>Hibbertia</i> | | | | |
| <i>Hardenbergia*</i> | | | | | <i>aurea</i> | 3 | 55 | 71 | 63 |
| <i>comptoniana</i> | 18 | 12 | 37 | 16 | <i>cuneiformis</i> | 3 | 52 | 76 | 62 |
| <i>Helichrysum</i> | | | | | <i>cunninghamii</i> | 3 | 34 | 60 | 47 |
| <i>apiculatum</i> | 5 | 13 | 33 | 19 | <i>glomerosa</i> | 1 | | | 76 |
| <i>ayersii</i> | 4 | 7 | 12 | 9 | <i>huegelii</i> | 2 | 38 | 74 | 56 |
| <i>bracteatum</i> | 14 | 6 | 21 | 9 | <i>hypericoides</i> | 4 | 50 | 74 | 64 |
| <i>cassinianum</i> | 5 | 5 | 9 | 8 | <i>miniata</i> | 13 | 36 | 135 | 63 |
| <i>cordatum</i> | 11 | 14 | 36 | 22 | <i>montana</i> | 5 | 54 | 70 | 62 |
| <i>davenportii</i> | 7 | 6 | 17 | 10 | " <i>var. major</i> | 3 | 44 | 55 | 48 |
| <i>lindleyii</i> | 8 | 6 | 21 | 9 | <i>perfoliata</i> | 1 | | | 47 |
| <i>obtusifolium</i> | 6 | 11 | 49 | 25 | <i>rupicola</i> | 1 | | | 37 |
| <i>roseum</i> | 1 | | | 4 | <i>spicata</i> | 2 | 36 | 60 | 48 |
| <i>subulifolium</i> | 12 | 5 | 13 | 9 | <i>stellaris</i> | 5 | 33 | 55 | 46 |
| <i>Heliotropium</i> | | | | | <i>subvaginata</i> | 7 | 31 | 85 | 51 |
| <i>curassavicum</i> | 1 | | | 29 | <i>vaginata</i> | 1 | | | 76 |
| <i>undulatum</i> | 5 | 19 | 37 | 26 | <i>Hibiscus</i> | | | | |
| <i>Helipterum</i> | | | | | <i>brachychlaenus</i> | 1 | | | 8 |
| <i>adpressum</i> | 3 | 17 | 27 | 22 | <i>coatesii</i> | 10 | 8 | 64 | 26 |
| <i>battii</i> | 3 | 5 | 12 | 9 | <i>divaricatus</i> | 8 | 6 | 40 | 17 |
| <i>charsleyae</i> | 9 | 5 | 17 | 10 | <i>drummondii</i> | 2 | 8 | 10 | 9 |
| <i>cirratum</i> | 3 | 12 | 48 | 28 | <i>farragei</i> | 13 | 10 | 42 | 22 |
| <i>condensatum</i> | 9 | 6 | 21 | 11 | <i>ficulneus</i> | 1 | | | 50 |
| <i>cotula</i> | 8 | 7 | 28 | 14 | <i>goldsworthii</i> | 10 | 9 | 88 | 36 |
| <i>craspedioides</i> | 8 | 5 | 58 | 15 | <i>huegelii</i> | 15 | 9 | 30 | 20 |
| <i>fitzgibbonii</i> | 5 | 6 | 46 | 20 | <i>leptocladus</i> | 5 | 13 | 28 | 19 |
| <i>floribundum</i> | 9 | 6 | 16 | 11 | <i>meraukensis</i> | 3 | 21 | 64 | 40 |
| <i>heteranthum</i> | 1 | | | 6 | <i>panduriformis</i> | 13 | 8 | 31 | 18 |
| <i>humboldtianum</i> | 13 | 4 | 16 | 5 | <i>pinonianus</i> | 15 | 8 | 42 | 17 |
| <i>hyalospermum</i> | 5 | 5 | 14 | 10 | <i>sturtii</i> | 2 | 18 | 20 | 19 |
| <i>manglesii</i> | 16 | 5 | 41 | 11 | <i>trionum</i> | 2 | 7 | 9 | 8 |
| <i>margarethae</i> | 4 | 13 | 21 | 16 | <i>wrayae</i> | 3 | 14 | 18 | 16 |
| <i>maryonii</i> | 3 | 5 | 8 | 7 | | | | | |
| <i>propinquum</i> | 5 | 7 | 8 | 7 | <i>Hovea*</i> | | | | |
| <i>pterochaetum</i> | 2 | 21 | 28 | 25 | <i>chorizemifolia</i> | 15 | 17 | 85 | 41 |
| <i>pygmaeum</i> | 1 | | | 56 | <i>elliptica</i> | 16 | 31 | 90 | 46 |
| <i>roseum</i> | 13 | 4 | 10 | 7 | <i>pungens</i> | 9 | 25 | 40 | 28 |
| <i>rubellum</i> | 4 | 5 | 17 | 11 | <i>stricta</i> | 6 | 27 | 46 | 34 |
| <i>spicatum</i> | 7 | 4 | 19 | 10 | <i>trisperma</i> | 27 | 13 | 90 | 28 |
| <i>splendidum</i> | 16 | 4 | 18 | 11 | " <i>var. crispa</i> | 5 | 13 | 32 | 23 |
| <i>sterilescens</i> | 9 | 5 | 11 | 9 | <i>Hybanthus</i> | | | | |
| <i>stipitatum</i> | 6 | 7 | 26 | 15 | <i>aurantiacus</i> | 2 | 26 | 30 | 28 |
| <i>strictum</i> | 13 | 4 | 28 | 12 | <i>enneaspermus</i> | 5 | 12 | 26 | 16 |
| <i>tenellum</i> | 8 | 7 | 15 | 10 | <i>floribundus</i> | 4 | 32 | 56 | 52 |
| <i>venustum</i> | 9 | 7 | 23 | 12 | " <i>ssp. adpressus</i> | 6 | 33 | 44 | 39 |
| <i>Hemiandra</i> | | | | | <i>multiflorus</i> | 1 | | | 38 |
| <i>gardneri</i> | 1 | | | 22 | <i>Hypocalymma</i> | | | | |
| <i>pungens</i> | 18 | 14 | 34 | 23 | <i>angustifolium</i> | 7 | 18 | 76 | 42 |
| <i>rubriflora</i> | 6 | 16 | 48 | 23 | <i>myrtifolium</i> | 1 | | | 45 |
| <i>Hemigenia</i> | | | | | <i>robustum</i> | 21 | 2 | 121 | 52 |
| <i>curvifolia</i> | 4 | 19 | 25 | 23 | | | | | |

| | A | B | C | D | | A | B | C | D |
|-------------------|----|----|----|----|-----------------|----|----|-----|----|
| Hypocalymma | | | | | Jacksonia* | | | | |
| strictum | 1 | | | 25 | furcellata | 11 | 10 | 19 | 14 |
| tetrapterum | 7 | 32 | 76 | 44 | hakeoides | 5 | 11 | 16 | 14 |
| xanthopetalum | 4 | 31 | 62 | 49 | horrida | 8 | 14 | 25 | 20 |
| Indigofera* | | | | | lehmanii | 6 | 9 | 19 | 13 |
| australis | 11 | 8 | 35 | 22 | racemosa | 1 | | | 12 |
| boviperda | 1 | | | 9 | sericea | 15 | 9 | 20 | 13 |
| brevidens | 7 | 9 | 50 | 22 | spinosa | 11 | 13 | 27 | 18 |
| georgei | 8 | 9 | 36 | 16 | sternbergiana | 2 | 9 | 17 | 13 |
| hirsuta | 2 | 14 | 23 | 19 | velutina | 4 | 16 | 56 | 31 |
| monophylla | 13 | 6 | 19 | 11 | Jasminum | | | | |
| rugosa | 1 | | | 15 | lineare | 1 | | | 43 |
| Ipomoea | | | | | Johnsonia | | | | |
| costata | 4 | 18 | 60 | 41 | lupulina | 2 | 29 | 54 | 42 |
| muelleri | 15 | 6 | 50 | 18 | pubescens | 5 | 21 | 88 | 49 |
| turpethum | 9 | 3 | 64 | 36 | Juncus | | | | |
| Isopogon | | | | | holoschoenus | 4 | 19 | 75 | 45 |
| adenanthoides | 6 | 21 | 53 | 31 | Kallstroemia | | | | |
| alcicornis | 1 | | | 48 | astrocarpus | 1 | | | 27 |
| asper | 6 | 25 | 47 | 33 | Kennedia* | | | | |
| attenuatus | 3 | 33 | 41 | 37 | beckxiana | 7 | 12 | 22 | 18 |
| axillaris | 5 | 23 | 37 | 31 | carinata | 1 | | | 16 |
| baxteri | 3 | 26 | 48 | 34 | coccinea | 13 | 9 | 23 | 15 |
| buxifolius | 10 | 20 | 76 | 33 | eximia | 13 | 9 | 59 | 19 |
| cuneatus | 18 | 23 | 50 | 37 | glabrata | 5 | 14 | 28 | 20 |
| divergens | 19 | 20 | 41 | 25 | macrophylla | 12 | 6 | 35 | 23 |
| dubius | 14 | 22 | 33 | 27 | microphylla | 1 | | | 27 |
| formosus | 15 | 21 | 41 | 24 | nigricans | 12 | 9 | 49 | 20 |
| latifolius | 7 | 20 | 90 | 45 | prorepens | 19 | 9 | 49 | 17 |
| linearis | 5 | 24 | 94 | 42 | prostrata | 21 | 11 | 29 | 17 |
| polycephalus | 5 | 32 | 57 | 40 | stirlingii | 10 | 11 | 27 | 16 |
| scabriusculus | 17 | 27 | 56 | 37 | Keraudrenia | | | | |
| sphaerocephalus | 13 | 28 | 50 | 39 | hermanniaefolia | 10 | 11 | 27 | 19 |
| teretifolius | 11 | 27 | 57 | 39 | integrifolia | 10 | 16 | 59 | 25 |
| tridens | 10 | 28 | 48 | 37 | Kingia | | | | |
| trilobus | 8 | 25 | 58 | 34 | australis | 5 | 54 | 105 | 77 |
| tripartitus | 9 | 25 | 50 | 35 | Kunzea | | | | |
| villosus | 4 | 26 | 62 | 40 | baxteri | 13 | 8 | 38 | 20 |
| Isotoma | | | | | jucunda | 5 | 32 | 126 | 56 |
| hypocrateriformis | 15 | 5 | 55 | 28 | micrantha | 7 | 15 | 33 | 21 |
| petraea | 6 | 15 | 41 | 26 | micromera | 4 | 15 | 32 | 21 |
| scapigera | 5 | 21 | 37 | 27 | pauciflora | 9 | 23 | 126 | 44 |
| Isotropis* | | | | | preissiana | 1 | | | 24 |
| atropurpurea | 14 | 9 | 21 | 13 | pulchella | 10 | 14 | 33 | 21 |
| canescens | 3 | 12 | 14 | 13 | recurva | 8 | 13 | 36 | 23 |
| Ixiolaena | | | | | spicata | 1 | | | 52 |
| tomentosa | 2 | 8 | 15 | 12 | vestita | 5 | 15 | 23 | 20 |
| viscosa | 5 | 12 | 30 | 20 | Labichea* | | | | |
| Jacksonia* | | | | | cassioides | 4 | 9 | 20 | 15 |
| angulata | 1 | | | 13 | lanceolata | 8 | 12 | 37 | 22 |
| capitata | 2 | | | 25 | punctata | 14 | 8 | 45 | 22 |
| carduacea | 1 | | | 14 | teretifolia | 6 | 15 | 25 | 20 |
| compressa | 3 | 13 | 24 | 18 | Lachnostachys | | | | |
| cupulifera | 3 | 14 | 18 | 15 | albicans | 1 | | | 32 |
| eremodendron | 2 | 18 | 23 | 20 | eribotrya | 2 | 24 | 63 | 46 |
| floribunda | 9 | 8 | 19 | 14 | verbascifolia | 2 | | | 54 |

| | A | B | C | D | | A | B | C | D |
|------------------|----|----|----|----|---------------------------|----|----|-----|----|
| Lamarchea | | | | | Leucopogon | | | | |
| hakeifolia | 3 | 16 | 19 | 17 | polymorphus | 5 | 64 | 92 | 81 |
| Lambertia | | | | | verticillatus | 2 | 88 | 99 | 93 |
| echinata | 6 | 15 | 33 | 28 | Lhotzkya | | | | |
| ericifolia | 1 | | | 35 | acutifolia | 1 | | | 36 |
| ilicifolia | 9 | 19 | 35 | 27 | ericoides | 5 | 28 | 46 | 37 |
| inermis | 4 | 26 | 47 | 33 | Lobelia | | | | |
| multiflora | 15 | 16 | 31 | 22 | alata | 5 | 21 | 39 | 28 |
| Lasiopetalum | | | | | heterophylla | 19 | 8 | 71 | 24 |
| dielsii | 1 | | | 46 | rhombifolia | 1 | | | 54 |
| discolor | 7 | 41 | 69 | 55 | tenuior | 14 | 14 | 48 | 26 |
| Lavatera | | | | | Logania | | | | |
| arborea | 4 | 5 | 12 | 7 | buxifolia | 2 | 71 | 72 | 72 |
| plebia | 11 | 6 | 22 | 12 | nuda | 1 | | | 64 |
| Lawrenzia | | | | | serpyllifolia | 1 | | | 10 |
| densiflora | 7 | 6 | 13 | 9 | vaginalis | 9 | 24 | 60 | 33 |
| incana | 7 | 8 | 30 | 15 | Lomandra | | | | |
| spicata | 7 | 7 | 46 | 23 | hastilis | 1 | | | 99 |
| Laxmannia | | | | | Lotus* | | | | |
| sessilis | 5 | 28 | 44 | 35 | cruentus | 7 | 8 | 17 | 11 |
| squarrosa | 4 | 20 | 55 | 36 | Loudonia (Glischrocaryon) | | | | |
| Lechenaultia | | | | | aurea | 4 | 28 | 99 | 40 |
| biloba | 12 | 25 | 90 | 46 | roei | 2 | 36 | 99 | 67 |
| expansa | 8 | 24 | 69 | 38 | Lycium | | | | |
| floribunda | 3 | 30 | 76 | 45 | australe | 2 | 21 | 28 | 24 |
| heteromera | 1 | | | 79 | Lysinema | | | | |
| linarioides | 4 | 29 | 39 | 34 | ciliatum | 4 | 49 | 140 | 92 |
| macrantha | 10 | 24 | 75 | 47 | Lysiphyllum | | | | |
| stenosepala | 4 | 24 | 65 | 38 | cunninghamii | 3 | 42 | 88 | 58 |
| tubiflora | 1 | | | 70 | Macgregoria | | | | |
| Leichardtia | | | | | racemigera | 4 | 20 | 74 | 41 |
| australis | 9 | 12 | 74 | 26 | Macropidia | | | | |
| Lepidosperma | | | | | fuliginosa | 12 | 33 | 67 | 46 |
| gladiatum | 2 | 53 | 72 | 63 | Mallophora | | | | |
| Lepidium | | | | | globiflora | 1 | | | 36 |
| leptopetalum | 6 | 12 | 23 | 17 | Maireana | | | | |
| pedicellosum | 1 | | | 22 | atkinsiana | 4 | 7 | 17 | 11 |
| rotundum | 6 | 12 | 42 | 26 | carnosa | 10 | 8 | 90 | 28 |
| strongylophyllum | 2 | 19 | 33 | 26 | convexa | 2 | 6 | 17 | 12 |
| Leptocarpus | | | | | enchylaenoides | 6 | 7 | 18 | 11 |
| scariosus | 2 | 46 | 72 | 59 | georgei | 8 | 7 | 26 | 16 |
| Leptomeria | | | | | glomerifolia | 1 | | | 18 |
| preissiana | 1 | | | 99 | integra | 3 | | | 14 |
| spinosa | 1 | | | 62 | lanosa | 1 | | | 17 |
| Leptorhynchos | | | | | melanocoma | 7 | 10 | 43 | 19 |
| elongatus | 3 | 14 | 50 | 27 | ostenfieldii | 2 | 16 | 23 | 15 |
| Leptospermum | | | | | pentatropis | 6 | 13 | 18 | 16 |
| ellipticum | 8 | 13 | 24 | 16 | pyramidata | 2 | 5 | 20 | 13 |
| erubescens | 9 | 28 | 76 | 40 | stipitata | 4 | 9 | 15 | 12 |
| firmum | 8 | 30 | 76 | 44 | tomentosa | 1 | | | 6 |
| oligandrum | 3 | 29 | 38 | 33 | triptera | 1 | | | 20 |
| roei | 7 | 28 | 79 | 43 | villosa | 3 | 9 | 13 | 10 |
| sericeum | 6 | 10 | 78 | 36 | Marsdenia | | | | |
| spinescens | 14 | 20 | 56 | 32 | australis | 3 | 14 | 19 | 17 |
| Leucopogon | | | | | Melaleuca | | | | |
| conostephioides | 2 | 64 | 68 | 66 | acerosa | 6 | 12 | 31 | 19 |
| kingianus | 1 | | | 74 | | | | | |

| | A | B | C | D |
|-------------------|----|----|----|----|
| Melaleuca | | | | |
| acuminata | 5 | 18 | 34 | 25 |
| adnata | 5 | 15 | 34 | 20 |
| alsophila | 1 | | | 21 |
| brachystachya | 7 | 15 | 45 | 28 |
| calothamnoides | 8 | 15 | 64 | 29 |
| calycina | 1 | | | 29 |
| cardiophylla | 10 | 11 | 34 | 21 |
| ciliosa | 4 | 12 | 34 | 20 |
| concinna | 5 | 12 | 33 | 19 |
| conothamnoides | 6 | 16 | 59 | 32 |
| cordata | 11 | 14 | 33 | 19 |
| cuticularis | 1 | | | 29 |
| cymbifolia | 6 | 15 | 22 | 18 |
| densa | 2 | 13 | 21 | 17 |
| diosmoides | 7 | 15 | 33 | 23 |
| eleutherostachya | 9 | 12 | 28 | 17 |
| elliptica | 6 | 15 | 49 | 24 |
| erucaeformis | 1 | | | 12 |
| fulgens | 11 | 9 | 26 | 18 |
| glaberrima | 4 | 19 | 64 | 37 |
| globifera | 4 | 18 | 23 | 20 |
| glomerata | 2 | 19 | 20 | 20 |
| hamulosa | 5 | 12 | 34 | 19 |
| holosericea | 3 | 12 | 21 | 16 |
| huegelii | 10 | 13 | 49 | 22 |
| incana | 8 | 12 | 28 | 18 |
| lanceolata | 10 | 15 | 64 | 24 |
| lasiandra | 1 | | | 27 |
| lateriflora | 3 | 15 | 36 | 23 |
| lateritia | 9 | 16 | 38 | 22 |
| laxiflora | 3 | 12 | 21 | 16 |
| leiocarpa | 4 | 18 | 19 | 19 |
| leiopyxis | 6 | 16 | 34 | 22 |
| leptospermoides | 4 | 16 | 21 | 19 |
| leucadendron | 4 | 18 | 50 | 31 |
| linophylla | 1 | | | 19 |
| macronychia | 9 | 15 | 42 | 24 |
| megacephala | 9 | 13 | 21 | 17 |
| microphylla | 1 | | | 34 |
| minutifolia | 1 | | | 31 |
| nematophylla | 10 | 15 | 48 | 25 |
| nervosa | 2 | 25 | 37 | 31 |
| nesophila | 7 | 16 | 36 | 24 |
| oldfieldii | 6 | 15 | 34 | 21 |
| pauperiflora | 3 | 19 | 21 | 20 |
| pentagona | 9 | 15 | 40 | 26 |
| "var. subulifolia | 4 | 19 | 42 | 28 |
| platycalyx | 4 | 15 | 31 | 22 |
| polygaloides | 4 | 23 | 38 | 29 |
| preissiana | 6 | 14 | 34 | 27 |
| pulchella | 5 | 13 | 49 | 30 |
| pungens | 6 | 14 | 36 | 25 |
| "var. obtusifolia | 1 | | | 21 |
| quadrifaria | 2 | 12 | 29 | 21 |
| radula | 6 | 12 | 19 | 14 |
| rhapsiophylla | 4 | 15 | 40 | 22 |

| | A | B | C | D |
|-----------------|----|----|----|----|
| Melaleuca | | | | |
| scabra | 12 | 12 | 36 | 21 |
| sclerophylla | 3 | 19 | 31 | 24 |
| seriata | 6 | 14 | 54 | 28 |
| sheathiana | 2 | 12 | 29 | 21 |
| sparsiflora | 1 | | | 32 |
| spathulata | 3 | 20 | 50 | 32 |
| steadmanii | 14 | 12 | 33 | 17 |
| striata | 10 | 19 | 50 | 29 |
| suberosa | 11 | 19 | 44 | 28 |
| subfalcata | 7 | 15 | 34 | 22 |
| subtrigona | 1 | | | 34 |
| teretifolia | 4 | 16 | 36 | 25 |
| thymoides | 6 | 16 | 32 | 25 |
| thyoides | 7 | 16 | 34 | 23 |
| trichophylla | 11 | 12 | 39 | 22 |
| uncinata | 4 | 14 | 23 | 17 |
| urceolaris | 2 | 12 | 22 | 17 |
| viminea | 5 | 12 | 31 | 17 |
| violacea | 9 | 15 | 40 | 22 |
| Menkea | | | | |
| australis | 1 | | | 30 |
| Microcorys | | | | |
| exserta | 1 | | | 59 |
| Microcybe | | | | |
| albiflora | 2 | 18 | 49 | 34 |
| Micromyrtus | | | | |
| imbricata | 1 | | | 22 |
| peltigera | 5 | 39 | 89 | 62 |
| rosea | 1 | | | 29 |
| Microseris | | | | |
| scapigera | 6 | 5 | 14 | 11 |
| Millotia | | | | |
| myosotidifolia | 9 | 4 | 12 | 8 |
| tenuifolia | 3 | 15 | 21 | 18 |
| Minuria | | | | |
| cunninghamii | 5 | 6 | 13 | 9 |
| leptophylla | 2 | 8 | 15 | 11 |
| suaedifolia | 1 | | | 8 |
| Mirbelia* | | | | |
| dilatata | 19 | 14 | 48 | 25 |
| floribunda | 2 | | | 23 |
| ramulosa | 7 | 11 | 18 | 14 |
| spinosa | 6 | 13 | 26 | 19 |
| subcordata | 1 | | | 33 |
| viminalis | 1 | | | 14 |
| Molluga | | | | |
| molluginis | 4 | 9 | 50 | 24 |
| Monotaxis | | | | |
| grandiflora | 1 | | | 69 |
| Morgania | | | | |
| pubescens | 4 | 40 | 54 | 45 |
| Monotoca | | | | |
| oligarrhenoides | 1 | | | 51 |
| Muelleranthus | | | | |
| trifoliatus | 6 | 8 | 15 | 12 |

| | A | B | C | D | | A | B | C | D |
|-------------------------|----|----|----|----|------------------|----|-----|-----|-----|
| Mukia | | | | | Patersonia | | | | |
| maderaspatana | 4 | 19 | 33 | 23 | inaequalis | 4 | 49 | 61 | 55 |
| Myoporum | | | | | juncea | 2 | 106 | 120 | 113 |
| montanum | 1 | | | 49 | occidentalis | 14 | 46 | 89 | 59 |
| tetrandrum | 1 | | | 28 | pygmaea | 1 | | | 60 |
| Myriocephalus | | | | | rudis | 1 | | | 60 |
| gracilis | 5 | 7 | 12 | 10 | umbrosa | 6 | 47 | 61 | 53 |
| guerinae | 8 | 6 | 14 | 10 | Pelargonium | | | | |
| nudus | 3 | 8 | 18 | 12 | drummondii | 1 | | | 15 |
| rudallii | 7 | 9 | 40 | 20 | Peplidium | | | | |
| suffruticosus | 2 | 21 | 49 | 35 | muelleri | 5 | 17 | 31 | 23 |
| Nemcia* (Oxylobium) | | | | | Petalostigma | | | | |
| capitata | 8 | 9 | 31 | 19 | quadriloculare | 2 | 14 | 139 | 77 |
| cuneata | 1 | | | 24 | Petalostylis* | | | | |
| Newcastelia | | | | | labicheoides | 11 | 7 | 20 | 15 |
| cephalantha | 1 | | | 33 | millefolium | 16 | 8 | 29 | 15 |
| chrysophylla | 1 | | | 29 | Petrophile | | | | |
| hexarrhena | 1 | | | 66 | biloba | 14 | 26 | 39 | 30 |
| Nicotiana | | | | | biternata | 1 | | | 45 |
| goodspeedii | 6 | 9 | 16 | 13 | carduacea | 19 | 28 | 59 | 40 |
| occidentalis | 7 | 11 | 15 | 14 | circinata | 5 | 26 | 57 | 42 |
| rotundifolia | 6 | 10 | 50 | 20 | coerulea | 1 | | | 42 |
| Nitraria | | | | | conifera | 13 | 24 | 53 | 37 |
| schoberi | 4 | 22 | 50 | 38 | divaricata | 6 | 30 | 74 | 43 |
| Notoxylinon (Gossypium) | | | | | diversifolia | 7 | 41 | 69 | 53 |
| australe | 3 | 10 | 25 | 16 | drummondii | 15 | 20 | 64 | 30 |
| Nuytsia | | | | | ericifolia | 20 | 24 | 57 | 35 |
| floribunda | 22 | 22 | 81 | 33 | fastigiata | 8 | 33 | 60 | 43 |
| Olax | | | | | heterophylla | 14 | 20 | 60 | 35 |
| benthamiana | 1 | | | 36 | linearis | 12 | 21 | 67 | 35 |
| Olearia | | | | | longifolia | 3 | 20 | 54 | 35 |
| adenolasia | 1 | | | 20 | macrostachya | 15 | 18 | 74 | 35 |
| axillaris | 7 | 8 | 24 | 15 | media | 8 | 26 | 61 | 35 |
| ciliata | 1 | | | 11 | megalostegia | 1 | | | 29 |
| elaeophila | 2 | 19 | 26 | 23 | phylicoides | 9 | 30 | 42 | 35 |
| muelleri | 13 | 12 | 42 | 23 | rigida | 1 | | | 28 |
| muricata | 2 | 22 | 37 | 30 | seminuda | 5 | 39 | 51 | 47 |
| paucidentata | 8 | 17 | 39 | 25 | serrauriae | 15 | 24 | 55 | 34 |
| propinqua | 1 | | | 22 | squamata | 8 | 19 | 39 | 29 |
| rudis | 12 | 12 | 44 | 21 | striata | 17 | 25 | 61 | 42 |
| stuartii | 1 | | | 34 | teretifolia | 9 | 26 | 70 | 47 |
| Omalanthus | | | | | trifida | 6 | 36 | 56 | 48 |
| populifolius | 3 | 23 | 50 | 37 | Philydrella | | | | |
| Orthrosanthus | | | | | pygmaea | 4 | 37 | 57 | 46 |
| laxus | 11 | 26 | 44 | 35 | Philydrum | | | | |
| multiflorus | 1 | | | 40 | lanuginosum | 1 | | | 61 |
| Owenia | | | | | Phyllanthus | | | | |
| reticulata | 2 | | | 19 | calycinus | 3 | 17 | 35 | 27 |
| Oxylobium* | | | | | Phymatocarpus | | | | |
| coriacea | 1 | | | 35 | porphyrocephalus | 2 | 32 | 42 | 37 |
| cuneatum | 6 | 23 | 53 | 35 | Physalis | | | | |
| ellipticum | 9 | 16 | 26 | 21 | minima | 1 | | | 35 |
| lanceolatum | 15 | 14 | 27 | 21 | Physopsis | | | | |
| parviflorum | 12 | 13 | 30 | 21 | spicata | 1 | | | 37 |
| racemosum | 7 | 16 | 22 | 19 | | | | | |

| | A | B | C | D | | A | B | C | D |
|-----------------------|----|----|-----|----|---------------------------|----|----|----|----|
| <i>Pileanthus</i> | | | | | <i>Podolepis</i> | | | | |
| <i>filifolius</i> | 13 | 17 | 67 | 44 | <i>canescens</i> | 18 | 4 | 29 | 11 |
| <i>limacis</i> | 10 | 25 | 43 | 33 | <i>capillaris</i> | 5 | 5 | 41 | 15 |
| <i>peduncularis</i> | 26 | 24 | 76 | 38 | <i>gracilis</i> | 11 | 4 | 19 | 11 |
| <i>Pimelea</i> | | | | | " var. <i>rosea</i> | 7 | 5 | 9 | 7 |
| <i>ammocharis</i> | 2 | 24 | 32 | 28 | <i>kendallii</i> | 8 | 6 | 19 | 10 |
| <i>argentea</i> | 5 | 21 | 68 | 36 | <i>lessonii</i> | 11 | 5 | 22 | 11 |
| <i>brevifolia</i> | 6 | 21 | 42 | 28 | <i>rugata</i> | 2 | 9 | 12 | 11 |
| <i>ferruginea</i> | 4 | 14 | 64 | 37 | <i>Podotheca</i> | | | | |
| <i>hispida</i> | 1 | | | 60 | <i>angustifolia</i> | 7 | 7 | 14 | 9 |
| <i>holroydii</i> | 8 | 14 | 28 | 18 | <i>chrysantha</i> | 8 | 7 | 14 | 12 |
| <i>imbricata</i> | 3 | 20 | 48 | 31 | <i>gnaphalioides</i> | 8 | 6 | 19 | 10 |
| " var. <i>nana</i> | 8 | 20 | 53 | 30 | <i>pollackii</i> | 4 | 8 | 16 | 12 |
| <i>lehmanniana</i> | 4 | 34 | 52 | 39 | <i>Polycarpaea</i> | | | | |
| <i>leucantha</i> | 5 | 26 | 60 | 41 | <i>longiflora</i> | 8 | 8 | 36 | 14 |
| <i>microcephala</i> | 6 | 10 | 58 | 31 | <i>Polymeria</i> | | | | |
| <i>physodes</i> | 8 | 49 | 78 | 62 | <i>ambigua</i> | 2 | 15 | 20 | 18 |
| <i>preissii</i> | 1 | | | 64 | <i>Pomaderris</i> | | | | |
| <i>rosea</i> | 10 | 37 | 74 | 55 | <i>forrestiana</i> | 3 | 23 | 40 | 31 |
| <i>spectabilis</i> | 13 | 15 | 57 | 43 | <i>grandis</i> | 1 | | | 68 |
| <i>suaveolens</i> | 3 | 52 | 101 | 81 | <i>Portulaca</i> | | | | |
| <i>sulphurea</i> | 1 | | | 48 | <i>cyclophylla</i> | 1 | | | 23 |
| <i>sylvestris</i> | 10 | 27 | 92 | 47 | <i>Porana</i> | | | | |
| <i>Pithocarpa</i> | | | | | <i>sericea</i> | 12 | 8 | 50 | 20 |
| <i>corymbulosa</i> | 1 | | | 49 | <i>Prostanthera</i> | | | | |
| <i>Pittosporum</i> | | | | | <i>baxteri</i> | 1 | | | 47 |
| <i>phyllyraeoides</i> | 8 | 27 | 74 | 38 | <i>eckersleyana</i> | 2 | 49 | 57 | 53 |
| <i>Pityrodia</i> | | | | | <i>magnifica</i> | 4 | 14 | 49 | 26 |
| <i>atriplicina</i> | 4 | 20 | 32 | 26 | <i>scutata</i> | 1 | | | 74 |
| <i>axillaris</i> | 2 | | | 39 | <i>Psoralea*</i> | | | | |
| <i>caerulea</i> | 1 | | | 78 | <i>cinerea</i> | 1 | | | 9 |
| <i>cuneata</i> | 1 | | | 24 | <i>lachnostachys</i> | 13 | 3 | 35 | 11 |
| <i>loxocarpa</i> | 1 | | | 38 | <i>leucantha</i> | 15 | 6 | 18 | 11 |
| <i>oldfieldii</i> | 2 | 36 | 42 | 39 | <i>martinii</i> | 10 | 4 | 14 | 9 |
| <i>paniculata</i> | 2 | 24 | 40 | 32 | <i>plumosa</i> | 1 | | | 9 |
| <i>teckiana</i> | 4 | 29 | 49 | 35 | <i>pustulata</i> | 12 | 6 | 11 | 8 |
| <i>terminalis</i> | 2 | 60 | 80 | 70 | <i>Ptilotus</i> | | | | |
| <i>uncinata</i> | 3 | 48 | 65 | 54 | <i>aeroides</i> | 3 | 28 | 48 | 38 |
| <i>verbascina</i> | 4 | 27 | 115 | 61 | <i>appendiculatus</i> | 1 | | | 34 |
| <i>Plagianthus</i> | | | | | <i>auriculifolius</i> | 6 | 11 | 31 | 21 |
| <i>helmsii</i> | 3 | 7 | 12 | 10 | <i>axillaris</i> | 2 | 17 | 19 | 18 |
| <i>Plantago</i> | | | | | <i>calostachyus</i> | 14 | 14 | 56 | 34 |
| <i>varia</i> | 8 | 5 | 14 | 8 | <i>carinatus</i> | 2 | 19 | 26 | 23 |
| <i>Platytheca</i> | | | | | <i>carlsonii</i> | 3 | 15 | 38 | 24 |
| <i>verticillata</i> | 5 | 39 | 49 | 45 | <i>clementii</i> | 1 | | | 12 |
| <i>Plectrachne</i> | | | | | <i>corymbosus</i> | 1 | | | 29 |
| <i>schinzii</i> | 2 | 28 | 29 | 29 | <i>divaricatus</i> | 3 | 10 | 16 | 14 |
| <i>Plectronia</i> | | | | | <i>drummondii</i> | 6 | 10 | 30 | 17 |
| <i>latifolia</i> | 4 | 6 | 10 | 7 | <i>exaltatus</i> | 14 | 9 | 38 | 18 |
| <i>Pluchea</i> | | | | | <i>gaudichaudii</i> | 8 | 9 | 23 | 14 |
| <i>squarrosa</i> | 5 | 9 | 33 | 19 | <i>gomphrenoides</i> | 3 | 10 | 49 | 45 |
| <i>rubelliflora</i> | 2 | 10 | 13 | 12 | <i>grandiflorus</i> | 7 | 9 | 19 | 12 |
| <i>tetranthera</i> | 7 | 7 | 38 | 18 | <i>helichrysoides</i> | 2 | 25 | 38 | 32 |
| <i>Podocarpus</i> | | | | | <i>helipteroides</i> | 5 | 9 | 52 | 30 |
| <i>drouyniana</i> | 1 | | | 78 | <i>holosericeus</i> | 1 | | | 19 |
| <i>Podocoma</i> | | | | | <i>incanus</i> | 3 | 13 | 21 | 18 |
| <i>cuneifolia</i> | 2 | 21 | 29 | 25 | <i>latifolius</i> | 6 | 11 | 38 | 21 |
| | | | | | "ssp. <i>chamaecladus</i> | 5 | 13 | 21 | 17 |

| | A | B | C | D | | A | B | C | D |
|---|----|----|-----|----|-------------------------|----|----|-----|-----|
| <i>Ptilotus</i> | | | | | <i>Santalum</i> | | | | |
| <i>macrocephalus</i> | 9 | 17 | 49 | 32 | <i>acuminatum</i> | 4 | 26 | 44 | 34 |
| <i>manglesii</i> | 6 | 16 | 38 | 30 | <i>lanceolatum</i> | 5 | 31 | 69 | 47 |
| <i>obovatus</i> | 12 | 9 | 29 | 14 | <i>murrayanum</i> | 2 | 45 | 74 | 60 |
| <i>polakii</i> | 4 | 10 | 19 | 14 | <i>spicatum</i> | 12 | 25 | 70 | 41 |
| <i>polystachyus</i> | 6 | 9 | 34 | 20 | <i>Sarcostemma</i> | | | | |
| <i>rotundifolius</i> | 7 | 9 | 50 | 18 | <i>australe</i> | 1 | | | 10 |
| <i>schwartzii</i> | 1 | | | 36 | <i>Scaevola</i> | | | | |
| <i>sericostachyus</i> | 4 | 18 | 28 | 24 | <i>collaris</i> | 6 | 20 | 42 | 32 |
| <i>spathulatus</i> | 8 | 6 | 28 | 16 | <i>crassifolia</i> | 9 | 28 | 65 | 39 |
| "var. <i>spathulatus</i> | 2 | 9 | 10 | 10 | <i>dielsii</i> | 2 | 16 | 29 | 23 |
| <i>spicatus</i> | 1 | | | 26 | <i>globulifera</i> | 4 | 15 | 60 | 30 |
| <i>villosiflorus</i> | 5 | 9 | 29 | 17 | <i>holosericea</i> | 1 | | | 57 |
| <i>Ptychosema</i> (<i>Muelleranthus</i>)* | | | | | <i>longifolia</i> | 3 | 24 | 39 | 33 |
| <i>trifoliatum</i> | 1 | | | 7 | <i>spinescens</i> | 2 | 50 | 165 | 108 |
| <i>Pultenaea</i> * | | | | | <i>thesioides</i> | 1 | | | 45 |
| <i>capitata</i> | 9 | 9 | 41 | 18 | <i>Scholtzia</i> | | | | |
| <i>dasyphylla</i> | 6 | 9 | 19 | 14 | <i>capitata</i> | 6 | 32 | 117 | 59 |
| <i>drummondii</i> | 3 | 24 | 26 | 25 | <i>involucrata</i> | 10 | 44 | 139 | 79 |
| <i>ochreatea</i> | 7 | 17 | 32 | 23 | <i>parviflora</i> | 9 | 22 | 56 | 30 |
| <i>reticulata</i> | 9 | 16 | 107 | 39 | <i>teretifolia</i> | 1 | | | 56 |
| <i>Reedia</i> | | | | | <i>uberiflora</i> | 1 | | | 22 |
| <i>spathacea</i> | 1 | | | 80 | <i>Selenothamnus</i> | | | | |
| <i>Regelia</i> | | | | | <i>helmsii</i> | 9 | 13 | 40 | 21 |
| <i>ciliata</i> | 8 | 14 | 22 | 19 | <i>Senecio</i> | | | | |
| <i>cymbifolia</i> | 6 | 17 | 36 | 23 | <i>gregorii</i> | 7 | 5 | 26 | 11 |
| <i>inops</i> | 11 | 17 | 45 | 22 | <i>hispidulus</i> | 2 | 9 | 12 | 11 |
| <i>megacephala</i> | 2 | 19 | 46 | 33 | <i>lautus</i> | 11 | 5 | 30 | 16 |
| <i>velutina</i> | 7 | 17 | 25 | 21 | <i>magnificus</i> | 6 | 6 | 17 | 10 |
| <i>Rhagodia</i> | | | | | <i>quadridentatus</i> | 1 | | | 8 |
| <i>baccata</i> | 8 | 18 | 46 | 29 | <i>Sesbania</i> * | | | | |
| <i>crassifolia</i> | 7 | 15 | 36 | 23 | <i>aculeata</i> | 2 | 9 | 14 | 12 |
| <i>gaudichaudiana</i> | 3 | 10 | 19 | 13 | <i>bispinosa</i> | 2 | 5 | 14 | 10 |
| <i>preissii</i> | 1 | | | 29 | <i>cannabina</i> | 11 | 7 | 19 | 13 |
| <i>spinescens</i> | 1 | | | 15 | <i>formosa</i> | 11 | 7 | 31 | 15 |
| <i>Rhynchosia</i> * | | | | | <i>Sida</i> | | | | |
| <i>minima</i> | 3 | 13 | 15 | 14 | <i>calyxhymenia</i> | 6 | 9 | 54 | 20 |
| <i>Ricinocarpus</i> | | | | | <i>corrugata</i> | 4 | 15 | 42 | 27 |
| <i>cyanescens</i> | 1 | | | 34 | <i>echinocarpa</i> | 8 | 15 | 54 | 30 |
| <i>glaucus</i> | 7 | 23 | 64 | 41 | <i>inclusa</i> | 2 | 12 | 23 | 18 |
| <i>stylosus</i> | 1 | | | 43 | <i>kingii</i> | 1 | | | 25 |
| <i>tuberculatus</i> | 1 | | | 41 | <i>physocalyx</i> | 8 | 9 | 56 | 30 |
| <i>Ruellia</i> | | | | | <i>platycalyx</i> | 7 | 10 | 48 | 19 |
| <i>primulacea</i> | 1 | | | 14 | <i>rhubifolia</i> | 1 | | | 17 |
| <i>Rulingia</i> | | | | | <i>spinosa</i> | 1 | | | 15 |
| <i>corylifolia</i> | 3 | 18 | 56 | 35 | <i>virgata</i> | | | | |
| <i>craurophylla</i> | 7 | 21 | 64 | 35 | "var. <i>phaetricha</i> | 9 | 12 | 50 | 28 |
| <i>densiflora</i> | 3 | 16 | 85 | 40 | <i>Siegfriedia</i> | | | | |
| <i>kempeana</i> | 8 | 8 | 64 | 37 | <i>darwinoides</i> | 3 | 24 | 48 | 38 |
| <i>Rutidosis</i> | | | | | <i>Solanum</i> | | | | |
| <i>helichrysoides</i> | 5 | 10 | 29 | 17 | <i>cleistoganum</i> | 3 | 23 | 31 | 26 |
| <i>Salsola</i> | | | | | <i>echinatum</i> | 1 | | | 17 |
| <i>kali</i> | 5 | 5 | 20 | 8 | <i>esuriale</i> | 4 | 28 | 57 | 42 |
| <i>Samolus</i> | | | | | <i>lasiophyllum</i> | 14 | 9 | 99 | 31 |
| <i>junceus</i> | 1 | | | 46 | <i>morrisonii</i> | 4 | 28 | 39 | 34 |
| | | | | | <i>oldfieldii</i> | 7 | 20 | 50 | 32 |
| | | | | | <i>orbiculatum</i> | 2 | 34 | 48 | 40 |

| | A | B | C | D | | A | B | C | D |
|--------------------|----|----|-----|----|--------------------|----|----|-----|----|
| Solanum | | | | | Stylidium | | | | |
| phlomoides | 1 | | | 16 | leptocalyx | 1 | | | 82 |
| quadriloculatum | 7 | 28 | 64 | 40 | scandens | 5 | 19 | 56 | 44 |
| simile | 5 | 18 | 39 | 25 | Stylobasium | | | | |
| sturtianum | 1 | | | 33 | australe | 5 | 8 | 72 | 39 |
| symonii | 3 | 28 | 40 | 32 | (lineare) australe | 1 | | | 44 |
| Sollya | | | | | spathulatum | 6 | 21 | 79 | 43 |
| erecta | 1 | | | 32 | Stypandra | | | | |
| heterophylla | 9 | 29 | 57 | 43 | grandiflora | 2 | 21 | 59 | 40 |
| Sowerbaea | | | | | imbricata | 3 | 30 | 58 | 47 |
| laxiflora | 10 | 20 | 70 | 35 | Swainsonia* | | | | |
| Sphaerolobium* | | | | | canescens | 7 | 8 | 31 | 15 |
| fornicatum | 9 | 20 | 48 | 32 | colutoides | 8 | 9 | 21 | 14 |
| grandiflorum | 4 | 17 | 32 | 25 | cyclocarpa | 2 | 7 | 13 | 10 |
| macranthum | 9 | 19 | 47 | 26 | decurrens | 7 | 7 | 18 | 10 |
| scabriusculum | 1 | | | 45 | forrestii | 5 | 7 | 15 | 9 |
| Spinifex | | | | | kingii | 6 | 8 | 17 | 11 |
| hirsutus | 1 | | | 32 | maccullochiana | 8 | 6 | 18 | 9 |
| longifolius | 2 | 20 | 42 | 31 | microphylla | 2 | 7 | 12 | 10 |
| Sphenotoma | | | | | occidentalis | 6 | 7 | 18 | 11 |
| gracile | 5 | 32 | 121 | 60 | oroboides | 2 | 8 | 15 | 12 |
| Spyridium | | | | | stenodonta | 4 | 6 | 31 | 16 |
| globulosum | 6 | 29 | 49 | 39 | stipularis | 7 | 6 | 31 | 15 |
| Stackhousia | | | | | unifoliolata | 4 | 7 | 31 | 15 |
| brunonis | 1 | | | 57 | villosa | 4 | 8 | 31 | 16 |
| huegelii | 11 | 20 | 76 | 42 | Symphobasis | | | | |
| Stemodia | | | | | alsinoides | 3 | 15 | 19 | 16 |
| grossa | 6 | 12 | 50 | 29 | Synaphea | | | | |
| Stenopetalum | | | | | favosa | 1 | | | 77 |
| robustum | | | | | petiolaris | 2 | 34 | 77 | 56 |
| " var. pedicellare | 4 | 13 | 19 | 16 | Templetonia* | | | | |
| sphaerocarpum | 7 | 4 | 9 | 7 | battii | 1 | | | 15 |
| Stirlingia | | | | | retusa | 19 | 9 | 47 | 18 |
| latifolia | 2 | 37 | 63 | 50 | Tephrosia* | | | | |
| simplex | 2 | 35 | 39 | 37 | bidwillii | 6 | 8 | 153 | 50 |
| tenuifolia | 3 | 40 | 104 | 62 | eriocarpa | 1 | | | 17 |
| Strangea | | | | | flammea | 10 | 8 | 31 | 14 |
| cynanchicarpa | 15 | 22 | 59 | 35 | purpurea | 8 | 6 | 28 | 14 |
| stenocarpoides | 2 | 22 | 34 | 28 | rosea | 8 | 11 | 50 | 18 |
| Streptoglossa | | | | | stipuligera | 1 | | | 8 |
| cylindriceps | 4 | 8 | 13 | 11 | uniovulata | 1 | | | 14 |
| decurrens | 2 | 11 | 19 | 15 | Terminalia | | | | |
| liatroides | 7 | 8 | 48 | 26 | circumalata | 3 | 24 | 35 | 29 |
| macrocephalus | 6 | 10 | 29 | 22 | grandiflora | 1 | | | 35 |
| Stylidium | | | | | platyphylla | 1 | | | 17 |
| amoenum | 7 | 21 | 74 | 55 | Tetragonia | | | | |
| brunonianum | 7 | 21 | 75 | 54 | tetragonoides | 2 | 15 | 22 | 19 |
| bulbiferum | 8 | 15 | 74 | 47 | Tetratheca | | | | |
| caricifolium | 2 | 43 | 55 | 49 | efoliata | 1 | | | 60 |
| " ssp. affine | 2 | 15 | 75 | 45 | hirsuta | 3 | 31 | 35 | 34 |
| ciliatum | 5 | 32 | 123 | 56 | setigera | 4 | 39 | 56 | 46 |
| crassifolium | 1 | | | 57 | Thespesia | | | | |
| crossocephalum | 3 | 21 | 82 | 48 | macrophylla | 3 | 20 | 30 | 25 |
| diversifolium | 1 | | | 37 | Thomasia | | | | |
| diuroides | 1 | | | 47 | angustifolia | 6 | 23 | 101 | 43 |
| divaricatum | 2 | 15 | 112 | 64 | foliosa | 1 | | | 38 |
| junceum | 10 | 20 | 91 | 53 | glutinosa | 1 | | | 60 |

| | A | B | C | D | | A | B | C | D |
|-----------------|----|----|-----|-----|---------------|----|----|-----|-----|
| Thomasia | | | | | Triglochin | | | | |
| macrocarpa | 12 | 23 | 69 | 40 | striata | 1 | | | 26 |
| solanacea | 1 | | | 69 | Triodia | | | | |
| triphylla | 6 | 28 | 43 | 34 | lanigera | 3 | 18 | 28 | 24 |
| Threlkeldia | | | | | Triumfetta | | | | |
| diffusa | 11 | 6 | 39 | 19 | appendiculata | 2 | 18 | 19 | 19 |
| Thryptomene | | | | | chaetocarpa | 8 | 8 | 40 | 23 |
| australis | 9 | 36 | 72 | 57 | plumigera | 3 | 17 | 30 | 21 |
| baeckeaceae | 1 | | | 104 | Trymalium | | | | |
| denticulata | 14 | 26 | 96 | 50 | ledifolium | 1 | | | 38 |
| elliottii | 8 | 22 | 93 | 46 | spathulatum | 3 | 32 | 46 | 37 |
| hyporhytis | 7 | 38 | 176 | 74 | Typha | | | | |
| johnsonii | 2 | 25 | 58 | 42 | domingensis | 1 | | | 12 |
| maisonneuvei | 9 | 16 | 72 | 42 | Uldinia | | | | |
| mucronulata | 5 | 31 | 72 | 48 | ceratocarpa | 1 | | | 19 |
| racemulosa | 1 | | | 208 | Velleia | | | | |
| saxicola | 8 | 35 | 168 | 63 | discophora | 2 | 21 | 38 | 30 |
| strongylophylla | 4 | 45 | 76 | 56 | paradoxa | 5 | 15 | 77 | 39 |
| urceolaris | 6 | 40 | 72 | 52 | rosea | 11 | 9 | 53 | 19 |
| Thysanotus | | | | | trinervis | 11 | 10 | 19 | 15 |
| asper | 4 | 35 | 108 | 59 | Verreauxia | | | | |
| dichotomus | 9 | 28 | 45 | 36 | reinwardtii | 2 | 42 | 80 | 61 |
| multiflorus | 15 | 20 | 40 | 29 | Verticordia | | | | |
| pateronii | 14 | 15 | 46 | 31 | brownii | 10 | 45 | 98 | 66 |
| sparteus | 5 | 27 | 63 | 48 | chrysantha | 20 | 24 | 74 | 42 |
| spiniger | 4 | 26 | 31 | 29 | chrysostachys | 1 | | | 30 |
| tenellus | 1 | | | 62 | densiflora | 11 | 32 | 98 | 63 |
| triandrus | 4 | 30 | 47 | 37 | drummondii | 4 | 37 | 73 | 55 |
| Toxanthus | | | | | etheliana | 6 | 37 | 73 | 55 |
| perpusillus | 5 | 5 | 10 | 9 | forrestii | 2 | 30 | 61 | 46 |
| Trachymene | | | | | grandiflora | 1 | | | 94 |
| caerulea | 12 | 7 | 21 | 16 | grandis | 2 | 24 | 36 | 30 |
| cyanopetala | 9 | 12 | 20 | 16 | helmsii | 1 | | | 74 |
| glaucifolia | 1 | | | 29 | huegelii | 3 | 44 | 72 | 62 |
| hemicarpa | 1 | | | 25 | insignis | 1 | | | 12 |
| ornata | 7 | 13 | 20 | 16 | lepidophylla | 1 | | | 72 |
| pilosa | 3 | 15 | 24 | 19 | lindleyi | 10 | 40 | 72 | 52 |
| Trianthema | | | | | mitchelliana | 1 | | | 64 |
| pilosa | 1 | | | 46 | monadelpha | 13 | 44 | 86 | 61 |
| Tribonanthes | | | | | muellerana | 6 | 43 | 72 | 57 |
| australis | 1 | | | 39 | multiflora | 2 | 50 | 71 | 61 |
| variabilis | 4 | 55 | 103 | 72 | nitens | 13 | 42 | 98 | 67 |
| Tribulus | | | | | oculata | 5 | 39 | 89 | 62 |
| hirsutus | 4 | 11 | 29 | 19 | penicillaris | 1 | | | 74 |
| hystrix | 2 | 10 | 14 | 12 | pennigera | 2 | 45 | 73 | 59 |
| occidentalis | 5 | 14 | 31 | 18 | pholidophylla | 9 | 30 | 73 | 58 |
| platypterus | 4 | 15 | 30 | 23 | picta | 5 | 41 | 70 | 53 |
| Trichocline | | | | | plumosa | 2 | 30 | 151 | 91 |
| spathulata | 7 | 19 | 43 | 32 | roei | 1 | | | 52 |
| Trichodesma | | | | | serrata | 2 | 67 | 180 | 124 |
| indicum | 2 | 14 | 18 | 16 | spicata | 5 | 38 | 74 | 56 |
| zeylanicum | 14 | 8 | 19 | 13 | stylotricha | 1 | | | 70 |
| Tricoryne | | | | | Villarsia | | | | |
| elatior | 1 | | | 23 | albiflora | 1 | | | 38 |
| Triglochin | | | | | latifolia | 4 | 32 | 54 | 40 |
| centrocarpa | 1 | | | 7 | Viminaria* | | | | |
| minutissima | 1 | | | 7 | juncea | 12 | 11 | 34 | 22 |

| | A | B | C | D |
|---------------|----|----|-----|----|
| Vittadinia | | | | |
| triloba | 2 | 9 | 17 | 13 |
| Wahlenbergia | | | | |
| gracilentata | 8 | 11 | 40 | 19 |
| preissii | 6 | 13 | 20 | 17 |
| Waitzia | | | | |
| acuminata | 12 | 5 | 59 | 14 |
| aurea | 14 | 5 | 11 | 8 |
| citrina | 6 | 9 | 45 | 19 |
| podolepis | 3 | 5 | 10 | 7 |
| suaveolens | 11 | 5 | 13 | 10 |
| Wedelia | | | | |
| asperrima | 1 | | | 8 |
| Westringia | | | | |
| rigida | 3 | 27 | 34 | 31 |
| Xanthorrhoea | | | | |
| brevistylis | 3 | 26 | 42 | 37 |
| gracilis | 8 | 26 | 165 | 49 |
| nana | 5 | 22 | 57 | 42 |
| preissii | 8 | 22 | 49 | 33 |
| reflexa | 5 | 26 | 72 | 42 |
| thorntonii | 3 | 29 | 57 | 42 |
| Xanthosia | | | | |
| atkinsoniana | 1 | | | 87 |
| rotundifolia | 3 | 53 | 145 | 91 |
| Xylomelum | | | | |
| angustifolium | 9 | 15 | 45 | 30 |
| occidentale | 12 | 32 | 71 | 44 |
| Zygophyllum | | | | |
| aurantiacum | 7 | 14 | 49 | 21 |
| fruticulosum | 10 | 10 | 59 | 26 |
| glaucum | 6 | 13 | 40 | 27 |
| iodocarpum | 5 | 14 | 38 | 31 |
| ovatatum | 3 | 16 | 30 | 24 |