

WATER RESOURCES DIRECTORATE

Hydrology Branch

Reference List of Hydrological Research Associated with Bauxite Mining and Other Land Use Changes in the Jarrah Forrest of Western Australia

Compiled by N.J. Schofield for the Bauxite Hydrology Research Group

> Report No. WH 16 March 1986

CONTENTS

		page
1.	Introduction	1
2.	Bauxite Hydrology Research	2
3.	Other Hydrological Research in the Jarrah Forest	5
4.	Experimental and theoretical methods	12

page

1. INTRODUCTION

The purpose of this document is to bring together references of publications, reports, theses and other material relevant to research and management of water aspects of the jarrah forest. The reference list is aimed to benefit researchers and managers addressing the problems of natural and man-made pressures on the jarrah forest. Particular emphasis is given to bauxite mining, which is currently proceeding in the northern jarrah forest.

The reference list is divided into three sections. Section 2 deals with hydrological aspects of bauxite mining. All other hydrological research related to the jarrah forest is collected in section 3. Section 4 covers experimental and theoretical methods that have been developed or used in jarrah forest hydrology research.

- 2. BAUXITE HYDROLOGY RESEARCH
- ALCOA OF AUSTRALIA (1981). Triennial review of environmental research and operations by Alcoa of Australia Ltd in Western Australia, 140 pp.
- ALCOA OF AUSTRALIA (1984). Triennial review of environmental research and operations, 85 pp.
- ALCOA OF AUSTRALIA (1984). Study into possible techniques for controlling sediment in minepit discharge water. Prepared by Kinhill Stearns Consultants, 26 pp.
- BESTOW, T.T. (1975). The effects of bauxite mining at Del Park on groundwater hydrology. Ann. Rep. Geol. Survey W.A., 13-31.
- BESTOW, T.T. (1976). Research into the effect of bauxite mining on hydrology. In : Land Management and Water Quality. Proc. Dept. Conserv. and Environ. W.A. Seminar, 27-36.
- BRIESE, E.H. (1979). A reassessment of the effects of bauxite mining on groundwater hydrology at Del Park. Geol. Surv. W.A., Record 1979/13, 55 pp.
- CARBON, B.A., BARTLE, G.A. and MURRAY, A.M. (1981). Water stress, transpiration and leaf area index in eucalypt plantations in a bauxite mining area in south-west Australia. Aust. J. Ecol. <u>6</u>, 459-66.
- COLQUHOUN, I.J., RIDGE, R.W., BELL, D.T., LONERAGAN, W.A. and KUO, J. (1984). Comparative studies in selected species of <u>Eucalyptus</u> used in rehabilitation of the northern jarrah forest, Western Australia. I. Patterns of xylem pressure potential and diffusive resistance of leaves. Aust. J. Bot., <u>32</u>, 367-373.
- CROTON, J.T. (1982). Minesite Drainage Book. Alcoa of Australia internal report.
- CROTON, J.T. (1985). Recent developments in rehabilitated bauxite pit design for erosion control and water discharge. Australian Mining Industry Council Environmental Workshop.
- CROTON, J.T. and TIERNEY, D.T.A. (1984). A brief description of a hydrological design model for the rehabilitation of bauxite minepits in the Darling Range, Western Australia. In : Seminar on Hydrological Models Applicable to the Darling Range (N.J. Schofield and R.A. Stokes, Eds.), Water Resources Branch, Public Works Dept. W.A., Rep. No. WRB 100, 23-29.
- CROTON, J.T. and TIERNEY, D.T.A. (1985). RED a hydrological design model used in the rehabilitation of bauxite minepits in the Darling Range, Western Australia. Alcoa of Australia Ltd, Environ. Res. Bulletin No. 15, 13 pp.

- CSIRO (1972). Ecological effects of bauxite mining in the Darling Range of Western Australia. 35 pp.
- DEPARTMENT OF INDUSTRIAL DEVELOPMENT WESTERN AUSTRALIA (1978). Research into the effects of bauxite mining on the water resources of the Darling Range. 58 pp.
- HURLE, D., YENDLE, P.A. and HEIGHT, M.I. (1979). Groundwater studies in bauxite mining areas. In : Water Resources and Land Management Issues in the Darling Range. Unreferenced.
- HURLE, D. and ASSOCIATES (1983). Analysis and simulation of the effects of bauxite mining on groundwater systems of the Darling Range. Vol. 1 : Analysis of the CSIRO data set and hydraulic studies. Consultants report to Alcoa of Australia, 54 pp.
- HURLE, D. and ASSOCIATES (1984). Analysis and simulation of the effects of bauxite mining on groundwater systems of the Darling Range. Vol. 2 : Analysis of the CSIRO data set and hydraulic studies. Consultants report to Alcoa of Australia, 36 pp.
- HURLE, D.H. and SLESSAR, G.C. (1984). Simulation of groundwater responses on Del Park catchment. In : Seminar on Hydrological Models Applicable to the Darling Range (N.J. Schofield and R.A. Stokes, Eds), Water Resources Branch, Public Works Dept. W.A., Rep. No. WRB 100, 36-41.
- JOHNSTON, C.D. (1981). Salt content of soil profiles in bauxite mining areas of the Darling Range, Western Australia. CSIRO Land Resour. Manag. Tech. Pap. No. 8, 25 pp.
- LOH, I.C., HOOKEY, G.R. and BARRETT, K.L. (1984). The effect of bauxite mining on the forest hydrology of the Darling Range, Western Australia. Engineering Division, Public Works Dept. W.A., Rep. No. WRB 73.
- MARTIN, M.W. (1982). Review of Projects 3 and 4 : Research into the effects of bauxite mining on the water resources of the Darling Range. Geol. Survey of W.A., Hyd. Rep. No. 2387.
- NICHOLS, O.G., CARBON, B.A., COLQUHOUN, I.J., CROTON, J.T. and MURRAY, N.J. (1985). Rehabilitation after bauxite mining in south-western Australia. Landscape Planning <u>12</u>, 75-92.
- PECK, A.J., HEWER, R.A. and SLESSAR, G.C. (1977). Simulation of the effects of bauxite mining and dieback disease on river salinity. CSIRO Div. Land Resour. Manag. Tech. Pap. No. 3, 17 pp.
- SCHOFIELD, N.J. (1984). Research into the hydrology of bauxite mining : A strategy for the measurement of water and solute processes on a jarrah forest hillslope. Water Resources Branch, Public Works Dept. W.A., Rep. No WRB 91, 31 pp.

3

- SCHOFIELD, N.J., BATES, B.C. and BARTLE, J.R. (1985). First progress report on the Del Park hillslope hydrology study. Hydrology Branch, Water Resources Directorate, Water Authority W.A., Rep. No. WH6, 179 pp.
- SCHUR, B. (1985). Jarrah forest or bauxite dollars? : A critique of bauxite mine rehabilitation in the jarrah forests of southwestern Australia. Campaign to Save Native Forests (W.A.), 64 pp.
- SLESSAR, G.C., MURRAY, N.J. and PASSCHIER, T. (1983). Salt storage in the bauxite laterite region of the Darling Range, Western Australia. Alcoa of Australia Environ. Res. Bull. No. 16, 10 pp.
- STEERING COMMITTEE FOR RESEARCH ON LAND USE AND WATER SUPPLY (1981). Requirements for rehabilitation and hydrological research in areas affected by bauxite mining. 13 pp.
- STEERING COMMITTEE FOR RESEARCH ON LAND USE AND WATER SUPPLY (1984). Bauxite Mining in the Jarrah Forest : Impact and Rehabilitation. Dept. Conservation and Environment W.A., Bulletin No. 169, 55 pp.
- STEERING COMMITTEE FOR RESEARCH ON LAND USE AND WATER SUPPLY (1985). The Joint State Government and Alcoa Research Programme into the Effects of Bauxite Mining on Water Resources in the Northern Jarrah Forest: Research Planning and Methodology. Engineering Division, Public Works Dept. W.A., Rep. No. WRB 106, 19 pp.
- STOKES, R.A. (1983). Research into the effects of bauxite mining : Mt Saddleback paired catchment study. Engineering Division, Public Works Dept. W.A., Rep. No. WRB 71, 12 pp plus figures.
- TECHNICAL ADVISORY GROUP (1978). Bauxite mining in the Darling Range. Dept. Conservation and Environment W.A., Bulletin No. 44.
- UNDERWOOD, R.J. and SLESSAR, G.C. (1982). Report on effects of the major storm of January 20-21, 1982, at the Alcoa minesites. Unreferenced.
- WATSON, G.D. (1982). Quantification of soil strength in relation to bauxite minepits in the Darling Range. Unpublished undergraduate thesis, Dept. Civil Engineering, W.A. Inst. Tech., 52 pp.
- WORSLEY ALUMINA PTY LTD (1982). Environmental Management Triennial Report, November 1979-October 1982. 59 pp.

3. OTHER HYDROLOGICAL RESEARCH IN THE JARRAH FOREST

- BARTLE, J.R., COLQUHOUN, I.J., HOOKEY, G.R. and EDGELOE, R.W. (1984). Modelling transpiration from jarrah forest and introduced species. In : Seminar on Hydrological Models Applicable to the Darling Range (N.J. Schofield and R.A. Stokes, Eds), Water Resources Branch, Public Works Dept W.A., Rep. No. WRB 100, 3-11.
- BATINI, F.E., SELKIRK, A.B. and HATCH, A.B. (1976). Salt content of soil profiles in the Helena catchment, Western Australia. Forests Dept. W.A., Res. Pap. No. 23.
- BATINI, F.E., HATCH, A.B. and SELKIRK, A.B. (1977). Variations in level and salinity of perched and semi-confined groundwater tables, Hutt and Wellbucket experimental catchments. Forests Dept. W.A., Res. Pap. 33, 11 pp.
- BATINI, F.E. and SELKIRK, A.B. (1978). Salinity sampling in the Helena catchment, Western Australia. Forests Dept. W.A., Res. Pap. No. 45, 16 pp.
- BATINI, F.E., BLACK, R.E., BYRNE, J. and CLIFFORD, P.J. (1980). An examination of the effects of changes in catchment condition on water yield in the Wungong catchment, Western Australia. Aust. For. Res., <u>10</u>, 29-38.
- BIDDESCOMBE, E.F., ROGERS, A.L. and GREENWOOD, E.A. (1979). Is Partial reforestation effective in salinity control? groundwater level and transpiration rates of plantations in the Hotham Valley. In : Water Resources and Land Management Issues in the Darling Range, 1 p. Unreferenced.
- BLACK, R.E. (1976). Register of catchments in the south-west of W.A. Dept. Physics, Western Australia Institute Technology, Rep. No. PD 96/1976/G20, 31 pp.
- BLACK, R.E. and CLIFFORD, P.J.. A runoff prediction method for Western Australian Catchments. Aust. Inst. Engs., 14 pp.
- CARBON, B.A., BARTLE, G.A. and MURRAY, A.M. (1979). Leaf area index of some eucalyptus forests in south-west Australia. Aust. For. Res. <u>9</u>, 323-326.
- CARBON, B.A., BARTLE, G.A., MURRAY, A.M. and MACPHERSON, D.K. (1980). The distribution of root length, and the limits of flow of soil water to roots in a dry sclerophyll forest. Forest Sci., <u>26</u>(4), 656-664.
- CARBON, B.A., BARTLE, G.A. and MURRAY, A.M. (1981). Patterns of water stress and transpiration in Jarrah (<u>Eucalyptus marginata</u> Don ex Sm) forests. Aust. For. Res., <u>11</u>, 191-200.

- CLIFFORD, P.J. and BLACK, R.E. (1977). Hydrological phenomena of south-west forested catchments - an analysis. Dept. Physics, Western Australian Institute Technology, Rep. No. PD 143/1977/ES15, 59 pp.
- CURTIS, A.A. and JOHNSTON, C.D. (1984). Water movement in complex soil profiles. National Soils Conference, Brisbane, Australia 13-18 May, p 258.
- DELL, B., BARTLE, J.R. and TACEY, W.H. (1983). Root occupation and root channels of Jarrah Forest subsoils. Aust. J. Bot., <u>31</u>, 615-27.
- DIMMOCK, G.M., BETTENAY, E. and MULCAHY, M.J. (1974). Salt content of lateritic profiles in the Darling Range, Western Australia. Aust. J. Soil Res. <u>12</u>, 63-9.
- DOLEY, D. (1967). Water relations of <u>Eucalyptus marginata</u> Sm under natural conditions. J. Ecol. <u>55</u>, 597-614.
- ELLIOTT, J.F. (1972). Yield characteristics of south western Australian catchments. Report to Water Research Foundation of Australia. 103 pp.
- FURNESS, L.J. (1977). Water and salt balances, Yerraminnup Creek catchments. Geological Survey W.A., Hyd. Rep. No. 1499.
- FURNESS, L.J. (1978). Groundwater and salt flows from Lewin and Sutton catchments. Project No. 2 Manjimup Woodchip Industry Research. Geological Survey W.A., Hyd. Rep. Nos. 1904, 1905.
- GREENWOOD, E.A.N., KLEIN, L., BERESFORD, J.D., WATSON, G.D. and WRIGHT, K.D. (1985). Evaporation from the understorey in the jarrah (<u>Eucalyptus marginata</u> Don Ex Sm.) forest, Southwestern Australia. J. Hydrol. <u>80</u>, 337-349.
- GRIEVE, B.J. (1956). Studies in water relations of plants. 1. Transpiration of W.A. sclerophylls. J. Proc. Roy. Soc. W. Aust., <u>40</u>, 15-30.
- HATCH, A.B. and SHEA, S.R. (1977). Water quality in Allan Road catchment, Western Australia. Forests Dept. W.A., Res. Pap. No. 30, 8 pp.
- HAVEL, J.J. (1975). The effects of water supply for the city of Perth, Western Australia, on other forms of land use. Landscape Plann., <u>2</u>, 75-132.
- HERBERT, E.J. and RITSON, P. (1976). Small streamflow measurements in the northern jarrah forest, Western Australia. Forest Dept. W.A., Res. Pap. No. 28, 7 pp.
- HERBERT, E.J., SHEA, S.R. and HATCH, A.B. (1978). Salt content of lateritic profiles in the Yarragil catchment, Western Australia. Forests Dept. W.A., Res. Pap. No. 32, 13 pp.

- HINGSTON, F.J. and GAILITIS, V. (1976). The geographic variation of salt precipitated over Western Australia. Aust. J. Soil Res., <u>14</u>, 319-335.
- HOOKEY, G.R. (1984). Groundwater modelling and reforestation. In : Seminar on Hydrological Models Applicable to the Darling Range (N.J. Schofield and R.A. Stokes, Eds.), Water Resources Branch, Public Works Dept. W.A., Rep. No. WRB 100, 30-35.
- HOPKINS, D. (1984). Darling Range Catchment Model. In : Seminar on Hydrological Models Applicable to the Darling Range (N.J. Schofield and R.A. Stokes Eds), Water Resources Branch, Public Works Dept. W.A., Rep. No. WRB 100, 42-48.
- JOHNSTON, C.D. (1983). Estimation of groundwater recharge from the distribution of chloride in deeply weathered profiles from south-west, Western Australia. In 'Papers of the International Conference on Groundwater and Man', Vol. 1, 143-52.
- JOHNSTON, C.D., MCARTHUR, W.M. and PECK, A.J. (1980). Distribution of soluble salts in soils of the Manjimup Woodchip Licence Area, Western Australia. CSIRO Division Land Resources Management. Tech. Pap. No. 5, 29 pp.
- JOHNSTON, C.D., HURLE, D.H., HUDSON, D.R. and HEIGHT, M.I. (1983). Water movement through preferred paths in laterite profiles of the Darling Plateau, Western Australia. CSIRO Groundwater Res. Tech. Pap. No. 1, 34 pp.
- KIMBER, P.C. (1974). The root system of jarrah (<u>Eucalyptus marginata</u> Sm.). Forests Dept. W.A., Res. Pap. No. 10, 5 pp.
- LOH, I.C. (1979). Agricultural clearing and stream salinity the Collie catchment example. In : Water Resources and Land Management Issues in the Darling Range, 2 pp. Unreferenced.
- LOH, I.C. and STOKES, R.A. (1981). Predicting stream salinity changes in South-Western Australia. Agric. Water Manag. <u>4</u>, 227-254.
- LOH, I.C., VENTRISS, H.B. and COLLINS, P.D.K. (1983). Water resources quality in Western Australia. In : Water Quality -Its Significance in Western Australia, W.R.F.A. Seminar, Perth.
- LOWING, M. (1970). Loss-rate studies in the south-west coastal division of Australia. Water Research Foundation of Australia, Bulletin No. 17, 63 pp.
- LUTZ, P.G., EDGELOE, R.W. and LOH, I.C. (1984). A groundwater hillslope model. In : Seminar on Hydrological Models Applicable to the Darling Range (N.J. Schofield and R.A. Stokes, Eds.), Water Resources Branch, Public Works Dept. W.A., Rep. No. WRB 100, 19-22.

- MARTIN, M.W. (1984). Analysis of a pumping test from the Darling Range, eastern Collie area, Western Australia. Geological Survey, Department of Mines W.A., Geol. Survey Record 1984/5, 36 pp.
- PECK, A.J. (1975). Water catchments on forested lands : Yields and quality. Paper presented to workshop on the Jarrah Forest Ecosystem, CSIRO, Perth, 5-6.
- PECK, A.J. (1975). Effects of land use on salt distribution in the soil. In : Plants in Saline Environments (Eds. A. Poljakoff-Mayber and J. Gale), Springer-Verlag, Berlin, 77-90.
- PECK, A.J. (1976). Modelling the effect of a change in land use on stream salinity. Proc. Joint DCE/CSIRO/PWD Workshop on Land Use and Stream Salinity, Perth, W.A.
- PECK, A.J. (1976). Interactions between vegetation and streamwater quality in Australia. Proc. 5th US/Australia Rangelands Workshop, Boise, Idaho, Utah Water Research Lab., Utah State University, Logan, Utah, 149-155.
- PECK, A.J. (1976). Estimating the effect of a land use change on stream salinity in south-western Australia. In : Water Quality - Its Significance in Western Australia, W.R.F.A. Seminar, Perth.
- PECK, A.J. (1979). Is partial reforestation effective in salinity control? - the location and area of replanting required. In : Water Resources and Land Management Issues in the Darling Range, 1 p. Unreferenced.
- PECK, A.J. (1983). Response of groundwaters to clearing in Western Australia. In : Volume 2 : Groundwater and the Environment. Papers of the International Conference on Groundwater and Man. Aust. Government Publ. Service, Canberra, 327-35.
- PECK, A.J. and HURLE, D.H. (1973). Chloride balance of some farmed and forested catchments in south-western Australia. Water Resour. Res. <u>9</u>, 648-57.
- PECK, A.J., WILLIAMSON, D.R., BETTENAY, E. and DIMMOCK, G.M. (1973). Salt and water balances of some catchments in the south-west coast drainage division. Hydrology Symposium, Inst. Engs. Aust., Nat. Conf. Publ. No. 73/3, 1-4.
- PECK, A.J. and BETTENAY, E. (1976). Hydrologic and geomorphic background to problems of land management and water quality in the Darling Range. In : Land Management and Water Quality, Dept. Conserv. and Environ. W.A. Seminar, 5-13.
- PECK, A.J., HEIGHT, M.I., HURLE, D.H. and YENDLE, P.A. (1979). Changes in groundwater systems after clearing for agriculture. Proc. Agriculture and the Environment in Western Australia. (WAIT : Bentley, W.A.).

- PECK, A.J., YENDLE, P.A. and BATINI, F.E. (1980). Hydraulic conductivity of deeply weathered material in the Darling Range, Western Australia. Aust. J. Soil Res. <u>18</u>, 129-38.
- PECK, A.J., JOHNSTON, C.D. and WILLIAMSON, D.R. (1981). Analysis of solute distributions in deeply weathered soils. Agric. Water Manag., <u>4</u>, 83-102.
- PECK, A.J., WILLIAMSON, D.R., HURLE, D.H., YENDLE, P.A. and TROTTER, C. (1982). Groundwater observations in the Darling Range, Western Australia. CSIRO Division of Land Resources Management Tech. Memorandum 82/1.
- PECK, A.J., WILLIAMSON, D.R., YENDLE, P.A. and TROTTER, C. (1982). Rainwater observations in the Darling Range, Western Australia. CSIRO Division of Land Resources Management Tech. Memorandum 82/2.
- RITSON, P. and SHEA, S.R. (1980). Water and salt cycles across a forested catchment. In : Land and Stream Salinity Seminar, Poster Paper, Murdoch University, Perth 21.1-21.4.
- RITSON, P., HERBERT, E.J. and SHEA, S.R. (1981). Groundwater studies in the Yarragil catchment, Western Australia. Forests Dept., Res. Pap. No. 66, 10 pp.
- SADLER, B.S. and WILLIAMS, P.J. (1981). The evolution of a regional approach to salinity management in Western Australia. Agric. Water Manag. <u>4</u>, 353-81.
- SCHOFIELD, N.J. (1984). A simulation model predicting winter interception losses from reforestation stands in south-west W.A.. Aust. For. Res., 14, 105-127.
- SCHOFIELD, N.J. (1984). Interception and soil water components of a forest hillslope model. In : Seminar on Hydrological Models Applicable to the Darling Range (N.J. Schofield and R.A. Stokes, Eds.), Water Resources Branch, Public Works Dept W.A., Rep. No. WRB. 100, 12-18.
- SCHOFIELD, N.J. and STOKES, R.A. (Eds.) (1984). Seminar on hydrological models applicable to the Darling Range. Water Resources Branch, Public Works Dept. W.A., Rep. No. WRB. 100, 62 pp.
- SHARMA, M.L. (1978). Evapotranspiration and stream salinity as a consequence of land use change in south-western Australia. In : Proc. 3rd International Hydrology Symposium, Fort Collins, Colorado, 779-791.
- SHARMA, M.L. (1984). Evapotranspiration from a Eucalyptus community. Agric. Water Manag., <u>8</u>, 41-56.
- SHARMA, M.L., WILLIAMSON, D.R. and HINGSTON, F.J. (1980). Water pollution as a consequence of land disturbance in south-west of Western Australia. In : Biogeochemistry of Ancient and Modern Environments, Trudinger, P.A. and Walter, M.R. (Eds.), Australian Academy of Science and Springer Verlag, 429-439.

- SHARMA, M.L., WILLIAMSON, D.R. and PECK, A.J. (1980). Characterization of soil hydraulic properties of a catchment. In : Land and Stream Salinity Seminar Proc., Perth, 23.1-23.3.
- SHARMA, M.L., JOHNSTON, C.D. and BARRON, R.J.W. (1982). Soil water and groundwater responses to forest clearing in a paired-catchment study in South-Western Australia. 1st Nat. Symp. For. Hydrol. (E.M. O'Loughlin and L.J. Bren, Eds), Melbourne, 118-123.
- SHARMA, M.L., BARRON, R.J.W. and DE BOER, E.S. (1983). Spatial structure and variability of infiltration parameters. In : Advances in Infiltration. Amer. Soc. Agric. Engs., Publ. No. 11-83, 113-21.
- SHARMA, M.L. and WILLIAMSON, D.R. (1984). Secondary salinisation of water resources in southern Australia. In : State-of-the-Art Control of Salinity (ed. R.H. French), Butterworths Publishers, Boston, USA 571-80.
- SHEA, S.R., HATCH, A.B., HAVEL, J.J. and RITSON, P. (1975). The effect of changes in forest structure and composition on water quality and yield from the northern jarrah forest. In : Managing Terrestrial Ecosystems, Vol. 9, Proc. Ecol. Soc. Aust. (J. Kikkawa and H.A. Nix eds.), Symposium, Brisbane, 58-73.
- SHEA, S.R. and HATCH, A.B. (1976). Stream and groundwater salinity levels in the South Dandalup catchment of Western Australia. Forests Dept. W.A., Res. Pap. No. 22, 7 pp.
- SHEA, S.R. and HERBERT, E.J. (1977). The potential to increase water yield in the northern jarrah forest of Western Australia. Forests Dept. W.A., Res. Pap. No. 30.
- SLESSAR, G.C. (1977). Rapid methods for soil salinity assessment in the Darling Range. Alcoa of Australia Environ. Res. Note No. 1, 17 pp.
- STONE, K.A. (1979). Is partial reforestation effective in salinity control? - groundwater monitoring of forest-pasture interfaces. In : Water Resources and Land Management Issues in the Darling Range, 2 pp. Unreferenced.
- STOKES, R.A. (1979). Streamflow changes following clearing. In : Water Resources and Land Management Issues in the Darling Range, 4 pp, Unreferenced.
- STOKES, R.A., STONE, K.A. and LOH, I.C. (1980). Summary of soil salt storage characteristics in the northern Darling Range. Water Resources Branch, Public Works Dept. W.A., Tech. Rep. No. WRB 94.
- STOKES, R.A. and LOH, I.C. (1982). Streamflow and solute characteristics of a forested and deforested catchment pair in south-western Australia. 1st Nat. Symp. on Forest Hydrol. (E.M. O'Loughlin and L.J. Bren Eds.) Inst. Eng. Aust., Nat. Conf. Publ. No. 82/6, 60-66.

- STOKES, R.A. and BATINI, F.E. (1985). Streamflow and groundwater responses to logging in Wellbucket catchment, south-western Australia. Hydrology Branch, Water Resources Directorate, Water Authority W.A., Rep. No. WH3, 40 pp.
- THROSSELL, J.S. (1984). The role of duricrust in the perching of groundwater in the Darling Ranges. Hons. Thesis, Geology Dept., University of Western Australia. 49 pp.
- TSYKIN, E.N. (1983). Statistical evaluation of groundwater components of streamflow. International Conference on Groundwater and Man, Sydney. AWRC Conf. Series No. 8, 331-340.
- TSYKIN, E.N. (1983). Statistically evaluated salt storage map of western part of Darling Range and auxillary maps of salt accumulation in different soil layers. Appl. Maths. Div., Aust. Math. Soc., Perth, Australia, 35.
- TSYKIN, E.N., LAURENSON, E.M. and WU, A.K.U. (1982). Hydrologic effects of replacement of eucalypt forest by pasture and pines. 1st Nat. Symp. Forest Hydrol., Inst. Engs. Aust., Melbourne, 124-131.
- TSYKIN, E.N. and SLESSAR, G.C. (1985). Estimation of salt storage in the deep lateritic soils of the Darling Plateau, Western Australia. Aust. J. Soil Res. <u>23</u>, 533-41.
- WATSON, J.D. (1982). Analysis of salinity profiles in lateritic soils of south-western Australia. Aust. J. Soil Res. <u>20</u>, 37-49.
- WILLIAMSON, D.R. and JOHNSTON, C.D. (1979). The effects on salt and water in small catchments. In : Water Resources and Land Management Issues in the Darling Range, 3 pp. Unreferenced.
- WOOD, W.E. (1924). Increase of salt in soils and streams following the destruction of the native vegetation. J. Roy. Soc. Western Australia, <u>10</u>, 35-47.

4. EXPERIMENTAL AND THEORETICAL METHODS

- BARTLE, J.R. and COLQUHOUN, I.J. (1985). Ventilated Chambers. In:Atmospheric transport processes and plant canopies — Workshop Notes, CSIRO Div. Environmental Mechanics, Canberra.
- BATES, B.C. (1984). Parameter estimation and uncertainty analysis for deterministic models. In : Seminar on Hydrological Models applicable to the Darling Range (N.J. Schofield and R.A. Stokes, Eds.) Water Resources Branch, Public Works Dept. W.A., Rep. No. WRB 100, 49-55.
- BATES, B.C. and TOWNLEY, L.R. (1985). Estimation of parameters and uncertainty in a runoff routing model. Proceedings Hydrology and Water Resources Symposium, Inst. Engs. Aust., Nat. Conf. Publ. No. 85/2, 48-52.
- COLQUHOUN, I.J., PASSCHIER, A., PICKERSGILL, G. and AINSWORTH, G.L. (1983). The Ventilated Chamber Method for Measuring Transpiration. Alcoa of Australia Tech. Rep., 56 pp.
- CROTON, J.T. (1985). Minepit monitoring methods and equipment. Alcoa of Australia internal report.
- HODNETT, M.G. and SCHOFIELD, N.J. (1985). Notes on the installation, reading and data processing of mercury manometer tensiometers, gypsum blocks and the neutron probe system. Water Resources Branch, Public Works Dept. W.A., Rep. No. WRB 126, 23 pp.
- MURRAY, N.M. and SLESSAR, G.C. (1980). Vacuum drilling a more rapid and economic method for evaluation of soil salt and soil water content in the Darling Range. Alcoa of Australia Environ. Res. Bulletin No. 6.
- SLESSAR, G.C., MURRAY, N.J. and HAMMER, R.E. (1979). Potential application of digital terrain mapping to soil salt evaluation in the Darling Range. Seminar papers, Land Use Planning – Recent Advances, Prospect 2000 Conference, (University of W.A. Extension Service and Australia Institute of Agricultural Science (W.A.)), Perth, 49-59.
- TSYKIN, E.N. (1984). Multiple nonlinear regressions derived with choice of free parameters. Applied Mathematical Modelling <u>8</u>, 288-292.
- TSYKIN, E.N. (1985). Multiple nonlinear statistical models for runoff simulation and prediction. J. Hydrol. Vol. 77, 209-226.
- TSYKIN, E.N. (1985). Runoff prediction from ungauged catchments. 21st Congress, International association for Hydraulic Research Poster paper.
- TSYKIN, E.N. (in press). Extrapolation of rainfall-runoff regression models outside their calibration range. 21st Congress, International Association for Hydraulic Research.

- TSYKIN, E.N. (in press). Multiple statistical models for simulation and prediction of nonlinear processes. Stochastical analysis and applications.
- TSYKIN, E.N., LAURENSON, E.M., SLESSAR, G.C. and WU, A.K.U. (1982). Use of a conceptual nonlinear regression model for evaluation of hydrologic effects of land use changes. Proceedings Canadian Hydrology Symposium: 82, Frederiction, 463-483.