

— PART 1 —

CONSERVATION

CO301*

Wildlife Conservation Act 1950

Wildlife Conservation (Rare Flora) Notice 2003

Made by the Minister under section 23F(2) of the Act.

1. Citation

This notice may be cited as the *Wildlife Conservation (Rare Flora) Notice 2003*.

2. Interpretation

In this notice —

“**extant**” means known to be living in a wild state;

“**protected flora**” means any flora belonging to the classes of flora declared by the Minister under section 6 of the Act to be protected flora by notice published in the *Gazette* 9 October 1987, at p. 3855;

“**taxon**” includes any taxon that is described by a genus name and any other name or description.

Note: The plural form of “taxon” is “taxa”.

3. Rare flora

Subject to clause 4, protected flora —

- (a) specified in Schedule 1, being taxa that are extant and considered likely to become extinct or rare and therefore in need of special protection; and
- (b) specified in Schedule 2, being taxa that are presumed to be extinct in the wild and therefore in need of special protection,

are declared to be rare flora for the purposes of section 23F of the Act throughout the State.

4. Application

Clause 3 does not apply to those plants of a taxon of protected flora specified in Schedule 1 or 2 that have been planted for any purpose other than such plants that have been planted for the purpose of conservation of that taxon and in accordance with approval given by the Executive Director.

5. Revocation

The *Wildlife Conservation (Rare Flora) Notice 2002* is revoked.

Schedule 1 — Extant taxa

[cl. 3(a)]

Division 1 — Spermatophyta (flowering plants, conifers and cycads)

1	<i>Acacia anomala</i>	35	<i>Adenanthos velutinus</i>
2	<i>Acacia aphylla</i>	36	<i>Allocasuarina fibrosa</i>
3	<i>Acacia aprica</i>	37	<i>Allocasuarina tortiramula</i>
4	<i>Acacia aristulata</i> ms	38	<i>Andersonia axilliflora</i>
5	<i>Acacia ataxiphylla</i> subsp. <i>magna</i>	39	<i>Andersonia gracilis</i>
6	<i>Acacia auratiflora</i>	40	<i>Andersonia pinaster</i> ms
7	<i>Acacia awestoniana</i>	41	<i>Anigozanthos bicolor</i> subsp. <i>minor</i>
8	<i>Acacia brachypoda</i>	42	<i>Anigozanthos viridis</i> subsp. <i>terraspectans</i>
9	<i>Acacia cochlocarpa</i> subsp. <i>cochlocarpa</i>	43	<i>Anthocercis gracilis</i>
10	<i>Acacia denticulosa</i>	44	<i>Apium prostratum</i> subsp. <i>phillipii</i> ms
11	<i>Acacia depressa</i>	45	<i>Asterolasia nivea</i>
12	<i>Acacia forrestiana</i>	46	<i>Banksia brownii</i>
13	<i>Acacia imitans</i>	47	<i>Banksia cuneata</i>
14	<i>Acacia insolita</i> subsp. <i>recurva</i>	48	<i>Banksia goodii</i>
15	<i>Acacia lanuginophylla</i>	49	<i>Banksia oligantha</i>
16	<i>Acacia leptalea</i>	50	<i>Banksia sphaerocarpa</i> var. <i>dolichostyla</i>
17	<i>Acacia lobulata</i>	51	<i>Banksia verticillata</i>
18	<i>Acacia pharangites</i>	52	<i>Bentleya spinescens</i>
19	<i>Acacia pygmaea</i>	53	<i>Beyeria lepidopetala</i>
20	<i>Acacia recurvata</i>	54	<i>Boronia adamsiana</i>
21	<i>Acacia rhamphophylla</i>	55	<i>Boronia capitata</i> subsp. <i>capitata</i>
22	<i>Acacia sciophanes</i>	56	<i>Boronia clavata</i>
23	<i>Acacia subflexuosa</i> subsp. <i>capitata</i>	57	<i>Boronia exilis</i>
24	<i>Acacia trulliformis</i>	58	<i>Boronia revoluta</i>
25	<i>Acacia unguicula</i>	59	<i>Brachyscias vercundus</i>
26	<i>Acacia vassalii</i>	60	<i>Brachysema modestum</i>
27	<i>Acacia volubilis</i>	61	<i>Brachysema papilio</i>
28	<i>Acacia</i> sp. Dandaragan (S. van Leeuwen 269)	62	<i>Caladenia barbarella</i>
29	<i>Adenanthos cunninghamii</i>	63	<i>Caladenia bryceana</i> subsp. <i>bryceana</i>
30	<i>Adenanthos dobagii</i>	64	<i>Caladenia bryceana</i> subsp. <i>cracens</i>
31	<i>Adenanthos ellipticus</i>	65	<i>Caladenia busselliana</i>
32	<i>Adenanthos eyrei</i>	66	<i>Caladenia caesarea</i> subsp. <i>maritima</i>
33	<i>Adenanthos pungens</i> subsp. <i>effusus</i>	67	<i>Caladenia christineae</i>
34	<i>Adenanthos pungens</i> subsp. <i>pungens</i>		

- | | | | |
|-----|---|-----|--|
| 68 | <i>Caladenia dorrienii</i> | 116 | <i>Darwinia</i> sp. Muchea
(B.J.Keighery 2458) |
| 69 | <i>Caladenia drakeoides</i> | 117 | <i>Darwinia</i> sp. Stirling Range
(G.J. Keighery 5732) |
| 70 | <i>Caladenia elegans</i> | 118 | <i>Darwinia</i> sp. Williamson
(G.J. Keighery 12717) |
| 71 | <i>Caladenia excelsa</i> | 119 | <i>Daviesia bursarioides</i> |
| 72 | <i>Caladenia harringtoniae</i> | 120 | <i>Daviesia cunderdin</i> |
| 73 | <i>Caladenia hoffmanii</i> subsp.
<i>graniticola</i> | 121 | <i>Daviesia dielsii</i> |
| 74 | <i>Caladenia hoffmanii</i> subsp.
<i>hoffmanii</i> | 122 | <i>Daviesia elongata</i> subsp.
<i>elongata</i> |
| 75 | <i>Caladenia huegelii</i> | 123 | <i>Daviesia euphorbioides</i> |
| 76 | <i>Caladenia procera</i> | 124 | <i>Daviesia glossosema</i> |
| 77 | <i>Caladenia viridescens</i> | 125 | <i>Daviesia megacalyx</i> |
| 78 | <i>Caladenia wanosa</i> | 126 | <i>Daviesia microcarpa</i> |
| 79 | <i>Caladenia winfieldii</i> | 127 | <i>Daviesia obovata</i> |
| 80 | <i>Calectasia cyanea</i> | 128 | <i>Daviesia pseudaphylla</i> |
| 81 | <i>Calectasia pignattiana</i> | 129 | <i>Daviesia speciosa</i> |
| 82 | <i>Calytrix breviseta</i> subsp.
<i>breviseta</i> | 130 | <i>Deyeuxia drummondii</i> |
| 83 | <i>Centrolepis caespitosa</i> | 131 | <i>Diuris drummondii</i> |
| 84 | <i>Chamelaucium griffinii</i> ms | 132 | <i>Diuris micrantha</i> |
| 85 | <i>Chamelaucium roycei</i> ms | 133 | <i>Diuris purdiei</i> |
| 86 | <i>Chamelaucium</i> sp. Gingin
(N. Marchant s.n. 4.11.88) | 134 | <i>Drakaea concolor</i> ms |
| 87 | <i>Chordifex abortivus</i> | 135 | <i>Drakaea confluens</i> ms |
| 88 | <i>Chorizema humile</i> | 136 | <i>Drakaea elastica</i> |
| 89 | <i>Chorizema varium</i> | 137 | <i>Drakaea isolata</i> ms |
| 90 | <i>Conospermum densiflorum</i>
subsp. <i>unicephalatum</i> | 138 | <i>Drakaea micrantha</i> ms |
| 91 | <i>Conospermum toddii</i> | 139 | <i>Drummondita ericoides</i> |
| 92 | <i>Conospermum undulatum</i> | 140 | <i>Drummondita longifolia</i> |
| 93 | <i>Conostylis dielsii</i> subsp. <i>teres</i> | 141 | <i>Dryandra anatona</i> |
| 94 | <i>Conostylis drummondii</i> | 142 | <i>Dryandra aurantia</i> |
| 95 | <i>Conostylis lepidospermoides</i> | 143 | <i>Dryandra ionthocarpa</i> |
| 96 | <i>Conostylis micrantha</i> | 144 | <i>Dryandra mimica</i> |
| 97 | <i>Conostylis misera</i> | 145 | <i>Dryandra montana</i> |
| 98 | <i>Conostylis rogeri</i> | 146 | <i>Dryandra mucronulata</i>
subsp. <i>retrorsa</i> |
| 99 | <i>Conostylis seorsiflora</i> subsp.
<i>trichophylla</i> | 147 | <i>Dryandra nivea</i> subsp.
<i>uliginosa</i> |
| 100 | <i>Conostylis setigera</i> subsp.
<i>dasys</i> | 148 | <i>Dryandra pseudoplumosa</i> |
| 101 | <i>Conostylis wonganensis</i> | 149 | <i>Dryandra serratuloides</i>
subsp. <i>perissa</i> |
| 102 | <i>Cooperhooikia georgei</i> | 150 | <i>Dryandra serratuloides</i>
subsp. <i>serratuloides</i> |
| 103 | <i>Cyphanthera odgersii</i> subsp.
<i>occidentalis</i> | 151 | <i>Dryandra squarrosa</i> subsp.
<i>argillacea</i> |
| 104 | <i>Darwinia acerosa</i> | 152 | <i>Eleocharis keigheryi</i> |
| 105 | <i>Darwinia apiculata</i> | 153 | <i>Epiblema grandiflorum</i> var.
<i>cyaneum</i> ms |
| 106 | <i>Darwinia carnea</i> | 154 | <i>Eremophila denticulata</i>
subsp. <i>denticulata</i> |
| 107 | <i>Darwinia chapmaniana</i> ms | 155 | <i>Eremophila lactea</i> |
| 108 | <i>Darwinia collina</i> | 156 | <i>Eremophila nivea</i> |
| 109 | <i>Darwinia ferricola</i> ms | 157 | <i>Eremophila pinnatifida</i> ms |
| 110 | <i>Darwinia masonii</i> | 158 | <i>Eremophila resinosa</i> |
| 111 | <i>Darwinia meeboldii</i> | 159 | <i>Eremophila rostrata</i> ms |
| 112 | <i>Darwinia oxylepis</i> | 160 | <i>Eremophila scaberula</i> |
| 113 | <i>Darwinia squarrosa</i> | 161 | <i>Eremophila subteretifolia</i> ms |
| 114 | <i>Darwinia wittwerorum</i> | | |
| 115 | <i>Darwinia</i> sp. Carnamah
(J.Coleby-Williams 148) | | |

- | | | | |
|-----|--|-----|--|
| 162 | <i>Eremophila ternifolia</i> | 213 | <i>Grevillea calliantha</i> |
| 163 | <i>Eremophila veneta</i> ms | 214 | <i>Grevillea christineae</i> |
| 164 | <i>Eremophila vernicosa</i> ms | 215 | <i>Grevillea curviloba</i> subsp.
<i>curviloba</i> |
| 165 | <i>Eremophila verticillata</i> | 216 | <i>Grevillea curviloba</i> subsp.
<i>incurva</i> |
| 166 | <i>Eremophila virens</i> | 217 | <i>Grevillea dryandroides</i>
subsp. <i>dryandroides</i> |
| 167 | <i>Eremophila viscida</i> | 218 | <i>Grevillea dryandroides</i>
subsp. <i>hirsuta</i> |
| 168 | <i>Eucalyptus absita</i> | 219 | <i>Grevillea elongata</i> |
| 169 | <i>Eucalyptus argutifolia</i> | 220 | <i>Grevillea flexuosa</i> |
| 170 | <i>Eucalyptus articulata</i> | 221 | <i>Grevillea humifusa</i> |
| 171 | <i>Eucalyptus balanites</i> | 222 | <i>Grevillea infundibularis</i> |
| 172 | <i>Eucalyptus beardiana</i> | 223 | <i>Grevillea involucreta</i> |
| 173 | <i>Eucalyptus bennettiae</i> | 224 | <i>Grevillea maccutcheonii</i> |
| 174 | <i>Eucalyptus blaxellii</i> | 225 | <i>Grevillea maxwellii</i> |
| 175 | <i>Eucalyptus brevipes</i> | 226 | <i>Grevillea murex</i> |
| 176 | <i>Eucalyptus burdettiana</i> | 227 | <i>Grevillea phanerophlebia</i> |
| 177 | <i>Eucalyptus ceracea</i> | 228 | <i>Grevillea pythara</i> |
| 178 | <i>Eucalyptus cerasiformis</i> | 229 | <i>Grevillea rara</i> |
| 179 | <i>Eucalyptus coronata</i> | 230 | <i>Grevillea scapigera</i> |
| 180 | <i>Eucalyptus crispata</i> | 231 | <i>Gyrostemon reticulatus</i> |
| 181 | <i>Eucalyptus crucis</i> subsp.
<i>crucis</i> | 232 | <i>Hakea aculeata</i> |
| 182 | <i>Eucalyptus crucis</i> subsp.
<i>praecipua</i> | 233 | <i>Hakea megalosperma</i> |
| 183 | <i>Eucalyptus cuprea</i> | 234 | <i>Haloragis platycarpa</i> |
| 184 | <i>Eucalyptus dolorosa</i> | 235 | <i>Halosarcia bulbosa</i> |
| 185 | <i>Eucalyptus impensa</i> | 236 | <i>Hemiandra gardneri</i> |
| 186 | <i>Eucalyptus insularis</i> | 237 | <i>Hemiandra rutilans</i> |
| 187 | <i>Eucalyptus johnsoniana</i> | 238 | <i>Hemigenia ramosissima</i> |
| 188 | <i>Eucalyptus lateritica</i> | 239 | <i>Hensmania chapmanii</i> |
| 189 | <i>Eucalyptus leprophloia</i> | 240 | <i>Hybanthus cymulosus</i> |
| 190 | <i>Eucalyptus merrickiae</i> | 241 | <i>Hydatella dioica</i> |
| 191 | <i>Eucalyptus mooreana</i> | 242 | <i>Hydatella leptogyne</i> |
| 192 | <i>Eucalyptus phylacis</i> | 243 | <i>Hypocalymma longifolium</i> |
| 193 | <i>Eucalyptus platydisca</i> ms | 244 | <i>Isopogon robusta</i> ms |
| 194 | <i>Eucalyptus pruiniramis</i> | 245 | <i>Isopogon uncinatus</i> |
| 195 | <i>Eucalyptus recta</i> | 246 | <i>Jacksonia pungens</i> ms |
| 196 | <i>Eucalyptus rhodantha</i> var.
<i>rhodantha</i> | 247 | <i>Jacksonia quairading</i> ms |
| 197 | <i>Eucalyptus steedmanii</i> | 248 | <i>Jacksonia velveta</i> |
| 198 | <i>Eucalyptus suberea</i> | 249 | <i>Kennedia glabrata</i> |
| 199 | <i>Eucalyptus synandra</i> | 250 | <i>Kennedia macrophylla</i> |
| 200 | <i>Frankenia conferta</i> | 251 | <i>Keraudrenia exastia</i> |
| 201 | <i>Frankenia parvula</i> | 252 | <i>Lambertia echinata</i> subsp.
<i>echinata</i> |
| 202 | <i>Gastrolobium appressum</i> | 253 | <i>Lambertia echinata</i> subsp.
<i>occidentalis</i> |
| 203 | <i>Gastrolobium diablophyllum</i>
ms | 254 | <i>Lambertia fairallii</i> |
| 204 | <i>Gastrolobium glaucum</i> | 255 | <i>Lambertia orbifolia</i> subsp.
<i>orbifolia</i> ms |
| 205 | <i>Gastrolobium graniticum</i> | 256 | <i>Lambertia orbifolia</i> subsp.
Scott River Plains
(L.W. Sage 684) |
| 206 | <i>Gastrolobium hamulosum</i> | 257 | <i>Lasiopetalum pterocarpum</i>
ms |
| 207 | <i>Glyceria drummondii</i> | 258 | <i>Lasiopetalum rotundifolium</i> |
| 208 | <i>Goodenia integerrima</i> | 259 | <i>Laxmannia jamesii</i> |
| 209 | <i>Grevillea althoferorum</i> | | |
| 210 | <i>Grevillea batrachioides</i> | | |
| 211 | <i>Grevillea brachystylis</i> subsp.
<i>australis</i> | | |
| 212 | <i>Grevillea brachystylis</i> subsp.
<i>grandis</i> | | |

- | | | | |
|-----|---|-----|--|
| 260 | <i>Lechenaultia chlorantha</i> | 307 | <i>Stawellia dimorphantha</i> |
| 261 | <i>Lechenaultia laricina</i> | 308 | <i>Stylidium coroniforme</i> |
| 262 | <i>Lechenaultia pulvinaris</i> | 309 | <i>Stylidium galioides</i> |
| 263 | <i>Lepidium aschersonii</i> | 310 | <i>Stylidium merrallii</i> |
| 264 | <i>Lepidium catapycnon</i> | 311 | <i>Symonanthus bancroftii</i> |
| 265 | <i>Lepidosperma rostratum</i> | 312 | <i>Synaphea quartzitica</i> |
| 266 | <i>Leucopogon gnaphalioides</i> | 313 | <i>Synaphea stenoloba</i> |
| 267 | <i>Leucopogon marginatus</i> | 314 | <i>Synaphea</i> sp. Pinjarra
(R. Davis 6578) |
| 268 | <i>Leucopogon obtectus</i> | 315 | <i>Tetragonia australiensis</i> |
| 269 | <i>Leucopogon</i> sp. Helena and
Aurora Range
(B.J. Lepschi 2077) | 316 | <i>Tetragonia aphylla</i> |
| 270 | <i>Lysiosepalum abollatum</i> | 317 | <i>Tetragonia deltoidea</i> |
| 271 | <i>Macarthuria keigheryi</i> | 318 | <i>Tetragonia harperi</i> |
| 272 | <i>Marianthus villosus</i> | 319 | <i>Tetragonia paynterae</i> |
| 273 | <i>Marianthus</i> sp. Bremer
(N. Gibson and M. Lyons
1776) | 320 | <i>Thelymitra manginii</i> ms |
| 274 | <i>Melaleuca sciostyla</i> | 321 | <i>Thelymitra psammophila</i> |
| 275 | <i>Meziella trifida</i> | 322 | <i>Thelymitra stellata</i> |
| 276 | <i>Microcorys eremophiloides</i> | 323 | <i>Thomasia glabripetala</i> |
| 277 | <i>Microtis globula</i> | 324 | <i>Thomasia montana</i> |
| 278 | <i>Muehlenbeckia horrida</i>
subsp. <i>abdita</i> | 325 | <i>Thomasia</i> sp. Green Hill
(S. Paust 1322) |
| 279 | <i>Myoporum cordifolium</i> | 326 | <i>Thryptomene wittweri</i> |
| 280 | <i>Myoporum turbinatum</i> | 327 | <i>Tribonanthes purpurea</i> |
| 281 | <i>Myriophyllum lapidicola</i> | 328 | <i>Verticordia albida</i> |
| 282 | <i>Nemcia lehmannii</i> | 329 | <i>Verticordia apecta</i> |
| 283 | <i>Nemcia luteifolia</i> | 330 | <i>Verticordia carinata</i> |
| 284 | <i>Orthrosanthus muelleri</i> | 331 | <i>Verticordia crebra</i> |
| 285 | <i>Pandanus spiralis</i> var.
<i>flammeus</i> | 332 | <i>Verticordia densiflora</i> var.
<i>pedunculata</i> |
| 286 | <i>Paracaleana dixonii</i> ms | 333 | <i>Verticordia fimbriolepis</i>
subsp. <i>australis</i> |
| 287 | <i>Patersonia spirifolia</i> | 334 | <i>Verticordia fimbriolepis</i>
subsp. <i>fimbriolepis</i> |
| 288 | <i>Persoonia micranthera</i> | 335 | <i>Verticordia helichrysantha</i> |
| 289 | <i>Petrophile latericola</i> ms | 336 | <i>Verticordia hughanii</i> |
| 290 | <i>Philothea basistyla</i> | 337 | <i>Verticordia pityrhops</i> |
| 291 | <i>Philothea wonganensis</i> | 338 | <i>Verticordia plumosa</i> var.
<i>ananeotes</i> |
| 292 | <i>Pityrodia augustensis</i> | 339 | <i>Verticordia plumosa</i> var.
<i>pleiobotrya</i> |
| 293 | <i>Pityrodia scabra</i> | 340 | <i>Verticordia plumosa</i> var.
<i>vassensis</i> |
| 294 | <i>Pterostylis</i> sp. Northampton
(S.D. Hopper 3349) | 341 | <i>Verticordia spicata</i> subsp.
<i>squamosa</i> |
| 295 | <i>Ptilotus fasciculatus</i> | 342 | <i>Verticordia staminosa</i> subsp.
<i>cylindracea</i> var.
<i>cylindracea</i> |
| 296 | <i>Ptychosema pusillum</i> | 343 | <i>Verticordia staminosa</i> subsp.
<i>cylindracea</i> var. <i>erecta</i> |
| 297 | <i>Pultenaea pauciflora</i> | 344 | <i>Verticordia staminosa</i> subsp.
<i>staminosa</i> |
| 298 | <i>Rhagodia acicularis</i> | 345 | <i>Villarsia calthifolia</i> |
| 299 | <i>Rhizanthella gardneri</i> | 346 | <i>Wurmbea calcicola</i> |
| 300 | <i>Ricinocarpos trichophorus</i> | 347 | <i>Wurmbea tubulosa</i> |
| 301 | <i>Roycea pycnophylloides</i> | 348 | <i>Xyris exilis</i> |
| 302 | <i>Rulingia</i> sp. Trigwell Bridge
(R. Smith s.n. 20.6.89) | | |
| 303 | <i>Scaevola macrophylla</i> | | |
| 304 | <i>Sphenotoma drummondii</i> | | |
| 305 | <i>Spirogardnera rubescens</i> | | |
| 306 | <i>Stachystemon nematophorus</i> | | |

Division 2 — Pteridophyta (ferns and fern allies)

- 349 *Asplenium obtusatum* subsp. *northlandicum*

Division 3 — Bryophyta (mosses and liverworts)

- 350 *Pleurophascum occidentale*
351 *Rhacocarpus webbianus*

Schedule 2 — Taxa presumed to be extinct

[cl. 3(b)]

Spermatophyta (flowering plants, conifers and cycads)

1. *Acacia kingiana*
2. *Acacia prismifolia*
3. *Calothamnus accedens*
4. *Coleanthera virgata*
5. *Frankenia decurrens*
6. *Lepidium drummondii*
7. *Leptomeria dielsiana*
8. *Leucopogon cryptanthus*
9. *Opercularia acolytantha*
10. *Philothea falcata*
11. *Ptilotus caespitosus*
12. *Ptilotus pyramidatus*
13. *Taraxacum cygnorum*
14. *Tetratheca fasciculata*
15. *Thomasia gardneri*

Date:

JUDY EDWARDS, Minister for the Environment and Heritage.

CO302*

Wildlife Conservation Act 1950

**Wildlife Conservation (Specially Protected
Fauna) Notice 2003**

Made by the Minister for the Environment and Heritage under
section 14(2)(ba) of the Act.

1. Citation

This notice may be cited as the *Wildlife Conservation (Specially Protected Fauna) Notice 2003*.



**WESTERN
AUSTRALIAN
GOVERNMENT
Gazette**

1151



PERTH, FRIDAY, 11 APRIL 2003 No. 54

PUBLISHED BY AUTHORITY JOHN A. STRIJK, GOVERNMENT PRINTER AT 3.30 PM

© STATE OF WESTERN AUSTRALIA

CONTENTS

PART 1

	Page
Wildlife Conservation Act 1950—	
Wildlife Conservation (Rare Flora) Notice 2003.....	1153-8
Wildlife Conservation (Specially Protected Fauna) Notice 2003	1158-67

PART 2

Agriculture	1168
Censorship.....	1168-71
East Perth Redevelopment Authority.....	1171
Fisheries.....	1172
Legal Practice Board of Western Australia	1173
Local Government.....	1173
Planning and Infrastructure	1173-9
Police	1179-84
Public Notices.....	1186-7
Racing, Gaming and Liquor	1184-5
Transport.....	1186