

Schedule 4—Other specially protected fauna

[cl. 3(d)]

Division 1—Mammals

Scientific Name	Common name
1. <i>Arctocephalus forsteri</i>	New Zealand Fur-seal
2. <i>Dugong dugon</i>	Dugong
3. <i>Neophoca cinerea</i>	Australian Sealion

Division 2—Birds

Scientific name	Common name
4. <i>Cacatua leadbeateri</i>	Pink or Major Mitchell's Cockatoo
5. <i>Falco peregrinus</i>	Peregrine Falcon
6. <i>Northiella haematogaster narethae</i>	Naretha Blue Bonnet
7. <i>Tadorna radjah</i>	Burdekin Duck or Radjah Shelduck

Division 3—Reptiles

Scientific name	Common name
8. <i>Aspidites ramsayi</i>	Woma or Ramsay's Python
9. <i>Crocodylus johnstoni</i>	Australian Freshwater Crocodile
10. <i>Crocodylus porosus</i>	Saltwater Crocodile
11. <i>Morelia spilota imbricata</i>	Carpet Python

DONNA FARAGHER JP MLC, Minister for Environment;
Youth.

CA302***WILDLIFE CONSERVATION ACT 1950****WILDLIFE CONSERVATION (RARE FLORA) NOTICE 2010(2)**

Made by the Minister for the Environment under section 23F(2) of the Act.

1. Citation

This notice may be cited as the *Wildlife Conservation (Rare Flora) Notice 2010(2)*.

2. Interpretation

In this notice—

“extant” means known to be living in a wild state;

“protected flora” means any flora belonging to the classes of flora declared by the Minister under section 6 of the Act to be protected flora by notice published in the *Gazette* 9 October 1987, at p. 3855;

“taxon” includes any taxon that is described by a genus name and any other name or description.

Note: The plural form of “taxon” is “taxa”.

3. Rare flora

Subject to clause 4, protected flora—

- (a) specified in Schedule 1, being taxa that are extant and considered likely to become extinct or rare and therefore in need of special protection; and
 - (b) specified in Schedule 2, being taxa that are presumed to be extinct in the wild and therefore in need of special protection,
- are declared to be rare flora for the purposes of section 23F of the Act throughout the State.

4. Application

Clause 3 does not apply to those plants of a taxon of protected flora specified in Schedule 1 or 2 that have been planted for any purpose other than such plants that have been planted for the purpose of conservation of that taxon and in accordance with approval given by the Director General.

5. Revocation

The *Wildlife Conservation (Rare Flora) Notice 2010* is revoked.

Schedule 1—Extant taxa

[cl. 3(a)]

Division 1—Spermatophyta (flowering plants, conifers and cycads)

- | | | | |
|-----|--|-----|---|
| 1. | <i>Acacia anomala</i> | 41. | <i>Andersonia annelsii</i> |
| 2. | <i>Acacia aphylla</i> | 42. | <i>Andersonia axilliflora</i> |
| 3. | <i>Acacia aprica</i> | 43. | <i>Andersonia gracilis</i> |
| 4. | <i>Acacia aristulata</i> | 44. | <i>Andersonia pinaster</i> |
| 5. | <i>Acacia ataxiphylla</i>
subsp. <i>magna</i> | 45. | <i>Anigozanthos bicolor</i>
subsp. <i>minor</i> |
| 6. | <i>Acacia auratiflora</i> | 46. | <i>Anigozanthos viridis</i>
subsp. <i>terraspectans</i> |
| 7. | <i>Acacia awestoniana</i> | 47. | <i>Anthocercis gracilis</i> |
| 8. | <i>Acacia brachypoda</i> | 48. | <i>Apium prostratum</i>
subsp. <i>phillipii</i> ms |
| 9. | <i>Acacia caesariata</i> | 49. | <i>Asterolasia nivea</i> |
| 10. | <i>Acacia chapmani</i>
subsp. <i>australis</i> | 50. | <i>Asterolasia</i> sp. Kalgan River (S.
Barrett 1522) |
| 11. | <i>Acacia cochlocarpa</i>
subsp. <i>cochlocarpa</i> | 51. | <i>Banksia anatona</i> |
| 12. | <i>Acacia cochlocarpa</i>
subsp. <i>velutinosa</i> | 52. | <i>Banksia aurantia</i> |
| 13. | <i>Acacia denticulosa</i> | 53. | <i>Banksia brownii</i> |
| 14. | <i>Acacia depressa</i> | 54. | <i>Banksia catoglypta</i> |
| 15. | <i>Acacia forrestiana</i> | 55. | <i>Banksia cuneata</i> |
| 16. | <i>Acacia imitans</i> | 56. | <i>Banksia fuscobractea</i> |
| 17. | <i>Acacia insolita</i> subsp. <i>recurva</i> | 57. | <i>Banksia goodii</i> |
| 18. | <i>Acacia lanuginophylla</i> | 58. | <i>Banksia ionthocarpa</i> subsp.
<i>chrysophoenix</i> |
| 19. | <i>Acacia leptalea</i> | 59. | <i>Banksia ionthocarpa</i> subsp.
<i>ionthocarpa</i> |
| 20. | <i>Acacia lobulata</i> | 60. | <i>Banksia mimica</i> |
| 21. | <i>Acacia pharangites</i> | 61. | <i>Banksia montana</i> |
| 22. | <i>Acacia pygmaea</i> | 62. | <i>Banksia mucronulata</i> subsp.
<i>retrorsa</i> |
| 23. | <i>Acacia recurvata</i> | 63. | <i>Banksia nivea</i> subsp. <i>uliginosa</i> |
| 24. | <i>Acacia rhamphophylla</i> | 64. | <i>Banksia oligantha</i> |
| 25. | <i>Acacia sciophanes</i> | 65. | <i>Banksia pseudoplumosa</i> |
| 26. | <i>Acacia splendens</i> | 66. | <i>Banksia rufa</i> subsp. <i>pumila</i>
(A.S.George) A.R.Mast &
K.R.Thiele |
| 27. | <i>Acacia subflexuosa</i>
subsp. <i>capillata</i> | 67. | <i>Banksia serratuloides</i> subsp.
<i>perissa</i> |
| 28. | <i>Acacia unguicula</i> | 68. | <i>Banksia serratuloides</i> subsp.
<i>serratuloides</i> |
| 29. | <i>Acacia vassalii</i> | 69. | <i>Banksia sphaerocarpa</i>
var. <i>dolichostyla</i> |
| 30. | <i>Acacia volubilis</i> | 70. | <i>Banksia squarrosa</i> subsp.
<i>argillacea</i> |
| 31. | <i>Acacia wilsonii</i> | 71. | <i>Banksia verticillata</i> |
| 32. | <i>Acacia woodmaniorum</i> | 72. | <i>Beyeria cockertonii</i> |
| 33. | <i>Adenanthes dobagii</i> | 73. | <i>Beyeria lepidopetala</i> |
| 34. | <i>Adenanthes ellipticus</i> | 74. | <i>Boronia adamsiana</i> |
| 35. | <i>Adenanthes eyrei</i> | 75. | <i>Boronia capitata</i>
subsp. <i>capitata</i> |
| 36. | <i>Adenanthes pungens</i>
subsp. <i>effusus</i> | 76. | <i>Boronia clavata</i> |
| 37. | <i>Adenanthes pungens</i>
subsp. <i>pungens</i> | 77. | <i>Boronia exilis</i> |
| 38. | <i>Adenanthes velutinus</i> | 78. | <i>Boronia revoluta</i> |
| 39. | <i>Allocasuarina fibrosa</i> | 79. | <i>Brachysciás verecundus</i> |
| 40. | <i>Allocasuarina tortiramula</i> | 80. | <i>Caladenia barbarella</i> |
| | | 81. | <i>Caladenia bryceana</i>
subsp. <i>bryceana</i> |

82.	<i>Caladenia bryceana</i> subsp. <i>cracens</i>	129.	<i>Darwinia</i> sp. Mt Heywood (R. Davis 11066)
83.	<i>Caladenia busselliana</i>	130.	<i>Darwinia carnea</i>
84.	<i>Caladenia caesarea</i> subsp. <i>maritima</i>	131.	<i>Darwinia chapmaniana</i>
85.	<i>Caladenia christineae</i>	132.	<i>Darwinia collina</i>
86.	<i>Caladenia dorrienii</i>	133.	<i>Darwinia ferricola</i>
87.	<i>Caladenia drakeoides</i>	134.	<i>Darwinia foetida</i>
88.	<i>Caladenia elegans</i>	135.	<i>Darwinia masonii</i>
89.	<i>Caladenia excelsa</i>	136.	<i>Darwinia meeboldii</i>
90.	<i>Caladenia graniticola</i>	137.	<i>Darwinia nubigena</i>
91.	<i>Caladenia harringtoniae</i>	138.	<i>Darwinia oxylepis</i>
92.	<i>Caladenia hoffmannii</i>	139.	<i>Darwinia polychroma</i>
93.	<i>Caladenia huegelii</i>	140.	<i>Darwinia squarrosa</i>
94.	<i>Caladenia lodgeana</i>	141.	<i>Darwinia whicherensis</i>
95.	<i>Caladenia melanema</i>	142.	<i>Darwinia wittwerorum</i>
96.	<i>Caladenia procera</i>	143.	<i>Daviesia bursarioides</i>
97.	<i>Caladenia viridescens</i>	144.	<i>Daviesia cunderdin</i>
98.	<i>Caladenia wanosa</i>	145.	<i>Daviesia dielsii</i>
99.	<i>Caladenia williamsiae</i>	146.	<i>Daviesia elongata</i> subsp. <i>elongata</i>
100.	<i>Caladenia winfieldii</i>	147.	<i>Daviesia euphorbioides</i>
101.	<i>Calectasia cyanea</i>	148.	<i>Daviesia glossosema</i>
102.	<i>Calectasia pignattiana</i>	149.	<i>Daviesia megacalyx</i>
103.	<i>Calochilus pruinosus</i>	150.	<i>Daviesia microcarpa</i>
104.	<i>Calytrix breviseta</i> subsp. <i>breviseta</i>	151.	<i>Daviesia obovata</i>
105.	<i>Chamelaucium</i> sp. Cataby (G.J. Keighery 11009)	152.	<i>Daviesia ovata</i>
106.	<i>Chamelaucium</i> sp. C Coastal Plain (R.D. Royce 4872)	153.	<i>Daviesia pseudaphylla</i>
107.	<i>Chamelaucium</i> sp. Gingin (N.G. Marchant 6)	154.	<i>Daviesia speciosa</i>
108.	<i>Chordifex abortivus</i>	155.	<i>Deyeuxia drummondii</i>
109.	<i>Chorizema humile</i>	156.	<i>Diplolaena andrewsii</i>
110.	<i>Chorizema varium</i>	157.	<i>Diuris drummondii</i>
111.	<i>Commersonia adenothalia</i>	158.	<i>Diuris micrantha</i>
112.	<i>Commersonia</i> sp. Mt Groper (R. Cranfield & D. Kabay 9157)	159.	<i>Diuris purdiei</i>
113.	<i>Conospermum densiflorum</i> subsp. <i>unicephalatum</i>	160.	<i>Drakaea concolor</i>
114.	<i>Conospermum undulatum</i>	161.	<i>Drakaea confluens</i>
115.	<i>Conostylis dielsii</i> subsp. <i>teres</i>	162.	<i>Drakaea elastica</i>
116.	<i>Conostylis drummondii</i>	163.	<i>Drakaea isolata</i>
117.	<i>Conostylis lepidospermoides</i>	164.	<i>Drakaea micrantha</i>
118.	<i>Conostylis micrantha</i>	165.	<i>Drummondita ericoides</i>
119.	<i>Conostylis misera</i>	166.	<i>Drummondita longifolia</i>
120.	<i>Conostylis rogeri</i>	167.	<i>Eleocharis keigheryi</i>
121.	<i>Conostylis seorsiflora</i> subsp. <i>trichophylla</i>	168.	<i>Epiblema grandiflorum</i> var. <i>cyanum</i> ms
122.	<i>Conostylis setigera</i> subsp. <i>dasy</i> s	169.	<i>Eremophila ciliata</i>
123.	<i>Conostylis wonganensis</i>	170.	<i>Eremophila denticulata</i> subsp. <i>denticulata</i>
124.	<i>Coopernookia georgei</i>	171.	<i>Eremophila denticulata</i> subsp. <i>trisulcata</i>
125.	<i>Cyphanthera odgersii</i> subsp. <i>occidentalis</i>	172.	<i>Eremophila glabra</i> subsp. <i>chlarella</i>
126.	<i>Cryptandra congesta</i>	173.	<i>Eremophila koobabbiensis</i> ms
127.	<i>Darwinia acerosa</i>	174.	<i>Eremophila lactea</i>
128.	<i>Darwinia apiculata</i>	175.	<i>Eremophila nivea</i>

176.	<i>Eremophila pinnatifida</i>	223.	<i>Gastrolobium graniticum</i>
177.	<i>Eremophila resinosa</i>	224.	<i>Gastrolobium hamulosum</i>
178.	<i>Eremophila rostrata</i> subsp. <i>rostrata</i>	225.	<i>Gastrolobium lehmannii</i>
179.	<i>Eremophila rostrata</i> subsp. <i>trifida</i>	226.	<i>Gastrolobium luteifolium</i>
180.	<i>Eremophila scaberula</i>	227.	<i>Gastrolobium modestum</i>
181.	<i>Eremophila subteretifolia</i>	228.	<i>Gastrolobium papilio</i>
182.	<i>Eremophila ternifolia</i>	229.	<i>Gastrolobium vestitum</i>
183.	<i>Eremophila vernicosa</i>	230.	<i>Glyceria drummondii</i>
184.	<i>Eremophila verticillata</i>	231.	<i>Goodenia arthrotricha</i>
185.	<i>Eremophila virens</i>	232.	<i>Goodenia integerrima</i>
186.	<i>Eremophila viscosa</i>	233.	<i>Grevillea acropogon</i>
187.	<i>Eucalyptus absita</i>	234.	<i>Grevillea althoferorum</i> subsp. <i>althoferorum</i>
188.	<i>Eucalyptus argutifolia</i>	235.	<i>Grevillea althoferorum</i> subsp. <i>fragilis</i>
189.	<i>Eucalyptus articulata</i>	236.	<i>Grevillea batrachiooides</i>
190.	<i>Eucalyptus balanites</i>	237.	<i>Grevillea brachystylis</i> subsp. <i>australis</i>
191.	<i>Eucalyptus beardiana</i>	238.	<i>Grevillea brachystylis</i> subsp. <i>grandis</i>
192.	<i>Eucalyptus brevipes</i>	239.	<i>Grevillea bracteosa</i> subsp. <i>bracteosa</i>
193.	<i>Eucalyptus burdettiana</i>	240.	<i>Grevillea bracteosa</i> subsp. <i>howatharra</i>
194.	<i>Eucalyptus ceracea</i>	241.	<i>Grevillea calliantha</i>
195.	<i>Eucalyptus coronata</i>	242.	<i>Grevillea christineae</i>
196.	<i>Eucalyptus crispata</i>	243.	<i>Grevillea corrugata</i>
197.	<i>Eucalyptus crucis</i> subsp. <i>crucis</i>	244.	<i>Grevillea curviloba</i> subsp. <i>curviloba</i>
198.	<i>Eucalyptus crucis</i> subsp. <i>praecipua</i>	245.	<i>Grevillea curviloba</i> subsp. <i>incurva</i>
199.	<i>Eucalyptus cuprea</i>	246.	<i>Grevillea dryandrodes</i> subsp. <i>dryandrodes</i>
200.	<i>Eucalyptus dolorosa</i>	247.	<i>Grevillea dryandrodes</i> subsp. <i>hirsuta</i>
201.	<i>Eucalyptus impensa</i>	248.	<i>Grevillea elongata</i>
202.	<i>Eucalyptus insularis</i>	249.	<i>Grevillea flexuosa</i>
203.	<i>Eucalyptus johnsoniana</i>	250.	<i>Grevillea fuscolutea</i>
204.	<i>Eucalyptus lateritica</i>	251.	<i>Grevillea humifusa</i>
205.	<i>Eucalyptus leprophloia</i>	252.	<i>Grevillea infundibularis</i>
206.	<i>Eucalyptus merrickiae</i>	253.	<i>Grevillea involucrata</i>
207.	<i>Eucalyptus mooreana</i>	254.	<i>Grevillea maccutcheonii</i>
208.	<i>Eucalyptus nutans</i>	255.	<i>Grevillea maxwellii</i>
209.	<i>Eucalyptus phylacis</i>	256.	<i>Grevillea murex</i>
210.	<i>Eucalyptus platydisca</i>	257.	<i>Grevillea phamerophlebia</i>
211.	<i>Eucalyptus pruiniramis</i>	258.	<i>Grevillea pythara</i>
212.	<i>Eucalyptus purpurata</i>	259.	<i>Grevillea rara</i>
213.	<i>Eucalyptus recta</i>	260.	<i>Grevillea scapigera</i>
214.	<i>Eucalyptus rhodantha</i> var. <i>rhodantha</i>	261.	<i>Guichenotia seorsiflora</i>
215.	<i>Eucalyptus steedmanii</i>	262.	<i>Gyrostemon reticulatus</i>
216.	<i>Eucalyptus suberea</i>	263.	<i>Hakea aculeata</i>
217.	<i>Eucalyptus synandra</i>	264.	<i>Hakea megalosperma</i>
218.	<i>Frankenia conferta</i>	265.	<i>Haloragis platycarpa</i>
219.	<i>Frankenia parvula</i>	266.	<i>Hemiandra gardneri</i>
220.	<i>Gastrolobium appressum</i>	267.	<i>Hemiandra rutilans</i>
221.	<i>Gastrolobium diabolophyllum</i>	268.	<i>Hemigenia ramosissima</i>
222.	<i>Gastrolobium glaucum</i>	269.	<i>Hensmania chapmanii</i>

270.	<i>Hibbertia abyssa</i>	315.	<i>Muehlenbeckia horrida</i> subsp. <i>abdita</i>
271.	<i>Hibbertia priceana</i>	316.	<i>Muelleranthus crenulatus</i>
272.	<i>Hybanthus cymulosus</i>	317.	<i>Myoporum cordifolium</i>
273.	<i>Hypocalymma angustifolium</i> subsp. Hutt River (S. Patrick 2982)	318.	<i>Myoporum turbinatum</i>
274.	<i>Hypocalymma longifolium</i>	319.	<i>Myoporum velutinum</i>
275.	<i>Isopogon robustus</i>	320.	<i>Myriophyllum lapidicola</i>
276.	<i>Isopogon uncinatus</i>	321.	<i>Ornduffia calthifolia</i>
277.	<i>Jacksonia pungens</i>	322.	<i>Pandanus spiralis</i> var. <i>flammeus</i>
278.	<i>Jacksonia quairading</i>	323.	<i>Paracaleana dixonii</i>
279.	<i>Jacksonia velveta</i>	324.	<i>Patersonia spirifolia</i>
280.	<i>Kennedia glabrata</i>	325.	<i>Persoonia micranthera</i>
281.	<i>Kennedia lateritia</i>	326.	<i>Petrophile latericola</i> ms
282.	<i>Keraudrenia exastia</i>	327.	<i>Petrophile nivea</i>
283.	<i>Kunzea acicularis</i>	328.	<i>Philotheca basistyla</i>
284.	<i>Kunzea similis</i> subsp. <i>mediterranea</i>	329.	<i>Philotheca falcata</i>
285.	<i>Kunzea similis</i> subsp. <i>similis</i>	330.	<i>Philotheca wonganensis</i>
286.	<i>Lambertia echinata</i> subsp. <i>echinata</i>	331.	<i>Pityrodia augustensis</i>
287.	<i>Lambertia echinata</i> subsp. <i>occidentalis</i>	332.	<i>Pityrodia axillaris</i>
288.	<i>Lambertia fairallii</i>	333.	<i>Pityrodia scabra</i>
289.	<i>Lambertia orbifolia</i> subsp. <i>orbifolia</i> ms	334.	<i>Pterostylis</i> sp. Northampton (S.D.Hopper 3349)
290.	<i>Lambertia orbifolia</i> subsp. Scott River Plains (L.W.Sage 684)	335.	<i>Ptilotus fasciculatus</i>
291.	<i>Lasiopetalum pterocarpum</i>	336.	<i>Ptychosema pusillum</i>
292.	<i>Lasiopetalum rotundifolium</i>	337.	<i>Pultenaea pauciflora</i>
293.	<i>Latrobea colophona</i>	338.	<i>Reedia spathacea</i>
294.	<i>Laxmannia grandiflora</i> subsp. <i>brendae</i>	339.	<i>Rhagodia acicularis</i>
295.	<i>Lechenaultia chlorantha</i>	340.	<i>Rhizanthella gardneri</i>
296.	<i>Lechenaultia larinina</i>	341.	<i>Ricinocarpos brevis</i>
297.	<i>Lepidium aschersonii</i>	342.	<i>Ricinocarpos trichophorus</i>
298.	<i>Lepidium catapycnon</i>	343.	<i>Roycea pycnophylloides</i>
299.	<i>Lepidosperma rostratum</i>	344.	<i>Rulingia</i> sp. Trigwell Bridge (R.Smith s.n. 20.6.89)
300.	<i>Lepidosperma gibsonii</i>	345.	<i>Scaevola macrophylla</i>
301.	<i>Leucopogon gnaphaloides</i>	346.	<i>Schoenia filifolia</i> subsp. <i>subulifolia</i>
302.	<i>Leucopogon marginatus</i>	347.	<i>Sphenotoma drummondii</i>
303.	<i>Leucopogon obtectus</i>	348.	<i>Spirogardnera rubescens</i>
304.	<i>Leucopogon spectabilis</i>	349.	<i>Stachystemon nematophorus</i>
305.	<i>Leucopogon</i> sp. ciliate Eneabba (F. Obbens & C. Godden s.n. 3/7/2003)	350.	<i>Stylium amabile</i>
306.	<i>Lysiosepalm abollatum</i>	351.	<i>Stylium coroniforme</i> subsp. <i>coroniforme</i>
307.	<i>Macarthuria keigheryi</i>	352.	<i>Stylium galoides</i>
308.	<i>Marianthus aquilonaris</i>	353.	<i>Stylium merrallii</i>
309.	<i>Marianthus mollis</i>	354.	<i>Stylium semaphorum</i>
310.	<i>Marianthus paralius</i>	355.	<i>Stylium</i> sp. Yalgoo (D. Coulta et al. Opp 01)
311.	<i>Melaleuca sciostylya</i>	356.	<i>Symonanthus bancroftii</i>
312.	<i>Meziella trifida</i>	357.	<i>Synaphea quartzitica</i>
313.	<i>Microcorys eremophiloides</i>	358.	<i>Synaphea stenoloba</i>
314.	<i>Microtis globula</i>	359.	<i>Synaphea</i> sp. Fairbridge Farm (D. Papenfus 696)

360.	<i>Synaphea</i> sp. Pinjarra (R.Davis 6578)	381.	<i>Verticordia albida</i>
361.	<i>Tecticornia bulbosa</i>	382.	<i>Verticordia apecta</i>
362.	<i>Tetraria australiensis</i>	383.	<i>Verticordia carinata</i>
363.	<i>Tetratheca deltoidea</i>	384.	<i>Verticordia crebra</i>
364.	<i>Tetratheca erubescens</i>	385.	<i>Verticordia densiflora</i> var. <i>pedunculata</i>
365.	<i>Tetratheca harperi</i>	386.	<i>Verticordia fimbriilepis</i> subsp. <i>australis</i>
366.	<i>Tetratheca nepheloides</i>	387.	<i>Verticordia fimbriilepis</i> subsp. <i>fimbriilepis</i>
367.	<i>Tetratheca aphylla</i> subsp. <i>aphylla</i>	388.	<i>Verticordia helichrysantha</i>
368.	<i>Tetratheca aphylla</i> subsp. <i>megacarpa</i>	389.	<i>Verticordia hughanii</i>
369.	<i>Tetratheca paynterae</i> subsp. <i>cremnobata</i>	390.	<i>Verticordia pityrhops</i>
370.	<i>Tetratheca paynterae</i> subsp. <i>paynterae</i>	391.	<i>Verticordia plumosa</i> var. <i>aneotea</i>
371.	<i>Thelymitra dedmaniarum</i>	392.	<i>Verticordia plumosa</i> var. <i>pleiobotrya</i>
372.	<i>Thelymitra psammophila</i>	393.	<i>Verticordia plumosa</i> var. <i>vassensis</i>
373.	<i>Thelymitra stellata</i>	394.	<i>Verticordia spicata</i> subsp. <i>squamosa</i>
374.	<i>Thomasia glabripetala</i>	395.	<i>Verticordia staminosa</i> subsp. <i>cylindracea</i> var. <i>cylindracea</i>
375.	<i>Thomasia montana</i>	396.	<i>Verticordia staminosa</i> subsp. <i>cylindracea</i> var. <i>erecta</i>
376.	<i>Thomasia</i> sp. Green Hill (S.Paust 1322)	397.	<i>Verticordia staminosa</i> subsp. <i>staminosa</i>
377.	<i>Thryptomene wittweri</i>	398.	<i>Wurmbea calcicola</i>
378.	<i>Tribonanthes purpurea</i>	399.	<i>Wurmbea tubulosa</i>
379.	<i>Trithuria occidentalis</i>	400.	<i>Xyris exilis</i>
380.	<i>Typhonium</i> sp. Kununurra (A.N. Start ANS 1467)		

Division 2—Pteridophyta (ferns and fern allies)

401. *Asplenium obtusatum* subsp.
northlandicum

Division 3—Bryophyta (mosses and liverworts)

402. *Rhacocarpus rehmannianus*
var. *webbianus*

Schedule 2—Taxa presumed to be extinct

- Spermatophyta (flowering plants, conifers and cycads)
1. *Acacia kingiana*
 2. *Acacia prismifolia*
 3. *Coleanthera virgata*
 4. *Frankenia decurrens*
 5. *Lepidium drummondii*
 6. *Leptomeria dielsiana*
 7. *Leucopogon cryptanthus*
 8. *Opercularia acolytantha*
 9. *Ptilotus caespitulosus*
 10. *Ptilotus pyramidatus*
 11. *Taraxacum cygnorum*
 12. *Tetratheca fasciculata*
 13. *Thomasia gardneri*

[cl. 3(b)]

20100016166



WESTERN
AUSTRALIAN
GOVERNMENT
Gazette

ISSN 1448-949X

PRINT POST APPROVED PP665002/00041

4029



PERTH, TUESDAY, 17 AUGUST 2010 No. 161

PUBLISHED BY AUTHORITY JOHN A. STRIJK, GOVERNMENT PRINTER AT 3.30 PM

© STATE OF WESTERN AUSTRALIA

CONTENTS

PART 1

	Page
Radiation Safety Act 1975—Radiation Safety (General) Amendment Regulations 2010	4045
Wildlife Conservation Act 1950—	
Wildlife Conservation (Rare Flora) Notice 2010(2).....	4039
Wildlife Conservation (Specially Protected Fauna) Notice 2010(2).....	4031

PART 2

Energy	4049
Deceased Estates	4064
Fisheries	4050
Local Government.....	4051
Planning	4052
Racing, Gaming and Liquor	4062
Transport.....	4062
Public Notices.....	4064