


**BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only**

BUSHLAND AREA Dardanup Syst. 6. Area SITE NUMBER Dard. 3  
 DATE TRIP 13/10/96 RECORDERS B M, PE AG, H  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST CST

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

**1. LOCATION of the QUADRAT**


Mud Map Draw a sketch of the location of the site below.



**Road Location**

**Geographic Location** Latitude 33° 27' .569 S Longitude 115° 49' .10 E Altitude Reference Map

**Photograph** Photographer's Name Photo No



**2. SITE DATA** Circle the correct response.

**Slope** flat gentle steep **Aspect** N NE E SE S SW W NW

**Surface Soil** ~~loamy~~ loamy sandy gravel = laterite Colour brown  
**Exposed rock** type laterite % surface 10-30 %

**Sub-surface Soil** 2 ~~loam~~ laterite Colour pale  
**Rock** type laterite depth to rock 0

**Drainage** well mod poor depth water cm Wet all year winter/spring

**Litter** 30 - 70 % cover **Bare Ground** 2 % cover  
 Depth 1 cm














03  
 BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

3. VEGETATION STRUCTURE AND COVER

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class	2-10%	10-30%	30-70%	over 70%
-------------	-------	--------	--------	----------

LIFE FORM	TREES			MALLEES	
	over 30m	10-30m	under 10m	over 8m	under 8m
		(OW) 	(LW) 		
COVER CLASS (%)	—	2-10%	10-30%	—	—
DOMINANT SPECIES		Jarrah	Enc. haematoxyla Perzoonia longy. B. grandis		
LIFE FORM	SHRUBS		SHRUBS		
	over 2m	2m-1m	under 1m		
		(OS) 	(LS) 		
COVER CLASS (%)	—	2-10%	10-30%		
DOMINANT SPECIES		Xanth. preissii	Hib hypericoides		
LIFE FORM	GRASSES	HERBS	SEDGES	OTHER	
		(V0HB) 			
COVER CLASS (%)	—	2-10%	2%		
DOMINANT SPECIES		Patterson umbrose Xanthine			

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS burnt within last few years
2	EXCELLENT	✓	
3	VERY GOOD		
4	GOOD		
5	DEGRADED		

