


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA _____ SITE NUMBER DARD H
 DATE TRIP 13.10.96 RECORDERS Greg Nicky Anne Rosemary
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude 33° 27.544' S Longitude 115° 48.646' E Altitude _____
 Reference Map _____

Photograph Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep **Aspect** N NE E SE S SW W NW

Surface Soil sandy loam **Colour** brown
Exposed rock _____ type _____ % surface _____

Sub-surface Soil gravel = laterite **Colour** _____
Rock 5% type some gravel (not much) = laterite depth to rock _____

Drainage well (mod) poor depth water _____ cm **Wet** all year winter/spring

Litter _____ 70 % cover **Bare Ground** _____ 5 % cover
 Depth _____ 21 cm

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE
 SITE No DKSD4
 Date 13.10.96

Label each plant with plants number, site code, date and plant's name or working name if required
 Record on Sheet

- Column 1 plant name.
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

From 'Bushtland Plant Survey' written by
 B. Keighery (1994) and published by the
 Wildflower Society of WA (Inc.), PO Box
 64 Nedlands WA 6008.

TREES	No	Fl	ID	SHRUBS (cont.)	No	Fl	ID	HERBS (cont.)	No	Fl	ID
<i>E. calophylla</i>	1		NS					<i>Hydrocotyle</i>			
<i>E. maculata</i>	2		NS					<i>Calceolaria alata</i>	35		
								<i>Leptocarpus huegelii</i>	36		NS
								<i>Geophylabium baumgardneri</i>	37		
								<i>Eriochilus dilatatus</i>	38		
								<i>Luzula mardianalis</i>	39		
								<i>Amegasthus marshallii</i>	40		
								<i>Eriostemon spicatus</i>	41		NS
								<i>Stylidium junceum</i>	42		
								<i>Geopelia solida</i>	43		
								<i>Potusaea tenuissima</i>	44		
								<i>Billardiera candida</i>	45		
								<i>Chamizoma hemboldium</i>	46		
									47		
									48		
									49		
									50		
									51		
									52		
									53		
									54		
									55		
									56		
									57		
									58		
									59		
									60		
									61		
									62		
									63		
									64		
									65		
									66		
									67		
									68		
									69		
									70		
									71		
									72		
									73		
									74		
									75		
									76		
									77		
									78		
									79		
									80		
									81		
									82		
									83		
									84		
									85		
									86		
									87		
									88		
									89		
									90		
									91		
									92		
									93		
									94		
									95		
									96		
									97		
									98		
									99		
									100		

Chagnosella erymbosa 62
Fraserna humilis 65
Lomandra drummondii 63

610













04

BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

3. VEGETATION STRUCTURE AND COVER From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

		TREES			MALLEES	
		over 30m	10-30m	under 10m	over 8m	under 8m
LIFE FORM	30m		 (OW)	 		
	10m					
COVER CLASS (%)			2-10			
DOMINANT SPECIES			<i>E. acalypha</i> <i>E. marginata</i>			
		SHRUBS over 2m		2m - 1m	SHRUBS under 1m	
LIFE FORM	2m					
	1m					
COVER CLASS (%)		2-10 (OTS)			10-30 (LS)	
DOMINANT SPECIES		<i>X. prostrata</i>			<i>A. amplexicaulis</i> <i>H. lasocarpa</i>	
		GRASSES	HERBS	SEDGES	OTHER	
LIFE FORM	1m		 (OHB)	 (VOSG)		
COVER CLASS (%)		<2	10-30	2-10		
DOMINANT SPECIES						

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS Fire 3-4 years ago. A little weed invasion
2	EXCELLENT	✓	
3	VERY GOOD		
4	GOOD		
5	DEGRADED		

Adjacant

quillia ptilifera