


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA DARDAN UP SITE NUMBER DND 07  
 DATE TRIP 13/10/96 RECORDERS Margaret, Dean, Ann, Neil  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude 33 25.963 S Longitude 115 47.018 E Altitude

Reference Map


DOP = 28m

Photograph

Photographer's Name

Photo No

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil GRLT SAND Colour  
 Exposed rock type % surface

Sub-surface Soil GRLT SAND Colour  
 Rock type depth to rock

Drainage well mod poor. depth water cm. Wet all year winter/spring

Litter Depth 20-70 % cover  
 to 1cm cm Bare Ground 2-10 %cover



47






**BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only**




From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.




**3. VEGETATION STRUCTURE AND COVER**

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class      2-10%      10-30%      30-70%      over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	10-30m	under 10m	over 8m	under 8m
		10m 			
COVER CLASS (%)		2-10			
DOMINANT SPECIES		Jarral			

LIFE FORM	SHRUBS		SHRUBS
	over 2m	2m-1m	under 1m
			
COVER CLASS (%)	2-10	2-10	30-70
DOMINANT SPECIES	Rattenuata grandis Xylens ovoid. Pavonia long.	Xantho juco Tuck. fringed Dacrydium pygmaeum	Ptilotus hyle Poa sp. Petrophile lin.

LIFE FORM	GRASSES	HERBS	SEDGES	OTHER
				
COVER CLASS (%)		10-30		
DOMINANT SPECIES		Petal umb. yarr Lomandra ssp Drosera sp.		

**4. VEGETATION CONDITION**

1	'PRISTINE'		COMMENTS / Disturbed now by, damaged to it Sand mining close by
2	EXCELLENT	✓	
3	VERY GOOD		
4	GOOD		
5	DEGRADED		

