


**BUSHLAND PLANT SURVEY RECORDING SHEET 1 (2005 update) - use pencil only**

BUSHLAND AREA KOJE Korijekup Conservation Park SITE NUMBER KOJE8 08  
 DATE TRIP 6.11.05 BOTANIST B. Moyle RECORDERS Jane Brackley, Jennifer Hawkes  
 DATE TRIP \_\_\_\_\_ BOTANIST \_\_\_\_\_ RECORDERS Jolander Keeble  
 DATE TRIP \_\_\_\_\_ BOTANIST \_\_\_\_\_ RECORDERS \_\_\_\_\_

**1. LOCATION of the QUADRAT/SAMPLE POINT**

Mud Map Draw a sketch of the location of the site below.

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.




Road Location Shire of Harvey 23 05.662 115 54.834

Geographic Location Latitude 58 03 48.650 S Longitude 63 37 26 E

GPS Used: yes/na GPS Datum OR Reference Map Used: GW 84

Photograph \_\_\_\_\_ Photographer's Name \_\_\_\_\_ Photo No. \_\_\_\_\_

Topographic position Circle position of site on the transect (alter the transect if necessary eg. for Jarrah Forest)



**2. SITE DATA** Circle the correct response.

Slope: flat gentle-steep Aspect: N NE E SE S SW W NW na

Surface Soil: sand, loamy sand, sandy loam, loam, clay, gravel/laterite Colour brown chocolate  
 Exposed Rock: type \_\_\_\_\_ % surface \_\_\_\_\_

Sub-surface Soil: sand, loamy sand, sandy loam, loam, clay, gravel/laterite Colour low deep brown  
 Sub-surface Rock: type \_\_\_\_\_ depth to rock \_\_\_\_\_

Drainage: well mod poor Water depth \_\_\_\_\_ cm Wet: all year winter/spring na













Litter: \_\_\_\_\_ % cover \_\_\_\_\_  
 Depth 2-3 cm Bare Ground \_\_\_\_\_ % cover \_\_\_\_\_

# BUSHLAND PLANT SURVEY RECORDING SHEET 2 (2005 update) – use pencil only

## 3. VEGETATION STRUCTURE AND COVER

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

For each layer record – appropriate growth form, cover class (see below) and dominant species in their order of dominance, up to a maximum of 3 species. If more than 3 species are obviously dominant record as many as appropriate to describe each layer. For NVIS record max. height of layer & % crown cover to nearest 5%.

		Cover Class		2 – 10%	10 – 30%	30 – 70%	over 70%
		TREES			MALLEES		
GROWTH FORM	over 30m	10 – 30m	under 10m	over 8m	under 8m		
							
	COVER CLASS (%)	#	#	#	#	#	#
	HEIGHT & CROWN COVER (NVIS)	#	#	#	#	#	#
DOMINANT SPECIES		#	#	#	#	#	#
		SHRUBS			SHRUBS		
GROWTH FORM	over 2m	2m – 1m	under 1m				
							
	COVER CLASS (%)	#	#	#	#	#	#
	HEIGHT & CROWN COVER (NVIS)	#	#	#	#	#	#
DOMINANT SPECIES		#	#	#	#	#	#
		GRASSES	HERBS	SEDGES	OTHER (eg. ferns)		
GROWTH FORM							
	COVER CLASS (%)	#	#	#	#	#	#
	HEIGHT & CROWN COVER (NVIS)	#	#	#	#	#	#
	DOMINANT SPECIES		#	#	#	#	#

## 4. VEGETATION CONDITION - Keighery (1994) Vegetation Condition Scale

1 'PRISTINE'		COMMENTS (give reasoning for choice) weed grass + flat weed lvs + grazing by kangaroos
2 EXCELLENT		
3 VERY GOOD	✓	
4 GOOD		
5 DEGRADED		



