


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA ACTIV SITE NUMBER ACTIV 03
 DATE TRIP 30/8/95 RECORDERS BSK, KMCA
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST BSK

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 6 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location Hankeville Rd, up near Adelaide St

Geographic Location Latitude 31°56.376' S Longitude 115°60.503' E Altitude

Reference Map NOT BY GPS

Photograph _____ Photographer's Name BSK Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour cream
 Exposed rock type % surface

Sub-surface Soil sand Colour yellow
 Rock type depth to rock

Drainage well mod poor depth water cm Wet all year winter/spring

Litter	<u>100</u>	% cover	Bare Ground	% cover
Depth	<u>2-3 cm</u>	cm		
















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA, Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 9m	under 9m
LIFE FORM					
COVER CLASS (%)			30-70%		
DOMINANT SPECIES			<i>E. marginata</i> <i>C. fraseriana</i>		
	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1-0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)				2-10%	30-70%
DOMINANT SPECIES				<i>S. latifolia</i> <i>X. preuxii?</i>	<i>Hibbertia hypericoides</i> <i>D. rupestris</i>
	GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)		2-10	10-30		2-10
DOMINANT SPECIES		<i>Dasyogon obliquifolius</i>	<i>Mesopseudo</i> <i>Cynchrada claud.</i>		<i>Mes pseudo.</i>

4. VEGETATION CONDITION

1	'PRISTINE'	<p>COMMENTS</p> <p>limited weed invasion - couple plants velvet grass glaucolus daisy</p> <p>previous fire last ≈ 4-5 yrs.</p>
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

Note cabb site to
walk back

Ag

Bank multi var dist.
Bank granis

Area pitting with
greater density of
Bank = vegetation more
similar to #2.
Blanca

Dros pal.