

QUADRAT No. BANK 3 VEGETATION TYPE JARRAH - BANKSIA WOODLAND  
 DATE FIRST TRIP 29/5/92 VOLUNTEERS \_\_\_\_\_  
 DATE SECOND TRIP \_\_\_\_\_ VOLUNTEERS \_\_\_\_\_


BOTANIST: NS/ML

**1. LOCATION of the QUADRAT**

a. Mud Map Draw a sketch of the location of the quadrat the back of this sheet →

b. Photograph Photographer's name \_\_\_\_\_

c. Topographic position - Circle position of quadrat



Keighery and Keighery, 1990  
Adapted from Griffin and Keighery, 1989  
MOORE RIVER to JURIE SANDPLAIN  
SURVEY. WILDFLOWER SOCIETY of WA


**2. SITE DATA** - Circle the correct response

Slope flat gentle steep Aspect N NE E SE S SW W NW

% Bare ground 0 Drainage well mod poor Wet All year winter/spring

Litter (% cover) 50 Surface soil LY SAND Sub-surface soil DITTO

**3. VEGETATION STRUCTURE AND COVER** Record appropriate cover class

Cover Class - percentage classes	over 70%	<b>TREES</b>		<u>JARRAH</u> <u>MEE PRESS</u>		<b>MALLEES</b>		Height (metres)	
	50-70%	> 15m 5-15m		<u>BANKSIA ATT</u>	under 5m	<u>MALLEE SHRUB</u> less than 8m	<u>MALLEE TREE</u> 8m or more		15m 10m 5m
	30-50%	COVER CLASS (%)	> 15m 5-15m	20-30					
	20-30%	<b>SHRUBS</b>		<u>Aden cyn</u> <u>Juncus effusa</u>		<u>Eriod spic</u>			
	10-20%		over 2m	2.0-1.5m	1.5-1.0m	1.0m - .5m	under 5m		3m 2m 1m
	2-10%	COVER CLASS (%)	2-10			10-20			
	0%	<b>BUNCH GRASSES</b>		<b>HERBS</b>		<b>SEDGES</b>			
		LIFE FORM	<u>AMPH</u> <u>TURB</u>	<u>PH OCL - LOW</u>	<u>STYL</u>	over .5m	under .5m		2.0m 1.5m 1.0m .5m
		COVER CLASS (%)	2-10	under .5m (except creepers)	30-50				



