

Swan Coastal Plain Survey - SURVEY RECORDING SHEET Please use pencil


Keighery and Keighery, 1990
Adapted from Griffin and Keighery, 1989
MOORE RIVER to JURIE SANDPLAIN
SURVEY. WILDFLOWER SOCIETY OF WA

BUSHLAND AREA:

QUADRAT No. BULLER 2 VEGETATION TYPE _____
 DATE TRIP 14/10/92 BOTANIST BJK/NG/MC
 VOLUNTEERS _____
 DATE TRIP 17/11/93 BOTANIST M. NG
 VOLUNTEERS _____


1. LOCATION of the QUADRAT

a. Mud Map Draw a sketch of the location of the quadrat



b Road Location	c. Latitude	Longitude
	32° 52' 24.6"	115° 49' 39.8"
d. Photograph Photographer's name <u>NG</u> Photo No <u>36</u>	Altitude <u>20m ± 100m</u>	

e. Topographic position - Circle position of quadrat



2. SITE DATA - Circle the correct response

Slope flat gentle steep
 Aspect

N	NE	E	SE	S	<input checked="" type="radio"/> SW	W	NW
---	----	---	----	---	-------------------------------------	---	----

 Surface soil grey sand
 Sub-surface soil white/grey sand EG = 58
 Drainage well mod poor
 Litter (% cover) 80%
 Wet All year winter/spring
 % Bare ground ? 2%





P.T.O.






3. VEGETATION STRUCTURE AND COVER. Record appropriate cover class






Cover Class - percentage classes

0%	under 2%	2-10%	10-20%	20-30%	30-50%	50-70%	over 70%
----	----------	-------	--------	--------	--------	--------	----------

* Note large Jarrah scattered, bank to 30%

LIFE FORM	TREES	MALLEES		
	<p>15m 10m 5m</p> <p>15m 5-15m</p> 	<p>Under 5m</p> 	<p>MALLEE SHRUB less than 8m</p> 	<p>MALLEE TREE 8m or more</p> 
COVER CLASS (%)	<p>> 15m * 30-50%</p> <p>5-15m 2-10%</p>			
Dominant Species	* Jarrah Bank off			

LIFE FORM	SHRUBS	use the height classes indicated				SHRUBS
	<p>3m 2m 1m</p> <p>over 2m</p> 	<p>2.0-1.5m</p> 	<p>1.5-1.0m</p> 	<p>1.0m - .5m</p> 	<p>under 5m</p> 	<p>Height (metres)</p>
COVER CLASS (%)				2-10%	30-50%	
Dominant Species				Mel Bay	Hibb Bay Shi Pat	

LIFE FORM	BUNCH GRASSES	HERBS	SEDGES	
	<p>under .5m</p>  	<p>wider .5m (except creepers)</p> 	<p>over .5m</p> 	<p>under .5m</p> 
COVER CLASS (%)		2-10%		2-10%
Dominant Species		Phleb oil		Lyy. bab

4. VEGETATION CONDITION

PRISTINE		<p>Comments</p> <p>Grazing evidence on sedge/herb grass</p> <p>Logging adj stumps</p>
EXCELLENT		
VERY GOOD		
GOOD		
DEGRADED		

